

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NNE	01-DEC-2016	Aggregate	PO-1-01-6040	Average Response Time - CSR	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	115.00	57.00	NA	2.02	NA	MET	0	1.00	5	0
NNE	01-DEC-2016	Aggregate	PO-1-01-6050	Average Response Time - CSR	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	985.00	440.00	NA	2.24	NA	MET	0	1.00	5	0
NNE	01-DEC-2016	Aggregate	PO-1-03-6040	Average Response Time - Address Validation	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	896.00	565.00	NA	1.59	NA	MET	0	1.00	5	0
NNE	01-DEC-2016	Aggregate	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI	<= 7.5 Seconds	ELIGIBLE	NA	NA	2070.00	1248.00	NA	1.66	NA	MET	0	1.00	5	0
NNE	01-DEC-2016	Aggregate	PO-1-05-6040	Average Response Time - TN Availability and Reservation	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	PO-1-05-6050	Average Response Time - TN Availability and Reservation	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	880.00	87.00	NA	10.11	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	PO-1-06-6040	Average Response Time - Mech. Loop Qualification	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	2424.00	749.00	NA	3.24	NA	MET	0	1.00	5	0
NNE	01-DEC-2016	Aggregate	PO-1-06-6050	Average Response Time - Mech. Loop Qualification	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	963.00	326.00	NA	2.95	NA	MET	0	1.00	5	0
NNE	01-DEC-2016	Aggregate	PO-1-07-6040	Average Response Time - Rejected Query	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	38.00	41.00	NA	0.93	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	PO-1-07-6050	Average Response Time - Rejected Query	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	150.00	138.00	NA	1.09	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	PO-1-08-6040	% Timeouts	XML	<= 0.33%	ELIGIBLE	NA	NA	54.00	3664.00	NA	1.47	NA	MISS	50	3.00	5	225.00
NNE	01-DEC-2016	Aggregate	PO-1-08-6050	% Timeouts	WEB GUI	<= 0.33%	ELIGIBLE	NA	NA	57.00	2296.00	NA	2.48	NA	MISS	54	3.00	5	345.00
NNE	01-DEC-2016	Aggregate	PO-1-09-6040	Average Response Time - Parsed CSR	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	4888.00	2198.00	NA	2.22	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	PO-2-02-6000	OSS Interface Availability - Prime Time	VFO	>= 99.5%	ELIGIBLE	NA	NA	28080.00	28080.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-DEC-2016	Aggregate	PO-3-02-1000	% Answered within 30 Seconds - Ordering	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	779.00	788.00	NA	98.86	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	PO-3-04-1000	% Answered within 30 Seconds - Repair	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	12964.00	13422.00	NA	96.59	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	PO-4-01-6660	% Change Management Notices Sent on Time	Change Notices (types 3, 4 and 5)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2016	Aggregate	PO-4-01-6671	% Change Management Notices Sent on Time	Change Notices (types 1 and 2)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2016	Aggregate	PO-4-02-6600	Change Management Notices - Delay 1 to 7 Days	Change Notices all types	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	PO-4-03-6600	Change Management Notices - Delay >= 8 Days	Change Notices all types	0 (zero) Notices >= 8 Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2016	Aggregate	PO-5-01-6500	% On Time Notice of OSS Interface Outage	OSS Interface Outage Notifications	>= 95% within 20 Minutes of Outage	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	PO-6-01-6000	Software Validation	VFO	<= 5% Failed Transactions	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2016	Aggregate	PO-7-01-6000	% Production Software Referrals Resolved On Time	VFO	>= 95% within 48 Hours/10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2016	Aggregate	PO-7-02-6000	Delay Hours Production Software Resolution - Change - Transactions Failed - No Workaround	VFO	0 (zero) production resolution changes > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2016	Aggregate	PO-7-03-6000	Delay Days Production Software Resolution - Change - Transactions Failed - With Workaround	VFO	0 (zero) production resolution changes > 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2016	Aggregate	PO-7-04-6000	Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround	VFO	0 (zero) failed/rejected test deck transactions > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NH	01-DEC-2016	Aggregate	PO-8-01-6100	% On Time - Manual Loop Qualification	Manual Loop Qual Request	>= 95% within 48 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	40	0
NH	01-DEC-2016	Aggregate	OR-1-02-2000	% On Time LSRC - Flow-Through	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	20.00	20.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-1-02-3332	% On Time LSRC - Flow-Through	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	588.00	599.00	NA	98.16	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-1-04-2000	% On Time LSRC - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	10.00	11.00	NA	90.91	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-1-04-3331	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	115.00	122.00	NA	94.26	NA	MISS	4	2.50	28	280.00
NH	01-DEC-2016	Aggregate	OR-1-04-3343	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-1-06-2000	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-1-06-3200	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	7.00	7.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-DEC-2016	Aggregate	OR-1-06-3331	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-1-06-3343	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-1-12-5020	% On Time ASRC	CLEC Trunks (<= 192 Forecasted)	>= 95% within 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-DEC-2016	Aggregate	OR-1-12-5030	% On Time ASRC	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-DEC-2016	Aggregate	OR-1-13-5000	% On Time Design Layout Record (DLR)	CLEC Trunks	>= 95% On or Before DLRD	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-DEC-2016	Aggregate	OR-2-02-2000	% On Time LSR Reject (Flow-Through)	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	20.00	20.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-2-02-3332	% On Time LSR Reject (Flow-Through)	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	186.00	186.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-2-04-2000	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	15.00	15.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-2-04-3331	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	7.00	7.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-2-04-3343	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-2-06-2000	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-2-06-3200	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-DEC-2016	Aggregate	OR-2-06-3331	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	2.00	2.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-2-06-3343	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-2-12-5020	% On Time Trunk ASR Reject	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-DEC-2016	Aggregate	OR-2-12-5030	% On Time Trunk ASR Reject	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	OR-4-11-1000	% Completed Orders with Neither a PCN nor BCN Sent	Resale and UNE	<= 0.25% within 2 Business Days of Provisioning Completion	DIAGNOSTIC	NA	NA	3.00	1876.00	NA	0.16	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	OR-4-16-1000	% Provisioning Completion Notifiers Sent within One Business Day	Resale and UNE	>= 95%	ELIGIBLE	NA	NA	531.00	533.00	NA	99.62	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-4-17-1000	% Billing Completion Notifiers Sent On Time	Resale and UNE	>= 95.5% within 2 or 4 Business Days of Provisioning Completion	ELIGIBLE	NA	NA	1865.00	1875.00	NA	99.47	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-5-01-2000	% Flow-Through - Total	Resale	No Standard	DIAGNOSTIC	NA	NA	20.00	31.00	NA	64.52	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	OR-5-01-3112	% Flow-Through - Total	UNE 2-Wire Analog Loop	No Standard	DIAGNOSTIC	NA	NA	74.00	80.00	NA	92.50	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	OR-5-01-3121	% Flow-Through - Total	Directory Listings and LNP	No Standard	DIAGNOSTIC	NA	NA	1819.00	1986.00	NA	91.59	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	OR-5-03-2000	% Flow-Through - Achieved	Resale	>= 95%	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	35	0
NH	01-DEC-2016	Aggregate	OR-5-03-3112	% Flow-Through - Achieved	UNE 2-Wire Analog Loop	>= 95%	ELIGIBLE	NA	NA	29.00	30.00	NA	96.67	NA	MET	0	1.00	35	0
NH	01-DEC-2016	Aggregate	OR-5-03-3121	% Flow-Through - Achieved	Directory Listings and LNP	>= 95%	ELIGIBLE	NA	NA	1439.00	1513.00	NA	95.11	NA	MET	21	1.00	35	735.00
NNE	01-DEC-2016	Aggregate	OR-6-01-1001	% Service Order Accuracy	Resale and UNE 2-Wire Loops /LNP	>= 95% without Errors	ELIGIBLE	NA	NA	70.00	70.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-DEC-2016	Aggregate	OR-6-03-2000	% Resent LSRC	Resale	<= 5% due to Errors	ELIGIBLE	NA	NA	0.00	11.00	NA	0.00	NA	MET	0	1.00	28	0
NH	01-DEC-2016	Aggregate	OR-6-03-3332	% Resent LSRC	UNE 2-Wire Loops/LNP	<= 5% due to Errors	ELIGIBLE	NA	NA	4.00	132.00	NA	3.03	NA	MET	1	1.00	28	28.00
NNE	01-DEC-2016	Aggregate	OR-6-04-1040	% Accuracy - Directory Listing	Directory Listings	>= 95% without Errors	ELIGIBLE	NA	NA	33.00	39.00	NA	84.62	NA	MISS	4	4.00	40	212.00
NH	01-DEC-2016	Aggregate	OR-11-01-2000	% On Time Resale Provider Notifications	Resale	>= 95% within 2 Business Days	ELIGIBLE	NA	NA	98.00	98.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-DEC-2016	Aggregate	PR-1-04-3112	Average Interval Offered - Dispatch (6 to 9 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	10.00	3.00	NA	NA	3.33	NA	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-1-05-3112	Average Interval Offered - Dispatch (>= 10 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-1-09-3211	Average Interval Offered	UNE DS1	Parity with Retail DS1	DIAGNOSTIC	3.00	1.00	27.00	4.00	3.00	6.75	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-1-09-3213	Average Interval Offered	UNE DS3	Parity with Retail DS3	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-1-09-5020	Average Interval Offered	CLEC Trunks (<= 192 Forecasted)	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	12.00	2.00	NA	NA	6.00	NA	NA	NA	NA	NA</		

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NH	01-DEC-2016	Aggregate	PR-5-02-3343	% Orders Held for Facilities > 15 Days	UNE 2-Wire Digital and xDSL Loops	No Standard	DIAGNOSTIC	NA	NA	0.00	6.00	NA	0.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-5-02-5000	% Orders Held for Facilities > 15 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	2.00	NA	NA	0.00	NA	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-5-03-5000	% Orders Held for Facilities > 60 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	2.00	NA	NA	0.00	NA	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-6-01-2000	% Installation Troubles Reported within 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	88.00	1038.00	0.00	26.00	8.48	0.00	1.264	MET	0	1.00	60	0
NH	01-DEC-2016	Aggregate	PR-6-01-3113	% Installation Troubles Reported within 30 Days	UNE 2-Wire Analog Loop - New	Parity with Retail POTS - Dispatched	ELIGIBLE	51.00	289.00	1.00	11.00	17.65	9.09	0.245	MET	0	1.00	60	0
NH	01-DEC-2016	Aggregate	PR-6-01-3200	% Installation Troubles Reported within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	NA	NA	0.00	3.00	NA	0.00	NA	SS	0	1.00	150	0
NH	01-DEC-2016	Aggregate	PR-6-01-3343	% Installation Troubles Reported within 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS - Dispatched	ELIGIBLE	60.00	289.00	1.00	9.00	20.76	11.11	0.205	MET	0	1.00	60	0
NH	01-DEC-2016	Aggregate	PR-6-01-5000	% Installation Troubles Reported within 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	2.00	NA	NA	0.00	NA	NA	NA	NA	1.00	150	0
NH	01-DEC-2016	Aggregate	PR-6-02-3520	% Installation Troubles Reported within 7 Days	UNE 2-Wire Analog Loop - Hot Cut	<= 2%	ELIGIBLE	NA	NA	0.00	8.00	NA	0.00	NA	MET	0	1.00	60	0
NH	01-DEC-2016	Aggregate	PR-8-01-2000	% Open Orders in a Hold Status > 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	72.00	2090.00	0.00	15.00	3.44	0.00	0.233	MET	0	1.00	60	0
NH	01-DEC-2016	Aggregate	PR-8-01-3112	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	72.00	2090.00	0.00	9.00	3.44	0.00	0.613	MET	0	1.00	60	0
NH	01-DEC-2016	Aggregate	PR-8-01-3200	% Open Orders in a Hold Status > 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	3.00	4.00	0.00	5.00	75.00	0.00	NA	SS	0	1.00	150	0
NH	01-DEC-2016	Aggregate	PR-8-01-3343	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	72.00	2090.00	0.00	6.00	3.44	0.00	0.880	MET	0	1.00	60	0
NH	01-DEC-2016	Aggregate	PR-8-01-5000	% Open Orders in a Hold Status > 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	2.00	NA	NA	0.00	NA	NA	NA	0	1.00	150	0
NH	01-DEC-2016	Aggregate	PR-8-02-2000	% Open Orders in a Hold Status > 90 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	70.00	2088.00	0.00	15.00	3.35	0.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-8-02-3112	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	70.00	2088.00	0.00	9.00	3.35	0.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-8-02-3200	% Open Orders in a Hold Status > 90 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	3.00	4.00	0.00	5.00	75.00	0.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-8-02-3343	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Digital and xDSL Loops	Diagnostic comparison to Retail POTS	DIAGNOSTIC	70.00	2088.00	0.00	6.00	3.35	0.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-8-02-5000	% Open Orders in a Hold Status > 90 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	2.00	NA	NA	0.00	NA	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	PR-9-01-3520	% On Time Performance - Hot Cut	UNE 2-Wire Analog Loop - Hot Cut	>= 95% Completed within Window	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	100	0
NH	01-DEC-2016	Aggregate	PR-9-08-3520	Average Duration of Hot Cut Installation Troubles	UNE 2-Wire Analog Loop - Hot Cut	Parity with Retail POTS - New	ELIGIBLE	1004.58	50.00	NA	NA	20.09	NA	NA	NA	0	1.00	100	0
NNE	01-DEC-2016	Aggregate	MR-1-01-6000	Average Response Time - Create Trouble	VFO	<= 4.5 Seconds	ELIGIBLE	NA	NA	1902.00	964.00	NA	1.97	NA	MET	0	1.00	5	0
NNE	01-DEC-2016	Aggregate	MR-1-02-6000	Average Response Time - Status Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	259.00	6.00	NA	43.17	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	MR-1-03-6000	Average Response Time - Modify Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	2465.00	69.00	NA	35.72	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	MR-1-04-6000	Average Response Time - Request Cancellation of Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	297.00	12.00	NA	24.75	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	MR-1-05-6000	Average Response Time - Status and Trouble History	VFO	No Standard	DIAGNOSTIC	NA	NA	316.00	8.00	NA	39.50	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	MR-1-06-6000	Average Response Time - Test Trouble (Resale POTS Only)	VFO	<= 90 Seconds	ELIGIBLE	NA	NA	8157.00	159.00	NA	51.30	NA	MET	0	1.00	5	0
NH	01-DEC-2016	Aggregate	MR-2-01-3200	Network Trouble Report Rate	UNE Specials	DIAGNOSTIC	DIAGNOSTIC	NA	NA	23.00	3217.00	NA	0.71	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-2-01-5000	Network Trouble Report Rate	CLEC Trunks	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	0.00	12.00	0.00	470.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-2-02-2000	Network Trouble Report Rate - Loop	Resale	Parity with Retail POTS	DIAGNOSTIC	1503.00	153479.00	5.00	4369.00	0.98	0.11	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-2-02-3112	Network Trouble Report Rate - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	1503.00	153479.00	33.00	13958.00	0.98	0.24	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-2-02-3343	Network Trouble Report Rate - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	309.00	153479.00	0.00	2343.00	0.20	0.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-2-03-2000	Network Trouble Report Rate - Central Office	Resale	Parity with Retail POTS	DIAGNOSTIC	188.00	153479.00	2.00	4369.00	0.12	0.05	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-2-03-3112	Network Trouble Report Rate - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	18.00	153479.00	0.00	13958.00	0.01	0.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-2-03-3343	Network Trouble Report Rate - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	8.00	153479.00	0.00	2343.00	0.01	0.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-3-01-2010	% Missed Repair Appointment - Loop	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	70.00	276.00	0.00	5.00	25.36	0.00	NA	SS	0	1.00	70	0
NH	01-DEC-2016	Aggregate	MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	217.00	1227.00	NA	NA	17.69	NA	NA	NA	0	1.00	35	0
NH	01-DEC-2016	Aggregate	MR-3-01-3112	% Missed Repair Appointment - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	287.00	1503.00	2.00	33.00	19.10	6.06	1.791	MET	0	1.00	70	0
NH	01-DEC-2016	Aggregate	MR-3-01-3343	% Missed Repair Appointment - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	287.00	1503.00	0.00	1.00	19.10	0.00	NA	SS	0	1.00	70	0
NH	01-DEC-2016	Aggregate	MR-3-02-2010	% Missed Repair Appointment - Central Office	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	5.00	47.00	0.00	1.00	10.64	0.00	NA	SS	0	1.00	70	0
NH	01-DEC-2016	Aggregate	MR-3-02-2120	% Missed Repair Appointment - Central Office	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	9.00	141.00	NA	NA	6.38	NA	NA	NA	0	1.00	35	0
NH	01-DEC-2016	Aggregate	MR-3-02-3112	% Missed Repair Appointment - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	7.00	50.00	1.00	1.00	14.00	100.00	NA	SS	0	1.00	70	0
NH	01-DEC-2016	Aggregate	MR-3-02-3343	% Missed Repair Appointment - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	7.00	50.00	NA	NA	14.00	NA	NA	NA	0	1.00	70	0
NH	01-DEC-2016	Aggregate	MR-4-01-3200	Mean Time To Repair - Total	UNE Specials	Parity with Retail Specials	ELIGIBLE	46.34	11.00	204.07	23.00	4.21	8.87	-1.659	MET	0	1.00	125	0
NNE	01-DEC-2016	Aggregate	MR-4-01-5000	Mean Time To Repair - Total	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	17.93	1.00	7.35	1.00	17.93	7.35	NA	3R-MET	0	1.00	125	0
NH	01-DEC-2016	Aggregate	MR-4-02-2010	Mean Time To Repair - Loop Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	4024.83	276.00	53.57	5.00	14.58	10.71	NA	SS	0	1.00	60	0
NH	01-DEC-2016	Aggregate	MR-4-02-2120	Mean Time To Repair - Loop Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	35267.16	1227.00	NA	NA	28.74	NA	NA	NA	0	1.00	35	0
NH	01-DEC-2016	Aggregate	MR-4-02-3112	Mean Time To Repair - Loop Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	39291.93	1503.00	369.24	33.00	26.14	11.19	5.000	MET	0	1.00	60	0
NH	01-DEC-2016	Aggregate	MR-4-02-3343	Mean Time To Repair - Loop Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	39291.93	1503.00	18.52	1.00	26.14	18.52	NA	SS	0	1.00	60	0
NH	01-DEC-2016	Aggregate	MR-4-03-2010	Mean Time To Repair - Central Office Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	396.05	47.00	2.44	1.00	8.43	2.44	NA	SS	0	1.00	60	0
NH	01-DEC-2016	Aggregate	MR-4-03-2120	Mean Time To Repair - Central Office Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	2728.62	141.00	NA	NA	19.35	NA	NA	NA	0	1.00	35	0
NH	01-DEC-2016	Aggregate	MR-4-03-3112	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	1016.84	50.00	6.24	1.00	20.34	6.24	NA	SS	0	1.00	60	0
NH	01-DEC-2016	Aggregate	MR-4-03-3343	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	1016.84	50.00	NA	NA	20.34	NA	NA	NA	0	1.00	60	0
NH	01-DEC-2016	Aggregate	MR-4-04-2000	% Cleared within 24 Hours	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1028.00	1691.00	7.00	7.00	60.79	100.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-4-04-3112	% Cleared within 24 Hours	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	922.00	1553.00	31.00	34.00	59.37	91.18	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-4-04-3200	% Cleared within 24 Hours	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	11.00	11.00	21.00	23.00	100.00	91.30	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-4-04-3343	% Cleared within 24 Hours	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	922.00	1553.00	1.00	1.00	59.37	100.00	NA	NA	NA	NA		0
NNE	01-DEC-2016	Aggregate	MR-4-04-5000	% Cleared within 24 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	1.00	1.00	1.00	1.00	100.00	100.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-4-05-5000	% Out of Service > 2 Hours	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	175	0
NH	01-DEC-2016	Aggregate	MR-4-06-2010	% Out of Service > 4 Hours	Resale Business	Diagnostic Comparison to Retail POTS - Business	DIAGNOSTIC	176.00	242.00	4.00	4.00	72.73	100.00	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-4-06-2120	% Out of Service > 4 Hours	Resale POTS Residence	Diagnostic Comparison to Retail POTS - Residence	DIAGNOSTIC	929.00	1030.00	NA	NA	90.19	NA	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-4-06-3200	% Out of Service > 4 Hours	UNE Specials	Parity with Retail Specials	ELIGIBLE	2.00	8.00	NA	NA	25.00	NA	NA	NA	0	1.00	175	0
NH	01-DEC-2016	Aggregate	MR-4-06-5000	% Out of Service > 4 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-4-07-2010	% Out of Service > 12 Hours	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	103.00	242.00	3.00	4.00	42.56	75.00	NA	SS	0	1.00	100	0
NH	01-DEC-2016	Aggregate	MR-4-07-2120	% Out of Service > 12 Hours	Resale POTS Residence	Diagnostic Comparison to Retail POTS - Residence	DIAGNOSTIC	813.00	1030.00	NA	NA	78.93	NA	NA	NA	NA	NA		0
NH	01-DEC-2016	Aggregate	MR-4-07-3112	% Out of Service > 12 Hours	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	469.00	1179.00	1.00	17.00	39.78	5.88	2.827	MET	0	1.00	100	0
NH	01-DEC-2016	Aggregate	MR-4-07-3343	% Out of Service > 12 Hours															

