

PRIMMER PIPER
EGGLESTON & CRAMER PC
Attorneys at Law

100 EAST STATE STREET P.O. BOX 1309 MONTPELIER, VT 05601-1309

PAUL J. PHILLIPS
ADMITTED IN VT
pphillips@ppeclaw.com
TEL: (802) 223-2102
FAX: (802) 223-2628

VIA OVERNIGHT MAIL

April 4, 2011

Ms. Debra Howland
Executive Director and Secretary
New Hampshire Public Utilities Commission
21 South Fruit Street
Concord, NH 03301



Re: DT 11-024 (Petition by Union Telephone Company for an Alternative Form of Regulation)

Dear Ms. Howland:

Enclosed for filing in the above-referenced matter, on behalf of Union Telephone Company, Inc. (the "Petitioner"), are an original and six (6) written copies of Exhibit 2/Corrected Attachment G (Access Line-Loss Summary Report (2004-2010)). Corrected Attachment G is intended to accompany the Prefiled Direct Testimony of Thomas E. Murray, which was filed by the Petitioner on February 4, 2011.

I also enclose an additional written copy, together a self-addressed and stamped envelope. Would you kindly date-stamp the additional copy and send it to me by return mail?

The original Attachment G, submitted on February 4, 2011, was filed in error and reflects an earlier working draft that was subsequently corrected. Due to a clerical error in the production of the petition package, the earlier, erroneous version was included with the filing. Please disregard the original Attachment G, as it is inaccurate. Corrected Attachment G represents the accurate version of the Petitioner's filing.

The only difference between the original and Corrected versions is the text of the Note. Specifically, the Note to Corrected Attachment G refers to "PRI" circuits, while the Note in the original version erroneously referred to "T-1" circuits. This error came to light during discovery conducted by the Office of Consumer Advocate.

Please let me know if you have any questions.

Very truly yours,


Paul J. Phillips

Enclosure

cc: Electronic Service List, DT 11-024