



Robert D. Meehan  
Director - Regulatory NH  
770 Elm Street, 1<sup>st</sup> Floor  
Manchester, NH 03101

28 APR '17 PM1:26

April 28, 2017

Ms. Debra A. Howland  
Executive Director and Secretary  
New Hampshire Public Utilities Commission  
21 South Fruit Street, Suite 10  
Concord, New Hampshire 03301

**Re: Docket No. DT 11-061; Northern New England Telephone Operations LLC  
Wholesale Performance Plan**

Dear Ms. Howland:

Northern New England Telephone Operations LLC d/b/a FairPoint Communications – NNE (“FairPoint”) hereby files a copy of the March 2017 aggregate Wholesale Performance Plan (WPP) report. An electronic copy of the aggregate report will be filed today via the Commission’s Electronic Report Filing system.

CLEC-specific WPP reports are available to requesting CLECs in electronic format via FairPoint’s wholesale web portal within 28 days of the end of each month or the next business day thereafter if the 28<sup>th</sup> is a weekend or holiday.

Please contact me with any questions or concerns.

Thank you.

Regards,

A handwritten signature in black ink that reads "Robert D. Meehan". The signature is written in a cursive, flowing style.

Robert D. Meehan  
603-656-8116



| State | Month       | CLEC Id   | Metric Id    | Metric Title                                            | Product                           | Performance Standard                                | Eligible/Diagnostic | FRP Num  | FRP Den   | CLEC Num | CLEC Den | FRP Perf. | CLEC Perf. | Z Score | Met Miss Ss | Qual'd Miss | Escalation Level | \$ Miss | \$ Credit |   |
|-------|-------------|-----------|--------------|---------------------------------------------------------|-----------------------------------|-----------------------------------------------------|---------------------|----------|-----------|----------|----------|-----------|------------|---------|-------------|-------------|------------------|---------|-----------|---|
| NH    | 01-MAR-2017 | Aggregate | PR-5-02-2000 | % Orders Held for Facilities > 15 Days                  | Resale                            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1.00     | 1703.00   | 0.00     | 30.00    | 0.06      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-5-02-3112 | % Orders Held for Facilities > 15 Days                  | UNE 2-Wire Analog Loop            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1.00     | 1703.00   | 0.00     | 19.00    | 0.06      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-5-02-3200 | % Orders Held for Facilities > 15 Days                  | UNE Specials                      | Diagnostic Comparison to Retail Specials            | DIAGNOSTIC          | 0.00     | 2.00      | 0.00     | 2.00     | 0.00      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-5-02-3343 | % Orders Held for Facilities > 15 Days                  | UNE 2-Wire Digital and xDSL Loops | No Standard                                         | DIAGNOSTIC          | NA       | NA        | 0.00     | 10.00    | NA        | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-5-02-5000 | % Orders Held for Facilities > 15 Days                  | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D        | DIAGNOSTIC          | 0.00     | 1.00      | 0.00     | 4.00     | 0.00      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-5-03-5000 | % Orders Held for Facilities > 60 Days                  | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D        | DIAGNOSTIC          | 0.00     | 1.00      | 0.00     | 4.00     | 0.00      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-6-01-2000 | % Installation Troubles Reported within 30 Days         | Resale                            | Parity with Retail POTS                             | ELIGIBLE            | 81.00    | 1197.00   | 1.00     | 17.00    | 6.77      | 5.88       | 0.466   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-6-01-3113 | % Installation Troubles Reported within 30 Days         | UNE 2-Wire Analog Loop - New      | Parity with Retail POTS - Dispatched                | ELIGIBLE            | 28.00    | 353.00    | 1.00     | 30.00    | 7.93      | 3.33       | 0.485   | MET         | 1           | 1.00             | 60      | 60.00     |   |
| NH    | 01-MAR-2017 | Aggregate | PR-6-01-3200 | % Installation Troubles Reported within 30 Days         | UNE Specials                      | Parity with Retail Specials                         | ELIGIBLE            | NA       | NA        | 0.00     | 3.00     | NA        | 0.00       | NA      | SS          | 0           | 1.00             | 150     | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-6-01-3343 | % Installation Troubles Reported within 30 Days         | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS - Dispatched                | ELIGIBLE            | 42.00    | 353.00    | 3.00     | 19.00    | 11.90     | 15.79      | -0.893  | MET         | 0           | 1.00             | 60      | 0         |   |
| NNE   | 01-MAR-2017 | Aggregate | PR-6-01-5000 | % Installation Troubles Reported within 30 Days         | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | ELIGIBLE            | 0.00     | 7.00      | 0.00     | 4.00     | 0.00      | 0.00       | NA      | MET         | 0           | 1.00             | 150     | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-6-02-3520 | % Installation Troubles Reported within 7 Days          | UNE 2-Wire Analog Loop - Hot Cut  | <= 2%                                               | ELIGIBLE            | NA       | NA        | 0.00     | 2.00     | NA        | 0.00       | NA      | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-8-01-2000 | % Open Orders in a Hold Status > 30 Days                | Resale                            | Parity with Retail POTS                             | ELIGIBLE            | 71.00    | 1913.00   | 1.00     | 44.00    | 3.71      | 2.27       | 0.033   | MET         | 1           | 1.00             | 60      | 60.00     |   |
| NH    | 01-MAR-2017 | Aggregate | PR-8-01-3112 | % Open Orders in a Hold Status > 30 Days                | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 71.00    | 1913.00   | 0.00     | 26.00    | 3.71      | 0.00       | 0.314   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-8-01-3200 | % Open Orders in a Hold Status > 30 Days                | UNE Specials                      | Parity with Retail Specials                         | ELIGIBLE            | 4.00     | 11.00     | 0.00     | 9.00     | 36.36     | 0.00       | NA      | SS          | 0           | 1.00             | 150     | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-8-01-3343 | % Open Orders in a Hold Status > 30 Days                | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 71.00    | 1913.00   | 0.00     | 10.00    | 3.71      | 0.00       | 0.484   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-8-01-5000 | % Open Orders in a Hold Status > 30 Days                | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | ELIGIBLE            | 0.00     | 1.00      | NA       | NA       | 0.00      | NA         | NA      | NA          | 0           | 1.00             | 150     | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-8-02-2000 | % Open Orders in a Hold Status > 90 Days                | Resale                            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 69.00    | 1911.00   | 0.00     | 43.00    | 3.61      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-8-02-3112 | % Open Orders in a Hold Status > 90 Days                | UNE 2-Wire Analog Loop            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 69.00    | 1911.00   | 0.00     | 26.00    | 3.61      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-8-02-3200 | % Open Orders in a Hold Status > 90 Days                | UNE Specials                      | Diagnostic Comparison to Retail Specials            | DIAGNOSTIC          | 4.00     | 11.00     | 0.00     | 9.00     | 36.36     | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-8-02-3343 | % Open Orders in a Hold Status > 90 Days                | UNE 2-Wire Digital and xDSL Loops | Diagnostic comparison to Retail POTS                | DIAGNOSTIC          | 69.00    | 1911.00   | 0.00     | 10.00    | 3.61      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-8-02-5000 | % Open Orders in a Hold Status > 90 Days                | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D Trunks | DIAGNOSTIC          | 0.00     | 1.00      | NA       | NA       | 0.00      | NA         | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-9-01-3520 | % On Time Performance - Hot Cut                         | UNE 2-Wire Analog Loop - Hot Cut  | >= 95% Completed within Window                      | ELIGIBLE            | NA       | NA        | 1.00     | 1.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 100     | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | PR-9-08-3520 | Average Duration of Hot Cut Installation Troubles       | UNE 2-Wire Analog Loop - Hot Cut  | Parity with Retail POTS - New                       | ELIGIBLE            | 873.75   | 51.00     | NA       | NA       | 17.13     | NA         | NA      | NA          | 0           | 1.00             | 100     | 0         |   |
| NNE   | 01-MAR-2017 | Aggregate | MR-1-01-6000 | Average Response Time - Create Trouble                  | VFO                               | <= 4.5 Seconds                                      | ELIGIBLE            | NA       | NA        | 2296.00  | 1225.00  | NA        | 1.87       | NA      | MET         | 0           | 1.00             |         | 0         |   |
| NNE   | 01-MAR-2017 | Aggregate | MR-1-02-6000 | Average Response Time - Status Trouble                  | VFO                               | <= 4.5 Seconds                                      | DIAGNOSTIC          | NA       | NA        | 462.00   | 11.00    | NA        | 42.00      | NA      | NA          | NA          | NA               |         | 0         |   |
| NNE   | 01-MAR-2017 | Aggregate | MR-1-03-6000 | Average Response Time - Modify Trouble                  | VFO                               | <= 4.5 Seconds                                      | DIAGNOSTIC          | NA       | NA        | 2994.00  | 93.00    | NA        | 32.19      | NA      | NA          | NA          | NA               |         | 0         |   |
| NNE   | 01-MAR-2017 | Aggregate | MR-1-04-6000 | Average Response Time - Request Cancellation of Trouble | VFO                               | <= 4.5 Seconds                                      | DIAGNOSTIC          | NA       | NA        | 192.00   | 9.00     | NA        | 21.33      | NA      | NA          | NA          | NA               |         | 0         |   |
| NNE   | 01-MAR-2017 | Aggregate | MR-1-05-6000 | Average Response Time - Status and Trouble History      | VFO                               | No Standard                                         | DIAGNOSTIC          | NA       | NA        | 242.00   | 6.00     | NA        | 40.33      | NA      | NA          | NA          | NA               |         | 0         |   |
| NNE   | 01-MAR-2017 | Aggregate | MR-1-06-6000 | Average Response Time - Test Trouble (Resale POTS Only) | VFO                               | <= 90 Seconds                                       | ELIGIBLE            | NA       | NA        | 8037.00  | 194.00   | NA        | 41.43      | NA      | MET         | 0           | 1.00             | 5       | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-2-01-3200 | Network Trouble Report Rate                             | UNE Specials                      | No Standard                                         | DIAGNOSTIC          | NA       | NA        | 16.00    | 3683.00  | NA        | 0.43       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-2-01-5000 | Network Trouble Report Rate                             | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | DIAGNOSTIC          | 0.00     | 13.00     | 0.00     | 638.00   | 0.00      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-2-02-2000 | Network Trouble Report Rate - Loop                      | Resale                            | Parity with Retail POTS                             | DIAGNOSTIC          | 1659.00  | 149429.00 | 8.00     | 4197.00  | 1.11      | 0.19       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-2-02-3112 | Network Trouble Report Rate - Loop                      | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | DIAGNOSTIC          | 1659.00  | 149429.00 | 46.00    | 13634.00 | 1.11      | 0.34       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-2-02-3343 | Network Trouble Report Rate - Loop                      | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | DIAGNOSTIC          | 349.00   | 149429.00 | 0.00     | 2241.00  | 0.23      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-2-03-2000 | Network Trouble Report Rate - Central Office            | Resale                            | Parity with Retail POTS                             | DIAGNOSTIC          | 148.00   | 149429.00 | 5.00     | 4197.00  | 0.10      | 0.12       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-2-03-3112 | Network Trouble Report Rate - Central Office            | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | DIAGNOSTIC          | 14.00    | 149429.00 | 0.00     | 13634.00 | 0.01      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-2-03-3343 | Network Trouble Report Rate - Central Office            | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | DIAGNOSTIC          | 8.00     | 149429.00 | 0.00     | 2241.00  | 0.01      | 0.00       | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-3-01-2010 | % Missed Repair Appointment - Loop                      | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 86.00    | 334.00    | 0.00     | 6.00     | 25.75     | 0.00       | 0.949   | MET         | 0           | 1.00             | 70      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-3-01-2120 | % Missed Repair Appointment - Loop                      | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 224.00   | 1325.00   | NA       | NA       | 16.91     | NA         | NA      | NA          | 0           | 1.00             | 35      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-3-01-3112 | % Missed Repair Appointment - Loop                      | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 310.00   | 1659.00   | 22.00    | 46.00    | 18.69     | 47.83      | -4.583  | MISS        | 14          | 1.00             | 70      | 980.00    |   |
| NH    | 01-MAR-2017 | Aggregate | MR-3-01-3343 | % Missed Repair Appointment - Loop                      | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 310.00   | 1659.00   | 3.00     | 8.00     | 18.69     | 37.50      | -1.692  | MISS        | 2           | 1.00             | 70      | 140.00    |   |
| NH    | 01-MAR-2017 | Aggregate | MR-3-02-2010 | % Missed Repair Appointment - Central Office            | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 7.00     | 55.00     | 0.00     | 5.00     | 12.73     | 0.00       | NA      | SS          | 0           | 1.00             | 70      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-3-02-2120 | % Missed Repair Appointment - Central Office            | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 7.00     | 93.00     | NA       | NA       | 7.53      | NA         | NA      | NA          | 0           | 1.00             | 35      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-3-02-3112 | % Missed Repair Appointment - Central Office            | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 2.00     | 29.00     | 3.00     | 3.00     | 6.90      | 100.00     | NA      | SS          | 0           | 1.00             | 70      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-3-02-3343 | % Missed Repair Appointment - Central Office            | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 2.00     | 29.00     | NA       | NA       | 6.90      | NA         | NA      | NA          | 0           | 1.00             | 70      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-01-3200 | Mean Time To Repair - Total                             | UNE Specials                      | Parity with Retail Specials                         | ELIGIBLE            | 21.46    | 6.00      | 146.31   | 16.00    | 3.58      | 9.14       | NA      | SS          | 0           | 1.00             | 125     | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-01-5000 | Mean Time To Repair - Total                             | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | ELIGIBLE            | NA       | NA        | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 125     | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-02-2010 | Mean Time To Repair - Loop Trouble                      | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 5077.44  | 334.00    | 33.37    | 6.00     | 15.20     | 5.56       | 2.003   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-02-2120 | Mean Time To Repair - Loop Trouble                      | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 34905.25 | 1325.00   | NA       | NA       | 26.34     | NA         | NA      | NA          | 0           | 1.00             | 35      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-02-3112 | Mean Time To Repair - Loop Trouble                      | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 39982.61 | 1659.00   | 567.81   | 46.00    | 24.10     | 12.34      | 5.000   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-02-3343 | Mean Time To Repair - Loop Trouble                      | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 39982.61 | 1659.00   | 118.95   | 8.00     | 24.10     | 14.87      | 1.482   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-03-2010 | Mean Time To Repair - Central Office Trouble            | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 483.76   | 55.00     | 11.68    | 5.00     | 8.80      | 2.34       | NA      | SS          | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-03-2120 | Mean Time To Repair - Central Office Trouble            | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 1493.70  | 93.00     | NA       | NA       | 16.06     | NA         | NA      | NA          | 0           | 1.00             | 35      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-03-3112 | Mean Time To Repair - Central Office Trouble            | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 489.52   | 29.00     | 66.41    | 3.00     | 16.88     | 22.14      | NA      | SS          | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-03-3343 | Mean Time To Repair - Central Office Trouble            | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 489.52   | 29.00     | NA       | NA       | 16.88     | NA         | NA      | NA          | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-04-2000 | % Cleared within 24 Hours                               | Resale                            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1160.00  | 1807.00   | 13.00    | 13.00    | 64.19     | 100.00     | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-04-3112 | % Cleared within 24 Hours                               | UNE 2-Wire Analog Loop            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1060.00  | 1688.00   | 45.00    | 49.00    | 62.80     | 91.84      | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-04-3200 | % Cleared within 24 Hours                               | UNE Specials                      | Diagnostic Comparison to Retail Specials            | DIAGNOSTIC          | 6.00     | 6.00      | 15.00    | 16.00    | 100.00    | 93.75      | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-04-3343 | % Cleared within 24 Hours                               | UNE 2-Wire Digital and xDSL Loops | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1060.00  | 1688.00   | 7.00     | 8.00     | 62.80     | 87.50      | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-04-5000 | % Cleared within 24 Hours                               | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D        | DIAGNOSTIC          | NA       | NA        | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-05-5000 | % Out of Service > 2 Hours                              | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | ELIGIBLE            | NA       | NA        | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00    | 175       | 0 |
| NH    | 01-MAR-2017 | Aggregate | MR-4-06-2010 | % Out of Service > 4 Hours                              | Resale Business                   | Diagnostic Comparison to Retail POTS - Business     | DIAGNOSTIC          | 211.00   | 305.00    | 2.00     | 8.00     | 69.18     | 25.00      | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-06-2120 | % Out of Service > 4 Hours                              | Resale POTS Residence             | Diagnostic Comparison to Retail POTS - Residence    | DIAGNOSTIC          | 1013.00  | 1104.00   | NA       | NA       | 91.76     | NA         | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-06-3200 | % Out of Service > 4 Hours                              | UNE Specials                      | Parity with Retail Specials                         | ELIGIBLE            | 2.00     | 4.00      | NA       | NA       | 50.00     | NA         | NA      | NA          | 0           | 1.00             | 175     | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-06-5000 | % Out of Service > 4 Hours                              | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D Trunks | DIAGNOSTIC          | NA       | NA        | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               |         | 0         |   |
| NH    | 01-MAR-2017 | Aggregate | MR-4-07-2010 | % Out of Service > 12 Hours                             |                                   |                                                     |                     |          |           |          |          |           |            |         |             |             |                  |         |           |   |

