State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	$ Miss	$ Credit
NNE	01-JAN-2024	Aggregate	PO-1-01-6040	Average Response Time - CSR	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	772.00	250.00	NA	3.09	NA	MET	0	1.00	5	0
NNE	01-JAN-2024	Aggregate	PO-1-01-6050	Average Response Time - CSR	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	1159.00	225.00	NA	5.15	NA	MET	0	1.00	5	0
NNE	01-JAN-2024	Aggregate	PO-1-03-6040	Average Response Time - Address Validation	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	375.00	87.00	NA	4.31	NA	MET	0	1.00	5	0
NNE	01-JAN-2024	Aggregate	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI	<= 7.5 Seconds	ELIGIBLE	NA	NA	251.00	44.00	NA	5.70	NA	MET	0	1.00	5	0
NNE	01-JAN-2024	Aggregate	PO-1-05-6040	Average Response Time - TN Availability and Reservation	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	PO-1-05-6050	Average Response Time - TN Availability and Reservation	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	183.00	7.00	NA	26.14	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	PO-1-06-6040	Average Response Time - Mech. Loop Qualification	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	61.00	5.00	NA	12.20	NA	MISS	4	1.00	5	0
NNE	01-JAN-2024	Aggregate	PO-1-06-6050	Average Response Time - Mech. Loop Qualification	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	5	0
NNE	01-JAN-2024	Aggregate	PO-1-07-6040	Average Response Time - Rejected Query	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	49.00	4.00	NA	12.25	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	PO-1-07-6050	Average Response Time - Rejected Query	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	41.00	16.00	NA	2.56	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	PO-1-08-6040	% Timeouts	XML	<= 0.33%	ELIGIBLE	NA	NA	0.00	2898.00	NA	0.00	NA	MET	0	1.00	5	0
NNE	01-JAN-2024	Aggregate	PO-1-08-6050	% Timeouts	WEB GUI	<= 0.33%	ELIGIBLE	NA	NA	2.00	294.00	NA	0.68	NA	MISS	0	1.00	5	0
NNE	01-JAN-2024	Aggregate	PO-1-09-6040	Average Response Time - Parsed CSR	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	16360.00	2552.00	NA	6.41	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	PO-2-02-6000	OSS Interface Availability - Prime Time	VFO	>= 99.5%	ELIGIBLE	NA	NA	22680.00	22680.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-JAN-2024	Aggregate	PO-3-02-3000	% Answered within 30 Seconds - Ordering	UNE	>= 80%	DIAGNOSTIC	NA	NA	212.00	221.00	NA	95.93	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	PO-3-04-3000	% Answered within 30 Seconds - Repair	UNE	>= 80%	DIAGNOSTIC	NA	NA	8646.00	9853.00	NA	87.75	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	PO-4-01-6660	% Change Management Notices Sent on Time	Change Notices (types 3, 4 and 5)	>= 95%	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-JAN-2024	Aggregate	PO-4-01-6671	% Change Management Notices Sent on Time	Change Notices (types 1 and 2)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JAN-2024	Aggregate	PO-4-02-6600	Change Management Notices - Delay 1 to 7 Days	Change Notices all types	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	PO-4-03-6600	Change Management Notices - Delay >= 8 Days	Change Notices all types	0 (zero) Notices >= 8 Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JAN-2024	Aggregate	PO-5-01-6500	% On Time Notice of OSS Interface Outage	OSS Interface Outage Notifications	>= 95% within 20 Minutes of Outage	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	PO-6-01-6000	Software Validation	VFO	<= 5% Failed Transactions	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JAN-2024	Aggregate	PO-7-01-6000	% Production Software Referrals Resolved On Time	VFO	>= 95% within 48 Hours/10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JAN-2024	Aggregate	PO-7-02-6000	Delay Hours Production Software Resolution - Change - Transactions Failed - No Workaround	VFO	0 (zero) production resolution changes > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JAN-2024	Aggregate	PO-7-03-6000	Delay Days Production Software Resolution - Change - Transactions Failed - With Workaround	VFO	0 (zero) production resolution changes > 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JAN-2024	Aggregate	PO-7-04-6000	Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround	VFO	0 (zero) failed/rejected test deck transactions > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NH	01-JAN-2024	Aggregate	PO-8-01-6100	% On Time - Manual Loop Qualification	Manual Loop Qual Request	>= 95% within 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	40	0
NH	01-JAN-2024	Aggregate	OR-1-04-3343	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-JAN-2024	Aggregate	OR-1-06-2000	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-JAN-2024	Aggregate	OR-1-06-3200	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JAN-2024	Aggregate	OR-1-06-3343	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-JAN-2024	Aggregate	OR-1-12-5020	% On Time ASRC	CLEC Trunks (<= 192 Forecasted)	>= 95% within 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JAN-2024	Aggregate	OR-1-12-5030	% On Time ASRC	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JAN-2024	Aggregate	OR-1-13-5000	% On Time Design Layout Record (DLR)	CLEC Trunks	>= 95% On or Before DLRD	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JAN-2024	Aggregate	OR-2-02-3333	% On Time LSR Reject (Flow-Through)	UNE 2-Wire Loops	>= 95% within 2 Hours	ELIGIBLE	NA	NA	25.00	25.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JAN-2024	Aggregate	OR-2-04-3331	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	10.00	11.00	NA	90.91	NA	MET	0	1.00	28	0
NH	01-JAN-2024	Aggregate	OR-2-04-3343	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-JAN-2024	Aggregate	OR-2-06-3200	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JAN-2024	Aggregate	OR-2-06-3343	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-JAN-2024	Aggregate	OR-2-12-5020	% On Time Trunk ASR Reject	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JAN-2024	Aggregate	OR-2-12-5030	% On Time Trunk ASR Reject	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	OR-4-11-3000	% Completed Orders with Neither a PCN nor BCN Sent	UNE	<= 0.25% within 2 Business Days of Provisioning Completion	DIAGNOSTIC	NA	NA	0.00	479.00	NA	0.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	OR-4-16-3000	% Provisioning Completion Notifiers Sent within One Business Day	UNE	>= 95%	ELIGIBLE	NA	NA	225.00	225.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JAN-2024	Aggregate	PR-1-09-3211	Average Interval Offered	UNE DS1	Parity with Retail DS1	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-1-09-3213	Average Interval Offered	UNE DS3	Parity with Retail DS3	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-1-09-5020	Average Interval Offered	CLEC Trunks (<= 192 Forecasted)	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	68.00	3.00	NA	NA	22.67	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-1-09-5030	Average Interval Offered	CLEC Trunks (> 192, Unforecasted, and Projects)	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-3-01-2000	% Completed in 1 Day - No Dispatch (1 to 5 Lines)	Resale	Diagnostic Standard, No Retail Statistics Calculated	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-3-10-3343	% Completed in 6 Days (1 to 5 Lines)	UNE 2-Wire Digital and xDSL Loops	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	60	0
NH	01-JAN-2024	Aggregate	PR-4-01-3211	% Missed Due Date	UNE DS1	Parity with Retail DS1	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	126	0
NH	01-JAN-2024	Aggregate	PR-4-01-3213	% Missed Due Date	UNE DS3	Parity with Retail DS3	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	280	0
NH	01-JAN-2024	Aggregate	PR-4-02-3200	Average Delay Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	150	0
NH	01-JAN-2024	Aggregate	PR-4-02-3343	Average Delay Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	66.00	31.00	NA	NA	2.13	NA	NA	NA	0	1.00	60	0
NH	01-JAN-2024	Aggregate	PR-4-02-5000	Average Delay Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	150	0
NH	01-JAN-2024	Aggregate	PR-4-14-3343	% Met Due Date	UNE 2-Wire Digital and xDSL Loops	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	60	0
NH	01-JAN-2024	Aggregate	PR-4-15-5000	% Met Due Date - Trunks	CLEC Trunks	>= 95%	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	150	0
NH	01-JAN-2024	Aggregate	PR-5-01-5000	% Missed Due Date - Facilities	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	4.00	0.00	3.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-5-02-3200	% Orders Held for Facilities > 15 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-5-02-3343	% Orders Held for Facilities > 15 Days	UNE 2-Wire Digital and xDSL Loops	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-5-02-5000	% Orders Held for Facilities > 15 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	4.00	0.00	3.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-5-03-5000	% Orders Held for Facilities > 60 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	4.00	0.00	3.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-6-01-3200	% Installation Troubles Reported within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	150	0
NH	01-JAN-2024	Aggregate	PR-6-01-3343	% Installation Troubles Reported within 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS - Dispatched	ELIGIBLE	24.00	153.00	NA	NA	15.69	NA	NA	NA	0	1.00	60	0
NH	01-JAN-2024	Aggregate	PR-6-01-5000	% Installation Troubles Reported within 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	4.00	0.00	3.00	0.00	0.00	NA	SS	0	1.00	150	0
NH	01-JAN-2024	Aggregate	PR-8-01-3200	% Open Orders in a Hold Status > 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	3.00	6.00	NA	NA	50.00	NA	NA	NA	0	1.00	150	0
NH	01-JAN-2024	Aggregate	PR-8-01-3343	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	41.00	804.00	NA	NA	5.10	NA	NA	NA	0	1.00	60	0
NH	01-JAN-2024	Aggregate	PR-8-01-5000	% Open Orders in a Hold Status > 30 Days	CLEC Trunks	<=5%	ELIGIBLE	0.00	4.00	0.00	3.00	0.00	0.00	NA	MET	0	1.00	150	0
NH	01-JAN-2024	Aggregate	PR-8-02-3200	% Open Orders in a Hold Status > 90 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	3.00	6.00	NA	NA	50.00	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-8-02-3343	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Digital and xDSL Loops	Diagnostic comparison to Retail POTS	DIAGNOSTIC	40.00	803.00	NA	NA	4.98	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	PR-8-02-5000	% Open Orders in a Hold Status > 90 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	4.00	0.00	3.00	0.00	0.00	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	MR-1-01-6000	Average Response Time - Create Trouble	VFO	<= 4.5 Seconds	ELIGIBLE	NA	NA	1187.00	331.00	NA	3.59	NA	MET	0	1.00	5	0
NNE	01-JAN-2024	Aggregate	MR-1-02-6000	Average Response Time - Status Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	MR-1-03-6000	Average Response Time - Modify Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	219.00	6.00	NA	36.50	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	MR-1-04-6000	Average Response Time - Request Cancellation of Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	67.00	2.00	NA	33.50	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	MR-1-05-6000	Average Response Time - Status and Trouble History	VFO	No Standard	DIAGNOSTIC	NA	NA	335.00	9.00	NA	37.22	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	MR-1-06-6000	Average Response Time - Test Trouble (Resale POTS Only)	VFO	<= 90 Seconds	ELIGIBLE	NA	NA	619.00	20.00	NA	30.95	NA	MET	0	1.00	5	0
NH	01-JAN-2024	Aggregate	MR-2-01-3200	Network Trouble Report Rate	UNE Specials	No Standard	DIAGNOSTIC	NA	NA	2.00	3244.00	NA	0.06	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-2-01-5000	Network Trouble Report Rate	CLEC Trunks	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	0.00	84.00	0.00	577.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-2-02-3343	Network Trouble Report Rate - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	204.00	72567.00	0.00	572.00	0.28	0.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-2-03-3343	Network Trouble Report Rate - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	1.00	72567.00	0.00	572.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-3-01-3343	% Missed Repair Appointment - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	470.00	1723.00	NA	NA	27.28	NA	NA	NA	0	1.00	70	0
NH	01-JAN-2024	Aggregate	MR-3-02-3343	% Missed Repair Appointment - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	3.00	14.00	NA	NA	21.43	NA	NA	NA	0	1.00	70	0
NH	01-JAN-2024	Aggregate	MR-4-01-3200	Mean Time To Repair - Total	UNE Specials	Parity with Retail Specials	ELIGIBLE	44.76	4.00	42.28	2.00	11.19	21.14	NA	SS	0	1.00	125	0
NH	01-JAN-2024	Aggregate	MR-4-01-5000	Mean Time To Repair - Total	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	125	0
NH	01-JAN-2024	Aggregate	MR-4-02-3343	Mean Time To Repair - Loop Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	147221.17	1723.00	NA	NA	85.44	NA	NA	NA	0	1.00	60	0
NH	01-JAN-2024	Aggregate	MR-4-03-3343	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	791.67	14.00	NA	NA	56.55	NA	NA	NA	0	1.00	60	0
NH	01-JAN-2024	Aggregate	MR-4-04-3200	% Cleared within 24 Hours	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	4.00	4.00	1.00	2.00	100.00	50.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-4-04-3343	% Cleared within 24 Hours	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	305.00	1737.00	NA	NA	17.56	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-4-04-5000	% Cleared within 24 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-4-05-5000	% Out of Service > 2 Hours	CLEC Trunks	<=5%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	175	0
NH	01-JAN-2024	Aggregate	MR-4-06-3200	% Out of Service > 4 Hours	UNE Specials	Parity with Retail Specials	ELIGIBLE	2.00	3.00	1.00	1.00	66.67	100.00	NA	SS	0	1.00	175	0
NH	01-JAN-2024	Aggregate	MR-4-06-5000	% Out of Service > 4 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-4-07-3343	% Out of Service > 12 Hours	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	1133.00	1258.00	NA	NA	90.06	NA	NA	NA	0	1.00	100	0
NH	01-JAN-2024	Aggregate	MR-4-07-5000	% Out of Service > 12 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-4-08-3200	% Out of Service > 24 Hours	UNE Specials	Parity with Retail Specials	DIAGNOSTIC	0.00	3.00	1.00	1.00	0.00	100.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-4-08-3343	% Out of Service > 24 Hours	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	1003.00	1250.00	NA	NA	80.24	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-4-08-5000	% Out of Service > 24 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	MR-5-01-3200	% Repeat Reports within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	1.00	4.00	0.00	2.00	25.00	0.00	NA	SS	0	1.00	200	0
NH	01-JAN-2024	Aggregate	MR-5-01-5000	% Repeat Reports within 30 Days	CLEC Trunks	<=5%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	200	0
NH	01-JAN-2024	Aggregate	MR-5-02-3200	% Repeat Reports within 30 Days on No Trouble Found	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	1.00	1.00	NA	NA	100.00	NA	NA	NA	NA	NA		0

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	$ Miss	$ Credit
NH	01-JAN-2024	Aggregate	MR-5-02-3343	% Repeat Reports within 30 Days on No Trouble Found	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	97.00	466.00	NA	NA	20.82	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	NP-1-01-5100	% Final Trunk Groups Exceeding Blocking Threshold	Final Trunk Groups	No Standard	DIAGNOSTIC	NA	NA	0.00	18.00	NA	0.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	NP-1-02-5100	% Final Trunk Groups Exceeding Blocking Threshold (No Exclusions)	Final Trunk Groups	No Standard	DIAGNOSTIC	NA	NA	0.00	18.00	NA	0.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	NP-1-03-5100	Number Final Trunk Groups Exceeding Blocking Threshold - 2 Months	Final Trunk Groups	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	NP-1-04-5100	Number Final Trunk Groups Exceeding Blocking Threshold - 3 Months	Final Trunk Groups	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	NP-2-01-6701	% On Time Response to Request for Collocation	Collocation - New	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	70	0
NH	01-JAN-2024	Aggregate	NP-2-01-6702	% On Time Response to Request for Collocation	Collocation - Augment	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	70	0
NH	01-JAN-2024	Aggregate	NP-2-05-6701	% On Time - Physical Collocation	Collocation - New	>= 95% on or before DD	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	1000	0
NH	01-JAN-2024	Aggregate	NP-2-05-6702	% On Time - Physical Collocation	Collocation - Augment	>= 95% on or before DD	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	1000	0
NH	01-JAN-2024	Aggregate	NP-2-06-6701	% On Time - Virtual Collocation	Collocation - New	>= 95% on or before DD	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	1000	0
NH	01-JAN-2024	Aggregate	NP-2-06-6702	% On Time - Virtual Collocation	Collocation - Augment	>= 95% on or before DD	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	1000	0
NH	01-JAN-2024	Aggregate	NP-2-07-6701	Total Delay Days - Physical Collocation	Collocation - New	0 (zero) Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	70	0
NH	01-JAN-2024	Aggregate	NP-2-07-6702	Total Delay Days - Physical Collocation	Collocation - Augment	0 (zero) Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	70	0
NH	01-JAN-2024	Aggregate	NP-2-08-6701	Total Delay Days - Virtual Collocation	Collocation - New	0 (zero) Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	70	0
NH	01-JAN-2024	Aggregate	NP-2-08-6702	Total Delay Days - Virtual Collocation	Collocation - Augment	0 (zero) Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	70	0
NH	01-JAN-2024	Aggregate	BI-2-01-3000	Timeliness of CLEC Bill	UNE	>= 98% within 10 Business Days	DIAGNOSTIC	NA	NA	182.00	182.00	NA	100.00	NA	NA	NA	NA		0
NH	01-JAN-2024	Aggregate	BI-3-07-3000	% Full or Partial Denials	UNE	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-JAN-2024	Aggregate	BI-9-01-3000	% Billing Completeness in 12 Billing Cycles	UNE	>= 96%	ELIGIBLE	NA	NA	1354328.31	1354561.19	NA	99.98	NA	MET	0	1.00	Severity Dependent	0
NH	**01-JAN-2024**	**Aggregate**	**Total $ Credit**																**0.00**