

| State | Month       | CLEC ID   | Metric ID    | Metric Title                                                                               | Product                                         | Performance Standard                                       | Eligible/Diagnostic | FRP Num | FRP Den | CLEC Num | CLEC Den | FRP Perf. | CLEC Perf. | Z Score | Met Miss Ss | Qual'd Miss | Escalation Level | \$ Miss            | \$ Credit          |   |
|-------|-------------|-----------|--------------|--------------------------------------------------------------------------------------------|-------------------------------------------------|------------------------------------------------------------|---------------------|---------|---------|----------|----------|-----------|------------|---------|-------------|-------------|------------------|--------------------|--------------------|---|
| NNE   | 01-MAR-2024 | Aggregate | PO-1-01-6040 | Average Response Time - CSR                                                                | XML                                             | <= 4.5 Seconds                                             | ELIGIBLE            | NA      | NA      | 63.00    | 6.00     | NA        | 10.90      | NA      | MISS        | 1           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-01-6050 | Average Response Time - CSR                                                                | WEB GUI                                         | <= 6.5 Seconds                                             | ELIGIBLE            | NA      | NA      | 1521.00  | 363.00   | NA        | 4.19       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-03-6040 | Average Response Time - Address Validation                                                 | XML                                             | <= 4.5 Seconds                                             | ELIGIBLE            | NA      | NA      | 243.00   | 76.00    | NA        | 3.12       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-03-6050 | Average Response Time - Address Validation                                                 | WEB GUI                                         | <= 7.5 Seconds                                             | ELIGIBLE            | NA      | NA      | 143.00   | 36.00    | NA        | 3.97       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-05-6040 | Average Response Time - TN Availability and Reservation                                    | XML                                             | <= 4.5 Seconds                                             | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-05-6050 | Average Response Time - TN Availability and Reservation                                    | WEB GUI                                         | <= 7.5 Seconds                                             | DIAGNOSTIC          | NA      | NA      | 182.00   | 21.00    | NA        | 8.67       | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-06-6040 | Average Response Time - Mech. Loop Qualification                                           | XML                                             | <= 4.5 Seconds                                             | ELIGIBLE            | NA      | NA      | 8.00     | 4.00     | NA        | 2.00       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-06-6050 | Average Response Time - Mech. Loop Qualification                                           | WEB GUI                                         | <= 6.5 Seconds                                             | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-07-6040 | Average Response Time - Rejected Query                                                     | XML                                             | <= 4.5 Seconds                                             | DIAGNOSTIC          | NA      | NA      | 2.00     | 1.00     | NA        | 2.00       | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-07-6050 | Average Response Time - Rejected Query                                                     | WEB GUI                                         | <= 7.5 Seconds                                             | DIAGNOSTIC          | NA      | NA      | 31.00    | 19.00    | NA        | 1.63       | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-08-6040 | % Timeouts                                                                                 | XML                                             | <= 0.33%                                                   | ELIGIBLE            | NA      | NA      | 3.00     | 2798.00  | NA        | 0.11       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-08-6050 | % Timeouts                                                                                 | WEB GUI                                         | <= 0.33%                                                   | ELIGIBLE            | NA      | NA      | 1.00     | 449.00   | NA        | 0.23       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-1-09-6040 | Average Response Time - Planned CSR                                                        | XML                                             | <= 4.5 Seconds                                             | DIAGNOSTIC          | NA      | NA      | 40572.00 | 2647.00  | NA        | 15.33      | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-2-02-6000 | OSS Interface Availability - Prime Time                                                    | VFO                                             | >= 99.5%                                                   | ELIGIBLE            | NA      | NA      | 22680.00 | 22680.00 | NA        | 100.00     | NA      | MET         | 0           | 1.00             | Severity Dependent | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-3-02-3000 | % Answered within 30 Seconds - Ordering                                                    | UNE                                             | >= 80%                                                     | DIAGNOSTIC          | NA      | NA      | 233.00   | 242.00   | NA        | 96.28      | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-3-04-3000 | % Answered within 30 Seconds - Repair                                                      | UNE                                             | >= 80%                                                     | DIAGNOSTIC          | NA      | NA      | 8239.00  | 9090.00  | NA        | 90.64      | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-4-01-6660 | % Change Management Notices Sent on Time                                                   | Change Notices (types 3, 4 and 5)               | >= 95%                                                     | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-MAR-2024 | Aggregate | PO-4-01-6671 | % Change Management Notices Sent on Time                                                   | Change Notices (types 1 and 2)                  | >= 95%                                                     | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-MAR-2024 | Aggregate | PO-4-02-6600 | Change Management Notices - Delay >= 7 Days                                                | Change Notices all types                        | No Standard                                                | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-4-03-6600 | Change Management Notices - Delay >= 8 Days                                                | Change Notices all types                        | 0 (zero) Notices >= 8 Days                                 | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-MAR-2024 | Aggregate | PO-5-01-6500 | % On Time Notice of OSS Interface Outage                                                   | OSS Interface Outage Notifications              | >= 95% within 20 Minutes of Outage                         | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NNE   | 01-MAR-2024 | Aggregate | PO-6-01-6000 | Software Validation                                                                        | VFO                                             | <= 5% Failed Transactions                                  | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-MAR-2024 | Aggregate | PO-7-01-6000 | % Production Software Referrals Resolved On Time                                           | VFO                                             | >= 95% within 48 Hours/10 Business Days                    | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-MAR-2024 | Aggregate | PO-7-02-6000 | Delay Hours Production Software Resolution - Change - Transactions Failed - No Workaround  | VFO                                             | 0 (zero) production resolution changes > 48 Hours          | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-MAR-2024 | Aggregate | PO-7-03-6000 | Delay Days Production Software Resolution - Change - Transactions Failed - No Workaround   | VFO                                             | 0 (zero) production resolution changes > 10 Business Days  | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-MAR-2024 | Aggregate | PO-7-04-6000 | Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround | VFO                                             | 0 (zero) failed/rejected test deck transactions > 48 Hours | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NH    | 01-MAR-2024 | Aggregate | PO-8-01-6100 | % On Time - Manual Loop Qualification                                                      | Manual Loop Qual Request                        | >= 95% within 48 Hours                                     | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 40                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-1-04-3343 | % On Time LSR/C - No Facility Check (Non-Flow-Through)                                     | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 24 Hours                                     | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 28                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-1-06-2000 | % On Time LSR/C/ASRC - Facility Check (Non-Flow-Through)                                   | Resale                                          | >= 95% within 72 Hours                                     | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 28                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-1-06-3200 | % On Time LSR/C/ASRC - Facility Check (Non-Flow-Through)                                   | UNE Specials                                    | >= 95% within 5 Business Days                              | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 56                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-1-06-3343 | % On Time LSR/C/ASRC - Facility Check (Non-Flow-Through)                                   | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 72 Hours                                     | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 28                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-1-12-5020 | % On Time ASRC                                                                             | CLEC Trunks (<= 192 Forecasted)                 | >= 95% within 10 Business Days                             | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 56                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-1-12-5030 | % On Time ASRC                                                                             | CLEC Trunks (<= 192 Forecasted, and Projects)   | >= 95% within Negotiated Interval                          | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 56                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-1-13-5000 | % On Time Design Layout Record (DLR)                                                       | CLEC Trunks                                     | >= 95% On or Before DLRD                                   | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 56                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-2-02-3333 | % On Time LSR Reject (Flow-Through)                                                        | UNE 2-Wire Loops                                | >= 95% within 2 Hours                                      | ELIGIBLE            | NA      | NA      | 28.00    | 28.00    | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | OR-2-04-3331 | % On Time LSR Reject - No Facility Check (Non-Flow-Through)                                | UNE 2-Wire Analog Loop/LNP                      | >= 95% within 24 Hours                                     | ELIGIBLE            | NA      | NA      | 5.00     | 5.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | OR-2-04-3343 | % On Time LSR Reject - No Facility Check (Non-Flow-Through)                                | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 24 Hours                                     | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 28                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-2-06-3200 | % On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)                               | UNE Specials                                    | >= 95% within 5 Business Days                              | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 56                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-2-06-3343 | % On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)                               | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 72 Hours                                     | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 28                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-2-12-5020 | % On Time Trunk ASR Reject                                                                 | CLEC Trunks (<= 192 Forecasted)                 | >= 95% within 7 Business Days                              | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 56                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | OR-2-12-5030 | % On Time Trunk ASR Reject                                                                 | CLEC Trunks (> 192, Unforecasted, and Projects) | >= 95% within Negotiated Interval                          | DIAGNOSTIC          | NA      | NA      | 1.00     | 1.00     | NA        | 100.00     | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | OR-4-11-3000 | % Completed Orders with Neither a PCN nor BCN Sent                                         | UNE                                             | <= 0.25% within 2 Business Days of Provisioning Completion | DIAGNOSTIC          | NA      | NA      | 0.00     | 372.00   | NA        | 0.00       | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | OR-4-16-3000 | % Provisioning Completion Notifiers Sent within One Business Day                           | UNE                                             | >= 95%                                                     | ELIGIBLE            | NA      | NA      | 268.00   | 268.00   | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-1-09-3211 | Average Interval Offered                                                                   | UNE DS1                                         | Party with Retail DS1                                      | DIAGNOSTIC          | NA      | NA      | 13.00    | NA       | NA        | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-1-09-3213 | Average Interval Offered                                                                   | UNE DS3                                         | Party with Retail DS3                                      | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-1-09-5020 | Average Interval Offered                                                                   | CLEC Trunks (<= 192 Forecasted)                 | Party with IXC Feature Group D Trunks                      | DIAGNOSTIC          | 50.00   | 2.00    | NA       | NA       | 25.00     | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-1-09-5030 | Average Interval Offered                                                                   | CLEC Trunks (> 192, Unforecasted, and Projects) | Party with IXC Feature Group D Trunks                      | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-3-01-2000 | % Completed in 1 Day - No Dispatch (1 to 5 Lines)                                          | Resale                                          | Diagnostic Standard, No Retail Statistics Calculated       | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-3-10-3343 | % Completed in 6 Days (1 to 5 Lines)                                                       | UNE 2-Wire Digital and xDSL Loops               | >= 95%                                                     | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 60                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-4-01-3211 | % Missed Due Date                                                                          | UNE DS1                                         | Party with Retail DS1                                      | ELIGIBLE            | NA      | NA      | 13.00    | NA       | NA        | 23.00      | NA      | NA          | NA          | 0                | 1.00               | 126                | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-4-01-3213 | % Missed Due Date                                                                          | UNE DS3                                         | Party with Retail DS3                                      | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 280                | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-4-02-3200 | Average Delay Days                                                                         | UNE Specials                                    | Party with Retail Specials                                 | ELIGIBLE            | 6.00    | 3.00    | NA       | NA       | 2.67      | NA         | NA      | NA          | NA          | 0                | 1.00               | 150                | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-4-02-3343 | Average Delay Days                                                                         | UNE 2-Wire Digital and xDSL Loops               | Party with Retail POTS                                     | ELIGIBLE            | 44.00   | 24.00   | NA       | NA       | 1.83      | NA         | NA      | NA          | NA          | 0                | 1.00               | 60                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-4-02-5000 | Average Delay Days                                                                         | CLEC Trunks                                     | Party with IXC Feature Group D Trunks                      | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 150                | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-4-14-3343 | % Met Due Date - Trunks                                                                    | UNE 2-Wire Digital and xDSL Loops               | >= 95%                                                     | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 60                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-4-15-5000 | % Met Due Date - Trunks                                                                    | CLEC Trunks                                     | >= 95%                                                     | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 150                | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-5-01-5000 | % Missed Due Date - Facilities                                                             | CLEC Trunks                                     | Diagnostic Comparison to IXC Feature Group D Trunks        | DIAGNOSTIC          | 0.00    | 3.00    | NA       | NA       | 0.00      | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-5-02-3200 | % Orders Held for Facilities > 15 Days                                                     | UNE Specials                                    | Diagnostic Comparison to Retail Specials                   | DIAGNOSTIC          | 0.00    | 2.00    | NA       | NA       | 0.00      | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-5-02-3343 | % Orders Held for Facilities > 15 Days                                                     | UNE 2-Wire Digital and xDSL Loops               | No Standard                                                | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-5-02-5000 | % Orders Held for Facilities > 15 Days                                                     | CLEC Trunks                                     | Diagnostic Comparison to IXC Feature Group D               | DIAGNOSTIC          | 0.00    | 3.00    | NA       | NA       | 0.00      | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-5-03-5000 | % Orders Held for Facilities > 60 Days                                                     | CLEC Trunks                                     | Diagnostic Comparison to IXC Feature Group D               | DIAGNOSTIC          | 0.00    | 3.00    | NA       | NA       | 0.00      | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-6-01-3200 | % Installation Troubles Reported within 30 Days                                            | UNE Specials                                    | Party with Retail Specials                                 | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | 150                | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-6-01-3343 | % Installation Troubles Reported within 30 Days                                            | UNE 2-Wire Digital and xDSL Loops               | Party with Retail POTS - Dispatched                        | ELIGIBLE            | 9.00    | 103.00  | NA       | NA       | 8.74      | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-6-01-5000 | % Installation Troubles Reported within 30 Days                                            | CLEC Trunks                                     | Party with IXC Feature Group D Trunks                      | ELIGIBLE            | 0.00    | 3.00    | NA       | NA       | 0.00      | NA         | NA      | NA          | NA          | 0                | 1.00               | 150                | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-8-01-3200 | % Open Orders in a Hold Status > 30 Days                                                   | UNE Specials                                    | Party with Retail Specials                                 | ELIGIBLE            | 3.00    | 16.00   | NA       | NA       | 16.75     | NA         | NA      | NA          | NA          | 0                | 1.00               | 150                | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-8-01-3343 | % Open Orders in a Hold Status > 30 Days                                                   | UNE 2-Wire Digital and xDSL Loops               | Party with Retail POTS                                     | ELIGIBLE            | 39.00   | 580.00  | NA       | NA       | 6.72      | NA         | NA      | NA          | NA          | 0                | 1.00               | 60                 | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-8-01-5000 | % Open Orders in a Hold Status > 30 Days                                                   | CLEC Trunks                                     | <=5%                                                       | ELIGIBLE            | 0.00    | 3.00    | NA       | NA       | 0.00      | NA         | NA      | NA          | NA          | 0                | 1.00               | 150                | 0 |
| NH    | 01-MAR-2024 | Aggregate | PR-8-02-3200 | % Open Orders in a Hold Status > 90 Days                                                   | UNE Specials                                    | Diagnostic Comparison to Retail Specials                   | DIAGNOSTIC          | 3.00    | 16.00   | NA       | NA       | 16.75     | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-8-02-3343 | % Open Orders in a Hold Status > 90 Days                                                   | UNE 2-Wire Digital and xDSL Loops               | Diagnostic comparison to Retail POTS                       | DIAGNOSTIC          | 39.00   | 580.00  | NA       | NA       | 6.72      | NA         | NA      | NA          | NA          | NA               | NA                 | 0                  |   |
| NH    | 01-MAR-2024 | Aggregate | PR-8-02-5000 |                                                                                            |                                                 |                                                            |                     |         |         |          |          |           |            |         |             |             |                  |                    |                    |   |

