

OCA Master Use Case: SB284 As A Centralized Platform - Phase 1

Section: Name

SB284 as a Statewide Centralized Platform

Section: Author/ last update

Jim Brennan, NH OCA, 4/3/2020

Section: Description

The primary use case for SB284 is as a statewide data platform that supports multiple and disparate data needs of existing and future IT applications, platforms, processes, workflows and process improvements – collectively referred to as “External IT Systems”¹. In support of the relevance and importance of OCA Master Use Case “SB284 as A Centralized Statewide Platform” the OCA has drafted and attached 6 CORE use cases and 7 example use cases that can be planned, developed and implemented by stakeholders and 3rd parties as a result of the SB284 statewide data platform making standardized energy data easily accessible.

The purpose of this use case is to define SB284 as a platform – not as one of the External IT Systems depicted in the transformational use cases. The purpose of the following 13 use cases to show examples of External IT Systems that could be planned and implemented based on SB284 Phase one functionality discussed below.

SB284 Phase 1 Functionality: The data platform will securely collect, organize, protect, and share energy and energy related data based on a statewide logical data model, privacy policy, and cyber security policies. The data platform will receive and share energy datasets. SB284 design should follow modern IT architectural design practices employed by world-class IT platforms across many industries. SB284 data platform design principles should include:

1. Versioned Data Model
2. Service oriented architecture
3. Application Program Interface (API)


Section: Step-by-Step – what happens

From a high level OCA Master Use Case “SB284 as a Statewide Platform” will be implemented in two steps: 1) build the platform and 2) integrate the platform with External IT Systems.

Step 1: Create SB284 Data Platform according to the 3 design principles listed above. The result of Step 1 is the center box labeled “(3A) DATA PLATFORM PROPOSED” (ref OCA Comments filed DE 19-197)

¹ “External IT Systems” reside in the diagram right hand box labeled (3C) APPLICATION/DATA SEEKERS. Examples of External IT Systems are included in the 13 OCA Example Use cases – specifically, they are shown in sequence diagrams in the system box labeled “External IT Systems” located directly to the left of the system box labeled “SB284 API”.

OCA Master Use Case: SB284 As A Centralized Platform - Phase 1



Note: 1. Versioned New Hampshire logical data model is an SB284 requirement
 2. Support of OpenESPI (Green Button) is an SB 284 requirement (data sharing format)

New Hampshire Office of Consumer Advocate

Step 2: Prioritize and project manage the phased integration of SB284 enabled External IT Systems into SB284. External IT Systems were described earlier as “existing and future IT applications, platforms, processes, workflows and process improvements”. The External IT Systems are developed by stakeholders and 3rd parties, however those data requirements will be closely coordinated and communicated with the SB284 project team to ensure SB284 platform supports the business requirements and can generate datasets contain required data. These third party applications or External IT Systems are located in the diagram as the right side box labeled “(3C) APPLICATION /SEEKERS”, and will be integrated into the SB284 platform, the center box “(3A) DATA PLATFORM”.

Comment on steps:

- Steps 1 and 2 should follow a SDLC² and may run in parallel to ensure that what is built meets the priority needs identified by the stakeholders.
- Definition of External IT System: The attached 13 OCA transformational use cases represent the list of External IT Systems to be prioritized, project managed and integrated into the SB284 data platform, shown as center box “(3A) DATA PLATFORM”.
- Definition of integration: In the above diagram, integration is represented by the arrow leading from center box “(3A) DATA PLATFORM” and extending to right box labeled “(3C) APPLICATION /SEEKERS”. This integration arrow represents both the SB284 API as well the SB284 Datasets that the platform must generate to support the third party application. A similar integration arrow exists on the left. Datasets from utilities and vendors in left box labeled “(3B) DATA

² OCA’s Scoping Comments discuss System Life Cycle SDLC as a standard widely used practice in IT development.

OCA Master Use Case: SB284 As A Centralized Platform - Phase 1

SOURCES” are uploaded to SB284 – center box labeled “(3A) DATA PLATFORM”. The SB284 API and SB284 datasets are discussed throughout OCA’s 13 transformational use cases and associated step by step sequence diagrams.

Section: Data Fields required

The data fields required will be determined based on the business requirements for the use cases developed and prioritized by DE 19-197 stakeholders. See Table 1: Use Cases below for a list of 13 of 30+ use cases identified by the OCA in conducting research and outreach over the past two years. Each use case has data requirements. Based on OCA research, many use cases have similar data requirements that can be met from a properly designed data platform. See Table 2: Data Elements for examples of energy data that are common to a multitude of potential use cases by 3rd party applications. Multiple use of the same energy data elements, supports the logic and efficiencies of sharing a common pool of data from a single location. This re-use of data is the vision of the OCA Master use case: “SB284 as a Platform”

The sample use cases provided below are broken down into two categories. There are six “Core” use cases that form the architecture of the SB284 Platform. They are the key functional datasets that will be generated for many types of use cases. We have provided seven examples of use cases that would leverage these Core cases.

	Use Case Number	Use Case Name	Type	Page
	Primary	SB284 as a Platform	Master	1
1	CORE-01	Billing dataset	CORE	7
2	CORE-02	TOU dataset	CORE	12
3	CORE-03	Demand Study dataset	CORE	17
4	CORE-04	Multi-Utility /Multi State dataset	CORE	21
5	CORE-05	Multi Fuel – Electric usage + Gas usage dataset	CORE	24
6	CORE-06	Statewide Index	CORE	27
7	T-03	Green Button dataset	Example	31
8	T-04	Community Dashboard Integration dataset	Example	35
9	T-09	Customer Data + System Data Integration dataset	Example	39
10	T-14	CCA – Community with 3 utilities dataset	Example	43
11	T-23	DER Deployment Tracking dataset	Example	46
12	T-10.1	Integration dataset of Utility energy data + non-utility energy data	Example	50
13	T-32	Weatherization Assistance Program platform dataset	Example	54

Table 2 “Required Levels of Data Collection & Granularity – Phase 1 SB284” SB284’s Phase 1 data model should be robust and granular, designed to adapt to increasing levels of data scenarios and increasing levels of granularity of data from data sources. This is part of the future proofing strategy to

OCA Master Use Case: SB284 As A Centralized Platform - Phase 1

provide a technical framework and ability to support additional use cases in future phases. In contrast to the data model's robust Phase 1 design, the depth and granularity of actual data loading into the model will be in phases. The granularity and quantity of data elements and data fields actually populated in SB284 Phase 1 use cases are indicated in Table 2 as low, medium high (+ low ++ medium +++ high) . The estimated levels of granularity in Table 2 reflect the data requirement of OCA Use Cases presented in this document.

The list of data elements in Table 2 , as well as more detailed lists of data elements provided in attached OCA Use Cases, is only illustrative and based on OCA's preliminary analysis and research performed during dockets DE 16-384, DE 15-296 and DE 19-197. We envision that as use cases are formally designed and planned by stakeholders and 3rd parties, that a more precise list of data elements will be developed and communicated to the SB284 phase 1 implementation team.

TABLE 2: Required Levels of Data Collection & Granularity – Phase 1 SB 284 Platform					
Levels of data loaded to SB284 + low (selected data fields / elements, placeholder for increased date in future) ++ medium (more data elements, more fields provide increased granularity and insight) +++ high (robust level)					
Categories of Data in SB284	Type of Data in SB284				
	Customer Data	System Data	DER Implementation Data	Transaction data	Market Data
Name Address Account (limited, acct number)	+++		+		
Location (premise, grid section/node)	+++	+	+		
Power & Energy (UOM readings)	+++	+	+		
Asset (sensors, premises, devices, ownership)	+++	+	+		
Asset Configuration (capacity, settings ,model)	+++	+	+		
Policy (Tariff, consent...)	+++		+		

OCA Master Use Case: SB284 As A Centralized Platform - Phase 1

Section: Estimated Cost

Platform cost will be estimated following completion of analysis of business requirements, use cases and functionality requirements currently underway in DE 19-197.

Completion of business requirements, including use case analysis, should occur prior to the step of costing out a system. The role of business requirements as a threshold milestone that occurs prior to costing an IT system was discussed in OCA's 3/11/2020 Scoping Comments: *"the development of the data model will determine initial functionality, future functionality, future proofing (unforeseeable functionality) and cost. In this context, "cost" refers to both the initial cost of building the data platform, as well as the future costs of adding new functionalities in future years. A more robust data architecture may increase the initial costs of building the data platform but, if designed well based on comprehensive business analysis, can provide a lower risk cost effective path to implement additional use case functionality."*

Section: Estimated benefits

By itself, the SB 284 platform does not produce direct quantitative benefits. However, there are numerous advantages to the SB284 platform. For example, creating a statewide database of information can provide an authoritative data source for multiple entities that can be relied on as up to date. This prevents duplicative data collection from energy vendors, service providers, government entities and non-profits that saves time and money increasing the efficiency with which NH can invest in various types of energy. Creating transparency and access to information for regulators can save time spent by utilities gathering the information. Increasing transparency for customers will give them the tools to invest in the energy choices that make sense for their home. Estimated quantitative and qualitative benefits of a future proof robust SB284 data platform are under review in DE 19-197 and other PUC dockets cited in SB284 legislation and OCA's 3/11/2020 OCA Scoping Comments.

Section: Required Policy Changes

NH should establish policies to address overarching data privacy and data cyber security issues. Policies can be established prior and/or in parallel with development of the SB284 Platform. Establishing the following two policies was a primary recommendation of US DOE during on-sight (and conference call) working meetings with the DE 16-384 data working group in 2019:

- Data Privacy Framework (DPF),
- Data Access Framework (DAF)

Section: Project Risks

Project risks include risk of a project failing to reach a finish line (terminated projects), the risk of a completed project producing a systems that underperforms, and the risk of a completed project producing a systems that fail entirely. OCA's 3/11/2020 Scoping Comments discuss the following risks:

OCA Master Use Case: SB284 As A Centralized Platform - Phase 1

Failure to design a good data model – *“A more robust data architecture may increase the initial costs of building the data platform but, if designed well based on comprehensive business analysis, can provide a lower risk cost effective path to implement additional use case functionality.”*

And

“Risks, including delays and high costs, are often incurred by customers when their utility is forced to redesign an IT system that has already been designed, built, tested, deployed and in use. Poor data quality is often a contributing factor in the decision to redesign an IT system, including an energy data sharing system”

Failure to plan strategically – *“Failing to design the data platform to meet the future realities of the grid will dramatically reduce its usefulness, create risks and added costs to modify or create new data sharing systems, and overall increase the risk of technology obsolesce. “*

And

Designing the data platform with the capacity to maintain and share granular data provides future-proofing and risk mitigation.

Failure to recognize important design decisions early on - *“It is critical to develop an awareness of future potential requirements, early on, prior to designing the data platform. Design decisions early on, such as adoption of underlying data models, are beneficial in designing the system in such a way that future phases can be added cost effectively, as necessary and appropriate”*

Failure to plan phases of implementing External IT Systems into SB284 – *“Phases are recommended as a means of managing costs and risk when designing and deploying a technology platform”*

Failure to manage SB284 as an enterprise IT project - *The platform should be governed and managed like a traditional IT project including project planning, project management, and oversight of a documented System Development Life Cycle (SDLC).*

Section: Cybersecurity Issues

Cyber security issues and risks should be as part of the process to create a stakeholder driven Data Privacy Framework (DPF), and a Data Access Framework (DAF) to address overarching issues of data privacy and cyber security.

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based on a logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with an Application Programming Interface (API)
4. Data Privacy Framework (DPF) and Data Access Framework (DAF) address overarching issues of data privacy and cyber security and should be established prior and/or in parallel with development of the SB284 Platform.
5. This use case assumes analysis for prioritization and business requirements has been performed on stakeholder use cases including the attached OCA Core and Sample use cases.

OCA Use Case CORE-01: Billing Dataset

Section: Name

Use Case CORE-01: Billing Dataset

Section: Author/ last update

Jim Brennan, NH OCA April 3, 2020

Section: Description

SB284 Data Platform phase1 functionality includes generation of a billing dataset. A billing dataset enables regulated utilities and energy service providers to use third party billing services. Authorized third party billing service providers can access SB284 datasets, at a single point of access (API), containing standardized data that is required to create customer bills. The dataset generated in OCA Use Case CORE-01 contains all the data required to create an actual Unitil bill as shown further below.

Related Use Cases:

- OCA Use Cases 1 to 48: This is a CORE use case that other use cases have a dependency to. It provides foundational functionality that other use cases build upon in phase 1 or in later phases of SB284 data platform maturity. Many OCA use cases, including those in this document, rely on completion of steps 1 and 3 of this use case. The data uploaded to SB284 in steps 1 and 3 is reused for purposes and use cases beyond creating a bill – thus demonstrating SB284 as a data platform.

CORE Use Case Testing Note: Actual test data files, containing granular (anonymized) data extracted from back office data systems (MDM, CIS), were provided by Unitil and used in this use case to develop and manually test data model functionality. This CORE use case was tested and approved (User Acceptance Testing) by the DE 16-384 Data Working Group in 2019.

Section: Step-by-Step – what happens


1. A. An energy company / utility desires to have billing conducted through a third party vendor. The third party vendor enters a contract with the utility that includes all the necessary privacy and data protections as required by the platform and receives corresponding log-in credentials associated with specific data types from specific utilities.
1. B. The basic information held by SB284 comes from and is updated by the utility. This is static customer information such as customer name, address, account number, meter number, tariff and rate data. Information is exported at the creation of the SB284 platform and anytime there is a change in the information (such as a rate change or customer change).
2. SB284 Platform receives the data and uploads it to the database according to designated field names.
3. Dynamic customer information is programmed to export from the utility. Information includes actual usage data in kWh and kW (in the case of TOU for each rate segment). The data is associated with particular account id and customer id.
4. SB284 Platform processes and indexes the data.
5. Billing:

OCA Use Case CORE-01: Billing Dataset

- a) A billing clerk of a third party vendor logs in to third party Billing application that is integrated to SB284.
- b) The billing platform interacts with SB284.
- c) The platform processes the data request
- 6. The platform exports the billing dataset to the third party vendor. The third party vendor translates the data into a billing document and sends the customer bill.

How to Read: Sequence diagrams illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

- 1. Stakeholders (customers, 3rd parties, utilities...),
- 2. Assets (premises, meters, rooftop PV...),
- 3. External IT Systems (an existing utility CIS, a future CCA Platform...),
- 4. SB284 API (proposed) and SB 284 platform (proposed).



Use Case CORE-01: Billing Dataset

Section: Data Fields Required


The table below represents the data required for the CORE-01: Billing Dataset

SB 284 DATA SET (Data required to produce a customer bill)				"Types" of Data Contained in SB 284 billing dataset					UNITIL BILL - ACTUAL (created with SB284 dataset)	
SB284 Data Element	Description	Value in SB284		Platform IndexID / Data	Customer Data	System Data	DER Data	Market Data	Label printed on Customer Physical Bill	Value on Physical Bill
1	Account Number	"108999999"	-->		X				"Account Number"	"108999999"
2	Address USPO	Address on account "74 N Sing Street ..."	-->		X				"Address"	"74 N Sing Street ..."
3	TariffName	Tariff ID Name D1 Residential	-->	X	X				"Rate Code"	"D"
4	n/a	n/a (ref TimePeriod)	-->						"Period"	"7/17/18 - 8/16/18"
5	Meter Number	Meer Number in utility system "46920"	-->						"Meter Number"	"46920"
6	Register Read End	KWH or KW at end of cycle "meter reading previous" "72042"	-->		X				"Meter Reading Previous"	"72042"
7	Register Read Start	KWH or KW at start of cycle "meter reading present" "72651"	-->		X				"Meter Reading Present"	"72651"
8	n/a	n/a (calculated from G-F)	-->						"Meter Usage"	"609"
9	TariffCustomerCharge	Customer Charge per Tariff ID (\$rate per customer) "16.12"	-->		X				"Customer Charge"	"16.12"
10	TariffDeliveryChg	Delivery Charge per Tariff ID (\$rate X KWH) "0.06175"	-->		X				"Delivery Charge"	"37.6"
11	TariffStrandedCost	Stranded Costs charge per Tariff ID (\$rate X KWH) "0.0008"	-->		X				"Stranded Cost Charge"	"\$0.49"
12	TariffSystemBenefit	System Benefit Charge per Tariff (\$rate X KWH) "0.00456"	-->		X				"System Benefits Charge"	"\$2.77"
13	TariffConsumptionTax	Consumption Tax per Tariff ID (\$rate X KWH) "0.0005"	-->		X				"Consumption Tax"	"\$0.03"
14	n/a	n/a (n/a (calc SUM above))	-->						"Total Current EL Charge"	"6.34"
15	TariffEnergyServiceRat	Energy Service cost (\$rate X KWH) "0.08238"	-->		X				"Energy Service Charge Fixed"	"50.17"
16	n/a	n/a	-->						"Total Current Charges"	"50.17"
17	n/a	n/a	-->						"Total Current Bill"	"\$106.51"
Data use in processing not included in exported dataset										
18	PersonID	Unique SB284 Index "20002"	-->	X						
19	PremiseID	Unique SB284 Index for a NH premise "16002"	-->	X						
20	AddressID	Unique SB284 Index for a NH Address "40007"	-->	X						
21	UsagePointID	Unique SB284 Index for a NH Grid endpoint "110002"	-->	X						
22	SensorID	Unique SB284 Index for a NH meter "10002"	-->	X						
23	AccountID	Unique SB284 Index for all NH Utility Accounts "120002"	-->	X						
24	AssetID	Unique SB284 Index "7866654"	-->	X						
25	InstanceID	Unique SB284 Index of a reading multiple	-->	X						
26	TimePeriodID	Unique SB284 Index multiple	-->	X						
27	ProgramID	Unique SB284 Index all NH programs multiple	-->	X						
28	BlockDefinitionID	Unique SB284 Index "07"	-->	X						
29	RateClassID	Unique SB284 Index for a NH rate class "102"	-->	X						

Addendum: Actual Unitil account tested by DE 16-384 Data Working Group (with customer consent)

OCA Use Case CORE-01: Billing Dataset

Addendum: Actual Unitil account tested by DE 16-384 Data Working Group (with customer consent)


energy for life

MOUNT DUE \$106.51

ACCOUNT NUMBER	BILL DATE	PLEASE PAY BY	NEXT METER READING DATE
1080534000	08/20/18	09/14/18	09/14/18

74 N SPRINGFIELD BREN Page 1 of 1

AT A GLANCE

AMOUNT OF LAST BILL	\$91.15	TOTAL CURRENT CHARGES	\$106.51
PAYMENT - THANK YOU 07/27/18	(\$91.15)	PLEASE PAY AMOUNT	\$106.51

METER NUMBER	METER READING PREVIOUS	METER READING PRESENT	METER CONSTANT	METERED USAGE	NUMBER OF DAYS	METERED DEMAND	RATE CODE
461329	72042	72851		609.00 kWh	30		D

BALANCE FORWARD \$0.00


DESCRIPTION	PERIOD	UNIT	RATE	AMOUNT
ELECTRIC SERVICE				
PERIOD 07/17/18 - 08/16/18				
DELIVERY CHARGES RESIDENTIAL				16.12
CUSTOMER CHARGE				37.60
DELIVERY CHARGE	609.00 kWh	x	\$0.06175	
STRANDED COST CHARGE	609.00 kWh	x	(\$0.00080)	(0.49)
TAXES & SURCHARGES				
SYSTEM BENEFITS CHARGE	609.00 kWh	x	\$0.00456	2.77
CONSUMPTION TAX	609.00 kWh	x	\$0.00055	0.34
Total Current EL Charges				\$56.34
ELECTRIC SUPPLIER SERVICE				
PERIOD 07/17/18 - 08/16/18				
SUPPLIER CHARGES				50.17
ENERGY SERVICE CHG FIXED	609.00 kWh	x	\$0.08238	
Total Current SS Charges				\$50.17

TOTAL CURRENT BILL \$106.51
TOTAL AMOUNT DUE \$106.51

MESSAGES

Effective August 1, 2018, the External Delivery Charge (EDC) and the Stranded Cost Charge (SCC) components of your bill will change. In total, average bills will decrease approx. 1.9%, depending on rate class and usage.

Lights Out? Phones on! Make sure we have your updated phone number & that it ties to your account. If we don't have it visit unitil.com/sharemynumber or call us.



OCA Use Case CORE-01: Billing Dataset**Section: Estimated Cost**

Refer to OCA master use case “SB284 as a Platform”

Section: Estimated benefits

Refer to OCA master use case “SB284 as a Platform”

Section: Required Policy Changes

Data Privacy Framework (DPF), and Data Access Framework (DAF)

Section: Project Risks

Refer to OCA master use case “SB284 as a Platform”

Section: Cybersecurity Issues

Refer to OCA master use case “SB284 as a Platform”

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based on a logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.

OCA Use Case CORE-02: TOU Dataset

Section: Name

Use Case Core-02: Time of Use (TOU) Dataset

Section: Author/ last update

Jim Brennan, NH OCA April 3, 2020

Section: Description

TOU datasets can be used in applications that are designed to educate consumer as well as help consumers make better choices. Providing time of use information can aid in the analysis of potential new energy products, such as electric vehicles or battery storage, and new energy services such as demand response. The SB284 platform can generate a time of use dataset because it incorporates time, interval and duration for all sensor readings and measurements. TOU datasets can be shared on predetermined parameters established under agreement with the third party platform. Potential users of TOU data include demand response vendor platforms, tariff / rate design analysis, energy management programs, tariff analysis tools, targeted energy efficiency programs, and dynamic customer engagement applications.

The TOU dataset generated in OCA Use Case CORE-02 models the time of use rate design proposed in the net metering docket.

CORE Use Case Testing Note: Actual test data files, containing granular (anonymized) data extracted from back office data systems (MDM, CIS), were provided by Unitil and used in this use case to develop and manually test data model functionality. This CORE use case was tested and approved (User Acceptance Testing) by DE 16-384 Data Working Group in 2019.

Related Use Case:

- OCA Use Case #12 Real Time Data Indexing (granular time interval) not provided in this filing.
- OCA Use Case #23 DER Deployment (Step 7 allows integrated analysis of DERs with TOU by location, by customer)
-

Section: Step-by-Step – what happens

1. Static customer information is uploaded from the utility to SB284. Information includes the customer name, address, account number, meter number, tariff and rate data including block definition and configuration. Frequency of updates is based on changes to data at the utility.
2. SB284 Platform processes and indexes (use case CORE 06) the data received from the data source.
3. Energy usage data is uploaded from the utility to SB284. Information includes actual *hourly* usage data in kWh according to the block definition and configuration. The data is associated with that customers meter, usage point and program name.
4. SB284 Platform processes and indexes (use case CORE 06) the data received from the data source.
5. Customer logs on to her Customer Engagement Platform (CEP) to view her TOU data. Note: while a CEP application is used in this example as a platform using a SB284 TOU dataset, a

OCA Use Case CORE-02: TOU Dataset


similar need for TOU data exists for demand response vendors, tariff and rate design applications, targeted EE applications, educational applications, home energy management programs, etc.

6. The CEP sends a command to get interval data to the SB284 Platform based on specific usage point id's and date parameters.
7. The SB284 Platform processes the request.
8. The SB284 Platform exports the interval data to the CEP.
9. The CEP displays the interval data on-line for the customer to view through their secure portal.

Sequence Diagram

How to Read: Sequence diagrams illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

1. Stakeholders (customers, 3rd parties, utilities...),
2. Assets (premises, meters, rooftop PV...),
3. External IT Systems (an existing utility CIS, a future CCA Platform...),
4. SB284 API (proposed) and SB 284 platform (proposed).



OCA Use Case CORE-02: TOU Dataset

OCA Use Case CORE-02: TOU Dataset

Section: Data Fields required

Column	Element	Description	Platform IndexID	Customer Data	System Data	DER Data	Market Data
A	Program Name	Program this meter is associated with	X				
B	TOU Block Name	Name of block	X				
C	TimeStart	Time stamp at start of interval	X				
D	ReadValue	value reported from meter	X	X			
E	UOM	Unit of Measurement of configured endpoint	X				
F	Quality	reading quality (9 levels)		X			
		Additional Indexs used (not shown in dataset)					
	PersonID	Unique SB284 Index	X				
	PremiseID	Unique SB284 Index for a NH premise	X				
	AddressID	Unique SB284 Index for a NH Address	X				
	UsagePointID	Unique SB284 Index for a NH Grid endpoint	X				
	SensorID	Unique SB284 Index for a NH meter	X				
	AccountID	Unique SB284 Index for all NH Utility Accounts	X				
	AssetID	Unique SB284 Index	X				
	InstanceID	Unique SB284 Index of a reading	X				
	TimePeriodID	Unique SB284 Index	X				
	ProgramID	Unique SB284 Index all NH programs	X				
	BlockDefinitionID	Unique SB284 Index	X				
	RateClassID	Unique SB284 Index for a NH rate class	X				

Dataset:

(A)	(B)	(C)	(D)	(E)	(F)
Program Name	TOU Block Name	TimeStart	ReadValue	UOM	Quality
UES TOU-RES	"Mid-Peak Hourly"	6/12/18 8AM	1.25	KWH	Passed Val
UES TOU-RES	"Mid-Peak Hourly"	6/12/18 9AM	0.6875	KWH	Passed Val
UES TOU-RES	"Mid-Peak Hourly"	6/12/18 10AM	0.625	KWH	Passed Val
UES TOU-RES	"Mid-Peak Hourly"	6/12/18 11AM	0.5625	KWH	Passed Val
UES TOU-RES	"Mid-Peak Hourly"	6/12/18 12PM	0.8125	KWH	Passed Val
UES TOU-RES	"Mid-Peak Hourly"	6/12/18 1PM	0.7188	KWH	Passed Val
UES TOU-RES	"Mid-Peak Hourly"	6/12/18 2PM	0.8125	KWH	Passed Val
UES TOU-RES	"CriticalPeak"	6/12/18 3PM	0.7813	KWH	Passed Val
UES TOU-RES	"CriticalPeak"	6/12/18 4PM	0.75	KWH	Passed Val
UES TOU-RES	"CriticalPeak"	6/12/18 5PM	1.3125	KWH	Passed Val
UES TOU-RES	"CriticalPeak"	6/12/18 6PM	0.2344	KWH	Passed Val
UES TOU-RES	"CriticalPeak"	6/12/18 7PM	0.4844	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 8PM	1	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 9PM	1.0625	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 10PM	1.25	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 11PM	0.9063	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 12PM	0.8125	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 1AM	0.5625	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 2AM	0.3906	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 3AM	0.5	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 4AM	0.375	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 5AM	0.6563	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 6AM	0.7812	KWH	Passed Val
UES TOU-RES	"Off-Peak"	6/12/18 7AM	1.9375	KWH	Passed Val

OCA Use Case CORE-02: TOU Dataset

Section: Estimated Cost

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated benefits

Refer to OCA master use case "SB284 as a Platform"

Section: Required Policy Changes

Refer to OCA master use case "SB284 as a Platform"

Section: Project Risks

Refer to OCA master use case "SB284 as a Platform"

Section: Cybersecurity Issues

Refer to OCA master use case "SB284 as a Platform"

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based on a logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.
5. Operational Assumption: This use case assumes the following use case steps are also being completed in normal course of SB284 operations:
 - a. OCA CORE 01 Billing Dataset: Steps 1 & 2 completed by all electric all gas utilities.

OCA Use Case CORE-03: Demand Study Dataset

Section: Name

OCA Use Case CORE-03: Demand Study Dataset

Section: Author/ last update

Jim Brennan, NH OCA, April 3, 2020

Section: Description

Demand studies and historical load analysis by class, time and location are valuable research tools for stakeholders. For example, the PUC Staff is conducting a demand study and instructs the manager of the SB284 platform to enable the PUC Staff to access data particular to the demand study based on data that is automatically programmed to upload from the utility to the SB284 Platform. The platform then processes the dataset information request and provides it to the third party requesting interface.

Related Use Case:

- UC 9 Integration Customer data and System Data: Data uploaded to SB284 during UC 9 Step 2 "Upload Circuit ID data", can be combined with granular customer data in this use case CORE-03 Demand Study, and as a result enable Demand Studies in this use case to be performed on a circuit by circuit basis, at either a premise level (building by building), or an aggregated level (groups of premises).

CORE Use Case Testing Note: Actual test data files, containing granular (anonymized) data extracted from back office data systems (MDM, CIS), were provided by Unitil and used in this use case to develop and manually test data model functionality. This CORE use case was tested and approved (User Acceptance Testing) by DE 16-384 Data Working Group in 2019. The purpose of the use case was to test logical data model functionality to collect, organize and report diverse energy data and unit of measurements (UOM) such as KW, KWH, CCF, PF, V.

Section: Step-by-Step – what happens


1. A. The PUC Staff is conducting a demand study and instructs the manager of the SB284 platform to enable the PUC Staff to access data particular to the demand study.
1. B. The existing meter reading process is used to collect daily kW energy demand data from the end point ID and the Premise ID
2. The utility uploads data to SB284.
3. SB284 processes and indexes the data.
4. The PUC Staff logs into the PUC Data Portal that is integrated with SB284 platform. A data request for demand data is made
5. The PUC Data Portal sends request to SB284 Platform.
6. The SB294 Data Platform processes the request.
7. The SB284 platform exports the information to the PUC Data Portal.
8. The PUC Data Portal creates a report in the format and to the specifications requested by the PUC Staff.

Sequence Diagram 3

OCA Use Case CORE-03: Demand Study Dataset

How to Read: Sequence diagrams illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

1. Stakeholders (customers, 3rd parties, utilities...),
2. Assets (premises, meters, rooftop PV...),
3. External IT Systems (an existing utility CIS, a future CCA Platform...),
4. SB284 API (proposed) and SB 284 platform (proposed).



OCA Use Case CORE-03: Demand Study Dataset

Section: Data Fields required

The following data is required for the use case and is duplicative of data required for other use cases.

	Element	Description	Platform IndexID	Customer Data	System Data	DER Data	Market Data
A	PremID	Index	X	X			
B	UsagePointID	Index	X	X			
C	MeterID	Index	X	X			
D	Programname	Program Name		X			
E	Class	Customer Class	X	X			
F	TimeStart	ReadID	X				
G	ReadID	Index	X				
H	ReadValue	Value recorded at meter		X			
I	UOM	Unit of Measurement	X				
J	Quality Attribute	Reading quality (9= PASSED VALIDATION)	X	X			

Illustrative Dataset Generated in Step X of Sequence Diagram:

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)
	PremID	Usage Point ID	Meter ID	Program name	Class	TimeStart	ReadID	Read Value	UOM	Qty
1	1602	1002	1222	KW Daily	R	7/17/2018 12:00:00 AM	21032	6.851563	KW	9
2	1602	1002	1222	KW Daily	R	7/18/2018 12:00:00 AM	21233	6.751563	KW	9
3	1602	1002	1222	KW Daily	R	7/19/2018 12:00:00 AM	21334	6.951563	KW	9
4	1602	1002	1222	KW Daily	R	7/20/2018 12:00:00 AM	21435	6.851563	KW	9
5	1602	1002	1222	KW Daily	R	7/21/2018 12:00:00 AM	25036	6.741563	KW	9
6	1602	1002	1222	KW Daily	R	7/22/2018 12:00:00 AM	26037	6.851563	KW	9
7	1602	1002	1222	KW Daily	R	7/23/2018 12:00:00 AM	31038	6.851563	KW	9
8	1602	1002	1222	KW Daily	R	7/24/2018 12:00:00 AM	31439	6.852563	KW	9
...
24	1602	1002	1222	KW Daily	R	8/16/2018 12:00:00 AM	51032	6.851511	KW	9

Section: Estimated Cost

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated benefits

Refer to OCA master use case "SB284 as a Platform"

Section: Required Policy Changes

Refer to OCA master use case "SB284 as a Platform"

Section: Project Risks

Refer to OCA master use case "SB284 as a Platform"

OCA Use Case CORE-03: Demand Study Dataset

Section: Cybersecurity Issues

Refer to OCA master use case “SB284 as a Platform”

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based on a logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.

OCA Use Case Core-04: Multi-Utility / Multi State dataset

Section: Name

OCA Use Case Core-04: Multi-Utility / Multi State dataset

Section: Author/ last update

Jim Brennan, NH OCA April 3, 2020

Section: Description

In this use case the energy data (not shown) for two different customers served by two different electric utilities is physically maintained in the same data model but logically separated at the utility level – in this case UES in NH and Fitchburg in MA. This multi-utility functionality can be referred to as multi-tenant for purposes of this document. As a platform containing both customer data and system data, approved users of SB284 can access energy and energy related data from one or more utilities, located in one or more states, from a single access point (SB284 API).

Related Use Cases:

- All OCA Use Cases 1-45: This is a CORE use case that other use cases have a dependency to. It provides foundational functionality that other use cases build upon in phase 1 or in later phases of SB284 data platform maturity. Many OCA use cases in this document can be executed for either a single utility, or multiple utilities, based on the multi-tenant architecture of the data model –demonstrating SB284 as a data platform.
- OCA CORE 6 Platform Index: Data uploaded to SB284 is indexed to allow logical separation of data at the utility level.

CORE Use Case Testing Note: Actual test data files, containing granular (anonymized) data extracted from back office data systems (MDM, CIS) for NH and MA franchises, were provided by Unitil and used in this use case to develop and manually test data model functionality. This CORE use case was tested and approved (User Acceptance Testing) by DE 16-384 Data Working Group in 2019.

Section: Step-by-Step – what happens


1. Utility A provides energy service to a customer and maintains the static and dynamic data in their backoffice systems. The data is programmed to upload to SB284. SB284 processes the data.
2. Utility B provides energy service to a customer and maintains the static and dynamic data in their backoffice systems. The data is programmed to upload to SB284. SB284 processes the data.
3. A request is put in from an approved third party interface for data that combines information from multiple utilities. SB284 platform creates the data center and exports it to the third party interface.

How to Read: Sequence diagrams illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

1. Stakeholders (customers, 3rd parties, utilities...),
2. Assets (premises, meters, rooftop PV...),

OCA Use Case Core-04: Multi-Utility / Multi State dataset

3. External IT Systems (an existing utility CIS, a future CCA Platform...),
4. SB284 API (proposed) and SB 284 platform (proposed).



Section: Data Fields required

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated Cost

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated benefits

Refer to OCA master use case "SB284 as a Platform"

Section: Required Policy Changes

Refer to OCA master use case "SB284 as a Platform"

OCA Use Case Core-04: Multi-Utility / Multi State dataset

Section: Project Risks

Refer to OCA master use case “SB284 as a Platform”

Section: Cybersecurity Issues

A multi-tenant platform model requires appropriate data privacy and data security solutions.

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based on a logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.
5. Operational Assumption: This use case assumes the following use case steps are also being completed in normal course of SB284 operations:
 - a. OCA CORE 06 Platform Indexing

**ACCOUNT RELATIONSHIP SUMMARY -UES & FITCHBURG
UAT-4 Multi-tenant**

Multi-tenant usage data						
Utility Name	Usage Point (utility ID)	UsagePoint (energy database system ID)	Meter address	State	Account Number (utility)	Account Number (energy database system ID)
Unitil-UES	10.....00	110002	74 NG CONCORD NH	NH4000	12002
Unitil-Fitchburg	3000.....	110004	4..... ST FITCHBURG MA	MA3002	12003

OCA Use Case CORE-05: Multi Fuel – Electric usage + Gas usage dataset**Section: Name**

OCA Use Case CORE-05: Multi Fuel – Electric usage + Gas usage dataset

Section: Author/ last update

Jim Brennan, NH OCA 4/3/2020

Section: Description

A core requirement in analyzing the data model in DE 16-384 was the ability to process energy data for multiple fuels. The Green Button data model supports gas and electric and was used as a basis for designing this functionality in SB284. Supporting multi fuels data in SB284 enables robust energy efficiency analyst including benchmarking of a buildings overall energy use.


Section: Step-by-Step – what happens

1. Electric utility backsystem is programmed to upload static energy related data and dynamic usage data for a particular premise to the SB284 Platform. The SB284 Platform receives processes and indexes the data from these uploads.
2. Gas utility backsystem is programmed to upload static energy related data and dynamic usage data for a particular premise to the SB284 Platform. The SB284 Platform receives processes and indexes the data from these uploads.
3. An approved and authorized user requests a dataset particular to a premise and time frame for all energy data. The SB284 Platform processes the request and delivers a dataset for the premise that contains both the gas and electric energy data information for the premise.

How to Read: Sequence diagrams illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

1. Stakeholders (customers, 3rd parties, utilities...),
2. Assets (premises, meters, rooftop PV...),
3. External IT Systems (an existing utility CIS, a future CCA Platform...),
4. SB284 API (proposed) and SB 284 platform (proposed).

OCA Use Case CORE-05: Multi Fuel – Electric usage + Gas usage dataset



Section: Data Fields required

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated Cost

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated benefits

Refer to OCA master use case "SB284 as a Platform"

Section: Required Policy Changes

Refer to OCA master use case "SB284 as a Platform"

Section: Project Risks

Refer to OCA master use case "SB284 as a Platform"

Section: Cybersecurity Issues

OCA Use Case CORE-05: Multi Fuel – Electric usage + Gas usage dataset

Refer to OCA master use case “SB284 as a Platform”

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based OCA logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.

Use Case Core 6: Statewide Indexing

Section: Name

OCA Use Case Core-06: Statewide Index

Section: Author/ last update

Jim Brennan, NH OCA April 3, 2020

Section: Description

The terms “central source of truth”, and “the bible” are sometimes used in the technology world to refer to an authoritative source of knowledge or information –which other systems and 3rd parties view as a trusted source of accurate information. SB284 endeavors to be an authoritative list of endpoints, or locations statewide in New Hampshire. The collection and updating of information can be an expensive and time consuming task. Rather than have that task be replicated (differently) by a myriad of program applications across the state, utilities, program administrators, vendors etc. can use the SB284 platform as the authoritative source.

Indexed NH endpoints, tied to its location are, are a key service of a statewide data platform. The use of indexes enables each endpoint/location to be associated with information from different data sources. The location index then allows granular centralized organizing of all energy and energy related data in the platform down to a granular endpoint. For example, there are many types of efficiency and distributed energy resources that a customer may install in their home. They may do weatherization and insulation, install a heat pump, EV charger, solar system, and a battery storage. Each of these could be done at different times by different vendors. Some of that work will have their own submeters or controls that can report information to the database. Contractors can be required to submit data to the database in exchange for the rebate incentives. All of this information may be done by different parties. But if the customer hired a consultant to optimize their energy systems – a database that indexes all the information could provide a dataset indexed to that location.

Platform indexes are created by the platform, not the utility or non-utility datasource. Platform indexing allows data to be sorted, filtered, aggregated and used in granular ways useful to advanced software applications that use SB284. SB284 data sharing is based on time and location dimensions which is powerful, promotes future proofing, and increases data accuracy for the types of complex data request use cases expected from 3rd parties. This will be especially important as data in the platform grows.

Related Use Cases:

1. All OCA Use Cases rely on indexing. Indexing is a core architectural functionality of SB284 that allowing it to organize data and generate datasets illustrated in the 13 use cases discussed in this document.

CORE Use Case Testing Note: Actual test data files, containing granular (anonymized) data extracted from back office data systems (MDM, CIS), were provided by Unitil. The data from Unitil was indexed as part of the data loading (manual). The combination of Unitil test data and SB284 indexes, once imported into SB284 data model was manually tested in each of the 5 other CORE use cases (Billing dataset, TOU dataset, Demand dataset, multi utility dataset and multi service dataset. The CORE 6 Use Case(Indexing) was tested and approved (User Acceptance Testing) by DE 16-384 Data Working Group in 2019.

Use Case Core 6: Statewide Indexing

Section: Step-by-Step – what happens

The sequence diagram's final step (B2) illustrates energy and energy related data being organized and shared based on a specific PremiseID index. This scenario could illustrate a benchmarking analysis of a given house, building or group of buildings in an energy efficiency use case.


Step	
0	Illustrates all grid assets can indexed with location– see “steps” 1-8 providing information to the database from a variety of different owner/entities regarding that specific PremiseID.
A	[same step as OCA CORE 01 Billing Steps 1 and 3] Energy and energy related data (such as shown in OCA CORE 1 Steps 1 and 3,and in Use Case 09 System Data) is uploaded to SB284 and automatically associated with the premise location of where that asset exists. Step A2 performs the indexing.
B	Data can be requested and filtered based on a specific location (123 Main St.) using PremiseID “7311”. This assumes a use cases where location is a required meta data element in the dataset. For example a customer may be looking to invest in energy efficiency and or distributed energy resources. An authorized third party application could request the data specific to the premise in order to facilitate a home energy audit and analysis requested by that customer.
B2	SB284 generates a dataset of all energy and energy related data for the customer using the SB284PremiseID index of “7311”. The data set could be used by a vendor application performing an energy analysis of the home or by an EE EMV contractor analyzing effectiveness of an EERS program.

Sequence Diagram CORE 06

How to Read: Sequence diagrams illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

1. Stakeholders (customers, 3rd parties, utilities...),
2. Assets (premises, meters, rooftop PV...),
3. External IT Systems (an existing utility CIS, a future CCA Platform...),
4. SB284 API (proposed) and SB 284 platform (proposed).

Use Case Core 6: Statewide Indexing



Section: Data Fields required

SB284 indexes

Column	SB284 Index	Description	Type of Data				
			Platform IndexID	Customer Data	System Data	DER Data	Market Data
1	UsagePointID	Unique SB284 Index for a NH Grid endpoint	X				
2	PremiseID	Unique SB284 Index for a NH premise	X				
3	AddressID	Unique SB284 Index for a NH Address	X				
4	PersonID	Unique SB284 Index of a person	X				
5	OrgID	Unique SB284 Index of a non-person	X				
6	SensorID	Unique SB284 Index of a sensor (incl meter)	X				
7	AccountID	Unique SB284 Index for all NH Utility Accounts	X				
8	AssetID	Unique SB284 Index of an asset	X				
9	InstanceID	Unique SB284 Index of a reading	X				
10	TimePeriodID	Unique SB284 Index of a timeperiod	X				
11	ProgramID	Unique SB284 Index all NH programs	X				
12	BlockDefinitionID	Unique SB284 Index of a block	X				
13	RateClassID	Unique SB284 Index for a NH rate class	X				
...	X				

Index data may or may not be included in export dataset illustrated in sequence diagrams

Use Case Core 6: Statewide Indexing

Section: Estimated Cost

Refer to OCA master use case “SB284 as a Platform”

Section: Estimated benefits

Refer to OCA master use case “SB284 as a Platform”

Section: Required Policy Changes

Refer to OCA master use case “SB284 as a Platform”

Section: Project Risks

Refer to OCA master use case “SB284 as a Platform”

Section: Cybersecurity Issues

The index architecture is not exposed to the public, who only have access to the published SB284 API. Granular documentation of aspects of data model indexing architecture that SB284 platform is built upon should be limited to platform owner.

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based on a logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.

OCA Use Case T-03: Green Button Dataset

Section: Name

OCA Use Case T-03: Green Button Dataset

Section: Author/ last update

Jim Brennan, NH OCA April 3, 2020

Section: Description

A primary Phase 1 function of SB284 is to support a Certified Green Button Connect My Data application platform. The primary role of SB284 in this use case, as Illustrated in sequence diagram 3 step 3E below, will be to provide the primary energy data and energy related data, of requested granularity, to a 3rd party Green Button Platform. The SB284 dataset shared with the Green Button platform will contain required electric data and gas data, for all NH customers regardless of which electric and gas utility serves that customer. The dataset illustrated in Step 3E is based on an underlying data model that can support the data requirements of a certified API based Green Button Connect My Data platform. OCA's data model was informed by its analysis of the OpenESPI standard (Green Button standard) as well as outreach and technical discussions with utilities who have implemented Green Button platforms in California (PGE) and NY (ConEd), and technical discussions with the Green Button Alliance.

The purpose of this use case is to illustrate some of the high level conceptual data flows and technical interactions that may occur between different (often unrelated) stakeholders and systems involved in this data sharing use case. The diagram, and this use case in general, does not illustrate a number of complex business and technical data sharing aspects that need to be addressed. These aspects include, but are not limited to, business model, governance, registration by 3rd parties, customer consent, secure authentication process model and other items that will need to support SB284's envisioned statewide centralized approach to Green Button data sharing.

Related Use Case:

- OCA CORE 01 Billing Dataset Steps 1 and 3 – all utilities are uploading energy and energy related data to SB284 daily or as scheduled. Data collected in CORE 01 Steps 1 and 3 are a primary source of data contained in the dataset shown in Step 3E of this Green Button use case.
- OCA 23 DER Deployment Tracking. All DERs installed in NH should be tracked in SB284 by premise and by DER type. Reference Sequence Diagram 03 Step 5 below.

Section: Step-by-Step – what happens

1. As a result of a sales call from a DER vendor, a customer agrees to share their utility energy data, for a specific meter(s), for a specific length of time, with a third party through the Green Button platform.
2. The customer consents to share the data, including personally identifiable information (PII) and successfully completes the secure authentication and consent process that is represented by box 2b. The DER Vendor also completes a security and agreement process – not shown.
3. Data Processing
 - a. Green Button Platform, once authenticated, requests data from SB284 API.
 - b. SB284 Platform receives and processes the request.


OCA Use Case T-03: Green Button Dataset

- c. SB284 Platform creates a dataset based on the valid request and parameters provided by the Green Button Platform in step 3a.
 - d. (empty)
 - e. The SB284 dataset is securely delivered to the Green Button Platform.
 - f. Green Button Platform, now enabled with required accurate data from SB284, processes the data, creates formatted xml files conforming to the OpenESPI Green Button standard (certified) and securely delivers the files containing the customer's data to the authorized DER vendor.
4. The DER vendor and the customer use the data provided to engage in a business transaction to install PV rooftop at this location.
 - a. Contract signed
 5. The DER Vendor installs a DER.
 6. The DER Vendor executes a version of OCA Use Case 23 "DER Deployment Tracking"
 - a. Log in to the SB284 DER Tracking Portal and entering a new DER at SB284 PremiseID "7311" (123 Main Street) including DER type and location.
 - b. Green Button uploads the data to the SB284 Platform, indexing this promise as a DER host.

How to Read: Sequence diagrams illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

1. Stakeholders (customers, 3rd parties, utilities...),
2. Assets (premises, meters, rooftop PV...),
3. External IT Systems (an existing utility CIS, a future CCA Platform...),
4. SB284 API (proposed) and SB 284 platform (proposed).

OCA Use Case T-03: Green Button Dataset



Section: Data Fields required

Please refer to Green Button OpenESPI data model

Please refer to OCA’s logical data model

Section: Estimated Cost

Refer to OCA master use case “SB284 as a Platform”

Section: Estimated benefits

Refer to OCA master use case “SB284 as a Platform”

Section: Required Policy Changes

Sequence diagram 3 step 5, require all new DER installations to be tracked in SB284 based on extension of OCA Use Case 23 DER Deployment Tracking.

OCA Use Case T-03: Green Button Dataset

Section: Project Risks

Refer to OCA master use case “SB284 as a Platform”

Section: Cybersecurity Issues

Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based on a logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.
5. Operational Assumption: This use case assumes SB284 platform is regularly updated with energy and energy related data of the electric and gas utilities. Therefore the following partial list of use case steps are assumed to be completed in normal course of SB284 operations:
 - a. OCA CORE 01 Billing Dataset: Steps 1 & 3 completed by all electric all gas utilities.
 - b. OCA CORE 04 Multi-Utility
 - c. OCA CORE 05 Multi service electric and gas uploads
 - d. OCA CORE 06 Platform Indexing

OCA Use Case T-04: Community Dashboard Integration Dataset

Section: Name

OCA Use Case T-04: Community Dashboard Integration Dataset

Section: Author/ last update

Jim Brennan, NH OCA April 3, 2020

Section: Description

Community Energy Dashboards are excellent ways for citizens to learn from and be influenced by their neighbors. Understanding what is going on in your neighborhood can influence a customer's comfort level with technology and give them local resources to reach out to for sharing experiences and information. The dashboards are only as relevant as they are up to date. The information that is collected by the SB284 platform for other purposes can be used to update the dashboard and keep it relevant.

Community Energy Dashboard experience similar to that in Vermont: 1) open pc/mobile browser; 2) click dashboard URL; 3) land on a home page with data and maps based on the user's community providing robust community data access


Section: Step-by-Step – what happens

1. A required set of data SB284 data (data that is already maintained in SB284) is negotiated for daily data sharing with the dashboard platform (for example data from Use Case CORE 01, and Use Case 09 System Data). Database tables being updated could include: DER assets (type, community location, etc.); aggregated usage data (organized by class, community etc). An SB284 automated overnight data process is designed to automatically send updated data to the Community Energy Dashboard Platform. Permissions, authentication processes, desired file formats are agreed to and tested. The overnight process runs nightly generating data for the dashboard.
2. SB284 provides updated data dashboard platform.

How to Read: Sequence diagrams illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

1. Stakeholders (customers, 3rd parties, utilities...),
2. Assets (premises, meters, rooftop PV...),
3. External IT Systems (an existing utility CIS, a future CCA Platform...),
4. SB284 API (proposed) and SB 284 platform (proposed).

OCA Use Case T-04: Community Dashboard Integration Dataset




Demonstration: Here is a brief manual demonstration of the above sequence diagram using the Brighter Vermont Community Energy Dashboard shown below. The annotated webpage shown below has 2 callouts citing two OCA use cases that capable of providing data needed for this webpage. The two OCA use cases (which discussed elsewhere in this document) are:

1. OCA Use Case # 23 "DER Deployment Tracking Data" (annotated in Dashboard web page below)
2. OCA Use CORE 06 "Statewide Index" (annotated in Dashboard web page below)

Demonstrating this webpage in Sequence Diagram 04 above, the data contained in Step 2 export dataset would provide the underlying data used by the dashboard platform to render the webpage in Step C "Homepage data grid and maps" (located inside the Dashboard Customer Experience box above).

OCA Use Case T-04: Community Dashboard Integration Dataset



Section: Data Fields required

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated Cost

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated benefits

Refer to OCA master use case "SB284 as a Platform"

Section: Required Policy Changes

Refer to OCA master use case "SB284 as a Platform"

Section: Project Risks

Refer to OCA master use case "SB284 as a Platform"

OCA Use Case T-04: Community Dashboard Integration Dataset

Section: Cybersecurity Issues

OCA recommends addressing these risks as part of the process to create a stakeholder driven Data Privacy Framework (DPF), and a Data Access Framework (DAF) address overarching issues of data privacy and cyber security

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based OCA logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.
5. Operational Assumption: This use case assumes the following use case steps are also being completed in normal course of SB284 operations:
 - a. OCA CORE 01 Billing Dataset: Steps 1 & 2 completed by all electric all gas utilities.
 - b. OCA Use Case 09 Integration of Customer data and System Data.

Use Case 09 System Data and Customer Data Integration

Section: Name

Use Case 09 – System Data and Customer Data Integration dataset

Section: Author/ last update

Jim Brennan, NH OCA, April 3, 2020

Section: Description

The integration of customer and basic system data can increase transparency and facilitate analysis by the PUC Staff in LCIRP dockets and grid modernization analysis to name just a few. The OCA feels the data platform will need to integrate system data in order to remain relevant as NH's grid modernizes. This use case includes a very basic set of system data in order to give visibility and context to customer data, like the premise and meter as shown below. This use case has associated system level data including Node ID, the Section ID, and the Circuit ID where residential assets are located. Based on granularity of data provided, datasets can be filtered, sorted and aggregated in various ways to associate customer data at specific locations to the distribution and transmission grid.

The purpose of this use case is to illustrate SB284 is the appropriate IT platform to securely hold, organize, control, share (based on strict data access policies pertaining to system data access) system data that is already being shared (via PDF, Excel spreadsheets) in various PUC dockets. As DE 15-296 Grid Mode progresses, the level of system data uploaded to SB284 can increase in a phased approach.

The use case below illustrates one example of what we mean by system data being part of the Data Platform model in Phase 1.

Section: Step-by-Step – what happens

1. Many utilities currently track an increasing portion of grid assets, including asset type, rating, and locations, into a Geographic Information System GIS. This operational process is represented Sequence Diagram 09 box labeled "Existing Process – utilities track grid assets in GIS database". Data points "a", "b", "c", "d", "e" represent grid assets Meter/Sensors, Transformers, Devises, Sub-Stations, and DER. The categories are intended to be flexible and allow increased levels of system data to be shared over time based on future priorities. Meters can include residential meters on phase 1, and more strategic sensors in phase 2 or 3. Likewise, with the other categories represented. The strategy is a phased approach.
2. During DE 19-197 technical session utilities have expressed willingness to share basic static system data such as circuits, transformers, and meters. Associated data elements would then include type, location, and nameplate rating. Agreed Phase 1 system data elements would be included in the dataset represented in this step and uploaded from each of the utilities back office system to the SB284 data platform.
3. Step 3 SB284 processes and indexes data discussed in OCA Use Case CORE 06. This results in system data being integrated with other platform data. For example house meters are associated with feeder circuit. DER deployments (Use Case 23 DER Deployment Tracking) are associate with a circuit. This processing allows SB284 to develop datasets that add more context to data, and provide a helpful view into the connectivity of a variety of utility owned assets in

Use Case 09 System Data and Customer Data Integration

the distribution system that can be further sorted, for example, by specific locations or geographic areas, nodes, or circuits, etc.

4. The energy and load data associated with the grid assets discussed in steps 1 and 2 above (meter, transformer etc.) is currently being recorded as part of normal utility operations. Some of this load data can be shared in Phase 1, which occurs in step 5.
5. Negotiated portions of that energy and load data associated with the asset are uploaded to SB284. Again, as in Step 2, the amount of energy and power measurements included in Step 5 can start at basic level; and increase over time, in a phased approach.
6. SB284 Platform processes and indexes (use case CORE 06) the data received from the data source. SB284 can process that data to combine customer and system data for different types of analysis by third party applications. Indexing as described in step 3 above occurs on all energy and power data loaded to SB284. As described in step 3, indexing allowed for better visibility into NH's increasingly modernized and distributed distribution grid. Applications, some discussed in DE 15-296 Grid Modernization docket, can be developed when energy data and grid assets are integrated. For example circuits could get color coded by capacity; customer information could get aggregated at circuit levels (which is more useful to the grid than simple geographical aggregation).
7. Restricted Access: SB284 dataset of integrated customer and system data.

Related Use Cases:


- UC 23 DER Deployment Tracking (Tracking non-utility DER deployments by circuit ID)
- UC 24 Integration utility and not utility data (step 5a analyze aggregated real time data at circuit level)

Sequence Diagram 09:

How to Read: Sequence diagrams illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

1. Stakeholders (customers, 3rd parties, utilities...),
2. Assets (premises, meters, rooftop PV...),
3. External IT Systems (an existing utility CIS, a future CCA Platform...),
4. SB284 API (proposed) and SB 284 platform (proposed).

Use Case 09 System Data and Customer Data Integration



Section: Data Fields required

Data elements:

	Elements in dataset	Description	Platform Index ID	Cust Data	System Data	DER Data	Mkt Data
A	Premise ID	SB284 ID of building	X	X			
B	Usage Point ID	SB284 Unique grid point	X	X			
C	Asset ID	SB284 ID of grid asset	X	X			
D	Asset Category	Category of asset		X			
E	Asset Owner	Asset owner	X	X			
F	Node ID	SB284 ID Point on circuit	X		X		
G	Section ID	SB284 ID Section of circuit	X		X		
H	Circuit ID	SB284 ID of utility circuit	X		X		
I	Circuit Type ID	SB284 ID circuit type	X		X		
J	Circuit Owner	Circuit owner	X				

Use Case 09 System Data and Customer Data Integration

Illustrative SB284 dataset:

Dataset (accessed via Data Platform API)										
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)
	Prem ID	Usge Point ID	Asset ID	Category name	Own	node ID	Section ID	Circuit ID	Type ID	Circuit Owner
1	1612	4658	1515	Meter R	UES	3177	4	22233	2	UES
2	1677	4963	4141	Meter R	UES	3999	1	55522	2	UES
3	1689	4333	1155	Meter EV	Cust	9333	6	99112	2	GSEC
4	1674	4274	1874	Meter NM	PSNH	8888	7	21123	2	PSNH
...

Section: Estimated Cost

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated benefits

Refer to OCA master use case "SB284 as a Platform"

Section: Required Policy Changes

Refer to OCA master use case "SB284 as a Platform"

Section: Project Risks

Refer to OCA master use case "SB284 as a Platform"

Section: Cybersecurity Issues

System data and distribution design data would not be available to general public for viewing. OCA recommends addressing these risks as part of the process to create a stakeholder driven Data Privacy Framework (DPF), and a Data Access Framework (DAF) address overarching issues of data privacy and cyber security.

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based OCA logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.

OCA Use Case 14: Community Choice Aggregation – 3 utilities, 1 dataset

Section: Name

Use Case 14: Community Choice Aggregation – 3 utilities, 1 dataset

Section: Author/ last update

Jim Brennan, NH OCA, April 3, 2020

Section: Description

Some towns in New Hampshire have as many as three utilities in one town. With a statewide SB284 Platform all of that data is already collected and updated automatically. So when an aggregator seeks information on a specific town or geographic area they can (with the proper authorizations and agreements) access the information through one dataset and update the dataset as frequently as they like. SB284 indexing allows data being uploaded by utilities (OCA Use Case CORE 01) to be organized by municipality and by customer class. In this use case the energy manager for Town of Pembroke can retrieve electric and gas data uploaded by Eversource, Unitil and Liberty in a single dataset from SB284 centralized platform.

Related Use Cases:

- OCA Use Case CORE 01 Steps 1 and 3 – Eversource (electric), Unitil (electric) and Liberty (gas)
- OCA Use Case CORE 06 Statewide Index


Section: Step-by-Step – what happens

1. PSNH uploads energy and energy related data to SB284 (per OCA Use Case 01).
2. Unitil uploads energy and energy related data to SB284 (per OCA Use Case 01).
3. Liberty uploads energy and energy related data to SB284 (per OCA Use Case 01).
- A. A NH Community Choice Aggregation (CCA) logs onto the CCAs Platform. (The CCA Platform is integrated with SB284 and authorized to request data). A request is made by the CCA for dataset of allowed (based on NH policy and law) energy and energy related data for the specific town, such as Town of Pembroke NH.
- B. The CCA Platform make a request for the data to SB284 API. An authorization process is completed and the SB284 API will execute the request.
- C. The SB284 platform processes the request.
- D. SB284 creates a dataset containing energy data for the Town of Pembroke.
- E. SB284 securely shares / exports the requested dataset to the NH CCA's data platform.
- F. Staff at the NH CCA can view the data, download the data to excel, or input to a data application used by its analyst. Data is handled according to agreed security policy.

How to Read: Sequence diagrams illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

1. Stakeholders (customers, 3rd parties, utilities...),
2. Assets (premises, meters, rooftop PV...),
3. External IT Systems (an existing utility CIS, a future CCA Platform...),
4. SB284 API (proposed) and SB 284 platform (proposed).

OCA Use Case 14: Community Choice Aggregation – 3 utilities, 1 dataset



Section: Data Fields required

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated Cost

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated benefits

Refer to OCA master use case "SB284 as a Platform"

Section: Required Policy Changes

Refer to OCA master use case "SB284 as a Platform"

Section: Project Risks

Refer to OCA master use case "SB284 as a Platform"

OCA Use Case 14: Community Choice Aggregation – 3 utilities, 1 dataset

Section: Cybersecurity Issues

Refer to OCA master use case “SB284 as a Platform”

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based OCA logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.

 Notes (use for row in “master OCA Use Case SB284 As A ...”:

CITY / TOWN	TELEPHONE	ELECTRIC	GAS	WATER	SERVICE
NORTHUMBERLAND	CONSOLIDATED COMMUNICATIONS	EVERSOURCE			
NORTHWOOD	CONSOLIDATED COMMUNICATIONS	EVERSOURCE NHEC			
NOTTINGHAM	CONSOLIDATED COMMUNICATIONS	EVERSOURCE NHEC		HAMPSTEAD	
ORANGE	CONSOLIDATED COMMUNICATIONS	EVERSOURCE LIBERTY NHEC			
ORFORD	CONSOLIDATED COMMUNICATIONS	EVERSOURCE NHEC			
OSSIPEE	CONSOLIDATED COMMUNICATIONS	EVERSOURCE NHEC WOLFEBORO ELECTRIC		LAKES REGION	
PELHAM	CONSOLIDATED COMMUNICATIONS	EVERSOURCE LIBERTY	LIBERTY	PENNICHUCK EAST	
PEMBROKE	CONSOLIDATED COMMUNICATIONS	EVERSOURCE UNITIL	LIBERTY		
	CONSOLIDATED				

OCA Use Case #23: Distributed Energy Resource Deployment Data

Section: Name

Use Case #23: Distributed Energy Resource Deployment Data

Section: Author/ last update

Jim Brennan, NH OCA, April 3, 2020

Section: Description

The growth of distributed energy resources such as renewables and storage is an issue important to a variety of stakeholders from the PUC, to legislators, to other portions of government, to non-profits, and for profits. Understanding where and how those resources are distributed across the state can inform policy decisions. For example, the data could help people understand the correlation between DER installations and utility, or DER installations in towns that have enacted property tax exemptions.

Related Use Cases:

- Use Case 04 Community Dashboard (displays DER Deployment data statewide)
- Use Case 09 Integration System Data and Customer Data (circuit, large transformer system data is shown along with customer DER data in the illustrative dataset below).

Section: Step-by-Step – what happens

Conceptual functionality with possible reengineering (automating/streamlining of NEM process:

1. The PUC seeks to track, analyze, and report on the growth of distributed energy resources in the NH electric grid. Here, a house at SB284 PremiseID “1674” currently owns a battery device and is applying for PV and interconnection. DER data is valuable information regarding NH’s grid.
2. Customers complete interconnection applications for net energy metering (NEM) using the DER Tracking Portal. The utility will be notified, in step 4, and will process the application. The interconnection contains a variety of information on the future NEM project. Customers also send updates as necessary. This step assumes the interconnection application was made uniform this allowing customers to submit the application through a new DER Tracking Portal that is integrated with SB284 data platform.
3. The DER Tracking Portal submits the data to the SB248 database and the application to the utility.
4. The utility reviews the interconnection application and the status of the grid infrastructure at the NEM location. If the utility requires payment for system modifications that description and estimate of cost is sent to the customer.
5. The customer provides approval and payment. The utility completes the modifications and provides a signed approval to the customer and updates the SB248 platform with the grid modifications.
6. The DER is installed at PremiseID”1674”.
7. SB284 is updated with data - a new DER exists (type PV rooftop) at PremiseID “1674” as of this date. The data is processed and indexed. The DER data could be related/analyzed in context of a TOU analysis (CORE 02 TOU Dataset)

OCA Use Case #23: Distributed Energy Resource Deployment Data

- The PUC Staff uses the DER Portal to request DER integration data from the SB248. The SB248 platform processes the request. The PUC Staff analyzes the data and formulates reports for the Commissioners and the Legislators.


Related Use Cases:

- OCA Use Case CORE 02 TOU Dataset (step 7 allows integrated analysis of DERs with TOU by location, by customer)

Sequence Diagram 23:

How to Read: The sequence diagram illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

- Stakeholders (customers, 3rd parties, utilities...),
- Assets (premises, meters, rooftop PV...),
- External IT Systems (an existing utility CIS, a future CCA Platform...),
- SB284 API (proposed) and SB 284 platform (proposed).



OCA Use Case #23: Distributed Energy Resource Deployment Data

Section: Data Fields required

Data elements:

	Elements in dataset	Description	Platform Index ID	Cust Data	System Data	DER Data	Mkt Data
A	Premise ID	SB284 ID of building	X	X			
B	Usage Point ID	SB284 Unique grid point	X	X			
C	Asset ID	SB284 ID of grid asset	X	X		X	
D	Asset Category	Category of asset		X	X	X	
E	Asset Owner	Asset owner	X	X		X	
F	Node ID	SB284 ID Point on circuit	X		X		
G	Section ID	SB284 ID Section of circuit	X		X		
H	Circuit ID	SB284 ID of utility circuit	X		X		
I	Circuit Type ID	SB284 ID circuit type	X		X		
J	Circuit Owner	Circuit owner	X		X		

Illustrative dataset:

UC #23-B “Customer + System Data + DER Data; Grid Asset Locations & Type by circuit, display category name” (Filter: residential DER + large transformers, by circuit)	Data Access Policy: Group Name (ex PUC, PSNH)										
	Data Privacy Policy ID: section name										
Use: DER tracking. Dataset can be extended to include load, time, generation data, direction, etc.											
Dataset (accessed via Data Platform API)											
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	
	Prem ID	Usge Point ID	Asset ID	Category name	Own	node ID	Section ID	Circuit ID	Type ID	Circuit Owner	
1	1666	4113	9588	Storage-R	Cust	6633	3	26666	2	PSNH	
2	1611	4888	9336	Storage-R	OrgX	3366	3	26666	2	PSNH	
3	1674	4444	9974	PV roof-R	Cust	4777	3	26666	2	PSNH	
	2501	5801	4888	Transfr LG	Util	2102	3	26666	2	PSNH	
...	

Please Refer to OCA master use case “SB284 as a Platform” for additional discussion on use case data requirements.

OCA Use Case #23: Distributed Energy Resource Deployment Data

Section: Estimated Cost

Refer to OCA master use case “SB284 as a Platform”

Section: Estimated benefits

Refer to OCA master use case “SB284 as a Platform”

Section: Required Policy Changes

Changes to the NEM process and workflow – can be done in phases.

Refer to OCA master use case “SB284 as a Platform”

Section: Project Risks

Refer to OCA master use case “SB284 as a Platform”

Section: Cybersecurity Issues

Refer to OCA master use case “SB284 as a Platform”

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based OCA logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.

OCA Use Case #24: Integration of utility and non-utility energy data

Section: Name

Use Case #24: Integration of utility and non-utility energy data

Section: Author/ last update

Jim Brennan, NH OCA, April 3, 2020

Section: Description

The SB284 statewide platform enables the integration of utility data with non-utility energy data. Non-utility energy data is data collected by a stakeholder or 3rd party other than the utility. In NH today, motivated consumers can purchase advanced sub meters allowing them to better understanding their energy usage in ways not possible with utility owned meter already installed on their home and used by the utility for billing purposes. With increasingly affordable technology, a customer owned / customer installed sub meter can be configured to stream real time data directly to the vendor's cloud providing granular data for that location. In this scenario, real time data in vendor cloud could be integrated with SB284 (already containing other robust utility energy and energy related data discussed in other use cases in this document) based on SB284 PremiseID. This scenario is illustrated in this use case. Other non-utility scenarios include renewable installations that often have a meter installed by the renewable energy company that collects data differently. There are similar potentials with electric vehicles and battery storage. The combination of the information from all of those sub-meters at a customer location can provide that customer or an authorized third party with a more holistic energy view of that premise.

The purpose of this use case is to illustrate the concept (and potential advantages) of analyzing energy data holistically - at the premise level, and with multiple data sources. SB284 allows such analysis by providing functionality share data based on location, including SB284 PremiseID.

Section: Step-by-Step – what happens

1. Customer purchased a real time sub meter from 3rd party EK, Inc.
2. Customer hires electrician to installs the EK sub meter behind the existing utility meter. The meter is configured to records real time measurements, direction of energy flow import/export, and interval data. The sub meter is configured to upload the real time data to the vendor's cloud using homeowners Wi-Fi.
3. Energy usage data collected by the utility meter is uploaded to SB284 Platform. Reference OCA CORE 01 Billing use case steps 1 and 3.
4. The purchased EK real time meter collects usage data in real time. Usage data is uploaded an EK Inc. cloud API (Application programming interface) using local Wi-Fi. If Wi-Fi service is interrupted, data s stored locally inside the sub meter and upload later once Wi-Fi service is re-established in the home. The customer can view data in cloud via smart applications.
5. An authorized third party application, designed to analyzed energy usage and generate reports for homeowners and researchers, connected to SB284 (w/ credential) and requests available usage data (utility and non-utility) for 5 Maple Street using SB284 PremiseID "980".
 - a. (NOTE: Another scenario could involve non PII data, for example a research request for aggregated data from all premises on a circuit, or on a specific tariff. In this scenario

OCA Use Case #24: Integration of utility and non-utility energy data

data contained in the SB284 dataset step 5c would be anonymous, subject to following aggregation guidelines in NH Privacy policy).

6. The SB284 platform processes the request and exports the dataset (monthly data from the utility and the real time data from the non-utility sub-meter) to the third party.
7. The third party aggregates and presents the information to the customer in a digestible format.

Related Use Cases:


- CORE 01 Billing, steps 1 and 3 (uploading energy and energy related data collected by the utility)
- CORE 06 Indexing (Premise ID used to integrate readings from different data sources within same home)
- UC 9 Integrate Customer data and System data (to enable step 5a analysis of real time data by circuit ID)

OCA Use Case #24: Integration of utility and non-utility energy data

Sequence Diagram 24

How to Read: The sequence diagram illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

1. Stakeholders (customers, 3rd parties, utilities...),
2. Assets (premises, meters, rooftop PV...),
3. External IT Systems (an existing utility CIS, a future CCA Platform...),
4. SB284 API (proposed) and SB 284 platform (proposed).



Section: Data Fields required

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated Cost

Refer to OCA master use case "SB284 as a Platform"

OCA Use Case #24: Integration of utility and non-utility energy data

Section: Estimated benefits

Refer to OCA master use case “SB284 as a Platform”

Section: Required Policy Changes

Establishing NH Data Privacy Framework discussed in step 5. Please refer to OCA master use case “SB284 as a Platform”

Section: Project Risks

Refer to OCA master use case “SB284 as a Platform”

Section: Cybersecurity Issues

Refer to OCA master use case “SB284 as a Platform”

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based on a logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.

OCA Use Case # 32 WAP Integration to SB284

Section: Name

WAP Tracking Platform Integration to SB284

Section: Author/ last update

Jim Brennan, NH OCA, April 3, 2020

Section: Description

OSI's management of the Weatherization Assistance Program (WAP) requires them to track information. They have struggled with tracking data by contractor. To improve this process OSI is in the process of issuing an RFP for a tracking platform. The SB284 platform and the new WAP platform can be integrated. Under this scenario, normalized standardized machine readable customer and energy data already maintained (updated, accurate, indexed) in SB284 can be provided to the OSI tracking platform, for example on a nightly basis. With some of the basic customer and utility information provided by SB284 datasets, the OSI tracking platform (and staff) does not need to duplicate that work.

Section: Step-by-Step – what happens

Nightly processing: Step A and B: Based on an agreement between the OSI tracking platform provider and the SB284 platform, the SB284 platform sends any changes to WAP data being tracked on the OSI tracking platform. The data from SB284 is the same data collected for other purposes – customer name, address, premise, meter, etc. SB284 can also collect agreed upon WAP information for inclusion in the SB284 database. Data uploaded from WAP to SB284 is automatically indexed to reflect a particular premise has received weatherization services – illustrated in Nightly steps C and D.


1. A customer requests participation in the WAP program. (WAP programs are part of SB284 existing indexing process, reference CORE 06 Statewide Index use case)
2. CAP processes the request and updates the application information in the new OSI WAP tracking platform. WAP tracking platform has been repopulated with basic utility customer information that already exists in the SB284 Platform so that it is not a siloed system. If the WAP platform requires historical usage data on the premises, that data can be included in the nightly processing (Step A). The WAP platform sends updated information to the SB284 Platform.
3. Contractor performs weatherization services (SB284 ProgramID "400" insulation) at the customers home (SB284 PremiseID"5001"). Information is uploaded to the WAP tracking platform the program participation of the customer (for example insulation, heat pump, etc.) according to an established definition of programs.
4. The WAP tracking platform updates the SB284 Platform with the negotiated information relative to SB284 PremiseID "5001" (the customers home). This provides updated information should PUC Staff, utility staff, or other authorized entities be seeking information regarding that premise. In addition, the SB284 Platform provides updates to the WAP tracking platform with any changes to premise information uploaded by the utilities.

OCA Use Case # 32 WAP Integration to SB284

Sequence Diagram 32

How to Read: The Sequence diagram illustrates the order of activity (top to bottom) that occur between 4 categories of actors (across the top). The 4 categories of actors are:

1. Stakeholders (customers, 3rd parties, utilities...),
2. Assets (premises, meters, rooftop PV...),
3. External IT Systems (an existing utility CIS, a future CCA Platform...),
4. SB284 API (proposed) and SB 284 platform (proposed).



Section: Data Fields required

Refer to OCA master use case "SB284 as a Platform"

Section: Estimated Cost

Refer to OCA master use case "SB284 as a Platform"

OCA Use Case # 32 WAP Integration to SB284**Section: Estimated benefits**

Refer to OCA master use case “SB284 as a Platform”

Section: Required Policy Changes

Refer to OCA master use case “SB284 as a Platform”

Section: Project Risks

Refer to OCA master use case “SB284 as a Platform”

Section: Cybersecurity Issues

Refer to OCA master use case “SB284 as a Platform”

Sections: Assumptions / Preconditions

1. SB284 Platform is designed based on a logical data model
2. SB284 Platform follows a system architecture design approach
3. SB284 Platform implements a service oriented architecture with Application Programming Interface (API)
4. Data Privacy Framework (DPF), and Data Access Framework (DAF) address overarching issues of data privacy and cyber security, are established prior and/or in parallel with development of SB284 Platform.