



Marcia A. Brown  
*Attorney at Law*

*Environmental Law* ▪ *Utility Law*

April 1, 2024

VIA ELECTRONIC DELIVERY

Daniel C. Goldner, Chairman  
New Hampshire Public Utilities Commission  
21 S. Fruit Street, Suite 10  
Concord, N.H. 03301

Re: DW 14-176 and DW 23-042 – Mill Brook Village Water System, LLC  
Track Change 4<sup>th</sup> Revised Page 6 per DW 14-176 Stipulation Agreement

Dear Chairman Goldner:

On Friday, March 29, 2024, Mill Brook Village Water System, LLC filed its rate schedule to lower its customer rate commensurate with an increase in its customer count, pursuant to Section II, E. of the Stipulation Agreement approved by the Commission in Order No. 25,754 on January 14, 2015 in Docket No. DW 14-176. That Stipulation allows Mill Brook Village Water System, LLC to change its customer rate without a new rate case because the rate change has no impact on the Company's authorized revenue requirement. The revenue requirement is merely spread over more customers, which reduces the per customer rate.

Missing from that tariff filing was a track change version as required by Puc 1603.05(b). That is now attached. Also attached is a revised clean version to correct the order reference in the footer. Thank you to the Commission's tariff administrator for alerting the Company to that oversight.

The attached track change tariff compares the changes filed on Friday to the 3<sup>rd</sup> Revised Page 6 filed in Docket No. DW 23-042, which was the last time the Company added customers. It is not a comparison to the, now superseded, 2015 Revised Page 6.

For completeness, this tariff change is being filed in the docket of the original authority, DW 14-176, as well as in the docket of the most recent change: DW 23-042.

Thank you in advance for your assistance with this filing.

Very Truly Yours,

A handwritten signature in black ink that reads "Marcia A. Brown".

Marcia A. Brown

Enclosure: 4<sup>th</sup> Revised Page 6, track change and clean  
cc: Docket-Related Service List for DW 23-042 and DW 14-176