

| Date | Who | Program/Tab | Complete? |
|------------|-----|---|-----------|
| 12/9/2022 | JB | Inputs | Yes |
| 12/29/2022 | JB | Lookups | Yes |
| 12/29/2022 | JB | Inputs | Yes |
| 12/29/2023 | JB | Avoided Costs | Yes |
| 12/29/2023 | JB | Lookups/Avoided Costs | Yes |
| 12/29/2022 | JB | Lookups | Yes |
| 1/10/2023 | JB | Avoided Costs | Yes |
| 1/20/2023 | JB | Lookups | Yes |
| 1/24/2023 | JB | Avoided Costs | Yes |
| 2/22/2023 | JB | Inputs | Yes |
| 3/17/2023 | JB | Multiple | Yes |
| 5/11/2023 | JB | Lookups | Yes |
| 5/11/2023 | JB | Costs/Primary Data | Yes |
| 5/11/2023 | JB | Primary Data | Yes |
| 6/2/2023 | MO | Inputs | Yes |
| 6/2/2023 | MO | Inputs | Yes |
| 6/14/2023 | JB | Lookups/Costs/Primary Data/Reporting tabs | Yes |
| 6/14/2023 | JB | Lookups/Costs/Primary Data/Reporting tabs | Yes |
| 6/15/2023 | JB | PI | Yes |
| 6/22/2023 | JB | Inputs/Costs | Yes |

Description

Updated deemed savings, impact factors, and measure lives, consistent with the 2023 TRM
Updated Plan Years and corresponding discount and inflation rates (for now, keeping filed 2022/23 Plan values in
Changed HEA Wxn NEI ML to 20 years from 15 years
Updated Avoided Costs to align with plan years
Added 'HEA NEI Year' to align with study cited for HEA NEI adder, which factors the Non-resource benefits factor
Added citations for all NEI assumptions

Updated source and values 'Emission based on RGGI CO2' to align with AESC 2021
Updated discount rates and inflation rates to January 2023 estimates to use for modeling purposes
Updated Years 2 and 3 Cumulative Avoided Costs to 2024\$
Changed all BCR codes, removing the '21' in E21XXXXXX. No other changes were made to the strings.
Added EM&V 'subprogram'

Updated discount rates and inflation rates to what will likely be final.
Changed Cost categories to align with agreed structure
Made corrections to 2024\$ formulas

Removed midstream from Gas Muni program
Added new measures for High Speed Washer (GC1b032;GC1c022;GC2b032;GC2c022;GC3b032) and Pasta
Cooker (GC1b033;GC1c023;GC2b033;GC2c023;GC3b033)

Add Income Eligible sector and IE Education and EM&V program lines

Remove several unused program and subprogram lines (Res financing, EO pilot, RFP program, CEP, ISO)

Updated PI to show in nominal dollars, rather than first year dollars
Updated ES Products measures into the A3b subprogram, matching Unutil and the BCR codes.

Statewide?

Y
Y
Y
Y
Y
Y

Y
Y
Y
Y
Y

Y
Y
Y
Y

Y
Y

Y

Y

Y
Y

Table 17. C
Sources

20
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030

2031
2032

2033

2034
2035

Other carbon costs and NOX costs

See workbooks "RGGI Prices (AESC 2021).xlsx", "Basis for marginal abatement costs.xlsx", and "NOX calculation

| RGGI | CCS | RNG | NOX |
|----------------------|----------------------|------------------------|--------------------------|
| <i>21 \$/short t</i> | <i>21 \$/short t</i> | <i>21 \$/short ton</i> | <i>2021 \$/short ton</i> |
| \$6.00 | \$92.48 | \$493.36 | ##### |
| \$6.29 | \$92.48 | \$493.36 | ##### |
| \$6.60 | \$92.48 | \$493.36 | ##### |
| \$6.93 | \$92.48 | \$493.36 | ##### |
| \$7.26 | \$92.48 | \$493.36 | ##### |
| \$7.62 | \$92.48 | \$493.36 | ##### |
| \$7.99 | \$92.48 | \$493.36 | ##### |
| \$8.38 | \$92.48 | \$493.36 | ##### |
| \$8.79 | \$92.48 | \$493.36 | ##### |
| \$9.22 | \$92.48 | \$493.36 | ##### |
| | | | |
| \$9.67 | \$92.48 | \$493.36 | ##### |
| \$10.15 | \$92.48 | \$493.36 | ##### |
| | | | |
| \$10.64 | \$92.48 | \$493.36 | ##### |
| | | | |
| \$11.16 | \$92.48 | \$493.36 | ##### |
| \$11.71 | \$92.48 | \$493.36 | ##### |

s.xlsx"

Lookups and Assumptions

GENERAL INPUTS

| | |
|---------------|---------|
| <i>Fuel</i> | Gas |
| <i>PA</i> | Liberty |
| <i>Period</i> | Planned |
| <i>Year 1</i> | 2024 |
| <i>Year 2</i> | 2025 |
| <i>Year 3</i> | 2026 |

AVOIDED COST ASSUMPTIONS

Three-Year Inputs

| Input | Unit |
|--------------------------------------|--------|
| Real Year | Year |
| Half Year Factor | % |
| Wholesale Risk Premium | % |
| Distribution Losses | % |
| Pcnt of Capacity Bid into FCM (%Bid) | % |
| PTF losses | % |
| Energy Losses | % |
| Peak demand losses | % |
| Pounds per short ton | Pounds |
| MMBtu in 1 kWh | MMBtu |
| kWh in 1 MMBtu | kWh |

Annual Inputs

| Input | Unit |
|----------------------------------|---------------|
| Nominal Discount Rate | % |
| Inflation | % |
| Real Discount Rate | % |
| PTF Avoided Costs | \$ per kW |
| PTF Year | Year \$ |
| Avoided Local Transmission Costs | \$ per kW |
| Avoided Distribution Costs | \$ per kW |
| T&D Year | Year \$ |
| Res Water & Sewer | \$ per gallon |
| CI Water | \$ per gallon |
| Water Year | Year \$ |

Line Loss Inputs

| Input | Unit |
|-----------------|------|
| Summer Peak | % |
| Summer Off-Peak | % |
| Winter Peak | % |
| Winter Off-Peak | % |
| Average Loss | % |

Benefit Toggles

| Input | Unit |
|-----------------------------|--------|
| Energy DRIPE | Toggle |
| Electric Cross DRIPE | Toggle |
| Capacity DRIPE | Toggle |
| Reliability | Toggle |
| Gas Supply DRIPE | Toggle |
| Gas Electric Cross DRIPE | Toggle |
| Oil DRIPE | Toggle |
| Fossil emissions | Toggle |
| Fossil emissions RGGI | Toggle |
| Environmental Externalities | Toggle |
| NEI Adder | Toggle |
| Winter Capacity | Toggle |

NON-ENERGY IMPACTS

| NEI Adder by sector | Unit |
|------------------------------|---------|
| A - Residential | % |
| C - Commercial & Industrial | % |
| B - Low-Income | \$ |
| B - Income Eligible NEI Year | Year \$ |

FOSSIL EMISSIONS

Fossil Emissions Scaling Factor

| | |
|-----------------------------|---|
| Percent of fossil emissions | % |
|-----------------------------|---|

Fossil Emissions Factors

| | CO2 (pounds/MMBtu) |
|--------------------|--------------------|
| Natural Gas | 116.65 |
| Oil | 163.45 |
| Propane | 138.63 |
| Kerosene | 161.35 |

Source / Notes

CO2 pounds: Updated 1/26/22 from <https://www.eia.gov/environment/emissions>

Nox pounds:

CO2 value:

Nox value:

SALES

MMBtu Sales (2022)

Eversource Energy
Unitil Energy Systems Inc

Liberty
New Hampshire Electric Cooperative Inc
Statewide Total
2022 MMBtu Sales

REFERENCED LISTS

Other Fuel Savings

Fuel Type in AESC

NG - Res All
NG - Res Hot Water
NG - Res Heating
NG - Res Non Heating
NG - C& I Gas Non Heating
NG - C&I Gas Heat
NG - C&I Gas All
Fuel Oil - Residential Distillate
Fuel Oil - Com Fuel
Fuel Oil - Industrial
Kerosene
Propane
Cord Wood
Pellet Wood
Res Water
C&I Water

End Use

Behavior
Custom Measures
Energy Star Homes
Envelope
Non-Energy Saving
Hot Water
HVAC
Lighting
Process
Refrigeration
Food Service
Compressed Air
Motors/Drives

Sectors

A - Residential
B - Low-Income
C - Commercial & Industrial

ELECTRIC Programs

B - INCOME ELIGIBLE

B1 - Home Energy Assistance
B2a - IE Education
B2b - IE Evaluation, Measurement and Verification

B3 - IE TBD Pilots/Demonstrations

A - RESIDENTIAL

A1 - Energy Star Homes
A2 - Home Performance
A3 - Energy Star Products
A4 - Residential Behavior
A5 - Residential Active Demand Response
A6a - Res Education
A6b - Res Evaluation, Measurement and Verification
A7 - Res TBD Pilots/Demonstrations

C - COMMERCIAL & INDUSTRIAL

C1 - Large Business Energy Solutions
C2 - Small Business Energy Solutions
C3 - Municipal Energy Solutions
C4 - [Open Program - To Be Assigned]
C5 - C&I Active Demand Response
C6a - C&I Education
C6c - C&I Customer Partnerships
C6d - Smart Start
C6b - C&I Evaluation, Measurement and Verification
C7 - C&I TBD Pilots/Demonstrations

GAS Programs

B - INCOME ELIGIBLE

B1 - Home Energy Assistance
B2a - IE Education
B2b - IE Evaluation, Measurement and Verification
B3 - IE TBD Pilots/Demonstrations

A - RESIDENTIAL

A1 - Energy Star Homes
A2 - Home Performance
A3 - Energy Star Products
A4 - Residential Behavior
A5 - Residential Active Demand Response
A6a - Res Education
A6b - Res Evaluation, Measurement and Verification
A7 - Res TBD Pilots/Demonstrations

C - COMMERCIAL & INDUSTRIAL

C1 - Large Business Energy Solutions
C2 - Small Business Energy Solutions
C3 - Municipal Energy Solutions
C4 - [Open Program - To Be Assigned]
C5 - C&I Active Demand Response
C6a - C&I Education
C6c - C&I Customer Partnerships
C6d - Smart Start
C6b - C&I Evaluation, Measurement and Verification
C7 - C&I TBD Pilots/Demonstrations

Subprogram

B - INCOME ELIGIBLE

B1a - HEA (Weatherization)
B1b - HEA (HVAC Systems)
B2a - IE Education

B2b - IE Evaluation, Measurement and Verification
B3a - IE TBD Pilots/Demonstrations 1

A - RESIDENTIAL

A1a - ES Homes
A2a - Home Performance (Weatherization)
A2b - Home Performance (HVAC Systems)
A2c - Home Performance 3rd Party Financing (Loan buy-down)
A3b - ES Appliances and Products
A3c - ES HVAC Systems
A4a - Residential Behavior
A5a - Residential Active Demand Response
A6a - Res Education
A6b - Res Evaluation, Measurement and Verification
A7a - TBD Res Pilot/Demonstration 1
A7b - TBD Res Pilot/Demonstration 2

C - COMMERCIAL & INDUSTRIAL

C1a - LCI Retrofit
C1b - LCI New Equipment and Construction
C1c - LCI Midstream
C1d - LCI Direct Install
C2a - SCI Retrofit
C2b - SCI New Equipment and Construction
C2c - SCI Midstream
C2d - SCI Direct Install
C3a - Muni Retrofit
C3b - Muni New Equipment and Construction
C3d - Muni Direct Install
C4a - [Open Subprogram - To Be Assigned]
C5a - C&I Active Demand Response
C6a - C&I Education
C6c - C&I Customer Partnerships
C6d - Smart Start
C6b - C&I Evaluation, Measurement and Verification
C7a - TBD C&I Pilot/Demonstration 1
C7b - TBD C&I Pilot/Demonstration 2

Customers

Utility Customers (2023)

Eversource Energy
Unitil Energy Systems Inc
Liberty
New Hampshire Electric Cooperative Inc

Statewide Total

2023 Customers



| 2024-2026 | Source / Notes |
|-----------|--|
| 2024 | Avoided Energy Supply Components in New England: 2024 Report , April 2024 Release, page 354. was used to model 2024 program measures, and for illustrative purposes, is used to model the final two years of the Plan. |
| 50.0% | Industry standard assumption. |
| 8.0% | Default assumption, AESC 2024 , April 2024 Release, page 354. |
| 0.0% | No longer used to calculate avoided costs, AESC 2021 , May 2021 Release, page 354. |
| 0% | Company specific value. |
| 0.0% | No longer used to calculate avoided costs, AESC 2021 , May 2021 Release, page 354. |
| 9.0% | Recommended marginal factor, AESC 2024 , April 2024 Release, page 354. |
| 16.0% | Recommended marginal factor, AESC 2024 , April 2024 Release, page 354. |
| 2,000 | Industry standard assumption. |
| 0.00341 | Industry standard assumption. |
| 293.07 | Industry standard assumption. |



| 2024 | 2025 | 2026 | Source / Notes |
|----------|----------|----------|--|
| 8.50% | 8.50% | 8.50% | Based on the January 2024 Release, page 354. Retrieved from https://www.nh.gov/energy/energy-services/energy-planning/energy-planning-reports/2024-avoided-energy-supply-components-report |
| 2.43% | 2.43% | 2.43% | Based on the inflation rate in PUC 1-001. Retrieved from https://www.nh.gov/energy/energy-services/energy-planning/energy-planning-reports/2024-avoided-energy-supply-components-report |
| 5.92% | 5.92% | 5.92% | Calculated: Real Discount Rate |
| \$68.64 | \$68.64 | \$68.64 | AESC 2024 , February 2024 Release, page 354. |
| 2024 | | | AESC 2024 , February 2024 Release, page 354. |
| | | | \$0. At this time the NH Utility is not included in the benefit cost model. |
| \$79.98 | \$79.98 | \$79.98 | |
| 2017 | | | |
| \$0.0183 | \$0.0183 | \$0.0183 | Updated February 21, 2024 |
| \$0.0183 | \$0.0183 | \$0.0183 | Updated February 21, 2024 |
| 2023 | | | |

| Eversource Factors | | Source / Notes |
|--------------------|--------|---------------------------------------|
| 9.00% | 25.00% | Matches energy losses from AESC 2024. |
| 9.00% | 25.00% | |
| 9.00% | 25.00% | |
| 9.00% | 25.00% | |
| 9.00% | | |

| Included? | Source / Notes |
|-----------|----------------|
| Yes | |
| Yes | |
| Yes | |
| No | |
| Yes | |
| Yes | |
| Yes | |
| No | |
| Yes | |
| Yes | |
| Yes | |
| No | |

| Value | Source / Notes |
|----------|---|
| 25% | Approved in the 2022-23 NH Statewide Energy Efficiency Plan . Takes per |
| 10% | Approved in the 2022-23 NH Statewide Energy Efficiency Plan . Takes per |
| \$405.71 | Home Energy Assistance Program Evaluation Report (2016-2017) . Annua |
| 2017 | Home Energy Assistance Program Evaluation Report (2016-2017) . |

| |
|--------|
| 10.00% |
|--------|

| Nox (pounds/MMBtu) | CO2 Value (\$/ton) | Nox Value (\$/ton) | CO2 Value (\$/MMBTU) |
|--------------------|--------------------|--------------------|----------------------|
| 0.09 | 100.00 | 11,954.59 | \$5.83 |
| 0.13 | 100.00 | 11,954.59 | \$8.17 |
| 0.14 | 100.00 | 11,954.59 | \$6.93 |
| 0.13 | 100.00 | 11,954.59 | \$8.07 |

s/co2_vol_mass.php

| | |
|-----------|------------|
| 7,560,544 | 2019 Sales |
|-----------|------------|

| | |
|------------|------------|
| 15,793,936 | 2022 Sales |
|------------|------------|

| |
|------------|
| 23,354,480 |
|------------|

| | |
|------------|--|
| 15,793,936 | Used to calculate percent of sales savings (based on 2022 sales) |
|------------|--|





| Residential | Low-Income | C&I |
|-------------------------|-----------------------|-------------------------|
| 88,997 | 5,376 | 14,618 |
| 88,997 88,997 | 5,376 5,376 | 14,618 14,618 |



2024 Release (AESC 2024). For the 2024-2026 Plan filing, AESC 2021 2025 and 2026 program measures. For subsequent filings, AESC 2024

e.

e.

6.
6.



2024 Prime Rate, as requested for illustrative purposes in PUC 1-001.
www.jpmorganchase.com/about/our-business/historical-prime-rate

Rate from Q1 2023 to Q1 2024, as requested for illustrative purposes
from <https://fred.stlouisfed.org/data/GDPDEF.txt>

$$\text{Rate} = [(1 + \text{Nominal Discount Rate}) / (1 + \text{Inflation Rate})] - 1$$

24 Release.

24 Release.

ilities do not have additional benefits related to avoided local transmission

24. Median NH water and sewer bill in dollars per gallon at 7,500 gallons


24. Median NH water and sewer bill in dollars per gallon at 7,500 gallons



cent of total energy benefit (excludes water) and adds to total benefits. Does not apply to the pri
cent of total energy benefit (excludes water) and adds to total benefits. Does not apply to the pri
al dollar value per weatherization project added to total benefits.



| Nox Value (\$/MMBTU) | Total Value (\$/MMBTU) |
|----------------------|------------------------|
| \$0.55 | \$6.38 |
| \$0.78 | \$8.95 |
| \$0.85 | \$7.78 |
| \$0.78 | \$8.84 |





Horizontal bar

Horizontal bar

Horizontal bar
Horizontal bar

Horizontal bar

Horizontal bar

Horizontal bar
Horizontal bar

Availed Costs

| Category | Sub-Category | Item | Value | Unit | Notes |
|-------------|--------------|-------------|---------|------|-------|
| Electricity | Energy | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| | | Steam | 100000 | kWh | |
| | | Other | 50000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| Natural Gas | Energy | Natural Gas | 500000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| | | Steam | 100000 | kWh | |
| | | Other | 50000 | kWh | |
| | | Natural Gas | 500000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| Other Fuel | Energy | Other Fuel | 200000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| | | Steam | 100000 | kWh | |
| | | Other | 50000 | kWh | |
| | | Other Fuel | 200000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |

Availed Electricity Costs from AESC

| Category | Sub-Category | Item | Value | Unit | Notes |
|-------------|--------------|-------------|---------|------|-------|
| Electricity | Energy | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| | | Steam | 100000 | kWh | |
| | | Other | 50000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| Natural Gas | Energy | Natural Gas | 500000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| | | Steam | 100000 | kWh | |
| | | Other | 50000 | kWh | |
| | | Natural Gas | 500000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| Other Fuel | Energy | Other Fuel | 200000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| | | Steam | 100000 | kWh | |
| | | Other | 50000 | kWh | |
| | | Other Fuel | 200000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |

Availed Natural Gas Costs from AESC

| Category | Sub-Category | Item | Value | Unit | Notes |
|-------------|--------------|-------------|---------|------|-------|
| Natural Gas | Energy | Natural Gas | 500000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| | | Steam | 100000 | kWh | |
| | | Other | 50000 | kWh | |
| | | Natural Gas | 500000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| Other Fuel | Energy | Other Fuel | 200000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| | | Steam | 100000 | kWh | |
| | | Other | 50000 | kWh | |
| | | Other Fuel | 200000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |

Availed Other Fuel Costs from AESC

| Category | Sub-Category | Item | Value | Unit | Notes |
|------------|--------------|-------------|---------|------|-------|
| Other Fuel | Energy | Other Fuel | 200000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |
| | | Water | 200000 | kWh | |
| | | Heat | 150000 | kWh | |
| | | Steam | 100000 | kWh | |
| | | Other | 50000 | kWh | |
| | | Other Fuel | 200000 | kWh | |
| | | Electricity | 1000000 | kWh | |
| | | Gas | 500000 | kWh | |

Avoided Costs

| | | | | | | | |
|----------------|--------|---|---|---|---|-----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 2024 column -> | | 1 | 2 | 3 | 4 | 9 | 10 |
| 2025 column -> | | | | | | 102 | 103 |
| 2026 column -> | | | | | | 195 | 196 |
| | Toggle | | | | | ED | ED |

| Avoided Costs (AESC 2024) | | | | | | | |
|--------------------------------------|-----------------|-----------------|-------------|-----------------|-------------|-----------------|--------|
| Years | Energy (\$/kWh) | | | | Energy DR | | |
| | Winter Peak | Winter Off-Peak | Summer Peak | Summer Off-Peak | Winter Peak | Winter Off-Peak | |
| ANNUAL AVOIDED COSTS (2024\$) | | | | | | | |
| 2024, 2024\$ | | | | | | | |
| 1 | 2024 | 0.1068 | 0.1031 | 0.0588 | 0.0581 | 0.0065 | 0.0058 |
| 2 | 2025 | 0.1080 | 0.1039 | 0.0614 | 0.0601 | 0.0104 | 0.0092 |
| 3 | 2026 | 0.0881 | 0.0852 | 0.0518 | 0.0504 | 0.0102 | 0.0091 |
| 4 | 2027 | 0.0861 | 0.0833 | 0.0503 | 0.0493 | 0.0096 | 0.0085 |
| 5 | 2028 | 0.0851 | 0.0828 | 0.0503 | 0.0500 | 0.0092 | 0.0083 |
| 6 | 2029 | 0.0820 | 0.0794 | 0.0483 | 0.0477 | 0.0088 | 0.0078 |
| 7 | 2030 | 0.0803 | 0.0770 | 0.0488 | 0.0477 | 0.0083 | 0.0072 |
| 8 | 2031 | 0.0820 | 0.0791 | 0.0508 | 0.0497 | 0.0078 | 0.0068 |
| 9 | 2032 | 0.0784 | 0.0725 | 0.0501 | 0.0485 | 0.0067 | 0.0057 |
| 10 | 2033 | 0.0781 | 0.0732 | 0.0521 | 0.0513 | 0.0056 | 0.0047 |
| 11 | 2034 | 0.0779 | 0.0740 | 0.0537 | 0.0526 | 0.0037 | 0.0032 |
| 12 | 2035 | 0.0788 | 0.0740 | 0.0553 | 0.0536 | 0.0000 | 0.0000 |
| 13 | 2036 | 0.0780 | 0.0721 | 0.0579 | 0.0549 | 0.0000 | 0.0000 |
| 14 | 2037 | 0.0801 | 0.0717 | 0.0589 | 0.0549 | 0.0000 | 0.0000 |
| 15 | 2038 | 0.0830 | 0.0700 | 0.0630 | 0.0576 | 0.0000 | 0.0000 |
| 16 | 2039 | 0.0828 | 0.0700 | 0.0636 | 0.0588 | 0.0000 | 0.0000 |
| 17 | 2040 | 0.0842 | 0.0774 | 0.0668 | 0.0615 | 0.0000 | 0.0000 |
| 18 | 2041 | 0.0830 | 0.0740 | 0.0661 | 0.0606 | 0.0000 | 0.0000 |
| 19 | 2042 | 0.0834 | 0.0729 | 0.0665 | 0.0615 | 0.0000 | 0.0000 |
| 20 | 2043 | 0.0811 | 0.0686 | 0.0657 | 0.0584 | 0.0000 | 0.0000 |
| 21 | 2044 | 0.0852 | 0.0667 | 0.0672 | 0.0607 | 0.0000 | 0.0000 |
| 22 | 2045 | 0.0834 | 0.0718 | 0.0687 | 0.0634 | 0.0000 | 0.0000 |
| 23 | 2046 | 0.0792 | 0.0710 | 0.0686 | 0.0631 | 0.0000 | 0.0000 |
| 24 | 2047 | 0.0849 | 0.0805 | 0.0713 | 0.0648 | 0.0000 | 0.0000 |
| 25 | 2048 | 0.0824 | 0.0681 | 0.0713 | 0.0649 | 0.0000 | 0.0000 |
| 26 | 2049 | 0.0816 | 0.0643 | 0.0717 | 0.0643 | 0.0000 | 0.0000 |
| 27 | 2050 | 0.0850 | 0.0655 | 0.0732 | 0.0667 | 0.0000 | 0.0000 |
| 28 | 2051 | 0.0855 | 0.0638 | 0.0742 | 0.0674 | 0.0000 | 0.0000 |
| 29 | 2052 | 0.0859 | 0.0622 | 0.0753 | 0.0681 | 0.0000 | 0.0000 |
| 30 | 2053 | 0.0864 | 0.0606 | 0.0765 | 0.0689 | 0.0000 | 0.0000 |
| 31 | 2054 | 0.0870 | 0.0591 | 0.0777 | 0.0697 | 0.0000 | 0.0000 |
| 32 | 2055 | 0.0875 | 0.0576 | 0.0789 | 0.0706 | 0.0000 | 0.0000 |
| 33 | 2056 | 0.0881 | 0.0561 | 0.0803 | 0.0714 | 0.0000 | 0.0000 |

| | | | | | | | |
|----|------|--------|--------|--------|--------|--------|--------|
| 34 | 2057 | 0.0887 | 0.0547 | 0.0816 | 0.0724 | 0.0000 | 0.0000 |
| 35 | 2058 | 0.0893 | 0.0533 | 0.0830 | 0.0733 | 0.0000 | 0.0000 |

← Annual Avoided Costs (2025 and 2026 vintage measures)

CUMULATIVE AVOIDED COSTS (2024\$)

2024, 2024\$

| | | | | | | | |
|----|------|--------|--------|--------|--------|--------|--------|
| 1 | 2024 | 0.1068 | 0.1031 | 0.0588 | 0.0581 | 0.0065 | 0.0058 |
| 2 | 2025 | 0.2117 | 0.2041 | 0.1184 | 0.1165 | 0.0166 | 0.0147 |
| 3 | 2026 | 0.2926 | 0.2823 | 0.1659 | 0.1627 | 0.0260 | 0.0230 |
| 4 | 2027 | 0.3671 | 0.3544 | 0.2095 | 0.2055 | 0.0344 | 0.0304 |
| 5 | 2028 | 0.4367 | 0.4220 | 0.2506 | 0.2464 | 0.0419 | 0.0372 |
| 6 | 2029 | 0.5000 | 0.4833 | 0.2879 | 0.2832 | 0.0487 | 0.0432 |
| 7 | 2030 | 0.5585 | 0.5395 | 0.3234 | 0.3180 | 0.0547 | 0.0485 |
| 8 | 2031 | 0.6149 | 0.5938 | 0.3584 | 0.3522 | 0.0601 | 0.0532 |
| 9 | 2032 | 0.6659 | 0.6410 | 0.3910 | 0.3837 | 0.0645 | 0.0569 |
| 10 | 2033 | 0.7138 | 0.6858 | 0.4229 | 0.4152 | 0.0679 | 0.0597 |
| 11 | 2034 | 0.7589 | 0.7286 | 0.4540 | 0.4456 | 0.0701 | 0.0616 |
| 12 | 2035 | 0.8020 | 0.7691 | 0.4842 | 0.4749 | 0.0701 | 0.0616 |
| 13 | 2036 | 0.8422 | 0.8063 | 0.5141 | 0.5032 | 0.0701 | 0.0616 |
| 14 | 2037 | 0.8812 | 0.8412 | 0.5428 | 0.5300 | 0.0701 | 0.0616 |
| 15 | 2038 | 0.9194 | 0.8734 | 0.5718 | 0.5565 | 0.0701 | 0.0616 |
| 16 | 2039 | 0.9553 | 0.9038 | 0.5994 | 0.5820 | 0.0701 | 0.0616 |
| 17 | 2040 | 0.9899 | 0.9355 | 0.6268 | 0.6072 | 0.0701 | 0.0616 |
| 18 | 2041 | 1.0220 | 0.9641 | 0.6524 | 0.6306 | 0.0701 | 0.0616 |
| 19 | 2042 | 1.0525 | 0.9908 | 0.6767 | 0.6531 | 0.0701 | 0.0616 |
| 20 | 2043 | 1.0804 | 1.0144 | 0.6994 | 0.6732 | 0.0701 | 0.0616 |
| 21 | 2044 | 1.1081 | 1.0362 | 0.7212 | 0.6930 | 0.0701 | 0.0616 |
| 22 | 2045 | 1.1338 | 1.0582 | 0.7424 | 0.7125 | 0.0701 | 0.0616 |
| 23 | 2046 | 1.1568 | 1.0788 | 0.7623 | 0.7308 | 0.0701 | 0.0616 |
| 24 | 2047 | 1.1801 | 1.1009 | 0.7818 | 0.7486 | 0.0701 | 0.0616 |
| 25 | 2048 | 1.2014 | 1.1185 | 0.8003 | 0.7654 | 0.0701 | 0.0616 |
| 26 | 2049 | 1.2213 | 1.1342 | 0.8178 | 0.7811 | 0.0701 | 0.0616 |
| 27 | 2050 | 1.2409 | 1.1493 | 0.8347 | 0.7965 | 0.0701 | 0.0616 |
| 28 | 2051 | 1.2595 | 1.1632 | 0.8508 | 0.8111 | 0.0701 | 0.0616 |
| 29 | 2052 | 1.2772 | 1.1760 | 0.8663 | 0.8251 | 0.0701 | 0.0616 |
| 30 | 2053 | 1.2939 | 1.1877 | 0.8811 | 0.8385 | 0.0701 | 0.0616 |

2025, 2024\$

2025 Vintage 2025 Vintage

| | | | | | | | |
|----|------|--------|--------|--------|--------|--------|--------|
| 1 | 2025 | 0.1050 | 0.1010 | 0.0597 | 0.0584 | 0.0064 | 0.0056 |
| 2 | 2026 | 0.1858 | 0.1792 | 0.1072 | 0.1047 | 0.0139 | 0.0123 |
| 3 | 2027 | 0.2603 | 0.2513 | 0.1507 | 0.1474 | 0.0223 | 0.0198 |
| 4 | 2028 | 0.3299 | 0.3190 | 0.1918 | 0.1883 | 0.0300 | 0.0267 |
| 5 | 2029 | 0.3932 | 0.3802 | 0.2291 | 0.2251 | 0.0370 | 0.0329 |
| 6 | 2030 | 0.4517 | 0.4364 | 0.2646 | 0.2599 | 0.0433 | 0.0384 |
| 7 | 2031 | 0.5082 | 0.4908 | 0.2996 | 0.2941 | 0.0490 | 0.0434 |
| 8 | 2032 | 0.5591 | 0.5379 | 0.3322 | 0.3256 | 0.0539 | 0.0475 |
| 9 | 2033 | 0.6070 | 0.5827 | 0.3641 | 0.3571 | 0.0580 | 0.0510 |
| 10 | 2034 | 0.6521 | 0.6256 | 0.3952 | 0.3876 | 0.0612 | 0.0537 |

| | | | | | | | |
|----|------|--------|--------|--------|--------|--------|--------|
| 11 | 2035 | 0.6952 | 0.6660 | 0.4254 | 0.4168 | 0.0632 | 0.0554 |
| 12 | 2036 | 0.7354 | 0.7032 | 0.4553 | 0.4452 | 0.0632 | 0.0554 |
| 13 | 2037 | 0.7745 | 0.7381 | 0.4840 | 0.4719 | 0.0632 | 0.0554 |
| 14 | 2038 | 0.8126 | 0.7703 | 0.5130 | 0.4984 | 0.0632 | 0.0554 |
| 15 | 2039 | 0.8486 | 0.8007 | 0.5406 | 0.5239 | 0.0632 | 0.0554 |
| 16 | 2040 | 0.8831 | 0.8324 | 0.5680 | 0.5491 | 0.0632 | 0.0554 |
| 17 | 2041 | 0.9152 | 0.8610 | 0.5936 | 0.5726 | 0.0632 | 0.0554 |
| 18 | 2042 | 0.9457 | 0.8877 | 0.6179 | 0.5950 | 0.0632 | 0.0554 |
| 19 | 2043 | 0.9736 | 0.9113 | 0.6406 | 0.6152 | 0.0632 | 0.0554 |
| 20 | 2044 | 1.0014 | 0.9331 | 0.6625 | 0.6349 | 0.0632 | 0.0554 |
| 21 | 2045 | 1.0270 | 0.9551 | 0.6836 | 0.6544 | 0.0632 | 0.0554 |
| 22 | 2046 | 1.0500 | 0.9757 | 0.7035 | 0.6727 | 0.0632 | 0.0554 |
| 23 | 2047 | 1.0733 | 0.9978 | 0.7230 | 0.6905 | 0.0632 | 0.0554 |
| 24 | 2048 | 1.0946 | 1.0154 | 0.7415 | 0.7073 | 0.0632 | 0.0554 |
| 25 | 2049 | 1.1145 | 1.0311 | 0.7590 | 0.7230 | 0.0632 | 0.0554 |
| 26 | 2050 | 1.1341 | 1.0462 | 0.7759 | 0.7384 | 0.0632 | 0.0554 |
| 27 | 2051 | 1.1527 | 1.0601 | 0.7920 | 0.7531 | 0.0632 | 0.0554 |
| 28 | 2052 | 1.1704 | 1.0729 | 0.8075 | 0.7671 | 0.0632 | 0.0554 |
| 29 | 2053 | 1.1872 | 1.0847 | 0.8224 | 0.7804 | 0.0632 | 0.0554 |
| 30 | 2054 | 1.2031 | 1.0955 | 0.8366 | 0.7932 | 0.0632 | 0.0554 |

| | | | | | | | |
|---------------------|--|--|--|--|--|--------------|--------------|
| 2026, 2024\$ | | | | | | 2026 Vintage | 2026 Vintage |
|---------------------|--|--|--|--|--|--------------|--------------|

| | | | | | | | |
|----|------|--------|--------|--------|--------|--------|--------|
| 1 | 2026 | 0.0809 | 0.0782 | 0.0475 | 0.0462 | 0.0048 | 0.0042 |
| 2 | 2027 | 0.1554 | 0.1503 | 0.0910 | 0.0889 | 0.0115 | 0.0102 |
| 3 | 2028 | 0.2249 | 0.2180 | 0.1321 | 0.1298 | 0.0193 | 0.0172 |
| 4 | 2029 | 0.2882 | 0.2793 | 0.1694 | 0.1667 | 0.0264 | 0.0235 |
| 5 | 2030 | 0.3468 | 0.3354 | 0.2050 | 0.2015 | 0.0329 | 0.0292 |
| 6 | 2031 | 0.4032 | 0.3898 | 0.2400 | 0.2357 | 0.0389 | 0.0344 |
| 7 | 2032 | 0.4541 | 0.4369 | 0.2725 | 0.2672 | 0.0441 | 0.0388 |
| 8 | 2033 | 0.5021 | 0.4817 | 0.3045 | 0.2986 | 0.0487 | 0.0427 |
| 9 | 2034 | 0.5472 | 0.5246 | 0.3355 | 0.3291 | 0.0525 | 0.0459 |
| 10 | 2035 | 0.5902 | 0.5650 | 0.3658 | 0.3584 | 0.0555 | 0.0485 |
| 11 | 2036 | 0.6305 | 0.6022 | 0.3956 | 0.3867 | 0.0574 | 0.0500 |
| 12 | 2037 | 0.6695 | 0.6371 | 0.4244 | 0.4135 | 0.0574 | 0.0500 |
| 13 | 2038 | 0.7077 | 0.6693 | 0.4533 | 0.4399 | 0.0574 | 0.0500 |
| 14 | 2039 | 0.7436 | 0.6997 | 0.4810 | 0.4655 | 0.0574 | 0.0500 |
| 15 | 2040 | 0.7781 | 0.7314 | 0.5084 | 0.4907 | 0.0574 | 0.0500 |
| 16 | 2041 | 0.8102 | 0.7601 | 0.5339 | 0.5141 | 0.0574 | 0.0500 |
| 17 | 2042 | 0.8407 | 0.7867 | 0.5582 | 0.5366 | 0.0574 | 0.0500 |
| 18 | 2043 | 0.8687 | 0.8104 | 0.5809 | 0.5567 | 0.0574 | 0.0500 |
| 19 | 2044 | 0.8964 | 0.8321 | 0.6028 | 0.5765 | 0.0574 | 0.0500 |
| 20 | 2045 | 0.9221 | 0.8541 | 0.6239 | 0.5960 | 0.0574 | 0.0500 |
| 21 | 2046 | 0.9451 | 0.8748 | 0.6438 | 0.6143 | 0.0574 | 0.0500 |
| 22 | 2047 | 0.9683 | 0.8968 | 0.6634 | 0.6321 | 0.0574 | 0.0500 |
| 23 | 2048 | 0.9896 | 0.9144 | 0.6818 | 0.6489 | 0.0574 | 0.0500 |
| 24 | 2049 | 1.0096 | 0.9301 | 0.6993 | 0.6646 | 0.0574 | 0.0500 |
| 25 | 2050 | 1.0292 | 0.9452 | 0.7162 | 0.6799 | 0.0574 | 0.0500 |
| 26 | 2051 | 1.0478 | 0.9591 | 0.7324 | 0.6946 | 0.0574 | 0.0500 |
| 27 | 2052 | 1.0654 | 0.9719 | 0.7479 | 0.7086 | 0.0574 | 0.0500 |

| | | | | | | | |
|----|------|--------|--------|--------|--------|--------|--------|
| 28 | 2053 | 1.0822 | 0.9837 | 0.7627 | 0.7220 | 0.0574 | 0.0500 |
| 29 | 2054 | 1.0981 | 0.9945 | 0.7769 | 0.7348 | 0.0574 | 0.0500 |
| 30 | 2055 | 1.1133 | 1.0044 | 0.7906 | 0.7470 | 0.0574 | 0.0500 |

Avoided Electricity Costs from AES

AESC 2024 Appendix B Workbook

AESC 2024 Counterfactual #1 Results: Avoided Costs

New Hampshire

DRIPe and Reliability Vintage = 2024 vintage measures

WHOLESALE VALUES

| Years | Electric Energy | | | | RPS Compliance Costs | Non-Embedded Winter Peak |
|--------|-----------------|-----------------|-------------|-----------------|----------------------|-----------------------------|
| | Winter Peak | Winter Off-Peak | Summer Peak | Summer Off-Peak | | |
| Units: | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh |
| 2024 | 0.0788 | 0.0757 | 0.0381 | 0.0375 | 0.0119 | 0.0972 |
| 2025 | 0.0795 | 0.0760 | 0.0399 | 0.0388 | 0.0122 | 0.1006 |
| 2026 | 0.0628 | 0.0603 | 0.0319 | 0.0307 | 0.0121 | 0.1019 |
| 2027 | 0.0604 | 0.0581 | 0.0300 | 0.0292 | 0.0127 | 0.0963 |
| 2028 | 0.0597 | 0.0578 | 0.0302 | 0.0300 | 0.0125 | 0.0980 |
| 2029 | 0.0589 | 0.0567 | 0.0303 | 0.0298 | 0.0107 | 0.0992 |
| 2030 | 0.0578 | 0.0550 | 0.0310 | 0.0302 | 0.0104 | 0.0924 |
| 2031 | 0.0588 | 0.0563 | 0.0323 | 0.0313 | 0.0109 | 0.0939 |
| 2032 | 0.0571 | 0.0521 | 0.0330 | 0.0317 | 0.0095 | 0.0950 |
| 2033 | 0.0569 | 0.0527 | 0.0348 | 0.0341 | 0.0094 | 0.0910 |
| 2034 | 0.0564 | 0.0531 | 0.0359 | 0.0350 | 0.0097 | 0.0924 |
| 2035 | 0.0569 | 0.0528 | 0.0369 | 0.0355 | 0.0101 | 0.0934 |
| 2036 | 0.0557 | 0.0507 | 0.0387 | 0.0361 | 0.0105 | 0.0791 |
| 2037 | 0.0575 | 0.0503 | 0.0395 | 0.0360 | 0.0106 | 0.0802 |
| 2038 | 0.0599 | 0.0489 | 0.0430 | 0.0383 | 0.0106 | 0.0810 |
| 2039 | 0.0598 | 0.0490 | 0.0436 | 0.0394 | 0.0105 | 0.0679 |
| 2040 | 0.0612 | 0.0554 | 0.0464 | 0.0419 | 0.0103 | 0.0688 |
| 2041 | 0.0596 | 0.0519 | 0.0453 | 0.0406 | 0.0109 | 0.0697 |
| 2042 | 0.0601 | 0.0511 | 0.0457 | 0.0414 | 0.0108 | 0.0644 |
| 2043 | 0.0592 | 0.0487 | 0.0462 | 0.0400 | 0.0096 | 0.0652 |
| 2044 | 0.0623 | 0.0466 | 0.0471 | 0.0415 | 0.0100 | 0.0660 |
| 2045 | 0.0609 | 0.0510 | 0.0484 | 0.0439 | 0.0100 | 0.0563 |
| 2046 | 0.0588 | 0.0518 | 0.0498 | 0.0451 | 0.0085 | 0.0569 |
| 2047 | 0.0638 | 0.0601 | 0.0523 | 0.0468 | 0.0083 | 0.0578 |
| 2048 | 0.0618 | 0.0496 | 0.0524 | 0.0469 | 0.0082 | 0.0573 |
| 2049 | 0.0614 | 0.0467 | 0.0530 | 0.0467 | 0.0079 | 0.0579 |
| 2050 | 0.0646 | 0.0480 | 0.0545 | 0.0490 | 0.0077 | 0.0585 |
| 2051 | 0.0653 | 0.0469 | 0.0557 | 0.0499 | 0.0073 | 0.0590 |
| 2052 | 0.0660 | 0.0458 | 0.0570 | 0.0509 | 0.0070 | 0.0594 |
| 2053 | 0.0668 | 0.0448 | 0.0583 | 0.0518 | 0.0067 | 0.0598 |

| | | | | | | |
|------|--------|--------|--------|--------|--------|--------|
| 2054 | 0.0675 | 0.0438 | 0.0596 | 0.0528 | 0.0064 | 0.0602 |
| 2055 | 0.0683 | 0.0428 | 0.0610 | 0.0538 | 0.0061 | 0.0606 |
| 2056 | 0.0690 | 0.0418 | 0.0623 | 0.0549 | 0.0058 | 0.0610 |
| 2057 | 0.0698 | 0.0409 | 0.0638 | 0.0559 | 0.0056 | 0.0614 |
| 2058 | 0.0706 | 0.0400 | 0.0652 | 0.0570 | 0.0053 | 0.0619 |
| 2059 | 0.0714 | 0.0391 | 0.0667 | 0.0581 | 0.0051 | 0.0623 |
| 2060 | 0.0722 | 0.0382 | 0.0682 | 0.0592 | 0.0049 | 0.0627 |

Levelized Costs

| | | | | | | |
|----------|--------|--------|--------|--------|--------|--------|
| 10 years | 0.0642 | 0.0613 | 0.0334 | 0.0326 | 0.0114 | 0.0969 |
| 15 years | 0.0625 | 0.0588 | 0.0347 | 0.0334 | 0.0111 | 0.0942 |
| 30 years | 0.0623 | 0.0563 | 0.0390 | 0.0366 | 0.0106 | 0.0848 |

NOTES:

- 1 All Avoided Costs are in 2024 Dollars.
- 2 ISO New England periods: Summer is June through September, Winter is all other months.
- 3 Cross DRIPE = Electric-Gas cross DRIPE + Electric-Gas-Electric cross DRIPE
- 4 Reliability assumes VOLL of \$60.71/kWh.
- 5 Retail electric energy = (wholesale electric energy + REC cost to load) * (1 + Losses of 9.0%)
- 6 Retail non-embedded GHG costs = wholesale non-embedded GHG costs * (1 + Losses of 9.0%)
- 7 Retail energy DRIPE = wholesale energy DRIPE * (1 + Losses of 9.0%) * (1 + Wholesale cross-DRIPE)
- 8 Retail cross-DRIPE = wholesale cross-DRIPE * (1 + Losses of 9.0%) * (1 + Wholesale cross-DRIPE)
- 9 Retail cleared \$/kW-year avoided costs = wholesale cleared \$/kW-year avoided cost * (1 + Losses of 9.0%)
- 10 Retail uncleared \$/kW-year avoided costs = wholesale uncleared \$/kW-year avoided cost * (1 + Losses of 9.0%)
- 12 DRIPE and Reliability measure vintage is 2024. Assumed measure life is 5 years.

Avoided Natural Gas Costs from AES

AESC 2024 Appendix C Workbook, 'Some-Margin-NNE' tab

Avoided cost of gas to retail customers by end-use for Northern New England (NNE), with an avoidable retail margin (2024 \$/MMBtu)

| Year | 1 | 2 | 3 | 4 | 5 | 6 |
|------|-------------|-----------|---------|------|-------------------------|---------|
| | Residential | | | | Commercial & Industrial | |
| | Non Heating | Hot Water | Heating | All | Non Heating | Heating |
| 2024 | 6.37 | 6.42 | 9.52 | 8.56 | 6.94 | 9.19 |
| 2025 | 6.80 | 6.84 | 9.95 | 8.99 | 7.37 | 9.62 |
| 2026 | 5.61 | 5.65 | 8.64 | 7.72 | 6.14 | 8.33 |
| 2027 | 5.39 | 5.43 | 8.38 | 7.47 | 5.91 | 8.08 |
| 2028 | 5.32 | 5.37 | 8.28 | 7.38 | 5.84 | 7.99 |
| 2029 | 5.33 | 5.37 | 8.27 | 7.37 | 5.84 | 7.98 |
| 2030 | 5.40 | 5.44 | 8.32 | 7.43 | 5.90 | 8.03 |
| 2031 | 5.51 | 5.55 | 8.41 | 7.53 | 6.01 | 8.12 |
| 2032 | 5.65 | 5.70 | 8.54 | 7.66 | 6.15 | 8.25 |
| 2033 | 5.84 | 5.88 | 8.71 | 7.84 | 6.33 | 8.43 |
| 2034 | 5.97 | 6.02 | 8.83 | 7.96 | 6.46 | 8.54 |

| | | | | | | |
|-----------|------|------|------|------|------|------|
| 2035 | 6.07 | 6.11 | 8.91 | 8.05 | 6.55 | 8.62 |
| 2036 | 6.06 | 6.11 | 8.89 | 8.03 | 6.54 | 8.60 |
| 2037 | 6.09 | 6.14 | 8.90 | 8.05 | 6.56 | 8.62 |
| 2038 | 6.20 | 6.25 | 8.99 | 8.15 | 6.67 | 8.71 |
| 2039 | 6.12 | 6.16 | 8.88 | 8.04 | 6.58 | 8.61 |
| 2040 | 6.25 | 6.29 | 9.00 | 8.17 | 6.71 | 8.73 |
| 2041 | 6.32 | 6.36 | 9.06 | 8.22 | 6.77 | 8.78 |
| 2042 | 6.30 | 6.34 | 9.02 | 8.19 | 6.75 | 8.75 |
| 2043 | 6.23 | 6.27 | 8.92 | 8.10 | 6.67 | 8.65 |
| 2044 | 6.18 | 6.22 | 8.86 | 8.04 | 6.61 | 8.59 |
| 2045 | 6.17 | 6.20 | 8.82 | 8.02 | 6.60 | 8.56 |
| 2046 | 6.15 | 6.19 | 8.79 | 7.99 | 6.58 | 8.53 |
| 2047 | 6.11 | 6.14 | 8.73 | 7.93 | 6.53 | 8.47 |
| 2048 | 6.07 | 6.11 | 8.68 | 7.89 | 6.49 | 8.42 |
| 2049 | 6.00 | 6.04 | 8.59 | 7.80 | 6.41 | 8.33 |
| 2050 | 5.98 | 6.02 | 8.55 | 7.77 | 6.38 | 8.30 |
| 2051 | 5.94 | 6.06 | 8.58 | 7.80 | 6.42 | 8.33 |
| 2052 | 5.90 | 6.11 | 8.60 | 7.83 | 6.46 | 8.35 |
| 2053 | 5.86 | 6.15 | 8.63 | 7.87 | 6.50 | 8.38 |
| 2054 | 5.82 | 6.20 | 8.66 | 7.90 | 6.54 | 8.41 |
| 2055 | 5.78 | 6.24 | 8.69 | 7.93 | 6.58 | 8.44 |
| 2056 | 5.75 | 6.29 | 8.71 | 7.97 | 6.63 | 8.47 |
| 2057 | 5.71 | 6.34 | 8.74 | 8.00 | 6.67 | 8.50 |
| 2058 | 5.67 | 6.38 | 8.77 | 8.03 | 6.71 | 8.53 |
| 2059 | 5.63 | 6.43 | 8.80 | 8.07 | 6.75 | 8.56 |
| 2060 | 5.60 | 6.48 | 8.83 | 8.10 | 6.79 | 8.59 |
| Levelized | 5.73 | 5.78 | 8.72 | 7.81 | 6.26 | 8.42 |
| Levelized | 5.84 | 5.88 | 8.77 | 7.88 | 6.35 | 8.48 |
| Levelized | 5.96 | 6.01 | 8.78 | 7.93 | 6.45 | 8.50 |

Real (constant \$) riskless annual rate of return: 1.74%

Values from 2024-2050 are modeled; values from 2051-2060 are extrapolated.

| | | | | | | |
|-------------|-------|------|------|------|------|------|
| trend point | 6.18 | 6.22 | 8.84 | 8.03 | 6.61 | 8.58 |
| trend point | 6.14 | 6.18 | 8.78 | 7.98 | 6.56 | 8.52 |
| trend point | 6.10 | 6.14 | 8.72 | 7.93 | 6.52 | 8.46 |
| trend point | 6.06 | 6.10 | 8.66 | 7.87 | 6.47 | 8.41 |
| trend point | 6.02 | 6.06 | 8.61 | 7.82 | 6.43 | 8.35 |
| trend point | 5.98 | 6.02 | 8.55 | 7.77 | 6.38 | 8.30 |
| CAGR | -0.7% | 0.7% | 0.3% | 0.4% | 0.6% | 0.4% |

| | | | | | | |
|-----------|----|-----|-----|-----|-----|-----|
| Weighting | 4% | 26% | 69% | 40% | 29% | 71% |
|-----------|----|-----|-----|-----|-----|-----|

Note: For residential, values for non heating and hot water are identical, but are reported separate the BC model. For commercial, hot water is included in "non heating", but are not reported separate way the BC model is set up.

Source: EIA RECS survey (2020) CE4.2 and EIA CBECS survey (2018) E7. See "Gas Supply and Gas Cr for more information

Avoided Other Fuel Costs from AES

AESC 2024 Appendix D Workbook, 'AvoidedPetCosts' tab

Avoided costs of petroleum fuels and other fuels by sector (2024 \$/MMBtu)

| Year | 1 | 2 | 3 | 4 | 5 | 6 |
|------------------------|---------------------------------------|--------------------------------------|------------------------------------|----------|--------------------------------------|------------------------------------|
| | Fuel oils | | | | | |
| | Residential Distillate Fuel Oil | Commercial Distillate Fuel Oil | Commercial Residual Fuel Oil | Weighted | Industrial Distillate Fuel Oil | Industrial Residual Fuel Oil |
| 2024 | \$27 | \$27 | \$21 | \$27 | \$25 | \$14 |
| 2025 | \$32 | \$33 | \$25 | \$33 | \$32 | \$10 |
| 2026 | \$31 | \$31 | \$23 | \$31 | \$30 | \$12 |
| 2027 | \$31 | \$29 | \$22 | \$29 | \$28 | \$13 |
| 2028 | \$30 | \$28 | \$21 | \$27 | \$27 | \$15 |
| 2029 | \$30 | \$28 | \$21 | \$28 | \$27 | \$15 |
| 2030 | \$30 | \$28 | \$21 | \$28 | \$27 | \$15 |
| 2031 | \$31 | \$28 | \$21 | \$28 | \$27 | \$15 |
| 2032 | \$31 | \$28 | \$21 | \$28 | \$27 | \$15 |
| 2033 | \$31 | \$28 | \$21 | \$28 | \$27 | \$15 |
| 2034 | \$31 | \$28 | \$21 | \$28 | \$27 | \$15 |
| 2035 | \$31 | \$28 | \$21 | \$28 | \$27 | \$15 |
| 2036 | \$31 | \$28 | \$21 | \$28 | \$27 | \$16 |
| 2037 | \$31 | \$28 | \$21 | \$28 | \$27 | \$16 |
| 2038 | \$31 | \$29 | \$22 | \$28 | \$28 | \$16 |
| 2039 | \$31 | \$29 | \$22 | \$28 | \$28 | \$16 |
| 2040 | \$32 | \$29 | \$22 | \$29 | \$28 | \$16 |
| 2041 | \$32 | \$29 | \$22 | \$29 | \$28 | \$16 |
| 2042 | \$32 | \$29 | \$22 | \$29 | \$28 | \$16 |
| 2043 | \$32 | \$29 | \$22 | \$29 | \$28 | \$16 |
| 2044 | \$32 | \$29 | \$22 | \$29 | \$28 | \$16 |
| 2045 | \$32 | \$29 | \$22 | \$29 | \$28 | \$16 |
| 2046 | \$32 | \$29 | \$22 | \$29 | \$28 | \$16 |
| 2047 | \$32 | \$29 | \$22 | \$29 | \$28 | \$16 |
| 2048 | \$32 | \$29 | \$22 | \$29 | \$28 | \$17 |
| 2049 | \$32 | \$29 | \$22 | \$29 | \$28 | \$17 |
| 2050 | \$32 | \$29 | \$22 | \$29 | \$28 | \$17 |
| 2051 | \$32 | \$29 | \$22 | \$29 | \$28 | \$17 |
| 2052 | \$32 | \$29 | \$22 | \$29 | \$28 | \$17 |
| 2053 | \$32 | \$30 | \$22 | \$29 | \$29 | \$17 |
| 2054 | \$32 | \$30 | \$22 | \$29 | \$29 | \$17 |
| 2055 | \$33 | \$30 | \$22 | \$30 | \$29 | \$17 |
| 2056 | \$33 | \$30 | \$22 | \$30 | \$29 | \$17 |
| 2057 | \$33 | \$30 | \$22 | \$30 | \$29 | \$17 |
| 2058 | \$33 | \$30 | \$23 | \$30 | \$29 | \$17 |
| 2059 | \$33 | \$30 | \$23 | \$30 | \$29 | \$18 |
| 2060 | \$33 | \$30 | \$23 | \$30 | \$29 | \$18 |
| Levelized Costs | | | | | | |
| 2024-2033 | \$30 | \$29 | \$22 | \$29 | \$28 | \$14 |
| 2024-2038 | \$31 | \$29 | \$22 | \$28 | \$28 | \$14 |
| 2024-2053 | \$31 | \$29 | \$22 | \$29 | \$28 | \$15 |

Assumes a real discount rate of: 1.74%

| | | | | | | |
|-------------|---------|---------|---------|---------|---------|---------|
| trend point | \$31.86 | \$28.99 | \$21.89 | \$28.90 | \$28.05 | \$16.29 |
| trend point | \$31.93 | \$29.06 | \$21.94 | \$28.97 | \$28.12 | \$16.38 |
| trend point | \$32.00 | \$29.13 | \$21.99 | \$29.04 | \$28.19 | \$16.47 |
| trend point | \$32.07 | \$29.20 | \$22.04 | \$29.11 | \$28.26 | \$16.56 |
| trend point | \$32.14 | \$29.27 | \$22.10 | \$29.18 | \$28.33 | \$16.64 |
| trend point | \$32.21 | \$29.34 | \$22.15 | \$29.25 | \$28.40 | \$16.73 |
| CAGR | 0.2% | 0.2% | 0.2% | 0.2% | 0.2% | 0.5% |

| | | | | | | |
|-----|-----|-----|----------|---------------|----|----|
| 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 11 | 12 | 17 | 021, 029 | Uncleared Tab | 37 | |
| 104 | 105 | 110 | | Uncleared Tab | | |
| 197 | 198 | 203 | | Uncleared Tab | | |
| ED | ED | ECD | | | WC | |

| PE (\$/kWh) | | Electric Cross DRIFE (\$/kWh) | Capacity (\$/kW) | | | |
|-------------|-----------------|-------------------------------|------------------|--------------------|------------------|--------------------|
| Summer Peak | Summer Off-Peak | | Summer (Cleared) | Summer (Uncleared) | Winter (Cleared) | Winter (Uncleared) |
| 0.0030 | 0.0018 | 0.0023 | 34.94 | | 0.00 | |
| 0.0049 | 0.0030 | 0.0036 | 34.80 | | 0.00 | |
| 0.0049 | 0.0030 | 0.0044 | 34.48 | | 0.00 | |
| 0.0045 | 0.0027 | 0.0041 | 34.48 | | 0.00 | |
| 0.0044 | 0.0027 | 0.0037 | 35.78 | | 0.00 | |
| 0.0043 | 0.0026 | 0.0026 | 39.40 | | 0.00 | |
| 0.0042 | 0.0025 | 0.0016 | 59.10 | | 0.00 | |
| 0.0041 | 0.0025 | 0.0011 | 59.10 | | 0.00 | |
| 0.0037 | 0.0022 | 0.0007 | 78.80 | | 0.00 | |
| 0.0032 | 0.0020 | 0.0003 | 78.80 | | 0.00 | |
| 0.0023 | 0.0014 | 0.0000 | 98.50 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 78.80 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 59.10 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 98.50 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 98.50 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 78.80 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 146.57 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 98.50 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 78.80 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 98.50 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 98.50 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 132.38 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 132.38 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 146.57 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 98.50 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 98.50 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 78.80 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 70.83 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 63.66 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 57.22 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 51.43 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 46.23 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 41.55 | | 0.00 | |

| | | | | | | |
|--------|--------|--------|-------|--|------|--|
| 0.0000 | 0.0000 | 0.0000 | 37.35 | | 0.00 | |
| 0.0000 | 0.0000 | 0.0000 | 33.57 | | 0.00 | |

| Uncleared Tab | | | | | | |
|---------------|--------|--------|----------|--------|------|--|
| 0.0030 | 0.0018 | 0.0023 | 34.94 | 18.12 | 0.00 | |
| 0.0078 | 0.0047 | 0.0058 | 68.75 | 45.42 | 0.00 | |
| 0.0123 | 0.0074 | 0.0099 | 100.38 | 85.97 | 0.00 | |
| 0.0162 | 0.0098 | 0.0134 | 130.24 | 130.56 | 0.00 | |
| 0.0199 | 0.0120 | 0.0164 | 159.50 | 180.93 | 0.00 | |
| 0.0232 | 0.0141 | 0.0184 | 189.91 | 232.18 | 0.00 | |
| 0.0263 | 0.0159 | 0.0196 | 232.98 | 283.39 | 0.00 | |
| 0.0291 | 0.0176 | 0.0204 | 273.64 | 331.66 | 0.00 | |
| 0.0315 | 0.0190 | 0.0208 | 324.82 | 380.24 | 0.00 | |
| 0.0335 | 0.0202 | 0.0210 | 373.14 | 423.68 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 430.17 | 466.45 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 473.24 | 514.58 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 503.73 | 559.38 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 551.72 | 600.09 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 597.02 | 642.99 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 631.23 | 678.90 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 691.31 | 713.97 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 729.43 | 751.54 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 758.22 | 788.57 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 792.20 | 824.84 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 824.28 | 856.90 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 864.98 | 884.76 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 903.40 | 905.97 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 943.56 | 924.31 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 969.05 | 939.26 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 993.10 | 951.99 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 1,011.27 | 962.79 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 1,026.69 | 971.96 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 1,039.78 | 979.74 | 0.00 | |
| 0.0348 | 0.0210 | 0.0210 | 1,050.88 | 985.91 | 0.00 | |

| 2025 Vintage | | | Uncleared Tab | | | |
|--------------|--------|--------|---------------|--------|------|--|
| 0.0030 | 0.0018 | 0.0023 | 33.81 | 27.30 | 0.00 | |
| 0.0067 | 0.0040 | 0.0056 | 65.44 | 67.84 | 0.00 | |
| 0.0106 | 0.0064 | 0.0096 | 95.30 | 112.43 | 0.00 | |
| 0.0143 | 0.0087 | 0.0130 | 124.56 | 162.80 | 0.00 | |
| 0.0178 | 0.0108 | 0.0159 | 154.97 | 214.06 | 0.00 | |
| 0.0210 | 0.0127 | 0.0178 | 198.04 | 265.27 | 0.00 | |
| 0.0240 | 0.0145 | 0.0190 | 238.70 | 313.54 | 0.00 | |
| 0.0267 | 0.0161 | 0.0197 | 289.88 | 362.12 | 0.00 | |
| 0.0291 | 0.0176 | 0.0202 | 338.21 | 405.56 | 0.00 | |
| 0.0310 | 0.0187 | 0.0203 | 395.23 | 448.33 | 0.00 | |

| | | | | | |
|--------|--------|--------|----------|--------|------|
| 0.0323 | 0.0195 | 0.0204 | 438.30 | 496.45 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 468.79 | 541.26 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 516.78 | 581.96 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 562.08 | 624.87 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 596.29 | 660.78 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 656.37 | 695.85 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 694.49 | 733.42 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 723.28 | 770.44 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 757.26 | 806.72 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 789.34 | 838.78 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 830.04 | 866.63 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 868.46 | 887.85 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 908.63 | 906.19 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 934.11 | 921.14 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 958.16 | 933.87 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 976.33 | 944.67 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 991.75 | 953.84 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 1,004.84 | 961.62 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 1,015.94 | 968.22 | 0.00 |
| 0.0323 | 0.0195 | 0.0204 | 1,025.36 | 973.45 | 0.00 |

| | | | | | |
|--------------|--------------|--------------|---------------|--|--|
| 2026 Vintage | 2026 Vintage | 2026 Vintage | Uncleared Tab | | |
|--------------|--------------|--------------|---------------|--|--|

| | | | | | |
|--------|--------|--------|--------|--------|------|
| 0.0023 | 0.0014 | 0.0022 | 31.63 | 40.54 | 0.00 |
| 0.0055 | 0.0033 | 0.0055 | 61.49 | 85.13 | 0.00 |
| 0.0092 | 0.0056 | 0.0093 | 90.75 | 135.51 | 0.00 |
| 0.0127 | 0.0077 | 0.0126 | 121.16 | 186.76 | 0.00 |
| 0.0160 | 0.0097 | 0.0154 | 164.23 | 237.97 | 0.00 |
| 0.0191 | 0.0116 | 0.0173 | 204.89 | 286.24 | 0.00 |
| 0.0220 | 0.0133 | 0.0183 | 256.08 | 334.82 | 0.00 |
| 0.0247 | 0.0149 | 0.0191 | 304.40 | 378.26 | 0.00 |
| 0.0270 | 0.0163 | 0.0195 | 361.42 | 421.03 | 0.00 |
| 0.0289 | 0.0174 | 0.0196 | 404.49 | 469.16 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 434.98 | 513.96 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 482.97 | 554.67 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 528.27 | 597.57 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 562.48 | 633.48 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 622.57 | 668.55 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 660.69 | 706.12 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 689.48 | 743.14 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 723.45 | 779.42 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 755.53 | 811.48 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 796.23 | 839.33 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 834.65 | 860.55 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 874.82 | 878.89 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 900.30 | 893.84 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 924.36 | 906.57 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 942.53 | 917.37 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 957.94 | 926.54 | 0.00 |
| 0.0302 | 0.0181 | 0.0197 | 971.03 | 934.32 | 0.00 |

| | | | | | | |
|--------|--------|--------|--------|--------|------|--|
| 0.0302 | 0.0181 | 0.0197 | 982.13 | 940.92 | 0.00 | |
| 0.0302 | 0.0181 | 0.0197 | 991.55 | 946.52 | 0.00 | |
| 0.0302 | 0.0181 | 0.0197 | 999.55 | 950.96 | 0.00 | |

C

Cost of Electricity (2024 \$)

| Added GHG Costs - Social cost of GHGs | | | Energy | | | |
|---------------------------------------|-------------|-----------------|------------------|-----------------|-------------|-----------------|
| | | | Intrastate DRIPE | | | |
| Winter Off-Peak | Summer Peak | Summer Off-Peak | Winter Peak | Winter Off-Peak | Summer Peak | Summer Off-Peak |
| \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh |
| 0.0804 | 0.0682 | 0.0462 | 0.0055 | 0.0049 | 0.0025 | 0.0015 |
| 0.0832 | 0.0705 | 0.0478 | 0.0088 | 0.0078 | 0.0042 | 0.0025 |
| 0.0843 | 0.0715 | 0.0484 | 0.0087 | 0.0077 | 0.0042 | 0.0025 |
| 0.0919 | 0.0802 | 0.0704 | 0.0082 | 0.0072 | 0.0038 | 0.0023 |
| 0.0935 | 0.0816 | 0.0716 | 0.0078 | 0.0070 | 0.0038 | 0.0023 |
| 0.0946 | 0.0826 | 0.0724 | 0.0075 | 0.0066 | 0.0037 | 0.0022 |
| 0.0854 | 0.0902 | 0.0943 | 0.0070 | 0.0061 | 0.0036 | 0.0021 |
| 0.0868 | 0.0917 | 0.0958 | 0.0066 | 0.0058 | 0.0035 | 0.0021 |
| 0.0878 | 0.0928 | 0.0969 | 0.0057 | 0.0048 | 0.0032 | 0.0019 |
| 0.0803 | 0.0993 | 0.1003 | 0.0047 | 0.0040 | 0.0027 | 0.0017 |
| 0.0816 | 0.1008 | 0.1018 | 0.0032 | 0.0027 | 0.0019 | 0.0012 |
| 0.0824 | 0.1019 | 0.1029 | - | - | - | - |
| 0.0691 | 0.0820 | 0.0820 | - | - | - | - |
| 0.0701 | 0.0831 | 0.0831 | - | - | - | - |
| 0.0708 | 0.0840 | 0.0840 | - | - | - | - |
| 0.0600 | 0.0731 | 0.0693 | - | - | - | - |
| 0.0608 | 0.0741 | 0.0702 | - | - | - | - |
| 0.0616 | 0.0751 | 0.0712 | - | - | - | - |
| 0.0555 | 0.0678 | 0.0617 | - | - | - | - |
| 0.0562 | 0.0687 | 0.0625 | - | - | - | - |
| 0.0569 | 0.0695 | 0.0633 | - | - | - | - |
| 0.0539 | 0.0589 | 0.0562 | - | - | - | - |
| 0.0546 | 0.0596 | 0.0569 | - | - | - | - |
| 0.0554 | 0.0605 | 0.0577 | - | - | - | - |
| 0.0514 | 0.0528 | 0.0514 | - | - | - | - |
| 0.0520 | 0.0533 | 0.0519 | - | - | - | - |
| 0.0525 | 0.0539 | 0.0525 | - | - | - | - |
| 0.0520 | 0.0525 | 0.0514 | - | - | - | - |
| 0.0515 | 0.0511 | 0.0503 | - | - | - | - |
| 0.0510 | 0.0498 | 0.0493 | - | - | - | - |

| | | | | | | |
|--------|--------|--------|---|---|---|---|
| 0.0505 | 0.0485 | 0.0483 | - | - | - | - |
| 0.0500 | 0.0473 | 0.0473 | - | - | - | - |
| 0.0495 | 0.0460 | 0.0463 | - | - | - | - |
| 0.0490 | 0.0448 | 0.0453 | - | - | - | - |
| 0.0485 | 0.0437 | 0.0444 | - | - | - | - |
| 0.0480 | 0.0426 | 0.0435 | - | - | - | - |
| 0.0475 | 0.0415 | 0.0426 | - | - | - | - |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0867 | 0.0812 | 0.0711 | 0.0072 | 0.0063 | 0.0035 | 0.0021 |
| 0.0839 | 0.0836 | 0.0761 | 0.0056 | 0.0049 | 0.0028 | 0.0017 |
| 0.0756 | 0.0776 | 0.0713 | 0.0039 | 0.0035 | 0.0020 | 0.0012 |

ns. Peak hours are: Monday through Friday 7 AM - 11 PM; Off-Peak Hours are all other hours.

0%) * (1 + Wholesale Risk Premium of 8.0%)
 f 9.0%). Avoided costs include those related to CO2, CH4, and N2O. Avoided costs include those point-c
 Risk Premium of 8.0%)
 sk Premium of 8.0%)
 + Losses of 16.0%)
 t * (1 + Losses of 16.0%) * (1 + Wholesale Risk Premium of 8.0%)

AESC

|) assuming some | | AESC 2024 Appendix C Workbook, 'DR | | | |
|-----------------|----------------|---|---|-----------|------|
| | | Gas supply DRIPE and gas cross DRIPE—New Ha | | | |
| 7 | 8 | Year | 11 | 12 | 13 |
| Industrial | All Retail End | | Zone-on- Zone Gas Supply DRIPE (2024 | Resid | |
| All | Uses | | Non Heating | Hot Water | |
| | | | 1 | 2 | 3 |
| 8.54 | 8.55 | 2024 | 0.00 | 0.30 | 0.30 |
| 8.96 | 8.98 | 2025 | 0.00 | 0.47 | 0.47 |
| 7.70 | 7.70 | 2026 | 0.00 | 0.58 | 0.58 |
| 7.45 | 7.46 | 2027 | 0.00 | 0.53 | 0.53 |
| 7.36 | 7.37 | 2028 | 0.00 | 0.47 | 0.47 |
| 7.35 | 7.36 | 2029 | 0.00 | 0.34 | 0.34 |
| 7.41 | 7.42 | 2030 | 0.00 | 0.21 | 0.21 |
| 7.51 | 7.52 | 2031 | 0.00 | 0.15 | 0.15 |
| 7.64 | 7.65 | 2032 | 0.00 | 0.09 | 0.09 |
| 7.82 | 7.83 | 2033 | 0.00 | 0.04 | 0.04 |
| 7.94 | 7.95 | 2034 | 0.00 | 0.00 | 0.00 |

| | |
|------|------|
| 8.02 | 8.03 |
| 8.00 | 8.01 |
| 8.02 | 8.03 |
| 8.12 | 8.13 |
| 8.02 | 8.03 |
| 8.14 | 8.15 |
| 8.20 | 8.21 |
| 8.16 | 8.18 |
| 8.08 | 8.09 |
| 8.01 | 8.03 |
| 7.99 | 8.00 |
| 7.96 | 7.97 |
| 7.90 | 7.91 |
| 7.86 | 7.87 |
| 7.77 | 7.78 |
| 7.74 | 7.75 |
| 7.77 | 7.78 |
| 7.80 | 7.82 |
| 7.84 | 7.85 |
| 7.87 | 7.88 |
| 7.90 | 7.91 |
| 7.94 | 7.95 |
| 7.97 | 7.98 |
| 8.00 | 8.01 |
| 8.03 | 8.05 |
| 8.07 | 8.08 |
| 7.79 | 7.80 |
| 7.86 | 7.87 |
| 7.90 | 7.91 |

| | |
|---|------|
| 8.00 | 8.01 |
| 7.95 | 7.96 |
| 7.90 | 7.91 |
| 7.84 | 7.86 |
| 7.79 | 7.80 |
| 7.74 | 7.75 |
| 0.4% | 0.4% |
| 60% | |
| ly to facilitate formulas in tely. This is a quirk of the ross DRIFE Calculations.xlsb" | |

| | | | |
|----------------|------|------|------|
| 2035 | 0.00 | 0.00 | 0.00 |
| 2036 | 0.00 | 0.00 | 0.00 |
| 2037 | 0.00 | 0.00 | 0.00 |
| 2038 | 0.00 | 0.00 | 0.00 |
| 2039 | 0.00 | 0.00 | 0.00 |
| 2040 | 0.00 | 0.00 | 0.00 |
| 2041 | 0.00 | 0.00 | 0.00 |
| 2042 | 0.00 | 0.00 | 0.00 |
| 2043 | 0.00 | 0.00 | 0.00 |
| 2044 | 0.00 | 0.00 | 0.00 |
| 2045 | 0.00 | 0.00 | 0.00 |
| 2046 | 0.00 | 0.00 | 0.00 |
| 2047 | 0.00 | 0.00 | 0.00 |
| 2048 | 0.00 | 0.00 | 0.00 |
| 2049 | 0.00 | 0.00 | 0.00 |
| 2050 | 0.00 | 0.00 | 0.00 |
| 2051 | 0.00 | 0.00 | 0.00 |
| 2052 | 0.00 | 0.00 | 0.00 |
| 2053 | 0.00 | 0.00 | 0.00 |
| 2054 | 0.00 | 0.00 | 0.00 |
| 2055 | 0.00 | 0.00 | 0.00 |
| 2056 | 0.00 | 0.00 | 0.00 |
| 2057 | 0.00 | 0.00 | 0.00 |
| 2058 | 0.00 | 0.00 | 0.00 |
| 2059 | 0.00 | 0.00 | 0.00 |
| 2060 | 0.00 | 0.00 | 0.00 |
| Levelized (202 | 0.00 | 0.32 | 0.32 |
| Levelized (202 | 0.00 | 0.22 | 0.22 |
| Levelized (202 | 0.00 | 0.13 | 0.13 |

All values are shown for Counterfactual #1 only. Data for ac
Real (constant \$) riskless annual rate of return:
Values from 2024-2050 are modeled; values from 2051-20
The same baseline values are used for Residential and C&

Note: For residential, values for non heating and hot water a

| | | | |
|---------------|------|------|------|
| trend point a | 0.00 | 0.00 | 0.00 |
| trend point b | 0.00 | 0.00 | 0.00 |
| trend point c | 0.00 | 0.00 | 0.00 |
| trend point d | 0.00 | 0.00 | 0.00 |
| trend point e | 0.00 | 0.00 | 0.00 |
| trend point f | 0.00 | 0.00 | 0.00 |
| CAGR | 0.3% | 0.0% | 0.0% |

| 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|-------------|-----------|--------------|----------|---------|------------|-------------|
| Other Fuels | | | | | | |
| Residential | | | | | | |
| Weighted | Cord Wood | Wood Pellets | Kerosene | Propane | B5 Biofuel | B20 Biofuel |
| \$25 | \$25 | \$27 | \$33 | \$50 | \$25 | \$22 |
| \$31 | \$30 | \$32 | \$40 | \$60 | \$27 | \$26 |
| \$29 | \$30 | \$31 | \$39 | \$59 | \$31 | \$26 |
| \$28 | \$29 | \$31 | \$39 | \$58 | \$31 | \$26 |
| \$26 | \$29 | \$31 | \$38 | \$58 | \$30 | \$25 |
| \$26 | \$29 | \$31 | \$38 | \$58 | \$30 | \$25 |
| \$26 | \$29 | \$31 | \$38 | \$58 | \$30 | \$25 |
| \$26 | \$29 | \$31 | \$39 | \$58 | \$31 | \$26 |
| \$27 | \$30 | \$31 | \$39 | \$58 | \$31 | \$26 |
| \$27 | \$30 | \$31 | \$39 | \$59 | \$31 | \$26 |
| \$27 | \$30 | \$31 | \$39 | \$59 | \$31 | \$26 |
| \$27 | \$30 | \$31 | \$39 | \$59 | \$31 | \$26 |
| \$27 | \$30 | \$31 | \$39 | \$59 | \$31 | \$26 |
| \$27 | \$30 | \$31 | \$39 | \$59 | \$31 | \$26 |
| \$27 | \$30 | \$32 | \$40 | \$60 | \$31 | \$26 |
| \$27 | \$30 | \$32 | \$40 | \$60 | \$31 | \$26 |
| \$27 | \$30 | \$32 | \$40 | \$60 | \$32 | \$26 |
| \$27 | \$30 | \$32 | \$40 | \$60 | \$32 | \$27 |
| \$27 | \$30 | \$32 | \$40 | \$60 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$40 | \$60 | \$32 | \$27 |
| \$27 | \$30 | \$32 | \$40 | \$60 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$40 | \$60 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$40 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$40 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$40 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$40 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$40 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$40 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$40 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$40 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$40 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$41 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$32 | \$41 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$33 | \$41 | \$61 | \$32 | \$27 |
| \$28 | \$31 | \$33 | \$41 | \$62 | \$32 | \$27 |
| \$28 | \$31 | \$33 | \$41 | \$62 | \$33 | \$27 |
| \$28 | \$31 | \$33 | \$41 | \$62 | \$33 | \$27 |
| \$28 | \$31 | \$33 | \$41 | \$62 | \$33 | \$27 |
| \$28 | \$31 | \$33 | \$41 | \$62 | \$33 | \$27 |
| \$28 | \$31 | \$33 | \$41 | \$62 | \$33 | \$27 |
| \$29 | \$31 | \$33 | \$41 | \$62 | \$33 | \$27 |
| \$29 | \$32 | \$33 | \$41 | \$62 | \$33 | \$28 |
| \$27 | \$29 | \$30 | \$38 | \$58 | \$30 | \$25 |
| \$27 | \$29 | \$31 | \$38 | \$58 | \$30 | \$26 |
| \$27 | \$30 | \$31 | \$39 | \$59 | \$31 | \$26 |

| | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|
| \$27.60 | \$30.58 | \$32.00 | \$40.06 | \$60.50 | \$31.86 | \$26.64 |
| \$27.67 | \$30.65 | \$32.07 | \$40.14 | \$60.64 | \$31.93 | \$26.69 |
| \$27.75 | \$30.72 | \$32.14 | \$40.23 | \$60.77 | \$32.00 | \$26.75 |
| \$27.82 | \$30.78 | \$32.21 | \$40.32 | \$60.90 | \$32.07 | \$26.81 |
| \$27.89 | \$30.85 | \$32.28 | \$40.41 | \$61.03 | \$32.14 | \$26.87 |
| \$27.96 | \$30.92 | \$32.35 | \$40.49 | \$61.16 | \$32.21 | \$26.93 |
| 0.3% | 0.2% | 0.2% | 0.2% | 0.2% | 0.2% | 0.2% |

| | | | | AESC 2024 Append | |
|-------------|-------------------------------|-----------------------|--------------|-------------------------------|------------|
| | | | | Home Heating Oil DRIPE | |
| 14 | 15 | 16 | 17 | 19 | 20 |
| | | Transportation | | | |
| B50 Biofuel | Industrial Kerosene | Motor Gasoline | Motor Diesel | Year | All |
| \$23 | \$28 | \$28 | \$29 | 2024 | 0.16 |
| \$32 | \$35 | \$27 | \$31 | 2025 | 0.15 |
| \$31 | \$33 | \$27 | \$30 | 2026 | 0.14 |
| \$31 | \$31 | \$27 | \$29 | 2027 | 0.14 |
| \$30 | \$29 | \$27 | \$28 | 2028 | 0.14 |
| \$30 | \$29 | \$27 | \$28 | 2029 | 0.14 |
| \$30 | \$30 | \$27 | \$28 | 2030 | 0.13 |
| \$31 | \$30 | \$27 | \$28 | 2031 | 0.13 |
| \$31 | \$30 | \$27 | \$28 | 2032 | 0.13 |
| \$31 | \$30 | \$27 | \$28 | 2033 | 0.13 |
| \$31 | \$30 | \$27 | \$28 | 2034 | 0.13 |
| \$31 | \$30 | \$27 | \$29 | 2035 | 0.12 |
| \$31 | \$30 | \$28 | \$29 | 2036 | 0.12 |
| \$31 | \$30 | \$28 | \$29 | 2037 | 0.12 |
| \$31 | \$31 | \$28 | \$29 | 2038 | 0.12 |
| \$31 | \$31 | \$28 | \$29 | 2039 | 0.12 |
| \$32 | \$31 | \$28 | \$29 | 2040 | 0.12 |
| \$32 | \$31 | \$28 | \$29 | 2041 | 0.11 |
| \$32 | \$31 | \$28 | \$29 | 2042 | 0.11 |
| \$32 | \$31 | \$28 | \$29 | 2043 | 0.11 |
| \$32 | \$31 | \$28 | \$29 | 2044 | 0.11 |
| \$32 | \$31 | \$28 | \$29 | 2045 | 0.11 |
| \$32 | \$31 | \$29 | \$30 | 2046 | 0.11 |
| \$32 | \$31 | \$29 | \$30 | 2047 | 0.11 |
| \$32 | \$31 | \$29 | \$30 | 2048 | 0.11 |
| \$32 | \$31 | \$29 | \$30 | 2049 | 0.11 |
| \$32 | \$31 | \$29 | \$30 | 2050 | 0.11 |
| \$32 | \$31 | \$29 | \$30 | 2051 | 0.11 |
| \$32 | \$32 | \$30 | \$30 | 2052 | 0.11 |
| \$32 | \$32 | \$30 | \$30 | 2053 | 0.11 |
| \$32 | \$32 | \$30 | \$30 | 2054 | 0.11 |
| \$33 | \$32 | \$30 | \$30 | 2055 | 0.11 |
| \$33 | \$32 | \$30 | \$30 | 2056 | 0.11 |
| \$33 | \$32 | \$31 | \$30 | 2057 | 0.11 |
| \$33 | \$32 | \$31 | \$30 | 2058 | 0.11 |
| \$33 | \$32 | \$31 | \$30 | 2059 | 0.11 |
| \$33 | \$32 | \$31 | \$30 | 2060 | 0.11 |
| | | | | Levelized (202 | 0.13 |
| \$30 | \$31 | \$27 | \$29 | Assumes a real discount rate | |
| \$30 | \$30 | \$27 | \$29 | trend point a | \$0.11 |
| \$31 | \$31 | \$28 | \$29 | trend point b | \$0.11 |

| | | | |
|---------|---------|---------|---------|
| \$31.86 | \$31.03 | \$28.26 | \$29.37 |
| \$31.93 | \$31.11 | \$28.44 | \$29.44 |
| \$32.00 | \$31.18 | \$28.62 | \$29.51 |
| \$32.07 | \$31.26 | \$28.81 | \$29.58 |
| \$32.14 | \$31.34 | \$28.99 | \$29.65 |
| \$32.21 | \$31.42 | \$29.17 | \$29.72 |
| 0.2% | 0.2% | 0.6% | 0.2% |


| | |
|---------------|--------|
| trend point c | \$0.11 |
| trend point d | \$0.11 |
| trend point e | \$0.11 |
| trend point f | \$0.11 |
| CAGR | -0.3% |

| | | | | | | |
|-----|----|----|---------|---------|----|----|
| 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| 44 | 19 | 20 | Lookups | Lookups | 1 | 2 |
| 137 | | | | | | |
| 230 | | | | | | |

Reliability

| T&D (\$/kW) | | | | | | |
|-----------------------|---------------|------------|----------------------|--------------|--------------------|------------------|
| Winter (Uncleared) | Summer PTF | Winter PTF | Local Transmissio | Distribution | Res Non Heating | Res Hot Water |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.37 | 6.42 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.80 | 6.84 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.61 | 5.65 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.39 | 5.43 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.32 | 5.37 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.33 | 5.37 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.40 | 5.44 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.51 | 5.55 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.65 | 5.70 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.84 | 5.88 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.97 | 6.02 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.07 | 6.11 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.06 | 6.11 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.09 | 6.14 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.20 | 6.25 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.12 | 6.16 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.25 | 6.29 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.32 | 6.36 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.30 | 6.34 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.23 | 6.27 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.18 | 6.22 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.17 | 6.20 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.15 | 6.19 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.11 | 6.14 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.07 | 6.11 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.00 | 6.04 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.98 | 6.02 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.94 | 6.06 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.90 | 6.11 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.86 | 6.15 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.82 | 6.20 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.78 | 6.24 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.75 | 6.29 |

| | | | | | | |
|------|-------|------|------|-------|------|------|
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.71 | 6.34 |
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 5.67 | 6.38 |



| | | | | | | |
|------|----------|------|------|----------|-------|-------|
| 0.00 | 79.62 | 0.00 | 0.00 | 94.64 | 6.37 | 6.42 |
| 0.00 | 156.99 | 0.00 | 0.00 | 186.61 | 12.97 | 13.07 |
| 0.00 | 230.03 | 0.00 | 0.00 | 273.42 | 18.12 | 18.26 |
| 0.00 | 298.99 | 0.00 | 0.00 | 355.39 | 22.78 | 22.96 |
| 0.00 | 364.09 | 0.00 | 0.00 | 432.77 | 27.13 | 27.35 |
| 0.00 | 425.55 | 0.00 | 0.00 | 505.83 | 31.25 | 31.50 |
| 0.00 | 483.57 | 0.00 | 0.00 | 574.80 | 35.18 | 35.46 |
| 0.00 | 538.36 | 0.00 | 0.00 | 639.91 | 38.97 | 39.28 |
| 0.00 | 590.07 | 0.00 | 0.00 | 701.39 | 42.64 | 42.98 |
| 0.00 | 638.90 | 0.00 | 0.00 | 759.42 | 46.22 | 46.59 |
| 0.00 | 685.00 | 0.00 | 0.00 | 814.22 | 49.68 | 50.07 |
| 0.00 | 728.51 | 0.00 | 0.00 | 865.95 | 53.00 | 53.41 |
| 0.00 | 769.60 | 0.00 | 0.00 | 914.78 | 56.13 | 56.56 |
| 0.00 | 808.39 | 0.00 | 0.00 | 960.89 | 59.09 | 59.55 |
| 0.00 | 845.01 | 0.00 | 0.00 | 1,004.42 | 61.95 | 62.42 |
| 0.00 | 879.58 | 0.00 | 0.00 | 1,045.51 | 64.60 | 65.10 |
| 0.00 | 912.22 | 0.00 | 0.00 | 1,084.31 | 67.17 | 67.68 |
| 0.00 | 943.03 | 0.00 | 0.00 | 1,120.93 | 69.61 | 70.14 |
| 0.00 | 972.13 | 0.00 | 0.00 | 1,155.51 | 71.91 | 72.45 |
| 0.00 | 999.59 | 0.00 | 0.00 | 1,188.16 | 74.06 | 74.62 |
| 0.00 | 1,025.52 | 0.00 | 0.00 | 1,218.98 | 76.07 | 76.64 |
| 0.00 | 1,050.00 | 0.00 | 0.00 | 1,248.08 | 77.97 | 78.55 |
| 0.00 | 1,073.11 | 0.00 | 0.00 | 1,275.55 | 79.75 | 80.35 |
| 0.00 | 1,094.93 | 0.00 | 0.00 | 1,301.48 | 81.43 | 82.03 |
| 0.00 | 1,115.53 | 0.00 | 0.00 | 1,325.97 | 83.00 | 83.61 |
| 0.00 | 1,134.97 | 0.00 | 0.00 | 1,349.08 | 84.46 | 85.09 |
| 0.00 | 1,153.33 | 0.00 | 0.00 | 1,370.91 | 85.84 | 86.47 |
| 0.00 | 1,170.67 | 0.00 | 0.00 | 1,391.51 | 87.13 | 87.79 |
| 0.00 | 1,187.03 | 0.00 | 0.00 | 1,410.96 | 88.35 | 89.05 |
| 0.00 | 1,202.48 | 0.00 | 0.00 | 1,429.32 | 89.48 | 90.24 |

2025 Vintage

| | | | | | | |
|------|--------|------|------|--------|-------|-------|
| 0.00 | 77.37 | 0.00 | 0.00 | 91.96 | 6.60 | 6.65 |
| 0.00 | 150.41 | 0.00 | 0.00 | 178.78 | 11.75 | 11.84 |
| 0.00 | 219.36 | 0.00 | 0.00 | 260.75 | 16.41 | 16.54 |
| 0.00 | 284.46 | 0.00 | 0.00 | 338.13 | 20.76 | 20.93 |
| 0.00 | 345.93 | 0.00 | 0.00 | 411.18 | 24.88 | 25.08 |
| 0.00 | 403.95 | 0.00 | 0.00 | 480.15 | 28.81 | 29.04 |
| 0.00 | 458.73 | 0.00 | 0.00 | 545.27 | 32.60 | 32.86 |
| 0.00 | 510.45 | 0.00 | 0.00 | 606.74 | 36.27 | 36.56 |
| 0.00 | 559.28 | 0.00 | 0.00 | 664.78 | 39.85 | 40.17 |
| 0.00 | 605.37 | 0.00 | 0.00 | 719.57 | 43.31 | 43.65 |



| | | | | | | |
|------|----------|------|------|----------|-------|-------|
| 0.00 | 648.89 | 0.00 | 0.00 | 771.30 | 46.63 | 46.99 |
| 0.00 | 689.98 | 0.00 | 0.00 | 820.14 | 49.76 | 50.14 |
| 0.00 | 728.76 | 0.00 | 0.00 | 866.24 | 52.72 | 53.13 |
| 0.00 | 765.38 | 0.00 | 0.00 | 909.77 | 55.58 | 56.01 |
| 0.00 | 799.96 | 0.00 | 0.00 | 950.86 | 58.23 | 58.68 |
| 0.00 | 832.60 | 0.00 | 0.00 | 989.66 | 60.80 | 61.26 |
| 0.00 | 863.41 | 0.00 | 0.00 | 1,026.29 | 63.24 | 63.72 |
| 0.00 | 892.50 | 0.00 | 0.00 | 1,060.87 | 65.54 | 66.04 |
| 0.00 | 919.97 | 0.00 | 0.00 | 1,093.51 | 67.69 | 68.20 |
| 0.00 | 945.90 | 0.00 | 0.00 | 1,124.33 | 69.70 | 70.22 |
| 0.00 | 970.38 | 0.00 | 0.00 | 1,153.43 | 71.60 | 72.13 |
| 0.00 | 993.49 | 0.00 | 0.00 | 1,180.90 | 73.38 | 73.93 |
| 0.00 | 1,015.30 | 0.00 | 0.00 | 1,206.84 | 75.06 | 75.61 |
| 0.00 | 1,035.90 | 0.00 | 0.00 | 1,231.32 | 76.63 | 77.19 |
| 0.00 | 1,055.35 | 0.00 | 0.00 | 1,254.44 | 78.09 | 78.67 |
| 0.00 | 1,073.71 | 0.00 | 0.00 | 1,276.26 | 79.47 | 80.06 |
| 0.00 | 1,091.04 | 0.00 | 0.00 | 1,296.86 | 80.77 | 81.37 |
| 0.00 | 1,107.41 | 0.00 | 0.00 | 1,316.32 | 81.98 | 82.63 |
| 0.00 | 1,122.86 | 0.00 | 0.00 | 1,334.68 | 83.11 | 83.82 |
| 0.00 | 1,137.44 | 0.00 | 0.00 | 1,352.02 | 84.18 | 84.96 |

2026 Vintage

| | | | | | | |
|------|----------|------|------|----------|-------|-------|
| 0.00 | 73.04 | 0.00 | 0.00 | 86.82 | 5.14 | 5.19 |
| 0.00 | 142.00 | 0.00 | 0.00 | 168.78 | 9.81 | 9.89 |
| 0.00 | 207.10 | 0.00 | 0.00 | 246.17 | 14.16 | 14.28 |
| 0.00 | 268.56 | 0.00 | 0.00 | 319.22 | 18.27 | 18.43 |
| 0.00 | 326.58 | 0.00 | 0.00 | 388.19 | 22.21 | 22.39 |
| 0.00 | 381.37 | 0.00 | 0.00 | 453.31 | 26.00 | 26.21 |
| 0.00 | 433.08 | 0.00 | 0.00 | 514.78 | 29.67 | 29.91 |
| 0.00 | 481.91 | 0.00 | 0.00 | 572.82 | 33.25 | 33.52 |
| 0.00 | 528.01 | 0.00 | 0.00 | 627.61 | 36.71 | 37.00 |
| 0.00 | 571.52 | 0.00 | 0.00 | 679.34 | 40.02 | 40.34 |
| 0.00 | 612.61 | 0.00 | 0.00 | 728.18 | 43.15 | 43.49 |
| 0.00 | 651.40 | 0.00 | 0.00 | 774.28 | 46.12 | 46.48 |
| 0.00 | 688.02 | 0.00 | 0.00 | 817.81 | 48.97 | 49.36 |
| 0.00 | 722.59 | 0.00 | 0.00 | 858.90 | 51.63 | 52.03 |
| 0.00 | 755.23 | 0.00 | 0.00 | 897.70 | 54.19 | 54.61 |
| 0.00 | 786.04 | 0.00 | 0.00 | 934.33 | 56.64 | 57.07 |
| 0.00 | 815.14 | 0.00 | 0.00 | 968.91 | 58.94 | 59.39 |
| 0.00 | 842.60 | 0.00 | 0.00 | 1,001.55 | 61.09 | 61.55 |
| 0.00 | 868.53 | 0.00 | 0.00 | 1,032.37 | 63.10 | 63.57 |
| 0.00 | 893.01 | 0.00 | 0.00 | 1,061.47 | 64.99 | 65.48 |
| 0.00 | 916.12 | 0.00 | 0.00 | 1,088.94 | 66.78 | 67.28 |
| 0.00 | 937.94 | 0.00 | 0.00 | 1,114.88 | 68.45 | 68.96 |
| 0.00 | 958.54 | 0.00 | 0.00 | 1,139.36 | 70.02 | 70.54 |
| 0.00 | 977.98 | 0.00 | 0.00 | 1,162.48 | 71.49 | 72.02 |
| 0.00 | 996.34 | 0.00 | 0.00 | 1,184.30 | 72.87 | 73.40 |
| 0.00 | 1,013.68 | 0.00 | 0.00 | 1,204.90 | 74.16 | 74.72 |
| 0.00 | 1,030.04 | 0.00 | 0.00 | 1,224.36 | 75.37 | 75.98 |

| | | | | | | |
|-----|-----|---|---|---|---|---|
| 0.0 | 0.0 | - | - | - | - | - |
| 0.0 | 0.0 | - | - | - | - | - |
| 0.0 | 0.0 | - | - | - | - | - |
| 0.0 | 0.0 | - | - | - | - | - |
| 0.0 | 0.0 | - | - | - | - | - |
| 0.0 | 0.0 | - | - | - | - | - |
| 0.0 | 0.0 | - | - | - | - | - |

| | | | | | | |
|-----|------|-----|-----|-----|-----|-----|
| 0.0 | 14.1 | 0.0 | 4.5 | 0.0 | 4.5 | 0.0 |
| 0.0 | 10.6 | 0.0 | 3.4 | 0.0 | 3.4 | 0.0 |
| 0.0 | 7.5 | 0.0 | 2.4 | 0.0 | 2.4 | 0.0 |



| 21 | 22 | 23 | 24 | 25 | 26 | 27 |
|---|-----------|---------|------|-------------------------|---------|------|
| Zone-on-ROP G-E cross-DRIPE (2024 \$/MMBtu) | | | | | | |
| Residential | | | | Commercial & Industrial | | |
| Non Heating | Hot Water | Heating | All | Non Heating | Heating | All |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 2.01 | 2.01 | 4.42 | 3.68 | 2.01 | 2.01 | 2.01 |
| 3.11 | 3.11 | 6.85 | 5.70 | 3.11 | 3.11 | 3.11 |
| 3.91 | 3.91 | 8.65 | 7.20 | 3.91 | 3.91 | 3.91 |
| 3.34 | 3.34 | 7.38 | 6.14 | 3.34 | 3.34 | 3.34 |
| 3.10 | 3.10 | 6.84 | 5.69 | 3.10 | 3.10 | 3.10 |
| 2.21 | 2.21 | 4.87 | 4.05 | 2.21 | 2.21 | 2.21 |
| 1.40 | 1.40 | 3.06 | 2.55 | 1.40 | 1.40 | 1.40 |
| 1.06 | 1.06 | 2.32 | 1.94 | 1.06 | 1.06 | 1.06 |
| 0.65 | 0.65 | 1.39 | 1.16 | 0.65 | 0.65 | 0.65 |
| 0.28 | 0.28 | 0.58 | 0.49 | 0.28 | 0.28 | 0.28 |
| 0.02 | 0.02 | 0.01 | 0.01 | 0.02 | 0.02 | 0.02 |

ix D Workbook, 'DFO_home_DRIFE' tab

by state (2024 \$/MMBtu)

| | | | | | | |
|----|----|----|----|----|----|----|
| 21 | 22 | 23 | 24 | 25 | 26 | 27 |
|----|----|----|----|----|----|----|

| Zone-on-Zone DRIFE | | | | | | |
|--------------------|------|------|------|------|------|------|
| CT | MA | ME | NH | RI | VT | CT |
| 0.04 | 0.07 | 0.02 | 0.02 | 0.01 | 0.01 | 0.12 |
| 0.03 | 0.06 | 0.02 | 0.02 | 0.01 | 0.01 | 0.11 |
| 0.03 | 0.06 | 0.02 | 0.02 | 0.01 | 0.01 | 0.11 |
| 0.03 | 0.06 | 0.02 | 0.02 | 0.01 | 0.01 | 0.11 |
| 0.03 | 0.06 | 0.02 | 0.02 | 0.01 | 0.01 | 0.11 |
| 0.03 | 0.06 | 0.02 | 0.02 | 0.01 | 0.01 | 0.11 |
| 0.03 | 0.06 | 0.02 | 0.02 | 0.01 | 0.01 | 0.10 |
| 0.03 | 0.05 | 0.02 | 0.01 | 0.01 | 0.01 | 0.10 |
| 0.03 | 0.05 | 0.02 | 0.01 | 0.01 | 0.01 | 0.10 |
| 0.03 | 0.05 | 0.02 | 0.01 | 0.01 | 0.01 | 0.10 |
| 0.03 | 0.05 | 0.02 | 0.01 | 0.01 | 0.01 | 0.10 |
| 0.03 | 0.05 | 0.02 | 0.01 | 0.01 | 0.01 | 0.09 |
| 0.03 | 0.05 | 0.02 | 0.01 | 0.01 | 0.01 | 0.09 |
| 0.03 | 0.05 | 0.02 | 0.01 | 0.01 | 0.01 | 0.09 |
| 0.03 | 0.05 | 0.02 | 0.01 | 0.01 | 0.01 | 0.09 |
| 0.03 | 0.05 | 0.01 | 0.01 | 0.01 | 0.01 | 0.09 |
| 0.03 | 0.05 | 0.01 | 0.01 | 0.01 | 0.01 | 0.09 |
| 0.03 | 0.05 | 0.01 | 0.01 | 0.01 | 0.01 | 0.09 |
| 0.03 | 0.05 | 0.01 | 0.01 | 0.01 | 0.01 | 0.09 |
| 0.03 | 0.05 | 0.01 | 0.01 | 0.01 | 0.01 | 0.09 |
| 0.03 | 0.05 | 0.01 | 0.01 | 0.01 | 0.01 | 0.09 |
| 0.02 | 0.05 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.02 | 0.05 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.02 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.02 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.02 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.02 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.02 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.02 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.02 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.02 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.02 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.02 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| 0.03 | 0.06 | 0.02 | 0.02 | 0.01 | 0.01 | 0.10 |

of: 1.74%

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| \$0.03 | \$0.05 | \$0.01 | \$0.01 | \$0.01 | \$0.01 | \$0.09 |
| \$0.03 | \$0.05 | \$0.01 | \$0.01 | \$0.01 | \$0.01 | \$0.08 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| \$0.02 | \$0.05 | \$0.01 | \$0.01 | \$0.01 | \$0.01 | \$0.08 |
| \$0.02 | \$0.05 | \$0.01 | \$0.01 | \$0.01 | \$0.01 | \$0.08 |
| \$0.02 | \$0.04 | \$0.01 | \$0.01 | \$0.01 | \$0.01 | \$0.08 |
| \$0.02 | \$0.04 | \$0.01 | \$0.01 | \$0.01 | \$0.01 | \$0.08 |
| -0.3% | -0.3% | -0.3% | -0.3% | -0.3% | -0.3% | -0.3% |

| | | | | | | |
|----|----|----|----|----|----|----|
| 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| 3 | 4 | 5 | 6 | 7 | 11 | 12 |

GD GECD

| Natural Gas (\$/MMBtu) | | | | | Gas DRIPE (\$/MMBtu) | |
|------------------------|---------|---------------------|--------------|-------------|----------------------|-----------------|
| Res Heating | Res All | C&I Gas Non Heating | C&I Gas Heat | C&I Gas All | Gas Supply | Res Non-Heating |
| 9.52 | 8.56 | 6.94 | 9.19 | 8.54 | 0.0009 | 0.30 |
| 9.95 | 8.99 | 7.37 | 9.62 | 8.96 | 0.0015 | 0.47 |
| 8.64 | 7.72 | 6.14 | 8.33 | 7.70 | 0.0019 | 0.58 |
| 8.38 | 7.47 | 5.91 | 8.08 | 7.45 | 0.0019 | 0.53 |
| 8.28 | 7.38 | 5.84 | 7.99 | 7.36 | 0.0019 | 0.47 |
| 8.27 | 7.37 | 5.84 | 7.98 | 7.35 | 0.0019 | 0.34 |
| 8.32 | 7.43 | 5.90 | 8.03 | 7.41 | 0.0019 | 0.21 |
| 8.41 | 7.53 | 6.01 | 8.12 | 7.51 | 0.0019 | 0.15 |
| 8.54 | 7.66 | 6.15 | 8.25 | 7.64 | 0.0019 | 0.09 |
| 8.71 | 7.84 | 6.33 | 8.43 | 7.82 | 0.0019 | 0.04 |
| 8.83 | 7.96 | 6.46 | 8.54 | 7.94 | 0.0019 | 0.00 |
| 8.91 | 8.05 | 6.55 | 8.62 | 8.02 | 0.0019 | 0.00 |
| 8.89 | 8.03 | 6.54 | 8.60 | 8.00 | 0.0019 | 0.00 |
| 8.90 | 8.05 | 6.56 | 8.62 | 8.02 | 0.0019 | 0.00 |
| 8.99 | 8.15 | 6.67 | 8.71 | 8.12 | 0.0019 | 0.00 |
| 8.88 | 8.04 | 6.58 | 8.61 | 8.02 | 0.0019 | 0.00 |
| 9.00 | 8.17 | 6.71 | 8.73 | 8.14 | 0.0019 | 0.00 |
| 9.06 | 8.22 | 6.77 | 8.78 | 8.20 | 0.0019 | 0.00 |
| 9.02 | 8.19 | 6.75 | 8.75 | 8.16 | 0.0019 | 0.00 |
| 8.92 | 8.10 | 6.67 | 8.65 | 8.08 | 0.0019 | 0.00 |
| 8.86 | 8.04 | 6.61 | 8.59 | 8.01 | 0.0019 | 0.00 |
| 8.82 | 8.02 | 6.60 | 8.56 | 7.99 | 0.0020 | 0.00 |
| 8.79 | 7.99 | 6.58 | 8.53 | 7.96 | 0.0020 | 0.00 |
| 8.73 | 7.93 | 6.53 | 8.47 | 7.90 | 0.0020 | 0.00 |
| 8.68 | 7.89 | 6.49 | 8.42 | 7.86 | 0.0020 | 0.00 |
| 8.59 | 7.80 | 6.41 | 8.33 | 7.77 | 0.0020 | 0.00 |
| 8.55 | 7.77 | 6.38 | 8.30 | 7.74 | 0.0020 | 0.00 |
| 8.58 | 7.80 | 6.42 | 8.33 | 7.77 | 0.0020 | 0.00 |
| 8.60 | 7.83 | 6.46 | 8.35 | 7.80 | 0.0020 | 0.00 |
| 8.63 | 7.87 | 6.50 | 8.38 | 7.84 | 0.0020 | 0.00 |
| 8.66 | 7.90 | 6.54 | 8.41 | 7.87 | 0.0020 | 0.00 |
| 8.69 | 7.93 | 6.58 | 8.44 | 7.90 | 0.0020 | 0.00 |
| 8.71 | 7.97 | 6.63 | 8.47 | 7.94 | 0.0020 | 0.00 |

| | | | | | | |
|------|------|------|------|------|--------|------|
| 8.74 | 8.00 | 6.67 | 8.50 | 7.97 | 0.0020 | 0.00 |
| 8.77 | 8.03 | 6.71 | 8.53 | 8.00 | 0.0020 | 0.00 |

| | | | | | | |
|--------|--------|-------|--------|--------|--------|------|
| 9.52 | 8.56 | 6.94 | 9.19 | 8.54 | 0.0009 | 0.30 |
| 19.18 | 17.30 | 14.10 | 18.54 | 17.25 | 0.0024 | 0.75 |
| 27.11 | 24.38 | 19.74 | 26.18 | 24.30 | 0.0041 | 1.28 |
| 34.36 | 30.85 | 24.86 | 33.18 | 30.76 | 0.0057 | 1.74 |
| 41.13 | 36.88 | 29.63 | 39.71 | 36.78 | 0.0072 | 2.13 |
| 47.51 | 42.57 | 34.14 | 45.86 | 42.45 | 0.0087 | 2.39 |
| 53.57 | 47.99 | 38.44 | 51.71 | 47.85 | 0.0100 | 2.54 |
| 59.36 | 53.17 | 42.58 | 57.30 | 53.01 | 0.0113 | 2.64 |
| 64.90 | 58.14 | 46.57 | 62.66 | 57.97 | 0.0125 | 2.70 |
| 70.25 | 62.95 | 50.45 | 67.82 | 62.77 | 0.0137 | 2.72 |
| 75.36 | 67.56 | 54.19 | 72.77 | 67.36 | 0.0148 | 2.72 |
| 80.23 | 71.96 | 57.77 | 77.49 | 71.75 | 0.0158 | 2.72 |
| 84.81 | 76.10 | 61.15 | 81.92 | 75.88 | 0.0168 | 2.72 |
| 89.15 | 80.02 | 64.35 | 86.12 | 79.78 | 0.0177 | 2.72 |
| 93.28 | 83.77 | 67.41 | 90.13 | 83.52 | 0.0186 | 2.72 |
| 97.14 | 87.26 | 70.27 | 93.87 | 87.00 | 0.0195 | 2.72 |
| 100.83 | 90.61 | 73.02 | 97.44 | 90.33 | 0.0202 | 2.72 |
| 104.34 | 93.79 | 75.64 | 100.84 | 93.50 | 0.0210 | 2.72 |
| 107.63 | 96.78 | 78.10 | 104.04 | 96.49 | 0.0217 | 2.72 |
| 110.71 | 99.58 | 80.40 | 107.02 | 99.27 | 0.0224 | 2.72 |
| 113.59 | 102.20 | 82.56 | 109.82 | 101.88 | 0.0230 | 2.72 |
| 116.30 | 104.66 | 84.59 | 112.45 | 104.34 | 0.0236 | 2.72 |
| 118.86 | 106.98 | 86.49 | 114.93 | 106.65 | 0.0242 | 2.72 |
| 121.25 | 109.15 | 88.28 | 117.25 | 108.82 | 0.0247 | 2.72 |
| 123.49 | 111.20 | 89.96 | 119.43 | 110.85 | 0.0252 | 2.72 |
| 125.59 | 113.10 | 91.53 | 121.46 | 112.75 | 0.0257 | 2.72 |
| 127.56 | 114.89 | 93.00 | 123.38 | 114.53 | 0.0262 | 2.72 |
| 129.43 | 116.59 | 94.40 | 125.19 | 116.22 | 0.0266 | 2.72 |
| 131.20 | 118.20 | 95.73 | 126.91 | 117.83 | 0.0270 | 2.72 |
| 132.87 | 119.73 | 96.99 | 128.53 | 119.35 | 0.0274 | 2.72 |


| | | | | | Years Shifted | Years Shifted |
|-------|-------|-------|-------|-------|---------------|---------------|
| 9.67 | 8.74 | 7.16 | 9.35 | 8.71 | 0.0009 | 0.29 |
| 17.59 | 15.81 | 12.80 | 16.99 | 15.77 | 0.0023 | 0.72 |
| 24.84 | 22.28 | 17.92 | 23.99 | 22.22 | 0.0039 | 1.22 |
| 31.61 | 28.32 | 22.69 | 30.52 | 28.24 | 0.0054 | 1.65 |
| 38.00 | 34.01 | 27.20 | 36.67 | 33.92 | 0.0069 | 2.02 |
| 44.05 | 39.43 | 31.50 | 42.52 | 39.31 | 0.0082 | 2.26 |
| 49.84 | 44.61 | 35.64 | 48.11 | 44.48 | 0.0095 | 2.41 |
| 55.39 | 49.58 | 39.63 | 53.47 | 49.44 | 0.0107 | 2.50 |
| 60.73 | 54.39 | 43.51 | 58.64 | 54.23 | 0.0119 | 2.56 |
| 65.84 | 59.00 | 47.25 | 63.58 | 58.83 | 0.0130 | 2.58 |

| | | | | | | |
|--------|--------|-------|--------|--------|--------|------|
| 70.71 | 63.40 | 50.83 | 68.30 | 63.21 | 0.0140 | 2.58 |
| 75.30 | 67.54 | 54.21 | 72.74 | 67.34 | 0.0150 | 2.58 |
| 79.63 | 71.46 | 57.41 | 76.93 | 71.25 | 0.0159 | 2.58 |
| 83.77 | 75.21 | 60.47 | 80.94 | 74.98 | 0.0168 | 2.58 |
| 87.62 | 78.70 | 63.33 | 84.68 | 78.46 | 0.0176 | 2.58 |
| 91.31 | 82.05 | 66.08 | 88.25 | 81.80 | 0.0184 | 2.58 |
| 94.82 | 85.23 | 68.70 | 91.65 | 84.97 | 0.0191 | 2.58 |
| 98.11 | 88.22 | 71.16 | 94.85 | 87.95 | 0.0198 | 2.58 |
| 101.19 | 91.02 | 73.46 | 97.83 | 90.74 | 0.0205 | 2.58 |
| 104.07 | 93.64 | 75.62 | 100.63 | 93.35 | 0.0211 | 2.58 |
| 106.79 | 96.10 | 77.64 | 103.26 | 95.80 | 0.0217 | 2.58 |
| 109.34 | 98.42 | 79.55 | 105.74 | 98.11 | 0.0223 | 2.58 |
| 111.73 | 100.59 | 81.34 | 108.06 | 100.28 | 0.0228 | 2.58 |
| 113.98 | 102.63 | 83.02 | 110.24 | 102.31 | 0.0234 | 2.58 |
| 116.07 | 104.54 | 84.59 | 112.27 | 104.21 | 0.0238 | 2.58 |
| 118.04 | 106.33 | 86.06 | 114.19 | 106.00 | 0.0243 | 2.58 |
| 119.91 | 108.03 | 87.46 | 116.00 | 107.69 | 0.0247 | 2.58 |
| 121.68 | 109.64 | 88.78 | 117.72 | 109.29 | 0.0251 | 2.58 |
| 123.35 | 111.16 | 90.05 | 119.34 | 110.81 | 0.0255 | 2.58 |
| 124.94 | 112.61 | 91.24 | 120.88 | 112.25 | 0.0259 | 2.58 |

Years Shifted Years Shifted

| | | | | | | |
|--------|--------|-------|--------|--------|--------|------|
| 7.92 | 7.08 | 5.64 | 7.64 | 7.06 | 0.0009 | 0.27 |
| 15.18 | 13.55 | 10.76 | 14.64 | 13.51 | 0.0021 | 0.68 |
| 21.95 | 19.58 | 15.53 | 21.17 | 19.53 | 0.0037 | 1.15 |
| 28.33 | 25.28 | 20.04 | 27.33 | 25.21 | 0.0051 | 1.56 |
| 34.39 | 30.69 | 24.34 | 33.18 | 30.60 | 0.0065 | 1.90 |
| 40.17 | 35.87 | 28.48 | 38.76 | 35.77 | 0.0078 | 2.14 |
| 45.72 | 40.85 | 32.47 | 44.12 | 40.73 | 0.0090 | 2.27 |
| 51.06 | 45.65 | 36.35 | 49.29 | 45.52 | 0.0101 | 2.36 |
| 56.18 | 50.26 | 40.09 | 54.23 | 50.12 | 0.0112 | 2.41 |
| 61.05 | 54.66 | 43.67 | 58.95 | 54.50 | 0.0122 | 2.43 |
| 65.63 | 58.80 | 47.05 | 63.39 | 58.63 | 0.0132 | 2.43 |
| 69.96 | 62.72 | 50.24 | 67.59 | 62.54 | 0.0141 | 2.43 |
| 74.10 | 66.47 | 53.31 | 71.59 | 66.27 | 0.0150 | 2.43 |
| 77.96 | 69.96 | 56.17 | 75.33 | 69.75 | 0.0158 | 2.43 |
| 81.65 | 73.31 | 58.92 | 78.91 | 73.09 | 0.0166 | 2.43 |
| 85.15 | 76.49 | 61.54 | 82.31 | 76.26 | 0.0174 | 2.43 |
| 88.45 | 79.49 | 64.00 | 85.50 | 79.24 | 0.0181 | 2.43 |
| 91.52 | 82.28 | 66.30 | 88.49 | 82.03 | 0.0187 | 2.43 |
| 94.41 | 84.90 | 68.46 | 91.28 | 84.64 | 0.0194 | 2.43 |
| 97.12 | 87.36 | 70.48 | 93.91 | 87.09 | 0.0200 | 2.43 |
| 99.67 | 89.68 | 72.39 | 96.39 | 89.40 | 0.0205 | 2.43 |
| 102.07 | 91.86 | 74.18 | 98.71 | 91.57 | 0.0211 | 2.43 |
| 104.31 | 93.90 | 75.86 | 100.89 | 93.60 | 0.0216 | 2.43 |
| 106.41 | 95.80 | 77.42 | 102.93 | 95.50 | 0.0220 | 2.43 |
| 108.38 | 97.59 | 78.90 | 104.84 | 97.29 | 0.0225 | 2.43 |
| 110.25 | 99.29 | 80.29 | 106.65 | 98.98 | 0.0229 | 2.43 |
| 112.01 | 100.90 | 81.62 | 108.37 | 100.58 | 0.0233 | 2.43 |

| | | | | | | |
|--------|--------|-------|--------|--------|--------|------|
| 113.69 | 102.43 | 82.88 | 109.99 | 102.10 | 0.0237 | 2.43 |
| 115.27 | 103.88 | 84.08 | 111.54 | 103.54 | 0.0241 | 2.43 |
| 116.78 | 105.25 | 85.22 | 113.00 | 104.91 | 0.0244 | 2.43 |




Future capacity market structure - Summer (June through September)

| Reliability ⁴ | | Electric Capacity | | Capacity DRIPE | | |
|--------------------------|-----------|---------------------|------------------------|------------------|------------------------|--------------|
| Cleared | Uncleared | Cleared (FCA Price) | Uncleared ² | Intrastate DRIPE | | Rest-of-Peak |
| \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | Cleared | Uncleared ² | Cleared |
| \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr |
| 0.0 | 0.0 | 0.0 | - | - | - | - |
| 0.1 | 0.3 | 0.0 | - | - | - | - |
| 0.0 | 18.0 | 0.0 | - | - | - | - |
| 0.0 | 15.4 | 0.0 | - | - | - | - |
| - | - | 30.8 | 22.7 | 5.0 | 9.0 | 47.2 |
| - | - | 34.0 | 31.4 | 2.6 | 10.1 | 24.4 |
| - | - | 50.9 | 51.7 | - | 11.8 | - |
| - | - | 50.9 | 36.2 | - | 2.6 | - |
| - | - | 67.9 | 33.6 | - | - | - |
| - | - | 67.9 | 20.2 | - | - | - |
| - | - | 84.9 | 8.3 | - | - | - |
| - | - | 67.9 | - | - | - | - |
| - | - | 50.9 | - | - | - | - |
| - | - | 84.9 | - | - | - | - |
| - | - | 84.9 | - | - | - | - |
| - | - | 67.9 | - | - | - | - |
| - | - | 126.4 | - | - | - | - |
| - | - | 84.9 | - | - | - | - |
| - | - | 67.9 | - | - | - | - |
| - | - | 84.9 | - | - | - | - |
| - | - | 84.9 | - | - | - | - |
| - | - | 114.1 | - | - | - | - |
| - | - | 114.1 | - | - | - | - |
| - | - | 126.4 | - | - | - | - |
| - | - | 84.9 | - | - | - | - |
| - | - | 84.9 | - | - | - | - |
| - | - | 67.9 | - | - | - | - |
| - | - | 61.1 | - | - | - | - |
| - | - | 54.9 | - | - | - | - |
| - | - | 49.3 | - | - | - | - |

| | | | | | | |
|---|---|------|---|---|---|---|
| - | - | 44.3 | - | - | - | - |
| - | - | 39.9 | - | - | - | - |
| - | - | 35.8 | - | - | - | - |
| - | - | 32.2 | - | - | - | - |
| - | - | 28.9 | - | - | - | - |
| - | - | 26.0 | - | - | - | - |
| - | - | 23.4 | - | - | - | - |

| | | | | | | |
|-----|-----|------|------|-----|-----|-----|
| 0.0 | 3.7 | 26.0 | 20.6 | 0.9 | 3.8 | 8.5 |
| 0.0 | 2.8 | 37.8 | 16.1 | 0.7 | 2.8 | 6.4 |
| 0.0 | 2.0 | 52.5 | 11.3 | 0.5 | 2.0 | 4.5 |



| |
|--------------|
| |
| |
| 28 |
| |
| All end uses |
| 18 |
| 2.67 |
| 4.14 |
| 5.22 |
| 4.46 |
| 4.13 |
| 2.95 |
| 1.85 |
| 1.41 |
| 0.85 |
| 0.37 |
| 0.02 |

0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00

0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00
0.00

2.87

1.99

1.13

set up.

0.00
0.00
0.00
0.00
0.00

0.00

0.0%

| | | | | | AESC 202 |
|------------------------------|--------|--------|--------|--------|------------|
| | | | | | Embedded C |
| 28 | 29 | 30 | 31 | 32 | 34 |
| Zone on Rest-of-Region DRIPE | | | | | |
| MA | ME | NH | RI | VT | Year |
| 0.09 | 0.14 | 0.14 | 0.15 | 0.15 | 2024 |
| 0.09 | 0.13 | 0.13 | 0.14 | 0.14 | 2025 |
| 0.08 | 0.12 | 0.13 | 0.13 | 0.14 | 2026 |
| 0.08 | 0.12 | 0.12 | 0.13 | 0.13 | 2027 |
| 0.08 | 0.12 | 0.12 | 0.13 | 0.13 | 2028 |
| 0.08 | 0.12 | 0.12 | 0.13 | 0.13 | 2029 |
| 0.08 | 0.12 | 0.12 | 0.13 | 0.13 | 2030 |
| 0.08 | 0.11 | 0.12 | 0.12 | 0.12 | 2031 |
| 0.08 | 0.11 | 0.11 | 0.12 | 0.12 | 2032 |
| 0.07 | 0.11 | 0.11 | 0.12 | 0.12 | 2033 |
| 0.07 | 0.11 | 0.11 | 0.12 | 0.12 | 2034 |
| 0.07 | 0.11 | 0.11 | 0.12 | 0.12 | 2035 |
| 0.07 | 0.11 | 0.11 | 0.11 | 0.11 | 2036 |
| 0.07 | 0.10 | 0.11 | 0.11 | 0.11 | 2037 |
| 0.07 | 0.10 | 0.10 | 0.11 | 0.11 | 2038 |
| 0.07 | 0.10 | 0.10 | 0.11 | 0.11 | 2039 |
| 0.07 | 0.10 | 0.10 | 0.11 | 0.11 | 2040 |
| 0.07 | 0.10 | 0.10 | 0.11 | 0.11 | 2041 |
| 0.07 | 0.10 | 0.10 | 0.11 | 0.11 | 2042 |
| 0.07 | 0.10 | 0.10 | 0.11 | 0.11 | 2043 |
| 0.07 | 0.10 | 0.10 | 0.10 | 0.10 | 2044 |
| 0.06 | 0.10 | 0.10 | 0.10 | 0.10 | 2045 |
| 0.06 | 0.10 | 0.10 | 0.10 | 0.10 | 2046 |
| 0.06 | 0.10 | 0.10 | 0.10 | 0.10 | 2047 |
| 0.06 | 0.10 | 0.10 | 0.10 | 0.10 | 2048 |
| 0.06 | 0.09 | 0.10 | 0.10 | 0.10 | 2049 |
| 0.06 | 0.09 | 0.10 | 0.10 | 0.10 | 2050 |
| 0.06 | 0.09 | 0.10 | 0.10 | 0.10 | 2051 |
| 0.06 | 0.09 | 0.10 | 0.10 | 0.10 | 2052 |
| 0.06 | 0.09 | 0.10 | 0.10 | 0.10 | 2053 |
| 0.06 | 0.09 | 0.10 | 0.10 | 0.10 | 2054 |
| 0.06 | 0.09 | 0.09 | 0.10 | 0.10 | 2055 |
| 0.06 | 0.09 | 0.09 | 0.10 | 0.10 | 2056 |
| 0.06 | 0.09 | 0.09 | 0.10 | 0.10 | 2057 |
| 0.06 | 0.09 | 0.09 | 0.10 | 0.10 | 2058 |
| 0.06 | 0.09 | 0.09 | 0.10 | 0.10 | 2059 |
| 0.06 | 0.09 | 0.09 | 0.10 | 0.10 | 2060 |
| 0.08 | 0.12 | 0.12 | 0.13 | 0.13 | |
| | | | | | |
| \$0.06 | \$0.10 | \$0.10 | \$0.10 | \$0.10 | |
| \$0.06 | \$0.10 | \$0.10 | \$0.10 | \$0.10 | |

| | | | | |
|--------|--------|--------|--------|--------|
| \$0.06 | \$0.10 | \$0.10 | \$0.10 | \$0.10 |
| \$0.06 | \$0.10 | \$0.10 | \$0.10 | \$0.10 |
| \$0.06 | \$0.09 | \$0.10 | \$0.10 | \$0.10 |
| \$0.06 | \$0.09 | \$0.10 | \$0.10 | \$0.10 |
| -0.3% | -0.3% | -0.3% | -0.3% | -0.3% |

| | | | | | | |
|----|----|----|----|----|----|----|
| 37 | 38 | 39 | 40 | 41 | 42 | 43 |
| 13 | 14 | 15 | 16 | 17 | 18 | 1 |

| | | | | | | |
|------|------|------|------|------|------|--|
| GECD | GECD | GECD | GECD | GECD | GECD | |
|------|------|------|------|------|------|--|

Gas to Electric Cross DRIPE (\$/MMBtu)

| | | | | | | |
|---------------|-------------|---------|-----------------|-------------|---------|------------------------|
| Res Hot Water | Res Heating | Res All | C&I Non-Heating | C&I Heating | C&I All | Residential Distillate |
|---------------|-------------|---------|-----------------|-------------|---------|------------------------|

| | | | | | | |
|------|------|------|------|------|------|-------|
| 0.30 | 0.67 | 0.56 | 0.30 | 0.67 | 0.56 | 26.51 |
| 0.47 | 1.06 | 0.88 | 0.47 | 1.06 | 0.89 | 31.58 |
| 0.58 | 1.30 | 1.08 | 0.58 | 1.30 | 1.09 | 31.11 |
| 0.53 | 1.19 | 0.99 | 0.53 | 1.19 | 1.00 | 30.65 |
| 0.47 | 1.07 | 0.89 | 0.47 | 1.07 | 0.90 | 30.38 |
| 0.34 | 0.76 | 0.63 | 0.34 | 0.76 | 0.64 | 30.48 |
| 0.21 | 0.46 | 0.39 | 0.21 | 0.46 | 0.39 | 30.50 |
| 0.15 | 0.32 | 0.27 | 0.15 | 0.32 | 0.27 | 30.69 |
| 0.09 | 0.19 | 0.16 | 0.09 | 0.19 | 0.16 | 30.79 |
| 0.04 | 0.08 | 0.07 | 0.04 | 0.08 | 0.07 | 30.93 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 30.98 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 31.18 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 31.19 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 31.34 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 31.44 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 31.49 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 31.54 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 31.71 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 31.71 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 31.83 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 31.74 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 31.78 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.00 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.04 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.08 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.16 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.17 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.24 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.31 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.38 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.45 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.52 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.59 |

| | | | | | | |
|------|------|------|------|------|------|-------|
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.66 |
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 32.73 |

| | | | | | | |
|------|------|------|------|------|------|--------|
| 0.30 | 0.67 | 0.56 | 0.30 | 0.67 | 0.56 | 26.51 |
| 0.75 | 1.70 | 1.41 | 0.75 | 1.70 | 1.42 | 57.19 |
| 1.28 | 2.89 | 2.40 | 1.28 | 2.89 | 2.42 | 85.72 |
| 1.74 | 3.92 | 3.25 | 1.74 | 3.92 | 3.29 | 112.27 |
| 2.13 | 4.80 | 3.97 | 2.13 | 4.80 | 4.02 | 137.11 |
| 2.39 | 5.38 | 4.46 | 2.39 | 5.38 | 4.51 | 160.63 |
| 2.54 | 5.72 | 4.74 | 2.54 | 5.72 | 4.80 | 182.86 |
| 2.64 | 5.95 | 4.93 | 2.64 | 5.95 | 4.98 | 203.97 |
| 2.70 | 6.07 | 5.03 | 2.70 | 6.07 | 5.09 | 223.97 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 242.94 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 260.87 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 277.91 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 294.01 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 309.27 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 323.73 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 337.40 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 350.33 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 362.60 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 374.19 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 385.17 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 395.50 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 405.28 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 414.56 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 423.34 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 431.64 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 439.50 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 446.92 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 453.93 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 460.57 |
| 2.72 | 6.12 | 5.07 | 2.72 | 6.12 | 5.13 | 466.85 |

| | | | | | | |
|---------------|---------------|---------------|---------------|---------------|---------------|--------|
| Years Shifted | Years Shifted | Years Shifted | Years Shifted | Years Shifted | Years Shifted | |
| 0.29 | 0.65 | 0.54 | 0.29 | 0.65 | 0.55 | 30.68 |
| 0.72 | 1.62 | 1.34 | 0.72 | 1.62 | 1.36 | 59.22 |
| 1.22 | 2.75 | 2.28 | 1.22 | 2.75 | 2.30 | 85.76 |
| 1.65 | 3.72 | 3.08 | 1.65 | 3.72 | 3.12 | 110.60 |
| 2.02 | 4.55 | 3.77 | 2.02 | 4.55 | 3.81 | 134.12 |
| 2.26 | 5.10 | 4.23 | 2.26 | 5.10 | 4.28 | 156.35 |
| 2.41 | 5.42 | 4.49 | 2.41 | 5.42 | 4.54 | 177.47 |
| 2.50 | 5.63 | 4.67 | 2.50 | 5.63 | 4.72 | 197.46 |
| 2.56 | 5.75 | 4.77 | 2.56 | 5.75 | 4.82 | 216.43 |
| 2.58 | 5.79 | 4.80 | 2.58 | 5.79 | 4.86 | 234.36 |


| | | | | | | |
|------|------|------|------|------|------|--------|
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 251.40 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 267.50 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 282.77 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 297.22 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 310.89 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 323.82 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 336.10 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 347.68 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 358.66 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 369.00 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 378.77 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 388.06 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 396.84 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 405.14 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 412.99 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 420.41 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 427.42 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 434.06 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 440.35 |
| 2.58 | 5.80 | 4.81 | 2.58 | 5.80 | 4.86 | 446.29 |

| Years Shifted | Years Shifted | Years Shifted | Years Shifted | Years Shifted | Years Shifted | |
|---------------|---------------|---------------|---------------|---------------|---------------|--|
|---------------|---------------|---------------|---------------|---------------|---------------|--|

| | | | | | | |
|------|------|------|------|------|------|--------|
| 0.27 | 0.62 | 0.51 | 0.27 | 0.62 | 0.52 | 28.53 |
| 0.68 | 1.53 | 1.27 | 0.68 | 1.53 | 1.28 | 55.08 |
| 1.15 | 2.59 | 2.15 | 1.15 | 2.59 | 2.17 | 79.91 |
| 1.56 | 3.51 | 2.91 | 1.56 | 3.51 | 2.94 | 103.44 |
| 1.90 | 4.29 | 3.56 | 1.90 | 4.29 | 3.60 | 125.67 |
| 2.14 | 4.82 | 3.99 | 2.14 | 4.82 | 4.04 | 146.78 |
| 2.27 | 5.12 | 4.24 | 2.27 | 5.12 | 4.29 | 166.78 |
| 2.36 | 5.32 | 4.41 | 2.36 | 5.32 | 4.46 | 185.75 |
| 2.41 | 5.43 | 4.50 | 2.41 | 5.43 | 4.55 | 203.68 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 220.72 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 236.82 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 252.08 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 266.54 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 280.21 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 293.14 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 305.41 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 317.00 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 327.98 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 338.31 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 348.08 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 357.37 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 366.15 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 374.45 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 382.31 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 389.72 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 396.74 |
| 2.43 | 5.47 | 4.54 | 2.43 | 5.47 | 4.59 | 403.38 |

| | | | | | | |
|---|---|---|--------|---|---|---|
| - | - | - | 132.2 | - | - | - |
| - | - | - | 220.8 | - | - | - |
| - | - | - | 368.8 | - | - | - |
| - | - | - | 615.9 | - | - | - |
| - | - | - | 1028.8 | - | - | - |
| - | - | - | 1718.3 | - | - | - |
| - | - | - | 2870.1 | - | - | - |

| | | | | | | |
|------|-----|-----|-----|-----|-----|-----|
| 36.4 | 0.1 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| 27.5 | 0.1 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 19.4 | 0.1 | 0.3 | 3.2 | 0.0 | 0.0 | 0.0 |



| | | | | | | |
|----|----|----|----|----|----|----|
| 44 | 45 | 46 | 47 | 48 | 49 | 50 |
| 4 | 7 | 24 | 10 | 11 | 8 | 9 |

OiiDRiPE

| Fuel Oil (\$/MMBtu) | | | Other Fuels (\$/MMBtu) | | Wood (\$/MMBtu) | |
|---------------------|----------------|-----------|------------------------|---------|-----------------|--------------|
| Com Fuel Oil | Industrial Oil | Oil DRiPE | Kerosene | Propane | Cord Wood | Wood Pellets |
| 27.41 | 24.81 | 0.0183 | 33.32 | 50.33 | 25.44 | 26.62 |
| 32.63 | 30.72 | 0.0168 | 39.69 | 59.96 | 30.31 | 31.71 |
| 30.82 | 29.12 | 0.0164 | 39.10 | 59.06 | 29.85 | 31.24 |
| 29.04 | 27.54 | 0.0161 | 38.53 | 58.19 | 29.42 | 30.78 |
| 27.42 | 26.11 | 0.0159 | 38.19 | 57.69 | 29.16 | 30.51 |
| 27.51 | 26.21 | 0.0156 | 38.32 | 57.88 | 29.26 | 30.61 |
| 27.53 | 26.23 | 0.0153 | 38.34 | 57.91 | 29.27 | 30.63 |
| 27.72 | 26.42 | 0.0150 | 38.58 | 58.28 | 29.46 | 30.82 |
| 27.81 | 26.51 | 0.0148 | 38.71 | 58.46 | 29.55 | 30.92 |
| 27.93 | 26.64 | 0.0145 | 38.88 | 58.73 | 29.69 | 31.06 |
| 27.99 | 26.70 | 0.0143 | 38.94 | 58.81 | 29.73 | 31.10 |
| 28.16 | 26.88 | 0.0141 | 39.20 | 59.21 | 29.93 | 31.31 |
| 28.20 | 26.91 | 0.0139 | 39.21 | 59.23 | 29.94 | 31.32 |
| 28.33 | 27.04 | 0.0137 | 39.39 | 59.50 | 30.07 | 31.47 |
| 28.42 | 27.14 | 0.0135 | 39.52 | 59.69 | 30.17 | 31.57 |
| 28.48 | 27.19 | 0.0133 | 39.58 | 59.78 | 30.22 | 31.62 |
| 28.53 | 27.25 | 0.0132 | 39.65 | 59.89 | 30.27 | 31.67 |
| 28.71 | 27.42 | 0.0131 | 39.86 | 60.21 | 30.44 | 31.84 |
| 28.71 | 27.42 | 0.0130 | 39.86 | 60.20 | 30.43 | 31.84 |
| 28.84 | 27.55 | 0.0128 | 40.02 | 60.44 | 30.55 | 31.97 |
| 28.75 | 27.46 | 0.0127 | 39.90 | 60.26 | 30.46 | 31.87 |
| 28.82 | 27.52 | 0.0126 | 39.95 | 60.35 | 30.50 | 31.91 |
| 29.04 | 27.75 | 0.0126 | 40.23 | 60.77 | 30.72 | 32.14 |
| 29.07 | 27.78 | 0.0125 | 40.28 | 60.84 | 30.75 | 32.18 |
| 29.12 | 27.82 | 0.0125 | 40.33 | 60.92 | 30.79 | 32.22 |
| 29.20 | 27.90 | 0.0125 | 40.43 | 61.06 | 30.87 | 32.29 |
| 29.21 | 27.91 | 0.0124 | 40.44 | 61.08 | 30.87 | 32.30 |
| 29.28 | 27.98 | 0.0124 | 40.52 | 61.21 | 30.94 | 32.37 |
| 29.35 | 28.06 | 0.0123 | 40.61 | 61.34 | 31.01 | 32.44 |
| 29.42 | 28.13 | 0.0123 | 40.70 | 61.48 | 31.07 | 32.51 |
| 29.49 | 28.20 | 0.0123 | 40.79 | 61.61 | 31.14 | 32.58 |
| 29.56 | 28.27 | 0.0122 | 40.88 | 61.74 | 31.21 | 32.65 |
| 29.63 | 28.34 | 0.0122 | 40.97 | 61.88 | 31.28 | 32.72 |

| | | | | | | |
|-------|-------|--------|-------|-------|-------|-------|
| 29.70 | 28.41 | 0.0122 | 41.05 | 62.01 | 31.35 | 32.80 |
| 29.77 | 28.49 | 0.0121 | 41.14 | 62.15 | 31.41 | 32.87 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 27.41 | 24.81 | 0.0183 | 33.32 | 50.33 | 25.44 | 26.62 |
| 59.11 | 54.67 | 0.0346 | 71.89 | 108.59 | 54.89 | 57.43 |
| 87.38 | 81.38 | 0.0497 | 107.76 | 162.77 | 82.28 | 86.08 |
| 112.54 | 105.23 | 0.0636 | 141.12 | 213.17 | 107.75 | 112.74 |
| 134.95 | 126.58 | 0.0766 | 172.35 | 260.33 | 131.59 | 137.68 |
| 156.19 | 146.81 | 0.0886 | 201.93 | 305.00 | 154.17 | 161.31 |
| 176.25 | 165.92 | 0.0997 | 229.86 | 347.20 | 175.50 | 183.62 |
| 195.32 | 184.10 | 0.1100 | 256.41 | 387.30 | 195.77 | 204.83 |
| 213.38 | 201.32 | 0.1196 | 281.55 | 425.27 | 214.97 | 224.91 |
| 230.51 | 217.65 | 0.1285 | 305.39 | 461.28 | 233.17 | 243.96 |
| 246.71 | 233.11 | 0.1368 | 327.93 | 495.33 | 250.38 | 261.96 |
| 262.10 | 247.80 | 0.1445 | 349.35 | 527.69 | 266.74 | 279.08 |
| 276.65 | 261.68 | 0.1516 | 369.59 | 558.25 | 282.19 | 295.24 |
| 290.45 | 274.85 | 0.1583 | 388.78 | 587.24 | 296.84 | 310.57 |
| 303.52 | 287.33 | 0.1645 | 406.95 | 614.69 | 310.71 | 325.09 |
| 315.89 | 299.14 | 0.1703 | 424.13 | 640.65 | 323.83 | 338.81 |
| 327.58 | 310.31 | 0.1757 | 440.39 | 665.20 | 336.24 | 351.80 |
| 338.69 | 320.92 | 0.1808 | 455.81 | 688.50 | 348.02 | 364.12 |
| 349.18 | 330.94 | 0.1855 | 470.38 | 710.49 | 359.14 | 375.75 |
| 359.13 | 340.44 | 0.1900 | 484.18 | 731.34 | 369.68 | 386.78 |
| 368.49 | 349.39 | 0.1941 | 497.17 | 750.97 | 379.60 | 397.16 |
| 377.35 | 357.85 | 0.1980 | 509.45 | 769.52 | 388.98 | 406.97 |
| 385.78 | 365.90 | 0.2016 | 521.13 | 787.16 | 397.89 | 416.30 |
| 393.75 | 373.51 | 0.2050 | 532.17 | 803.83 | 406.32 | 425.11 |
| 401.28 | 380.71 | 0.2083 | 542.60 | 819.59 | 414.28 | 433.45 |
| 408.41 | 387.52 | 0.2113 | 552.47 | 834.50 | 421.82 | 441.34 |
| 415.15 | 393.96 | 0.2142 | 561.80 | 848.58 | 428.94 | 448.78 |
| 421.52 | 400.05 | 0.2169 | 570.62 | 861.91 | 435.68 | 455.83 |
| 427.55 | 405.82 | 0.2194 | 578.96 | 874.52 | 442.05 | 462.50 |
| 433.26 | 411.28 | 0.2218 | 586.86 | 886.44 | 448.08 | 468.81 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 31.70 | 29.85 | 0.0163 | 38.57 | 58.26 | 29.45 | 30.81 |
| 59.98 | 56.57 | 0.0313 | 74.44 | 112.44 | 56.83 | 59.46 |
| 85.13 | 80.41 | 0.0453 | 107.80 | 162.83 | 82.31 | 86.12 |
| 107.55 | 101.76 | 0.0582 | 139.03 | 210.00 | 106.15 | 111.06 |
| 128.78 | 122.00 | 0.0702 | 168.60 | 254.67 | 128.73 | 134.69 |
| 148.84 | 141.11 | 0.0814 | 196.54 | 296.87 | 150.06 | 157.00 |
| 167.91 | 159.28 | 0.0917 | 223.08 | 336.96 | 170.33 | 178.21 |
| 185.97 | 176.50 | 0.1013 | 248.22 | 374.94 | 189.52 | 198.29 |
| 203.10 | 192.84 | 0.1102 | 272.06 | 410.95 | 207.73 | 217.34 |
| 219.31 | 208.29 | 0.1185 | 294.61 | 445.00 | 224.94 | 235.34 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 234.70 | 222.98 | 0.1261 | 316.03 | 477.36 | 241.29 | 252.46 |
| 249.24 | 236.87 | 0.1333 | 336.26 | 507.92 | 256.74 | 268.62 |
| 263.04 | 250.04 | 0.1400 | 355.45 | 536.90 | 271.39 | 283.95 |
| 276.12 | 262.52 | 0.1462 | 373.63 | 564.36 | 285.27 | 298.47 |
| 288.48 | 274.33 | 0.1520 | 390.81 | 590.31 | 298.39 | 312.19 |
| 300.18 | 285.50 | 0.1574 | 407.06 | 614.86 | 310.80 | 325.18 |
| 311.29 | 296.11 | 0.1625 | 422.49 | 638.16 | 322.58 | 337.50 |
| 321.78 | 306.13 | 0.1672 | 437.05 | 660.16 | 333.70 | 349.13 |
| 331.72 | 315.63 | 0.1716 | 450.86 | 681.01 | 344.24 | 360.16 |
| 341.09 | 324.57 | 0.1758 | 463.85 | 700.63 | 354.16 | 370.54 |
| 349.94 | 333.03 | 0.1796 | 476.13 | 719.19 | 363.53 | 380.35 |
| 358.37 | 341.09 | 0.1833 | 487.81 | 736.82 | 372.45 | 389.68 |
| 366.34 | 348.70 | 0.1867 | 498.84 | 753.49 | 380.88 | 398.49 |
| 373.87 | 355.90 | 0.1899 | 509.28 | 769.25 | 388.84 | 406.83 |
| 381.01 | 362.71 | 0.1930 | 519.15 | 784.17 | 396.38 | 414.72 |
| 387.74 | 369.15 | 0.1958 | 528.47 | 798.25 | 403.50 | 422.16 |
| 394.11 | 375.24 | 0.1985 | 537.30 | 811.57 | 410.23 | 429.21 |
| 400.14 | 381.01 | 0.2011 | 545.64 | 824.18 | 416.61 | 435.88 |
| 405.85 | 386.46 | 0.2035 | 553.54 | 836.11 | 422.64 | 442.19 |
| 411.25 | 391.63 | 0.2057 | 561.01 | 847.39 | 428.34 | 448.16 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 28.28 | 26.71 | 0.0150 | 35.87 | 54.18 | 27.39 | 28.65 |
| 53.43 | 50.56 | 0.0290 | 69.23 | 104.57 | 52.86 | 55.31 |
| 75.85 | 71.91 | 0.0419 | 100.46 | 151.74 | 76.70 | 80.25 |
| 97.08 | 92.14 | 0.0540 | 130.03 | 196.41 | 99.28 | 103.88 |
| 117.14 | 111.26 | 0.0651 | 157.97 | 238.61 | 120.61 | 126.19 |
| 136.21 | 129.43 | 0.0754 | 184.51 | 278.71 | 140.88 | 147.40 |
| 154.27 | 146.65 | 0.0850 | 209.66 | 316.68 | 160.07 | 167.48 |
| 171.40 | 162.99 | 0.0939 | 233.50 | 352.69 | 178.28 | 186.53 |
| 187.60 | 178.44 | 0.1022 | 256.04 | 386.74 | 195.49 | 204.53 |
| 202.99 | 193.13 | 0.1098 | 277.46 | 419.10 | 211.85 | 221.65 |
| 217.54 | 207.01 | 0.1170 | 297.69 | 449.66 | 227.29 | 237.81 |
| 231.34 | 220.19 | 0.1237 | 316.88 | 478.65 | 241.95 | 253.14 |
| 244.41 | 232.67 | 0.1299 | 335.06 | 506.10 | 255.82 | 267.66 |
| 256.78 | 244.47 | 0.1357 | 352.24 | 532.06 | 268.94 | 281.38 |
| 268.48 | 255.64 | 0.1411 | 368.50 | 556.61 | 281.35 | 294.37 |
| 279.58 | 266.26 | 0.1462 | 383.92 | 579.91 | 293.13 | 306.69 |
| 290.07 | 276.28 | 0.1509 | 398.48 | 601.90 | 304.25 | 318.32 |
| 300.02 | 285.78 | 0.1553 | 412.29 | 622.75 | 314.79 | 329.35 |
| 309.38 | 294.72 | 0.1595 | 425.28 | 642.38 | 324.71 | 339.73 |
| 318.24 | 303.18 | 0.1633 | 437.56 | 660.93 | 334.09 | 349.54 |
| 326.67 | 311.24 | 0.1670 | 449.24 | 678.57 | 343.00 | 358.87 |
| 334.64 | 318.85 | 0.1704 | 460.28 | 695.24 | 351.43 | 367.68 |
| 342.17 | 326.04 | 0.1736 | 470.71 | 711.00 | 359.39 | 376.02 |
| 349.30 | 332.86 | 0.1767 | 480.58 | 725.91 | 366.93 | 383.91 |
| 356.04 | 339.30 | 0.1795 | 489.91 | 739.99 | 374.05 | 391.35 |
| 362.41 | 345.39 | 0.1822 | 498.73 | 753.32 | 380.79 | 398.40 |
| 368.44 | 351.15 | 0.1848 | 507.07 | 765.92 | 387.16 | 405.07 |


| | | | |
|---|---|---|---|
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |

| | | | |
|-----|-----|-----|-----|
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 |

| | |
|-------------|--------|
| 2054 | 0.0870 |
| 2055 | 0.0875 |
| 2056 | 0.0881 |
| 2057 | 0.0887 |
| 2058 | 0.0893 |
| 2059 | 0.0900 |
| 2060 | 0.0907 |

| | |
|------------------------|--------|
| Levelized Costs | |
| 10 years (202 | 0.0890 |
| 15 years (202 | 0.0867 |
| 30 years (202 | 0.0857 |






| | | | | | | |
|---------|---------|---------|----|----|----|----|
| 51 | 52 | 53 | 54 | 55 | 56 | 57 |
| Lookups | Lookups | Lookups | 35 | 5 | 6 | 7 |

| Water (\$/Gallon) | | NEBs (\$/\$) | Emission based on RGGI CO2 | Non-Embedded GHG Costs - Social GHGs (\$/kWh) | | |
|-------------------|-----------|---|----------------------------|---|-----------------|-------------|
| Res Water | C&I Water | Income Eligible Non-Resource Inflation Factor | | Winter Peak | Winter Off-Peak | Summer Peak |
| 0.0187 | 0.0187 | 1.18 | 10.73 | 0.1060 | 0.0876 | 0.0743 |
| 0.0187 | 0.0187 | 1.18 | 7.69 | 0.1096 | 0.0907 | 0.0769 |
| 0.0187 | 0.0187 | 1.18 | 8.04 | 0.1111 | 0.0918 | 0.0779 |
| 0.0187 | 0.0187 | 1.18 | 8.42 | 0.1050 | 0.1001 | 0.0874 |
| 0.0187 | 0.0187 | 1.18 | 8.81 | 0.1068 | 0.1019 | 0.0889 |
| 0.0187 | 0.0187 | 1.18 | 9.21 | 0.1081 | 0.1031 | 0.0900 |
| 0.0187 | 0.0187 | 1.18 | 9.64 | 0.1007 | 0.0931 | 0.0984 |
| 0.0187 | 0.0187 | 1.18 | 10.09 | 0.1024 | 0.0946 | 0.1000 |
| 0.0187 | 0.0187 | 1.18 | 10.56 | 0.1035 | 0.0957 | 0.1011 |
| 0.0187 | 0.0187 | 1.18 | 11.05 | 0.0992 | 0.0876 | 0.1083 |
| 0.0187 | 0.0187 | 1.18 | 11.56 | 0.1007 | 0.0889 | 0.1099 |
| 0.0187 | 0.0187 | 1.18 | 12.10 | 0.1018 | 0.0899 | 0.1111 |
| 0.0187 | 0.0187 | 1.18 | 12.66 | 0.0862 | 0.0753 | 0.0893 |
| 0.0187 | 0.0187 | 1.18 | 13.25 | 0.0875 | 0.0764 | 0.0906 |
| 0.0187 | 0.0187 | 1.18 | 13.86 | 0.0883 | 0.0772 | 0.0915 |
| 0.0187 | 0.0187 | 1.18 | 14.51 | 0.0740 | 0.0654 | 0.0797 |
| 0.0187 | 0.0187 | 1.18 | 15.18 | 0.0750 | 0.0663 | 0.0808 |
| 0.0187 | 0.0187 | 1.18 | 15.88 | 0.0760 | 0.0672 | 0.0818 |
| 0.0187 | 0.0187 | 1.18 | 16.62 | 0.0702 | 0.0605 | 0.0739 |
| 0.0187 | 0.0187 | 1.18 | 17.39 | 0.0710 | 0.0613 | 0.0748 |
| 0.0187 | 0.0187 | 1.18 | 18.20 | 0.0719 | 0.0620 | 0.0758 |
| 0.0187 | 0.0187 | 1.18 | 19.05 | 0.0613 | 0.0588 | 0.0642 |
| 0.0187 | 0.0187 | 1.18 | 19.93 | 0.0621 | 0.0595 | 0.0650 |
| 0.0187 | 0.0187 | 1.18 | 20.86 | 0.0630 | 0.0604 | 0.0660 |
| 0.0187 | 0.0187 | 1.18 | 21.83 | 0.0625 | 0.0560 | 0.0575 |
| 0.0187 | 0.0187 | 1.18 | 22.84 | 0.0631 | 0.0566 | 0.0581 |
| 0.0187 | 0.0187 | 1.18 | 23.90 | 0.0638 | 0.0573 | 0.0588 |
| 0.0187 | 0.0187 | 1.18 | 23.90 | 0.0643 | 0.0567 | 0.0572 |
| 0.0187 | 0.0187 | 1.18 | 23.90 | 0.0647 | 0.0561 | 0.0557 |
| 0.0187 | 0.0187 | 1.18 | 23.90 | 0.0651 | 0.0556 | 0.0543 |
| 0.0187 | 0.0187 | 1.18 | 23.90 | 0.0656 | 0.0550 | 0.0529 |
| 0.0187 | 0.0187 | 1.18 | 23.90 | 0.0661 | 0.0545 | 0.0515 |
| 0.0187 | 0.0187 | 1.18 | 23.90 | 0.0665 | 0.0539 | 0.0502 |

| | | | | | | |
|--------|--------|------|-------|--------|--------|--------|
| 0.0187 | 0.0187 | 1.18 | 23.90 | 0.0670 | 0.0534 | 0.0489 |
| 0.0187 | 0.0187 | 1.18 | 23.90 | 0.0674 | 0.0528 | 0.0476 |



| | | | | | | |
|--------|--------|-------|--------|--------|--------|--------|
| 0.0187 | 0.0187 | 1.18 | 10.73 | 0.1060 | 0.0876 | 0.0743 |
| 0.0369 | 0.0369 | 2.33 | 18.20 | 0.2125 | 0.1757 | 0.1490 |
| 0.0540 | 0.0540 | 3.42 | 25.58 | 0.3143 | 0.2600 | 0.2205 |
| 0.0702 | 0.0702 | 4.44 | 32.87 | 0.4052 | 0.3467 | 0.2962 |
| 0.0855 | 0.0855 | 5.41 | 40.07 | 0.4925 | 0.4300 | 0.3688 |
| 0.1000 | 0.1000 | 6.32 | 47.18 | 0.5760 | 0.5096 | 0.4383 |
| 0.1136 | 0.1136 | 7.19 | 54.21 | 0.6494 | 0.5774 | 0.5100 |
| 0.1265 | 0.1265 | 8.00 | 61.15 | 0.7198 | 0.6425 | 0.5788 |
| 0.1386 | 0.1386 | 8.77 | 68.01 | 0.7870 | 0.7046 | 0.6444 |
| 0.1501 | 0.1501 | 9.49 | 74.78 | 0.8478 | 0.7583 | 0.7108 |
| 0.1609 | 0.1609 | 10.18 | 81.47 | 0.9061 | 0.8098 | 0.7744 |
| 0.1711 | 0.1711 | 10.83 | 88.09 | 0.9618 | 0.8589 | 0.8352 |
| 0.1808 | 0.1808 | 11.44 | 94.62 | 1.0062 | 0.8978 | 0.8813 |
| 0.1899 | 0.1899 | 12.01 | 101.07 | 1.0488 | 0.9350 | 0.9254 |
| 0.1985 | 0.1985 | 12.56 | 107.45 | 1.0895 | 0.9705 | 0.9675 |
| 0.2066 | 0.2066 | 13.07 | 113.75 | 1.1216 | 0.9989 | 1.0021 |
| 0.2143 | 0.2143 | 13.56 | 119.97 | 1.1523 | 1.0261 | 1.0352 |
| 0.2215 | 0.2215 | 14.01 | 126.12 | 1.1817 | 1.0521 | 1.0669 |
| 0.2284 | 0.2284 | 14.45 | 132.19 | 1.2074 | 1.0742 | 1.0939 |
| 0.2348 | 0.2348 | 14.86 | 138.19 | 1.2319 | 1.0953 | 1.1197 |
| 0.2409 | 0.2409 | 15.24 | 144.12 | 1.2553 | 1.1155 | 1.1443 |
| 0.2467 | 0.2467 | 15.60 | 149.97 | 1.2741 | 1.1336 | 1.1641 |
| 0.2521 | 0.2521 | 15.95 | 155.76 | 1.2921 | 1.1508 | 1.1830 |
| 0.2572 | 0.2572 | 16.27 | 161.47 | 1.3094 | 1.1674 | 1.2010 |
| 0.2620 | 0.2620 | 16.58 | 167.12 | 1.3256 | 1.1819 | 1.2159 |
| 0.2666 | 0.2666 | 16.87 | 172.70 | 1.3410 | 1.1957 | 1.2301 |
| 0.2709 | 0.2709 | 17.14 | 178.21 | 1.3557 | 1.2089 | 1.2437 |
| 0.2750 | 0.2750 | 17.40 | 183.41 | 1.3697 | 1.2212 | 1.2561 |
| 0.2788 | 0.2788 | 17.64 | 188.32 | 1.3830 | 1.2328 | 1.2676 |
| 0.2825 | 0.2825 | 17.87 | 192.96 | 1.3956 | 1.2435 | 1.2781 |



| | | | | | | |
|--------|--------|------|-------|--------|--------|--------|
| 0.0182 | 0.0182 | 1.15 | 7.47 | 0.1065 | 0.0881 | 0.0747 |
| 0.0353 | 0.0353 | 2.24 | 14.85 | 0.2084 | 0.1723 | 0.1462 |
| 0.0515 | 0.0515 | 3.26 | 22.14 | 0.2993 | 0.2591 | 0.2218 |
| 0.0668 | 0.0668 | 4.23 | 29.34 | 0.3866 | 0.3423 | 0.2945 |
| 0.0813 | 0.0813 | 5.14 | 36.45 | 0.4700 | 0.4219 | 0.3640 |
| 0.0949 | 0.0949 | 6.00 | 43.48 | 0.5434 | 0.4898 | 0.4357 |
| 0.1078 | 0.1078 | 6.82 | 50.42 | 0.6138 | 0.5549 | 0.5044 |
| 0.1199 | 0.1199 | 7.59 | 57.28 | 0.6811 | 0.6170 | 0.5701 |
| 0.1314 | 0.1314 | 8.31 | 64.05 | 0.7419 | 0.6707 | 0.6365 |
| 0.1422 | 0.1422 | 9.00 | 70.75 | 0.8002 | 0.7222 | 0.7001 |

| | | | | | | |
|--------|--------|-------|--------|--------|--------|--------|
| 0.1524 | 0.1524 | 9.64 | 77.36 | 0.8558 | 0.7713 | 0.7608 |
| 0.1621 | 0.1621 | 10.25 | 83.89 | 0.9003 | 0.8101 | 0.8069 |
| 0.1712 | 0.1712 | 10.83 | 90.34 | 0.9429 | 0.8474 | 0.8511 |
| 0.1798 | 0.1798 | 11.37 | 96.72 | 0.9835 | 0.8828 | 0.8932 |
| 0.1879 | 0.1879 | 11.89 | 103.02 | 1.0156 | 0.9113 | 0.9278 |
| 0.1956 | 0.1956 | 12.37 | 109.24 | 1.0464 | 0.9384 | 0.9609 |
| 0.2028 | 0.2028 | 12.83 | 115.39 | 1.0758 | 0.9644 | 0.9925 |
| 0.2097 | 0.2097 | 13.26 | 121.46 | 1.1014 | 0.9865 | 1.0195 |
| 0.2161 | 0.2161 | 13.67 | 127.46 | 1.1259 | 1.0077 | 1.0454 |
| 0.2222 | 0.2222 | 14.06 | 133.39 | 1.1493 | 1.0279 | 1.0700 |
| 0.2279 | 0.2279 | 14.42 | 139.24 | 1.1682 | 1.0459 | 1.0898 |
| 0.2334 | 0.2334 | 14.76 | 145.03 | 1.1862 | 1.0632 | 1.1086 |
| 0.2385 | 0.2385 | 15.09 | 150.74 | 1.2035 | 1.0797 | 1.1267 |
| 0.2433 | 0.2433 | 15.39 | 156.39 | 1.2196 | 1.0942 | 1.1416 |
| 0.2479 | 0.2479 | 15.68 | 161.97 | 1.2350 | 1.1081 | 1.1558 |
| 0.2522 | 0.2522 | 15.96 | 167.48 | 1.2497 | 1.1213 | 1.1693 |
| 0.2563 | 0.2563 | 16.21 | 172.68 | 1.2637 | 1.1336 | 1.1818 |
| 0.2601 | 0.2601 | 16.46 | 177.59 | 1.2770 | 1.1451 | 1.1933 |
| 0.2638 | 0.2638 | 16.69 | 182.23 | 1.2897 | 1.1559 | 1.2038 |
| 0.2672 | 0.2672 | 16.90 | 186.61 | 1.3017 | 1.1660 | 1.2135 |

| | | | | | | |
|--------|--------|-------|--------|--------|--------|--------|
| 0.0172 | 0.0172 | 1.09 | 7.38 | 0.1019 | 0.0842 | 0.0715 |
| 0.0334 | 0.0334 | 2.11 | 14.67 | 0.1928 | 0.1710 | 0.1471 |
| 0.0486 | 0.0486 | 3.08 | 21.87 | 0.2801 | 0.2543 | 0.2198 |
| 0.0631 | 0.0631 | 3.99 | 28.98 | 0.3635 | 0.3339 | 0.2893 |
| 0.0767 | 0.0767 | 4.85 | 36.01 | 0.4369 | 0.4017 | 0.3610 |
| 0.0896 | 0.0896 | 5.67 | 42.95 | 0.5073 | 0.4668 | 0.4297 |
| 0.1017 | 0.1017 | 6.44 | 49.81 | 0.5745 | 0.5289 | 0.4954 |
| 0.1132 | 0.1132 | 7.16 | 56.58 | 0.6354 | 0.5826 | 0.5618 |
| 0.1240 | 0.1240 | 7.85 | 63.28 | 0.6937 | 0.6341 | 0.6254 |
| 0.1343 | 0.1343 | 8.49 | 69.89 | 0.7493 | 0.6832 | 0.6861 |
| 0.1439 | 0.1439 | 9.10 | 76.42 | 0.7938 | 0.7220 | 0.7322 |
| 0.1530 | 0.1530 | 9.68 | 82.87 | 0.8364 | 0.7593 | 0.7764 |
| 0.1616 | 0.1616 | 10.22 | 89.25 | 0.8770 | 0.7948 | 0.8185 |
| 0.1697 | 0.1697 | 10.74 | 95.55 | 0.9091 | 0.8232 | 0.8531 |
| 0.1774 | 0.1774 | 11.22 | 101.77 | 0.9398 | 0.8503 | 0.8862 |
| 0.1846 | 0.1846 | 11.68 | 107.92 | 0.9692 | 0.8764 | 0.9178 |
| 0.1915 | 0.1915 | 12.11 | 113.99 | 0.9949 | 0.8985 | 0.9448 |
| 0.1979 | 0.1979 | 12.52 | 119.99 | 1.0194 | 0.9196 | 0.9706 |
| 0.2040 | 0.2040 | 12.91 | 125.92 | 1.0428 | 0.9398 | 0.9953 |
| 0.2098 | 0.2098 | 13.27 | 131.77 | 1.0617 | 0.9578 | 1.0151 |
| 0.2152 | 0.2152 | 13.61 | 137.56 | 1.0797 | 0.9751 | 1.0339 |
| 0.2203 | 0.2203 | 13.94 | 143.27 | 1.0969 | 0.9916 | 1.0520 |
| 0.2252 | 0.2252 | 14.24 | 148.92 | 1.1131 | 1.0061 | 1.0669 |
| 0.2297 | 0.2297 | 14.53 | 154.50 | 1.1285 | 1.0200 | 1.0811 |
| 0.2340 | 0.2340 | 14.81 | 160.01 | 1.1432 | 1.0332 | 1.0946 |
| 0.2381 | 0.2381 | 15.06 | 165.21 | 1.1572 | 1.0455 | 1.1071 |
| 0.2420 | 0.2420 | 15.31 | 170.12 | 1.1705 | 1.0571 | 1.1185 |

| | | | | | | |
|--------|--------|-------|--------|--------|--------|--------|
| 0.2456 | 0.2456 | 15.54 | 174.76 | 1.1832 | 1.0678 | 1.1291 |
| 0.2490 | 0.2490 | 15.75 | 179.14 | 1.1952 | 1.0779 | 1.1388 |
| 0.2523 | 0.2523 | 15.96 | 183.27 | 1.2066 | 1.0873 | 1.1477 |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 |

| Electric Energy ⁵ | | | Non-Embedded GHG Costs - Social cost of GHGs ⁶ | | | |
|------------------------------|-------------|-----------------|---|-----------------|-------------|-----------------|
| Winter Off-Peak | Summer Peak | Summer Off-Peak | Winter Peak | Winter Off-Peak | Summer Peak | Summer Off-Peak |
| \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh |
| 0.1031 | 0.0588 | 0.0581 | 0.1060 | 0.0876 | 0.0743 | 0.0504 |
| 0.1039 | 0.0614 | 0.0601 | 0.1096 | 0.0907 | 0.0769 | 0.0521 |
| 0.0852 | 0.0518 | 0.0504 | 0.1111 | 0.0918 | 0.0779 | 0.0528 |
| 0.0833 | 0.0503 | 0.0493 | 0.1050 | 0.1001 | 0.0874 | 0.0767 |
| 0.0828 | 0.0503 | 0.0500 | 0.1068 | 0.1019 | 0.0889 | 0.0780 |
| 0.0794 | 0.0483 | 0.0477 | 0.1081 | 0.1031 | 0.0900 | 0.0790 |
| 0.0770 | 0.0488 | 0.0477 | 0.1007 | 0.0931 | 0.0984 | 0.1027 |
| 0.0791 | 0.0508 | 0.0497 | 0.1024 | 0.0946 | 0.1000 | 0.1044 |
| 0.0725 | 0.0501 | 0.0485 | 0.1035 | 0.0957 | 0.1011 | 0.1056 |
| 0.0732 | 0.0521 | 0.0513 | 0.0992 | 0.0876 | 0.1083 | 0.1093 |
| 0.0740 | 0.0537 | 0.0526 | 0.1007 | 0.0889 | 0.1099 | 0.1110 |
| 0.0740 | 0.0553 | 0.0536 | 0.1018 | 0.0899 | 0.1111 | 0.1122 |
| 0.0721 | 0.0579 | 0.0549 | 0.0862 | 0.0753 | 0.0893 | 0.0893 |
| 0.0717 | 0.0589 | 0.0549 | 0.0875 | 0.0764 | 0.0906 | 0.0906 |
| 0.0700 | 0.0630 | 0.0576 | 0.0883 | 0.0772 | 0.0915 | 0.0915 |
| 0.0700 | 0.0636 | 0.0588 | 0.0740 | 0.0654 | 0.0797 | 0.0755 |
| 0.0774 | 0.0668 | 0.0615 | 0.0750 | 0.0663 | 0.0808 | 0.0766 |
| 0.0740 | 0.0661 | 0.0606 | 0.0760 | 0.0672 | 0.0818 | 0.0776 |
| 0.0729 | 0.0665 | 0.0615 | 0.0702 | 0.0605 | 0.0739 | 0.0673 |
| 0.0686 | 0.0657 | 0.0584 | 0.0710 | 0.0613 | 0.0748 | 0.0681 |
| 0.0667 | 0.0672 | 0.0607 | 0.0719 | 0.0620 | 0.0758 | 0.0690 |
| 0.0718 | 0.0687 | 0.0634 | 0.0613 | 0.0588 | 0.0642 | 0.0613 |
| 0.0710 | 0.0686 | 0.0631 | 0.0621 | 0.0595 | 0.0650 | 0.0620 |
| 0.0805 | 0.0713 | 0.0648 | 0.0630 | 0.0604 | 0.0660 | 0.0629 |
| 0.0681 | 0.0713 | 0.0649 | 0.0625 | 0.0560 | 0.0575 | 0.0560 |
| 0.0643 | 0.0717 | 0.0643 | 0.0631 | 0.0566 | 0.0581 | 0.0566 |
| 0.0655 | 0.0732 | 0.0667 | 0.0638 | 0.0573 | 0.0588 | 0.0572 |
| 0.0638 | 0.0742 | 0.0674 | 0.0643 | 0.0567 | 0.0572 | 0.0560 |
| 0.0622 | 0.0753 | 0.0681 | 0.0647 | 0.0561 | 0.0557 | 0.0549 |
| 0.0606 | 0.0765 | 0.0689 | 0.0651 | 0.0556 | 0.0543 | 0.0537 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0591 | 0.0777 | 0.0697 | 0.0656 | 0.0550 | 0.0529 | 0.0526 |
| 0.0576 | 0.0789 | 0.0706 | 0.0661 | 0.0545 | 0.0515 | 0.0515 |
| 0.0561 | 0.0803 | 0.0714 | 0.0665 | 0.0539 | 0.0502 | 0.0505 |
| 0.0547 | 0.0816 | 0.0724 | 0.0670 | 0.0534 | 0.0489 | 0.0494 |
| 0.0533 | 0.0830 | 0.0733 | 0.0674 | 0.0528 | 0.0476 | 0.0484 |
| 0.0520 | 0.0845 | 0.0743 | 0.0679 | 0.0523 | 0.0464 | 0.0474 |
| 0.0507 | 0.0860 | 0.0754 | 0.0684 | 0.0518 | 0.0452 | 0.0464 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0855 | 0.0527 | 0.0518 | 0.1057 | 0.0945 | 0.0885 | 0.0775 |
| 0.0824 | 0.0539 | 0.0525 | 0.1027 | 0.0914 | 0.0911 | 0.0829 |
| 0.0787 | 0.0583 | 0.0555 | 0.0924 | 0.0824 | 0.0846 | 0.0778 |

58

8

EE

al cost of

Summer Off-
Peak

- 0.0504
- 0.0521
- 0.0528
- 0.0767
- 0.0780
- 0.0790
- 0.1027
- 0.1044
- 0.1056
- 0.1093
- 0.1110
- 0.1122
- 0.0893
- 0.0906
- 0.0915
- 0.0755
- 0.0766
- 0.0776
- 0.0673
- 0.0681
- 0.0690
- 0.0613
- 0.0620
- 0.0629
- 0.0560
- 0.0566
- 0.0572
- 0.0560
- 0.0549
- 0.0537
- 0.0526
- 0.0515
- 0.0505

0.0494
0.0484

0.0504
0.1010
0.1495
0.2159
0.2797
0.3406
0.4155
0.4873
0.5559
0.6230
0.6872
0.7485
0.7946
0.8388
0.8809
0.9137
0.9450
0.9751
0.9996
1.0231
1.0456
1.0644
1.0824
1.0997
1.1142
1.1280
1.1412
1.1534
1.1646
1.1751

0.0506
0.0991
0.1655
0.2293
0.2903
0.3651
0.4369
0.5055
0.5726
0.6368

0.6982
0.7442
0.7884
0.8305
0.8633
0.8947
0.9247
0.9493
0.9728
0.9952
1.0141
1.0320
1.0493
1.0638
1.0776
1.0908
1.1030
1.1142
1.1247
1.1343


0.0484
0.1149
0.1786
0.2396
0.3145
0.3863
0.4549
0.5219
0.5862
0.6475
0.6936
0.7377
0.7798
0.8126
0.8440
0.8740
0.8986
0.9221
0.9446
0.9634
0.9814
0.9986
1.0131
1.0269
1.0401
1.0523
1.0636

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

| | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------|--------|--------|------|-----|-----|-----|
| 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 | 0.0 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 | 0.0 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 | 0.0 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 | 0.0 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 | 0.0 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 | 0.0 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|-----|--------|--------|------|-----|------|-----|
| 0.0 | 0.0026 | 0.0176 | 79.6 | 0.0 | 16.3 | 0.0 |
| 0.0 | 0.0020 | 0.0134 | 79.6 | 0.0 | 12.3 | 0.0 |
| 0.0 | 0.0014 | 0.0094 | 79.6 | 0.0 | 8.7 | 0.0 |



| | | | | | | |
|----|----|----|----|----|----|----|
| 23 | 24 | 25 | 26 | 27 | 28 | 29 |
|----|----|----|----|----|----|----|

Structure **Future capacity**

| Capacity DRIPE | | | | Reliability | | Electric C |
|----------------------|-------------------------|----------------------|-------------------------|----------------------|-------------------------|----------------------|
| Intrastate DRIPE | | Rest-of-Pool DRIPE | | Cleared ⁹ | Uncleared ¹⁰ | Cleared ⁹ |
| Cleared ⁹ | Uncleared ¹⁰ | Cleared ⁹ | Uncleared ¹⁰ | | | |
| \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr |
| 31.7 | 0.0 | 30.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10.0 | 0.0 | 11.0 | 0.0 | 0.1 | 0.3 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.6 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19.3 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35.8 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39.4 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.1 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.1 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.8 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.8 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.5 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.8 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 59.1 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.5 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.5 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.8 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 146.6 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.5 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.8 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.5 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.5 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 132.4 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 132.4 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 146.6 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.5 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.5 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 78.8 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 70.8 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 63.7 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.2 |

| | | | | | | |
|-----|-----|-----|-----|-----|-----|------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 51.4 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.2 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.6 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37.4 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.6 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30.2 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27.1 |

| | | | | | | |
|-----|-----|-----|-----|-----|-----|------|
| 5.3 | 0.0 | 5.2 | 0.0 | 0.0 | 4.7 | 30.2 |
| 4.0 | 0.0 | 3.9 | 0.0 | 0.0 | 3.5 | 43.9 |
| 2.8 | 0.0 | 2.8 | 0.0 | 0.0 | 2.5 | 60.8 |

| | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|------|-----|-----|-----|------|-----|-----|
| 21.7 | 0.9 | 4.0 | 8.3 | 38.4 | 0.1 | 0.7 |
| 17.0 | 0.7 | 3.0 | 6.3 | 29.0 | 0.1 | 0.5 |
| 12.0 | 0.5 | 2.1 | 4.4 | 20.4 | 0.1 | 0.3 |

| | | | | | | |
|--------|-----|-----|-----|-----|-----|-----|
| 153.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 256.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 427.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 714.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1193.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1993.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3329.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

AESC 2024 Appendix B Workbook

AESC 2024 Counterfactual #1 Results:

New Hampshire

DRIPe and Reliability Vintage = 2025 vintage measures

44

WHOLESALE VALUES

bility

Uncleared¹⁰

\$/kW-yr

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

| Years | Electric Energy | | | |
|---------------|-----------------|-----------------|---------------|-----------------|
| | Winter Peak | Winter Off-Peak | Summer Peak | Summer Off-Peak |
| <i>Units:</i> | <i>\$/kWh</i> | <i>\$/kWh</i> | <i>\$/kWh</i> | <i>\$/kWh</i> |
| 2024 | 0.0788 | 0.0757 | 0.0381 | 0.0375 |
| 2025 | 0.0795 | 0.0760 | 0.0399 | 0.0388 |
| 2026 | 0.0628 | 0.0603 | 0.0319 | 0.0307 |
| 2027 | 0.0604 | 0.0581 | 0.0300 | 0.0292 |
| 2028 | 0.0597 | 0.0578 | 0.0302 | 0.0300 |
| 2029 | 0.0589 | 0.0567 | 0.0303 | 0.0298 |
| 2030 | 0.0578 | 0.0550 | 0.0310 | 0.0302 |
| 2031 | 0.0588 | 0.0563 | 0.0323 | 0.0313 |
| 2032 | 0.0571 | 0.0521 | 0.0330 | 0.0317 |
| 2033 | 0.0569 | 0.0527 | 0.0348 | 0.0341 |
| 2034 | 0.0564 | 0.0531 | 0.0359 | 0.0350 |
| 2035 | 0.0569 | 0.0528 | 0.0369 | 0.0355 |
| 2036 | 0.0557 | 0.0507 | 0.0387 | 0.0361 |
| 2037 | 0.0575 | 0.0503 | 0.0395 | 0.0360 |
| 2038 | 0.0599 | 0.0489 | 0.0430 | 0.0383 |
| 2039 | 0.0598 | 0.0490 | 0.0436 | 0.0394 |
| 2040 | 0.0612 | 0.0554 | 0.0464 | 0.0419 |
| 2041 | 0.0596 | 0.0519 | 0.0453 | 0.0406 |
| 2042 | 0.0601 | 0.0511 | 0.0457 | 0.0414 |
| 2043 | 0.0592 | 0.0487 | 0.0462 | 0.0400 |
| 2044 | 0.0623 | 0.0466 | 0.0471 | 0.0415 |
| 2045 | 0.0609 | 0.0510 | 0.0484 | 0.0439 |
| 2046 | 0.0588 | 0.0518 | 0.0498 | 0.0451 |
| 2047 | 0.0638 | 0.0601 | 0.0523 | 0.0468 |
| 2048 | 0.0618 | 0.0496 | 0.0524 | 0.0469 |
| 2049 | 0.0614 | 0.0467 | 0.0530 | 0.0467 |
| 2050 | 0.0646 | 0.0480 | 0.0545 | 0.0490 |
| 2051 | 0.0653 | 0.0469 | 0.0557 | 0.0499 |
| 2052 | 0.0660 | 0.0458 | 0.0570 | 0.0509 |
| 2053 | 0.0668 | 0.0448 | 0.0583 | 0.0518 |

Avoided Cost of Electricity (2024 \$)

| RPS Compliance Costs | Non-Embedded GHG Costs - Social cost of GHGs | | | | Intrastat | |
|----------------------------|--|---------------------|----------------|---------------------|-------------|---------------------|
| | Winter Peak | Winter Off- Peak | Summer Peak | Summer Off- Peak | Winter Peak | Winter Off- Peak |
| | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh |
| 0.0119 | 0.0972 | 0.0804 | 0.0682 | 0.0462 | - | - |
| 0.0122 | 0.1006 | 0.0832 | 0.0705 | 0.0478 | 0.0056 | 0.0049 |
| 0.0121 | 0.1019 | 0.0843 | 0.0715 | 0.0484 | 0.0070 | 0.0062 |
| 0.0127 | 0.0963 | 0.0919 | 0.0802 | 0.0704 | 0.0083 | 0.0073 |
| 0.0125 | 0.0980 | 0.0935 | 0.0816 | 0.0716 | 0.0080 | 0.0071 |
| 0.0107 | 0.0992 | 0.0946 | 0.0826 | 0.0724 | 0.0077 | 0.0068 |
| 0.0104 | 0.0924 | 0.0854 | 0.0902 | 0.0943 | 0.0073 | 0.0064 |
| 0.0109 | 0.0939 | 0.0868 | 0.0917 | 0.0958 | 0.0071 | 0.0062 |
| 0.0095 | 0.0950 | 0.0878 | 0.0928 | 0.0969 | 0.0064 | 0.0054 |
| 0.0094 | 0.0910 | 0.0803 | 0.0993 | 0.1003 | 0.0057 | 0.0048 |
| 0.0097 | 0.0924 | 0.0816 | 0.1008 | 0.1018 | 0.0046 | 0.0040 |
| 0.0101 | 0.0934 | 0.0824 | 0.1019 | 0.1029 | 0.0032 | 0.0027 |
| 0.0105 | 0.0791 | 0.0691 | 0.0820 | 0.0820 | - | - |
| 0.0106 | 0.0802 | 0.0701 | 0.0831 | 0.0831 | - | - |
| 0.0106 | 0.0810 | 0.0708 | 0.0840 | 0.0840 | - | - |
| 0.0105 | 0.0679 | 0.0600 | 0.0731 | 0.0693 | - | - |
| 0.0103 | 0.0688 | 0.0608 | 0.0741 | 0.0702 | - | - |
| 0.0109 | 0.0697 | 0.0616 | 0.0751 | 0.0712 | - | - |
| 0.0108 | 0.0644 | 0.0555 | 0.0678 | 0.0617 | - | - |
| 0.0096 | 0.0652 | 0.0562 | 0.0687 | 0.0625 | - | - |
| 0.0100 | 0.0660 | 0.0569 | 0.0695 | 0.0633 | - | - |
| 0.0100 | 0.0563 | 0.0539 | 0.0589 | 0.0562 | - | - |
| 0.0085 | 0.0569 | 0.0546 | 0.0596 | 0.0569 | - | - |
| 0.0083 | 0.0578 | 0.0554 | 0.0605 | 0.0577 | - | - |
| 0.0082 | 0.0573 | 0.0514 | 0.0528 | 0.0514 | - | - |
| 0.0079 | 0.0579 | 0.0520 | 0.0533 | 0.0519 | - | - |
| 0.0077 | 0.0585 | 0.0525 | 0.0539 | 0.0525 | - | - |
| 0.0073 | 0.0590 | 0.0520 | 0.0525 | 0.0514 | - | - |
| 0.0070 | 0.0594 | 0.0515 | 0.0511 | 0.0503 | - | - |
| 0.0067 | 0.0598 | 0.0510 | 0.0498 | 0.0493 | - | - |

| | | | | | | |
|--------|--------|--------|--------|--------|---|---|
| 0.0064 | 0.0602 | 0.0505 | 0.0485 | 0.0483 | - | - |
| 0.0061 | 0.0606 | 0.0500 | 0.0473 | 0.0473 | - | - |
| 0.0058 | 0.0610 | 0.0495 | 0.0460 | 0.0463 | - | - |
| 0.0056 | 0.0614 | 0.0490 | 0.0448 | 0.0453 | - | - |
| 0.0053 | 0.0619 | 0.0485 | 0.0437 | 0.0444 | - | - |
| 0.0051 | 0.0623 | 0.0480 | 0.0426 | 0.0435 | - | - |
| 0.0049 | 0.0627 | 0.0475 | 0.0415 | 0.0426 | - | - |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0113 | 0.0967 | 0.0868 | 0.0824 | 0.0734 | 0.0062 | 0.0055 |
| 0.0110 | 0.0932 | 0.0832 | 0.0849 | 0.0788 | 0.0048 | 0.0042 |
| 0.0101 | 0.0796 | 0.0710 | 0.0749 | 0.0701 | 0.0027 | 0.0024 |

number, Winter is all other months. Peak hours are: Monday through Friday 7 AM - 11 PM; Off-Peak Hours
 electric cross DRIPE

cost to load) * (1 + Losses of 9.0%) * (1 + Wholesale Risk Premium of 8.0%)
 eld GHG costs* (1 + Losses of 9.0%). Avoided costs include those related to CO2, CH4, and N2O. Avoid
 ses of 9.0%) * (1 + Wholesale Risk Premium of 8.0%)
 s of 9.0%) * (1 + Wholesale Risk Premium of 8.0%)
 d \$/kW-year avoided cost * (1 + Losses of 16.0%)
 eared \$/kW-year avoided cost * (1 + Losses of 16.0%) * (1 + Wholesale Risk Premium of 8.0%)
 neasure life is 5 years.

| | | | | | | |
|---|---|---|---|---|---|---|
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0031 | 0.0019 | 0.0420 | 0.0366 | 0.0225 | 0.0133 | 0.0021 |
| 0.0025 | 0.0015 | 0.0329 | 0.0286 | 0.0180 | 0.0107 | 0.0015 |
| 0.0014 | 0.0008 | 0.0186 | 0.0161 | 0.0102 | 0.0060 | 0.0008 |

are all other hours.

led costs include those point-of-combustion emissions only.


| | | | | | | |
|---|------|-----|-----|---|---|---|
| - | 68.6 | 0.0 | 0.0 | - | - | - |
| - | 68.6 | 0.0 | 0.0 | - | - | - |
| - | 68.6 | 0.0 | 0.0 | - | - | - |
| - | 68.6 | 0.0 | 0.0 | - | - | - |
| - | 68.6 | 0.0 | 0.0 | - | - | - |
| - | 68.6 | 0.0 | 0.0 | - | - | - |
| - | 68.6 | 0.0 | 0.0 | - | - | - |

| | | | | | | |
|--------|------|-----|------|-----|-----|-----|
| 0.0142 | 68.6 | 0.0 | 12.6 | 0.0 | 1.1 | 0.0 |
| 0.0101 | 68.6 | 0.0 | 8.7 | 0.0 | 0.8 | 0.0 |
| 0.0057 | 68.6 | 0.0 | 4.9 | 0.0 | 0.4 | 0.0 |

| | | | | Future capacity market structure - Summary | | |
|---------------------------|------------------------|--------------------------------|-----------|---|------------------------|------------------|
| Rest-of-Pool DRIPE | | Reliability⁴ | | Electric Capacity | | Intrastat |
| Cleared | Uncleared ² | Cleared | Uncleared | Cleared (FCA Price) | Uncleared ² | Cleared |
| \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr |
| - | - | - | - | 0.0 | - | - |
| 11.4 | - | 0.1 | 0.3 | 0.0 | - | - |
| 0.0 | - | 0.0 | 18.0 | 0.0 | - | - |
| 0.0 | - | 0.0 | 15.4 | 0.0 | - | - |
| - | - | - | - | 30.8 | 16.2 | 7.5 |
| - | - | - | - | 34.0 | 24.5 | 5.0 |
| - | - | - | - | 50.9 | 46.6 | 3.3 |
| - | - | - | - | 50.9 | 51.7 | - |
| - | - | - | - | 67.9 | 47.1 | - |
| - | - | - | - | 67.9 | 33.6 | - |
| - | - | - | - | 84.9 | 24.9 | - |
| - | - | - | - | 67.9 | 6.7 | - |
| - | - | - | - | 50.9 | - | - |
| - | - | - | - | 84.9 | - | - |
| - | - | - | - | 84.9 | - | - |
| - | - | - | - | 67.9 | - | - |
| - | - | - | - | 126.4 | - | - |
| - | - | - | - | 84.9 | - | - |
| - | - | - | - | 67.9 | - | - |
| - | - | - | - | 84.9 | - | - |
| - | - | - | - | 84.9 | - | - |
| - | - | - | - | 114.1 | - | - |
| - | - | - | - | 114.1 | - | - |
| - | - | - | - | 126.4 | - | - |
| - | - | - | - | 84.9 | - | - |
| - | - | - | - | 84.9 | - | - |
| - | - | - | - | 67.9 | - | - |
| - | - | - | - | 61.1 | - | - |
| - | - | - | - | 54.9 | - | - |
| - | - | - | - | 49.3 | - | - |

| | | | | | | |
|---|---|---|---|------|---|---|
| - | - | - | - | 44.3 | - | - |
| - | - | - | - | 39.9 | - | - |
| - | - | - | - | 35.8 | - | - |
| - | - | - | - | 32.2 | - | - |
| - | - | - | - | 28.9 | - | - |
| - | - | - | - | 26.0 | - | - |
| - | - | - | - | 23.4 | - | - |

| | | | | | | |
|-----|-----|-----|-----|------|------|-----|
| 1.2 | 0.0 | 0.0 | 3.5 | 29.0 | 22.2 | 1.7 |
| 0.8 | 0.0 | 0.0 | 2.4 | 42.9 | 17.5 | 1.2 |
| 0.5 | 0.0 | 0.0 | 1.4 | 62.8 | 9.9 | 0.6 |



| | | | | | | |
|---|---|---|---|---|--------|---|
| - | - | - | - | - | 132.2 | - |
| - | - | - | - | - | 220.8 | - |
| - | - | - | - | - | 368.8 | - |
| - | - | - | - | - | 615.9 | - |
| - | - | - | - | - | 1028.8 | - |
| - | - | - | - | - | 1718.3 | - |
| - | - | - | - | - | 2870.1 | - |

| | | | | | | |
|-----|------|------|-----|-----|-----|-----|
| 4.3 | 15.9 | 42.2 | 0.2 | 1.4 | 0.0 | 0.0 |
| 3.0 | 11.0 | 29.3 | 0.1 | 1.0 | 0.0 | 0.0 |
| 1.7 | 6.2 | 16.5 | 0.1 | 0.5 | 3.2 | 0.0 |

| | | | | | |
|---|---|---|---|---|---|
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | - |
| - | - | - | - | - | - |

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | |
|----|----|----|----|----|----|
| 94 | 95 | 96 | 97 | 98 | 99 |
|----|----|----|----|----|----|

RETAIL VALUES

| Years | Electric Energy ⁵ | | | | Non-Embedded GHG Cost | |
|---------------|------------------------------|-----------------|---------------|-----------------|-----------------------|-----------------|
| | Winter Peak | Winter Off-Peak | Summer Peak | Summer Off-Peak | Winter Peak | Winter Off-Peak |
| <i>Units:</i> | <i>\$/kWh</i> | <i>\$/kWh</i> | <i>\$/kWh</i> | <i>\$/kWh</i> | <i>\$/kWh</i> | <i>\$/kWh</i> |
| 2024 | 0.1068 | 0.1031 | 0.0588 | 0.0581 | 0.1060 | 0.0876 |
| 2025 | 0.1080 | 0.1039 | 0.0614 | 0.0601 | 0.1096 | 0.0907 |
| 2026 | 0.0881 | 0.0852 | 0.0518 | 0.0504 | 0.1111 | 0.0918 |
| 2027 | 0.0861 | 0.0833 | 0.0503 | 0.0493 | 0.1050 | 0.1001 |
| 2028 | 0.0851 | 0.0828 | 0.0503 | 0.0500 | 0.1068 | 0.1019 |
| 2029 | 0.0820 | 0.0794 | 0.0483 | 0.0477 | 0.1081 | 0.1031 |
| 2030 | 0.0803 | 0.0770 | 0.0488 | 0.0477 | 0.1007 | 0.0931 |
| 2031 | 0.0820 | 0.0791 | 0.0508 | 0.0497 | 0.1024 | 0.0946 |
| 2032 | 0.0784 | 0.0725 | 0.0501 | 0.0485 | 0.1035 | 0.0957 |
| 2033 | 0.0781 | 0.0732 | 0.0521 | 0.0513 | 0.0992 | 0.0876 |
| 2034 | 0.0779 | 0.0740 | 0.0537 | 0.0526 | 0.1007 | 0.0889 |
| 2035 | 0.0788 | 0.0740 | 0.0553 | 0.0536 | 0.1018 | 0.0899 |
| 2036 | 0.0780 | 0.0721 | 0.0579 | 0.0549 | 0.0862 | 0.0753 |
| 2037 | 0.0801 | 0.0717 | 0.0589 | 0.0549 | 0.0875 | 0.0764 |
| 2038 | 0.0830 | 0.0700 | 0.0630 | 0.0576 | 0.0883 | 0.0772 |
| 2039 | 0.0828 | 0.0700 | 0.0636 | 0.0588 | 0.0740 | 0.0654 |
| 2040 | 0.0842 | 0.0774 | 0.0668 | 0.0615 | 0.0750 | 0.0663 |
| 2041 | 0.0830 | 0.0740 | 0.0661 | 0.0606 | 0.0760 | 0.0672 |
| 2042 | 0.0834 | 0.0729 | 0.0665 | 0.0615 | 0.0702 | 0.0605 |
| 2043 | 0.0811 | 0.0686 | 0.0657 | 0.0584 | 0.0710 | 0.0613 |
| 2044 | 0.0852 | 0.0667 | 0.0672 | 0.0607 | 0.0719 | 0.0620 |
| 2045 | 0.0834 | 0.0718 | 0.0687 | 0.0634 | 0.0613 | 0.0588 |
| 2046 | 0.0792 | 0.0710 | 0.0686 | 0.0631 | 0.0621 | 0.0595 |
| 2047 | 0.0849 | 0.0805 | 0.0713 | 0.0648 | 0.0630 | 0.0604 |
| 2048 | 0.0824 | 0.0681 | 0.0713 | 0.0649 | 0.0625 | 0.0560 |
| 2049 | 0.0816 | 0.0643 | 0.0717 | 0.0643 | 0.0631 | 0.0566 |
| 2050 | 0.0850 | 0.0655 | 0.0732 | 0.0667 | 0.0638 | 0.0573 |
| 2051 | 0.0855 | 0.0638 | 0.0742 | 0.0674 | 0.0643 | 0.0567 |
| 2052 | 0.0859 | 0.0622 | 0.0753 | 0.0681 | 0.0647 | 0.0561 |
| 2053 | 0.0864 | 0.0606 | 0.0765 | 0.0689 | 0.0651 | 0.0556 |

| | | | | | | |
|-------------|--------|--------|--------|--------|--------|--------|
| 2054 | 0.0870 | 0.0591 | 0.0777 | 0.0697 | 0.0656 | 0.0550 |
| 2055 | 0.0875 | 0.0576 | 0.0789 | 0.0706 | 0.0661 | 0.0545 |
| 2056 | 0.0881 | 0.0561 | 0.0803 | 0.0714 | 0.0665 | 0.0539 |
| 2057 | 0.0887 | 0.0547 | 0.0816 | 0.0724 | 0.0670 | 0.0534 |
| 2058 | 0.0893 | 0.0533 | 0.0830 | 0.0733 | 0.0674 | 0.0528 |
| 2059 | 0.0900 | 0.0520 | 0.0845 | 0.0743 | 0.0679 | 0.0523 |
| 2060 | 0.0907 | 0.0507 | 0.0860 | 0.0754 | 0.0684 | 0.0518 |

Levelized Costs

| | | | | | | |
|----------------------|--------|--------|--------|--------|--------|--------|
| 10 years (202 | 0.0879 | 0.0844 | 0.0844 | 0.0514 | 0.1054 | 0.0946 |
| 15 years (202 | 0.0854 | 0.0807 | 0.0807 | 0.0524 | 0.1016 | 0.0906 |
| 30 years (202 | 0.0846 | 0.0758 | 0.0758 | 0.0572 | 0.0867 | 0.0774 |



| | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|
| 100 | 101 | 102 | 103 | 104 | 105 | 106 |
|-----|-----|-----|-----|-----|-----|-----|

| s - Social cost of GHGs[6] | | Energy DRIPE ⁷ | | | | |
|----------------------------|-----------------|---------------------------|-----------------|-------------|-----------------|-------------|
| | | Intrastate DRIPE | | | | |
| Summer Peak | Summer Off-Peak | Winter Peak | Winter Off-Peak | Summer Peak | Summer Off-Peak | Winter Peak |
| \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh |
| 0.0743 | 0.0504 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0769 | 0.0521 | 0.0065 | 0.0058 | 0.0031 | 0.0019 | 0.0426 |
| 0.0779 | 0.0528 | 0.0083 | 0.0073 | 0.0040 | 0.0024 | 0.0553 |
| 0.0874 | 0.0767 | 0.0097 | 0.0086 | 0.0046 | 0.0028 | 0.0606 |
| 0.0889 | 0.0780 | 0.0094 | 0.0084 | 0.0045 | 0.0028 | 0.0606 |
| 0.0900 | 0.0790 | 0.0091 | 0.0080 | 0.0044 | 0.0027 | 0.0584 |
| 0.0984 | 0.1027 | 0.0086 | 0.0075 | 0.0044 | 0.0026 | 0.0569 |
| 0.1000 | 0.1044 | 0.0083 | 0.0073 | 0.0044 | 0.0026 | 0.0602 |
| 0.1011 | 0.1056 | 0.0075 | 0.0063 | 0.0042 | 0.0025 | 0.0549 |
| 0.1083 | 0.1093 | 0.0067 | 0.0057 | 0.0039 | 0.0024 | 0.0499 |
| 0.1099 | 0.1110 | 0.0054 | 0.0047 | 0.0033 | 0.0020 | 0.0408 |
| 0.1111 | 0.1122 | 0.0037 | 0.0032 | 0.0024 | 0.0014 | 0.0284 |
| 0.0893 | 0.0893 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0906 | 0.0906 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0915 | 0.0915 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0797 | 0.0755 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0808 | 0.0766 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0818 | 0.0776 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0739 | 0.0673 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0748 | 0.0681 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0758 | 0.0690 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0642 | 0.0613 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0650 | 0.0620 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0660 | 0.0629 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0575 | 0.0560 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0581 | 0.0566 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0588 | 0.0572 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0572 | 0.0560 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0557 | 0.0549 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0543 | 0.0537 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0529 | 0.0526 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0515 | 0.0515 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0502 | 0.0505 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0489 | 0.0494 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0476 | 0.0484 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0464 | 0.0474 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0452 | 0.0464 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

| | | | | | | |
|--------|--------|-----|-----|-----|-----|-----|
| 0.0898 | 0.0800 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0925 | 0.0859 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0816 | 0.0764 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------|--------|--------|--------|--------|------|-----|
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 79.6 | 0.0 |

| | | | | | | |
|-----|-----|-----|--------|--------|------|-----|
| 0.0 | 0.0 | 0.0 | 0.0025 | 0.0168 | 79.6 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0017 | 0.0119 | 79.6 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0010 | 0.0067 | 79.6 | 0.0 |

| | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|------|-----|-----|-----|-----|-----|-----|
| 14.6 | 0.0 | 1.3 | 0.0 | 1.4 | 0.0 | 0.0 |
| 10.1 | 0.0 | 0.9 | 0.0 | 1.0 | 0.0 | 0.0 |
| 5.7 | 0.0 | 0.5 | 0.0 | 0.6 | 0.0 | 0.0 |



| 121 | 122 | 123 | 124 | 125 | 126 | 127 |
|---|----------------------|-------------------------|-------------------------|----------------------|-------------------------|----------|
| Future capacity market structure - Summer (June through September) | | | | | | |
| Availability | Electric Capacity | | Capacity DRIPE | | | |
| | Cleared ⁹ | Uncleared ¹⁰ | Intrastate DRIPE | | Rest-of-Pool DRIPE | |
| Cleared ⁹ | | | Uncleared ¹⁰ | Cleared ⁹ | Uncleared ¹⁰ | |
| | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 22.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 19.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 35.8 | 20.3 | 8.7 | 8.9 | 82.9 | 84.5 |
| 0.0 | 39.4 | 30.6 | 5.8 | 11.0 | 55.0 | 104.9 |
| 0.0 | 59.1 | 58.3 | 3.8 | 16.0 | 37.9 | 158.8 |
| 0.0 | 59.1 | 64.7 | 0.0 | 14.6 | 0.0 | 144.4 |
| 0.0 | 78.8 | 59.0 | 0.0 | 2.1 | 0.0 | 21.1 |
| 0.0 | 78.8 | 42.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 98.5 | 31.2 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 78.8 | 8.4 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 59.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 98.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 98.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 78.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 146.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 98.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 78.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 98.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 98.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 132.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 132.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 146.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 98.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 98.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 78.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 70.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 63.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 57.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|-----|------|-----|-----|-----|-----|-----|
| 0.0 | 51.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 46.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 41.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 37.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 33.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 30.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 27.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|-----|------|------|-----|-----|------|------|
| 4.4 | 33.6 | 27.8 | 1.9 | 5.4 | 18.4 | 52.8 |
| 3.0 | 49.8 | 21.9 | 1.3 | 3.8 | 12.8 | 36.7 |
| 1.7 | 72.9 | 12.4 | 0.8 | 2.1 | 7.2 | 20.7 |

| | | | | | | |
|-----|-----|--------|-----|-----|-----|-----|
| 0.0 | 0.0 | 153.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 256.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 427.8 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 714.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 1193.4 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 1993.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 3329.3 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|
| 0.2 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.2 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.1 | 0.7 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | |
|-----|-----|-----|
| 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 |

| | | |
|-----|-----|-----|
| 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 |

| | | |
|-------------|--------|--------|
| 2054 | 0.0675 | 0.0438 |
| 2055 | 0.0683 | 0.0428 |
| 2056 | 0.0690 | 0.0418 |
| 2057 | 0.0698 | 0.0409 |
| 2058 | 0.0706 | 0.0400 |
| 2059 | 0.0714 | 0.0391 |
| 2060 | 0.0722 | 0.0382 |

| | | |
|------------------------|--------|--------|
| Levelized Costs | | |
| 10 years (202 | 0.0634 | 0.0604 |
| 15 years (202 | 0.0615 | 0.0576 |
| 30 years (202 | 0.0617 | 0.0543 |

NOTES:

- 1 All Avoided Costs are in 2024
- 2 ISO New England periods: Su
- 3 Cross DRIPE = Electric-Gas c
- 4 Reliability assumes VOLL of \$
- 5 Retail electric energy = (whole
- 6 Retail non-embedded GHG c
- 7 Retail energy DRIPE = whole:
- 8 Retail cross-DRIPE = wholes:
- 9 Retail cleared \$/kW-year avoi
- 10 Retail uncleared \$/kW-year a
- 12 DRIPE and Reliability measur

book

Actual #1 Results: Avoided Cost of Electricity (2024 \$)

26 vintage measures

| Energy | | RPS Compliance Costs | Non-Embedded GHG Costs - Social cost of GHGs | | | |
|-------------|-----------------|----------------------|--|-----------------|-------------|-----------------|
| Summer Peak | Summer Off-Peak | | Winter Peak | Winter Off-Peak | Summer Peak | Summer Off-Peak |
| \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh |
| 0.0381 | 0.0375 | 0.0119 | 0.0972 | 0.0804 | 0.0682 | 0.0462 |
| 0.0399 | 0.0388 | 0.0122 | 0.1006 | 0.0832 | 0.0705 | 0.0478 |
| 0.0319 | 0.0307 | 0.0121 | 0.1019 | 0.0843 | 0.0715 | 0.0484 |
| 0.0300 | 0.0292 | 0.0127 | 0.0963 | 0.0919 | 0.0802 | 0.0704 |
| 0.0302 | 0.0300 | 0.0125 | 0.0980 | 0.0935 | 0.0816 | 0.0716 |
| 0.0303 | 0.0298 | 0.0107 | 0.0992 | 0.0946 | 0.0826 | 0.0724 |
| 0.0310 | 0.0302 | 0.0104 | 0.0924 | 0.0854 | 0.0902 | 0.0943 |
| 0.0323 | 0.0313 | 0.0109 | 0.0939 | 0.0868 | 0.0917 | 0.0958 |
| 0.0330 | 0.0317 | 0.0095 | 0.0950 | 0.0878 | 0.0928 | 0.0969 |
| 0.0348 | 0.0341 | 0.0094 | 0.0910 | 0.0803 | 0.0993 | 0.1003 |
| 0.0359 | 0.0350 | 0.0097 | 0.0924 | 0.0816 | 0.1008 | 0.1018 |
| 0.0369 | 0.0355 | 0.0101 | 0.0934 | 0.0824 | 0.1019 | 0.1029 |
| 0.0387 | 0.0361 | 0.0105 | 0.0791 | 0.0691 | 0.0820 | 0.0820 |
| 0.0395 | 0.0360 | 0.0106 | 0.0802 | 0.0701 | 0.0831 | 0.0831 |
| 0.0430 | 0.0383 | 0.0106 | 0.0810 | 0.0708 | 0.0840 | 0.0840 |
| 0.0436 | 0.0394 | 0.0105 | 0.0679 | 0.0600 | 0.0731 | 0.0693 |
| 0.0464 | 0.0419 | 0.0103 | 0.0688 | 0.0608 | 0.0741 | 0.0702 |
| 0.0453 | 0.0406 | 0.0109 | 0.0697 | 0.0616 | 0.0751 | 0.0712 |
| 0.0457 | 0.0414 | 0.0108 | 0.0644 | 0.0555 | 0.0678 | 0.0617 |
| 0.0462 | 0.0400 | 0.0096 | 0.0652 | 0.0562 | 0.0687 | 0.0625 |
| 0.0471 | 0.0415 | 0.0100 | 0.0660 | 0.0569 | 0.0695 | 0.0633 |
| 0.0484 | 0.0439 | 0.0100 | 0.0563 | 0.0539 | 0.0589 | 0.0562 |
| 0.0498 | 0.0451 | 0.0085 | 0.0569 | 0.0546 | 0.0596 | 0.0569 |
| 0.0523 | 0.0468 | 0.0083 | 0.0578 | 0.0554 | 0.0605 | 0.0577 |
| 0.0524 | 0.0469 | 0.0082 | 0.0573 | 0.0514 | 0.0528 | 0.0514 |
| 0.0530 | 0.0467 | 0.0079 | 0.0579 | 0.0520 | 0.0533 | 0.0519 |
| 0.0545 | 0.0490 | 0.0077 | 0.0585 | 0.0525 | 0.0539 | 0.0525 |
| 0.0557 | 0.0499 | 0.0073 | 0.0590 | 0.0520 | 0.0525 | 0.0514 |
| 0.0570 | 0.0509 | 0.0070 | 0.0594 | 0.0515 | 0.0511 | 0.0503 |
| 0.0583 | 0.0518 | 0.0067 | 0.0598 | 0.0510 | 0.0498 | 0.0493 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0596 | 0.0528 | 0.0064 | 0.0602 | 0.0505 | 0.0485 | 0.0483 |
| 0.0610 | 0.0538 | 0.0061 | 0.0606 | 0.0500 | 0.0473 | 0.0473 |
| 0.0623 | 0.0549 | 0.0058 | 0.0610 | 0.0495 | 0.0460 | 0.0463 |
| 0.0638 | 0.0559 | 0.0056 | 0.0614 | 0.0490 | 0.0448 | 0.0453 |
| 0.0652 | 0.0570 | 0.0053 | 0.0619 | 0.0485 | 0.0437 | 0.0444 |
| 0.0667 | 0.0581 | 0.0051 | 0.0623 | 0.0480 | 0.0426 | 0.0435 |
| 0.0682 | 0.0592 | 0.0049 | 0.0627 | 0.0475 | 0.0415 | 0.0426 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0604 | 0.0324 | 0.0113 | 0.0967 | 0.0868 | 0.0824 | 0.0734 |
| 0.0576 | 0.0336 | 0.0110 | 0.0932 | 0.0832 | 0.0849 | 0.0788 |
| 0.0543 | 0.0384 | 0.0101 | 0.0796 | 0.0710 | 0.0749 | 0.0701 |

. Dollars.

Summer is June through September, Winter is all other months. Peak hours are: Monday through Friday 7
cross DRIPE + Electric-Gas-Electric cross DRIPE
\$60.71/kWh.

Wholesale electric energy + REC cost to load) * (1 + Losses of 9.0%) * (1 + Wholesale Risk Premium of 8.0%)
Costs = wholesale non-embedded GHG costs* (1 + Losses of 9.0%). Avoided costs include those related to
Wholesale energy DRIPE * (1 + Losses of 9.0%) * (1 + Wholesale Risk Premium of 8.0%)
Wholesale cross-DRIPE * (1 + Losses of 9.0%) * (1 + Wholesale Risk Premium of 8.0%)
Avoided costs = wholesale cleared \$/kW-year avoided cost * (1 + Losses of 16.0%)
Avoided costs = wholesale uncleared \$/kW-year avoided cost * (1 + Losses of 16.0%) * (1 + Wholesale Risk Premium of 8.0%)
The vintage is 2026. Assumed measure life is 5 years.

| | | | | | | |
|---|---|---|---|---|---|---|
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0055 | 0.0048 | 0.0028 | 0.0017 | 0.0372 | 0.0324 | 0.0202 |
| 0.0047 | 0.0041 | 0.0025 | 0.0015 | 0.0323 | 0.0279 | 0.0182 |
| 0.0026 | 0.0023 | 0.0014 | 0.0008 | 0.0182 | 0.0157 | 0.0103 |


AM - 11 PM; Off-Peak Hours are all other hours.

)
to CO2, CH4, and N2O. Avoided costs include those point-of-combustion emissions only.

risk Premium of 8.0%)

| | | | | | | |
|---|---|---|------|-----|-----|---|
| - | - | - | 68.6 | 0.0 | 0.0 | - |
| - | - | - | 68.6 | 0.0 | 0.0 | - |
| - | - | - | 68.6 | 0.0 | 0.0 | - |
| - | - | - | 68.6 | 0.0 | 0.0 | - |
| - | - | - | 68.6 | 0.0 | 0.0 | - |
| - | - | - | 68.6 | 0.0 | 0.0 | - |
| - | - | - | 68.6 | 0.0 | 0.0 | - |

| | | | | | | |
|--------|--------|--------|------|-----|------|-----|
| 0.0119 | 0.0021 | 0.0141 | 68.6 | 0.0 | 12.6 | 0.0 |
| 0.0108 | 0.0015 | 0.0103 | 68.6 | 0.0 | 8.7 | 0.0 |
| 0.0061 | 0.0008 | 0.0058 | 68.6 | 0.0 | 4.9 | 0.0 |




| Structure | | | | | | Future capacity |
|------------------|------------------------|--------------------|------------------------|--------------------------|-----------|---------------------|
| Capacity DRIPE | | | | Reliability ⁴ | | Electric Cost |
| Intrastate DRIPE | | Rest-of-Pool DRIPE | | Cleared | Uncleared | Cleared (FCA Price) |
| Cleared | Uncleared ² | Cleared | Uncleared ² | Cleared | Uncleared | Cleared (FCA Price) |
| \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr |
| - | - | - | - | - | - | 0.0 |
| - | - | - | - | - | - | 0.0 |
| 0.0 | - | 0.0 | - | 0.0 | 18.0 | 0.0 |
| 0.0 | - | 0.0 | - | 0.0 | 15.4 | 0.0 |
| - | - | - | - | - | - | 30.8 |
| - | - | - | - | - | - | 34.0 |
| - | - | - | - | - | - | 50.9 |
| - | - | - | - | - | - | 50.9 |
| - | - | - | - | - | - | 67.9 |
| - | - | - | - | - | - | 67.9 |
| - | - | - | - | - | - | 84.9 |
| - | - | - | - | - | - | 67.9 |
| - | - | - | - | - | - | 50.9 |
| - | - | - | - | - | - | 84.9 |
| - | - | - | - | - | - | 84.9 |
| - | - | - | - | - | - | 67.9 |
| - | - | - | - | - | - | 126.4 |
| - | - | - | - | - | - | 84.9 |
| - | - | - | - | - | - | 67.9 |
| - | - | - | - | - | - | 84.9 |
| - | - | - | - | - | - | 84.9 |
| - | - | - | - | - | - | 114.1 |
| - | - | - | - | - | - | 114.1 |
| - | - | - | - | - | - | 126.4 |
| - | - | - | - | - | - | 84.9 |
| - | - | - | - | - | - | 84.9 |
| - | - | - | - | - | - | 67.9 |
| - | - | - | - | - | - | 61.1 |
| - | - | - | - | - | - | 54.9 |
| - | - | - | - | - | - | 49.3 |

| | | | | | | |
|---|---|---|---|---|---|------|
| - | - | - | - | - | - | 44.3 |
| - | - | - | - | - | - | 39.9 |
| - | - | - | - | - | - | 35.8 |
| - | - | - | - | - | - | 32.2 |
| - | - | - | - | - | - | 28.9 |
| - | - | - | - | - | - | 26.0 |
| - | - | - | - | - | - | 23.4 |

| | | | | | | |
|-----|-----|-----|-----|-----|-----|------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 29.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 42.9 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 62.8 |


| | | | | | | |
|---|---|---|---|---|---|---|
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |

| | | | | | | |
|------|-----|-----|------|------|-----|-----|
| 22.5 | 2.8 | 4.6 | 27.4 | 45.1 | 0.4 | 2.8 |
| 20.0 | 2.0 | 3.2 | 19.0 | 31.4 | 0.3 | 1.9 |
| 11.3 | 1.1 | 1.8 | 10.7 | 17.7 | 0.2 | 1.1 |



| | | | | | | |
|--------|---|---|---|---|---|---|
| 132.2 | - | - | - | - | - | - |
| 220.8 | - | - | - | - | - | - |
| 368.8 | - | - | - | - | - | - |
| 615.9 | - | - | - | - | - | - |
| 1028.8 | - | - | - | - | - | - |
| 1718.3 | - | - | - | - | - | - |
| 2870.1 | - | - | - | - | - | - |

| | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |





| | | 187 | 188 | 189 | 190 |
|---------------------------|---------------|------------------------------------|-----------------|---------------|-----------------|
| RETAIL VALUES | | | | | |
| bility⁴ | Years | Electric Energy⁵ | | | |
| | | Winter Peak | Winter Off-Peak | Summer Peak | Summer Off-Peak |
| Uncleared | <i>Units:</i> | <i>\$/kWh</i> | <i>\$/kWh</i> | <i>\$/kWh</i> | <i>\$/kWh</i> |
| <i>\$/kW-yr</i> | | | | | |
| - | 2024 | 0.1068 | 0.1031 | 0.0588 | 0.0581 |
| - | 2025 | 0.1080 | 0.1039 | 0.0614 | 0.0601 |
| - | 2026 | 0.0881 | 0.0852 | 0.0518 | 0.0504 |
| - | 2027 | 0.0861 | 0.0833 | 0.0503 | 0.0493 |
| - | 2028 | 0.0851 | 0.0828 | 0.0503 | 0.0500 |
| - | 2029 | 0.0820 | 0.0794 | 0.0483 | 0.0477 |
| - | 2030 | 0.0803 | 0.0770 | 0.0488 | 0.0477 |
| - | 2031 | 0.0820 | 0.0791 | 0.0508 | 0.0497 |
| - | 2032 | 0.0784 | 0.0725 | 0.0501 | 0.0485 |
| - | 2033 | 0.0781 | 0.0732 | 0.0521 | 0.0513 |
| - | 2034 | 0.0779 | 0.0740 | 0.0537 | 0.0526 |
| - | 2035 | 0.0788 | 0.0740 | 0.0553 | 0.0536 |
| - | 2036 | 0.0780 | 0.0721 | 0.0579 | 0.0549 |
| - | 2037 | 0.0801 | 0.0717 | 0.0589 | 0.0549 |
| - | 2038 | 0.0830 | 0.0700 | 0.0630 | 0.0576 |
| - | 2039 | 0.0828 | 0.0700 | 0.0636 | 0.0588 |
| - | 2040 | 0.0842 | 0.0774 | 0.0668 | 0.0615 |
| - | 2041 | 0.0830 | 0.0740 | 0.0661 | 0.0606 |
| - | 2042 | 0.0834 | 0.0729 | 0.0665 | 0.0615 |
| - | 2043 | 0.0811 | 0.0686 | 0.0657 | 0.0584 |
| - | 2044 | 0.0852 | 0.0667 | 0.0672 | 0.0607 |
| - | 2045 | 0.0834 | 0.0718 | 0.0687 | 0.0634 |
| - | 2046 | 0.0792 | 0.0710 | 0.0686 | 0.0631 |
| - | 2047 | 0.0849 | 0.0805 | 0.0713 | 0.0648 |
| - | 2048 | 0.0824 | 0.0681 | 0.0713 | 0.0649 |
| - | 2049 | 0.0816 | 0.0643 | 0.0717 | 0.0643 |
| - | 2050 | 0.0850 | 0.0655 | 0.0732 | 0.0667 |
| - | 2051 | 0.0855 | 0.0638 | 0.0742 | 0.0674 |
| - | 2052 | 0.0859 | 0.0622 | 0.0753 | 0.0681 |
| - | 2053 | 0.0864 | 0.0606 | 0.0765 | 0.0689 |

| |
|---|
| - |
| - |
| - |
| - |
| - |
| - |
| - |

| | | | | |
|-------------|--------|--------|--------|--------|
| 2054 | 0.0870 | 0.0591 | 0.0777 | 0.0697 |
| 2055 | 0.0875 | 0.0576 | 0.0789 | 0.0706 |
| 2056 | 0.0881 | 0.0561 | 0.0803 | 0.0714 |
| 2057 | 0.0887 | 0.0547 | 0.0816 | 0.0724 |
| 2058 | 0.0893 | 0.0533 | 0.0830 | 0.0733 |
| 2059 | 0.0900 | 0.0520 | 0.0845 | 0.0743 |
| 2060 | 0.0907 | 0.0507 | 0.0860 | 0.0754 |

| |
|-----|
| 0.0 |
| 0.0 |
| 0.0 |

| | | | | |
|------------------------|--------|--------|--------|--------|
| Levelized Costs | | | | |
| 10 years (202 | 0.0879 | 0.0844 | 0.0844 | 0.0514 |
| 15 years (202 | 0.0854 | 0.0807 | 0.0807 | 0.0524 |
| 30 years (202 | 0.0846 | 0.0758 | 0.0758 | 0.0572 |

| | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|
| | | | | | | |
| | | | | | | |
| 191 | 192 | 193 | 194 | 195 | 196 | 197 |

| Non-Embedded GHG Costs - Social cost of GHGs[6] | | | | Intrastate DRIPE | | |
|---|-----------------|-------------|-----------------|------------------|-----------------|-------------|
| Winter Peak | Winter Off-Peak | Summer Peak | Summer Off-Peak | Winter Peak | Winter Off-Peak | Summer Peak |
| \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh | \$/kWh |
| 0.1060 | 0.0876 | 0.0743 | 0.0504 | 0.0000 | 0.0000 | 0.0000 |
| 0.1096 | 0.0907 | 0.0769 | 0.0521 | 0.0000 | 0.0000 | 0.0000 |
| 0.1111 | 0.0918 | 0.0779 | 0.0528 | 0.0052 | 0.0046 | 0.0025 |
| 0.1050 | 0.1001 | 0.0874 | 0.0767 | 0.0078 | 0.0070 | 0.0037 |
| 0.1068 | 0.1019 | 0.0889 | 0.0780 | 0.0095 | 0.0085 | 0.0046 |
| 0.1081 | 0.1031 | 0.0900 | 0.0790 | 0.0092 | 0.0082 | 0.0045 |
| 0.1007 | 0.0931 | 0.0984 | 0.1027 | 0.0089 | 0.0077 | 0.0045 |
| 0.1024 | 0.0946 | 0.1000 | 0.1044 | 0.0087 | 0.0076 | 0.0046 |
| 0.1035 | 0.0957 | 0.1011 | 0.1056 | 0.0080 | 0.0068 | 0.0044 |
| 0.0992 | 0.0876 | 0.1083 | 0.1093 | 0.0075 | 0.0063 | 0.0044 |
| 0.1007 | 0.0889 | 0.1099 | 0.1110 | 0.0066 | 0.0056 | 0.0040 |
| 0.1018 | 0.0899 | 0.1111 | 0.1122 | 0.0055 | 0.0046 | 0.0034 |
| 0.0862 | 0.0753 | 0.0893 | 0.0893 | 0.0037 | 0.0030 | 0.0024 |
| 0.0875 | 0.0764 | 0.0906 | 0.0906 | 0.0000 | 0.0000 | 0.0000 |
| 0.0883 | 0.0772 | 0.0915 | 0.0915 | 0.0000 | 0.0000 | 0.0000 |
| 0.0740 | 0.0654 | 0.0797 | 0.0755 | 0.0000 | 0.0000 | 0.0000 |
| 0.0750 | 0.0663 | 0.0808 | 0.0766 | 0.0000 | 0.0000 | 0.0000 |
| 0.0760 | 0.0672 | 0.0818 | 0.0776 | 0.0000 | 0.0000 | 0.0000 |
| 0.0702 | 0.0605 | 0.0739 | 0.0673 | 0.0000 | 0.0000 | 0.0000 |
| 0.0710 | 0.0613 | 0.0748 | 0.0681 | 0.0000 | 0.0000 | 0.0000 |
| 0.0719 | 0.0620 | 0.0758 | 0.0690 | 0.0000 | 0.0000 | 0.0000 |
| 0.0613 | 0.0588 | 0.0642 | 0.0613 | 0.0000 | 0.0000 | 0.0000 |
| 0.0621 | 0.0595 | 0.0650 | 0.0620 | 0.0000 | 0.0000 | 0.0000 |
| 0.0630 | 0.0604 | 0.0660 | 0.0629 | 0.0000 | 0.0000 | 0.0000 |
| 0.0625 | 0.0560 | 0.0575 | 0.0560 | 0.0000 | 0.0000 | 0.0000 |
| 0.0631 | 0.0566 | 0.0581 | 0.0566 | 0.0000 | 0.0000 | 0.0000 |
| 0.0638 | 0.0573 | 0.0588 | 0.0572 | 0.0000 | 0.0000 | 0.0000 |
| 0.0643 | 0.0567 | 0.0572 | 0.0560 | 0.0000 | 0.0000 | 0.0000 |
| 0.0647 | 0.0561 | 0.0557 | 0.0549 | 0.0000 | 0.0000 | 0.0000 |
| 0.0651 | 0.0556 | 0.0543 | 0.0537 | 0.0000 | 0.0000 | 0.0000 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0656 | 0.0550 | 0.0529 | 0.0526 | 0.0000 | 0.0000 | 0.0000 |
| 0.0661 | 0.0545 | 0.0515 | 0.0515 | 0.0000 | 0.0000 | 0.0000 |
| 0.0665 | 0.0539 | 0.0502 | 0.0505 | 0.0000 | 0.0000 | 0.0000 |
| 0.0670 | 0.0534 | 0.0489 | 0.0494 | 0.0000 | 0.0000 | 0.0000 |
| 0.0674 | 0.0528 | 0.0476 | 0.0484 | 0.0000 | 0.0000 | 0.0000 |
| 0.0679 | 0.0523 | 0.0464 | 0.0474 | 0.0000 | 0.0000 | 0.0000 |
| 0.0684 | 0.0518 | 0.0452 | 0.0464 | 0.0000 | 0.0000 | 0.0000 |


| | | | | | | |
|--------|--------|--------|--------|-----|-----|-----|
| 0.1054 | 0.0946 | 0.0898 | 0.0800 | 0.0 | 0.0 | 0.0 |
| 0.1016 | 0.0906 | 0.0925 | 0.0859 | 0.0 | 0.0 | 0.0 |
| 0.0867 | 0.0774 | 0.0816 | 0.0764 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

| | | | | | | |
|-----|-----|-----|-----|-----|--------|--------|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0024 | 0.0165 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0018 | 0.0121 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0010 | 0.0068 |

| | | | | | | |
|------|-----|-----|-----|-----|-----|-----|
| 79.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 79.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 79.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 79.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 79.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 79.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 79.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|------|-----|------|-----|-----|-----|-----|
| 79.6 | 0.0 | 14.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| 79.6 | 0.0 | 10.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 79.6 | 0.0 | 5.7 | 0.0 | 0.0 | 0.0 | 0.0 |



| 212 | 213 | 214 | 215 | 216 | 217 | 218 |
|--|-------------------------|----------------------|-------------------------|----------------------|-------------------------|------------------|
| <i>Future capacity market structure - Summer (June through August)</i> | | | | | | |
| Pool DRIPE | Reliability | | Electric Capacity | | Capacity | |
| | Uncleared ¹⁰ | Cleared ⁹ | Uncleared ¹⁰ | Cleared ⁹ | Uncleared ¹⁰ | Intrastate DRIPE |
| | | | | | | |
| \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr | \$/kW-yr |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 22.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 19.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 35.8 | 12.2 | 11.7 | 5.9 |
| 0.0 | 0.0 | 0.0 | 39.4 | 21.9 | 8.7 | 8.7 |
| 0.0 | 0.0 | 0.0 | 59.1 | 45.4 | 7.4 | 14.0 |
| 0.0 | 0.0 | 0.0 | 59.1 | 58.2 | 3.8 | 15.8 |
| 0.0 | 0.0 | 0.0 | 78.8 | 84.2 | 0.0 | 9.4 |
| 0.0 | 0.0 | 0.0 | 78.8 | 58.9 | 0.0 | 2.8 |
| 0.0 | 0.0 | 0.0 | 98.5 | 52.1 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 78.8 | 25.1 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 59.1 | 6.3 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 98.5 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 98.5 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 78.8 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 146.6 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 98.5 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 78.8 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 98.5 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 98.5 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 132.4 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 132.4 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 146.6 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 98.5 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 98.5 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 78.8 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 70.8 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 63.7 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 57.2 | 0.0 | 0.0 | 0.0 |

| | | | | | | |
|-----|-----|-----|------|-----|-----|-----|
| 0.0 | 0.0 | 0.0 | 51.4 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 46.2 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 41.6 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 37.4 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 33.6 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 30.2 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 27.1 | 0.0 | 0.0 | 0.0 |


| | | | | | | |
|-----|-----|-----|------|------|-----|-----|
| 0.0 | 0.0 | 4.4 | 33.6 | 28.2 | 3.3 | 5.8 |
| 0.0 | 0.0 | 3.1 | 49.8 | 25.1 | 2.3 | 4.0 |
| 0.0 | 0.0 | 1.7 | 72.9 | 14.2 | 1.3 | 2.3 |

| | | | | | | |
|-----|-----|-----|-----|--------|-----|-----|
| 0.0 | 0.0 | 0.0 | 0.0 | 153.3 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 256.1 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 427.8 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 714.5 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 1193.4 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 1993.3 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 3329.3 | 0.0 | 0.0 |

| | | | | | | |
|------|------|-----|-----|-----|-----|-----|
| 31.8 | 56.6 | 0.4 | 3.4 | 0.0 | 0.0 | 0.0 |
| 22.1 | 39.3 | 0.3 | 2.4 | 0.0 | 0.0 | 0.0 |
| 12.5 | 22.2 | 0.2 | 1.4 | 3.7 | 0.0 | 0.0 |

| | | | | |
|-----|-----|-----|-----|-----|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | | | |
|-----|-----|-----|-----|-----|
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



Uncleared Capacity and Capacity I

AESC Appendix J Workbooks, 'AppdxJ_O' and 'AppdxJ_S' tabs

Uncleared Capacity: 2024 measures (2024 \$/kW-year)

WHOLESALE VALUES

| | <i>Measure life (program duration)</i> | | | | | |
|------|--|---------|---------|---------|---------|---------|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 2024 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2025 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2026 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2027 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2028 | \$6.49 | \$12.97 | \$22.70 | \$22.70 | \$22.70 | \$22.70 |
| 2029 | \$6.99 | \$13.98 | \$20.96 | \$31.44 | \$31.44 | \$31.44 |
| 2030 | \$5.17 | \$15.52 | \$25.87 | \$36.22 | \$51.74 | \$51.74 |
| 2031 | \$0.00 | \$5.17 | \$15.50 | \$25.83 | \$36.16 | \$51.65 |
| 2032 | \$0.00 | \$0.00 | \$6.72 | \$20.17 | \$33.61 | \$47.06 |
| 2033 | \$0.00 | \$0.00 | \$0.00 | \$6.72 | \$20.16 | \$33.61 |
| 2034 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$8.31 | \$24.93 |
| 2035 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$6.68 |
| 2036 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2037 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2038 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2039 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2040 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2041 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2042 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2043 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2044 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2045 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2046 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2047 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2048 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2049 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2050 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2051 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2052 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2053 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2054 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2055 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2056 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2057 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2058 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2059 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2060 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2061 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2062 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2063 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2064 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

| | | | | | | |
|------|--------|--------|--------|--------|--------|--------|
| 2065 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2066 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2067 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2068 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

Uncleared Capacity: 2024 measures (2024 \$/kW-year)

RETAIL VALUES

| | <i>Measure life (program duration)</i> | | | | | |
|-------------------|--|----------------|----------------|-----------------|-----------------|-----------------|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 2024 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2025 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2026 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2027 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2028 | \$8.12 | \$16.25 | \$28.44 | \$28.44 | \$28.44 | \$28.44 |
| 2029 | \$8.75 | \$17.51 | \$26.26 | \$39.39 | \$39.39 | \$39.39 |
| 2030 | \$6.48 | \$19.45 | \$32.41 | \$45.37 | \$64.82 | \$64.82 |
| 2031 | \$0.00 | \$6.47 | \$19.41 | \$32.35 | \$45.30 | \$64.71 |
| 2032 | \$0.00 | \$0.00 | \$8.42 | \$25.27 | \$42.11 | \$58.96 |
| 2033 | \$0.00 | \$0.00 | \$0.00 | \$8.42 | \$25.26 | \$42.10 |
| 2034 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$10.41 | \$31.23 |
| 2035 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$8.37 |
| 2036 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2037 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2038 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2039 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2040 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2041 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2042 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2043 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2044 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2045 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2046 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2047 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2048 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2049 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2050 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2051 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2052 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2053 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2054 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2055 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2056 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2057 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2058 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2059 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2060 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2061 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2062 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2063 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2064 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2065 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2066 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2067 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2068 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Cumulative | \$18.12 | \$45.42 | \$85.97 | \$130.56 | \$180.93 | \$232.18 |

Uncleared Capacity: 2025 measures (2024 \$/kW-year)**WHOLESALE VALUES**

| | <i>Measure life (program duration)</i> | | | | | |
|------|--|---------|---------|---------|---------|---------|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 2024 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2025 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2026 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2027 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2028 | \$6.49 | \$16.21 | \$16.21 | \$16.21 | \$16.21 | \$16.21 |
| 2029 | \$6.99 | \$13.98 | \$24.46 | \$24.46 | \$24.46 | \$24.46 |
| 2030 | \$10.35 | \$20.70 | \$31.04 | \$46.57 | \$46.57 | \$46.57 |
| 2031 | \$5.17 | \$15.50 | \$25.83 | \$36.16 | \$51.65 | \$51.65 |
| 2032 | \$0.00 | \$6.72 | \$20.17 | \$33.61 | \$47.06 | \$67.23 |
| 2033 | \$0.00 | \$0.00 | \$6.72 | \$20.16 | \$33.61 | \$47.05 |
| 2034 | \$0.00 | \$0.00 | \$0.00 | \$8.31 | \$24.93 | \$41.55 |
| 2035 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$6.68 | \$20.04 |
| 2036 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$5.06 |
| 2037 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2038 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2039 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2040 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2041 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2042 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2043 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2044 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2045 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2046 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2047 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2048 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2049 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2050 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2051 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2052 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2053 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2054 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2055 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2056 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2057 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2058 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2059 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2060 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2061 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2062 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2063 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2064 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2065 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2066 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2067 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2068 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

Uncleared Capacity: 2025 measures (2024 \$/kW-year)**RETAIL VALUES**

| | <i>Measure life (program duration)</i> | | | | | |
|--|--|----------------|-----------------|-----------------|-----------------|-----------------|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 2024 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2025 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2026 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2027 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2028 | \$8.12 | \$20.31 | \$20.31 | \$20.31 | \$20.31 | \$20.31 |
| 2029 | \$8.75 | \$17.51 | \$30.64 | \$30.64 | \$30.64 | \$30.64 |
| 2030 | \$12.96 | \$25.93 | \$38.89 | \$58.34 | \$58.34 | \$58.34 |
| 2031 | \$6.47 | \$19.41 | \$32.35 | \$45.30 | \$64.71 | \$64.71 |
| 2032 | \$0.00 | \$8.42 | \$25.27 | \$42.11 | \$58.96 | \$84.22 |
| 2033 | \$0.00 | \$0.00 | \$8.42 | \$25.26 | \$42.10 | \$58.94 |
| 2034 | \$0.00 | \$0.00 | \$0.00 | \$10.41 | \$31.23 | \$52.06 |
| 2035 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$8.37 | \$25.11 |
| 2036 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$6.34 |
| 2037 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2038 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2039 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2040 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2041 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2042 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2043 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2044 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2045 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2046 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2047 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2048 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2049 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2050 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2051 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2052 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2053 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2054 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2055 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2056 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2057 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2058 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2059 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2060 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2061 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2062 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2063 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2064 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2065 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2066 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2067 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2068 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Cumulative | \$27.30 | \$67.84 | \$112.43 | \$162.80 | \$214.06 | \$265.27 |
| Uncleared Capacity: 2026 measures (2024 \$/kW-year) | | | | | | |
| WHOLESALE VALUES | | | | | | |
| | <i>Measure life (program duration)</i> | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 |

| | | | | | | |
|-------------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| 2029 | \$8.75 | \$21.89 | \$21.89 | \$21.89 | \$21.89 | \$21.89 |
| 2030 | \$12.96 | \$25.93 | \$45.37 | \$45.37 | \$45.37 | \$45.37 |
| 2031 | \$12.94 | \$25.88 | \$38.83 | \$58.24 | \$58.24 | \$58.24 |
| 2032 | \$8.42 | \$25.27 | \$42.11 | \$58.96 | \$84.22 | \$84.22 |
| 2033 | \$0.00 | \$8.42 | \$25.26 | \$42.10 | \$58.94 | \$84.21 |
| 2034 | \$0.00 | \$0.00 | \$10.41 | \$31.23 | \$52.06 | \$72.88 |
| 2035 | \$0.00 | \$0.00 | \$0.00 | \$8.37 | \$25.11 | \$41.84 |
| 2036 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$6.34 | \$19.03 |
| 2037 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$10.32 |
| 2038 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2039 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2040 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2041 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2042 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2043 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2044 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2045 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2046 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2047 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2048 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2049 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2050 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2051 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2052 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2053 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2054 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2055 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2056 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2057 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2058 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2059 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2060 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2061 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2062 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2063 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2064 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2065 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2066 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2067 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2068 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Cumulative | \$40.54 | \$85.13 | \$135.51 | \$186.76 | \$237.97 | \$286.24 |

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|

| | | | | | | | | |
|---|---|---|----|----|----|----|----|----|
| 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|---|---|---|----|----|----|----|----|----|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$28.44 | \$28.44 | \$28.44 | \$28.44 | \$28.44 | \$28.44 | \$28.44 | \$28.44 | \$28.44 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$39.39 | \$39.39 | \$39.39 | \$39.39 | \$39.39 | \$39.39 | \$39.39 | \$39.39 | \$39.39 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$64.82 | \$64.82 | \$64.82 | \$64.82 | \$64.82 | \$64.82 | \$64.82 | \$64.82 | \$64.82 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$64.71 | \$64.71 | \$64.71 | \$64.71 | \$64.71 | \$64.71 | \$64.71 | \$64.71 | \$64.71 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$58.94 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|----------|----------|----------|----------|----------|----------|----------|
| \$52.06 | \$72.88 | \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 |
|---------|---------|----------|----------|----------|----------|----------|----------|----------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$25.11 | \$41.84 | \$58.58 | \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|--------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$6.34 | \$19.03 | \$31.71 | \$44.40 | \$63.43 | \$63.43 | \$63.43 | \$63.43 | \$63.43 |
|--------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|--------|---------|---------|---------|---------|----------|----------|----------|----------|
| \$0.00 | \$10.32 | \$30.96 | \$51.59 | \$72.23 | \$103.19 | \$103.19 | \$103.19 | \$103.19 |
|--------|---------|---------|---------|---------|----------|----------|----------|----------|

| | | | | | | | | |
|--------|--------|---------|---------|---------|---------|----------|----------|----------|
| \$0.00 | \$0.00 | \$10.34 | \$31.01 | \$51.68 | \$72.35 | \$103.36 | \$103.36 | \$103.36 |
|--------|--------|---------|---------|---------|---------|----------|----------|----------|

| | | | | | | | | |
|--------|--------|--------|--------|---------|---------|---------|---------|---------|
| \$0.00 | \$0.00 | \$0.00 | \$8.32 | \$24.97 | \$41.62 | \$58.27 | \$83.24 | \$83.24 |
|--------|--------|--------|--------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|--------|--------|--------|--------|---------|---------|---------|----------|----------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$15.03 | \$45.09 | \$75.16 | \$105.22 | \$150.31 |
|--------|--------|--------|--------|---------|---------|---------|----------|----------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|---------|---------|---------|---------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$10.30 | \$30.91 | \$51.51 | \$72.11 |
|--------|--------|--------|--------|--------|---------|---------|---------|---------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|---------|---------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$8.26 | \$24.77 | \$41.29 |
|--------|--------|--------|--------|--------|--------|--------|---------|---------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|---------|---------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$10.25 | \$30.74 |
|--------|--------|--------|--------|--------|--------|--------|---------|---------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$10.25 |
|--------|--------|--------|--------|--------|--------|--------|--------|---------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| \$283.39 | \$331.66 | \$380.24 | \$423.68 | \$466.45 | \$514.58 | \$559.38 | \$600.09 | \$642.99 |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|

| | | | | | | | | |
|----|----|----|----|----|----|----|----|----|
| 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
|----|----|----|----|----|----|----|----|----|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$28.44 | \$28.44 | \$28.44 | \$28.44 | \$28.44 | \$28.44 | \$28.44 | \$28.44 | \$28.44 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$39.39 | \$39.39 | \$39.39 | \$39.39 | \$39.39 | \$39.39 | \$39.39 | \$39.39 | \$39.39 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$64.82 | \$64.82 | \$64.82 | \$64.82 | \$64.82 | \$64.82 | \$64.82 | \$64.82 | \$64.82 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$64.71 | \$64.71 | \$64.71 | \$64.71 | \$64.71 | \$64.71 | \$64.71 | \$64.71 | \$64.71 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$63.43 | \$63.43 | \$63.43 | \$63.43 | \$63.43 | \$63.43 | \$63.43 | \$63.43 | \$63.43 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| \$103.19 | \$103.19 | \$103.19 | \$103.19 | \$103.19 | \$103.19 | \$103.19 | \$103.19 | \$103.19 |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|

| | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| \$103.36 | \$103.36 | \$103.36 | \$103.36 | \$103.36 | \$103.36 | \$103.36 | \$103.36 | \$103.36 |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$83.24 | \$83.24 | \$83.24 | \$83.24 | \$83.24 | \$83.24 | \$83.24 | \$83.24 | \$83.24 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| \$150.31 | \$150.31 | \$150.31 | \$150.31 | \$150.31 | \$150.31 | \$150.31 | \$150.31 | \$150.31 |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|

| | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| \$103.02 | \$103.02 | \$103.02 | \$103.02 | \$103.02 | \$103.02 | \$103.02 | \$103.02 | \$103.02 |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|

| | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| \$57.81 | \$82.58 | \$82.58 | \$82.58 | \$82.58 | \$82.58 | \$82.58 | \$82.58 | \$82.58 |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|

| | | | | | | | | |
|---------|---------|----------|----------|----------|----------|----------|----------|----------|
| \$51.23 | \$71.72 | \$102.46 | \$102.46 | \$102.46 | \$102.46 | \$102.46 | \$102.46 | \$102.46 |
|---------|---------|----------|----------|----------|----------|----------|----------|----------|

| | | | | | | | | |
|---------|---------|---------|----------|----------|----------|----------|----------|----------|
| \$30.76 | \$51.27 | \$71.78 | \$102.54 | \$102.54 | \$102.54 | \$102.54 | \$102.54 | \$102.54 |
|---------|---------|---------|----------|----------|----------|----------|----------|----------|

| | | | | | | | | |
|---------|---------|---------|---------|----------|----------|----------|----------|----------|
| \$13.57 | \$40.70 | \$67.83 | \$94.96 | \$135.65 | \$135.65 | \$135.65 | \$135.65 | \$135.65 |
|---------|---------|---------|---------|----------|----------|----------|----------|----------|

| | | | | | | | | |
|--------|---------|---------|---------|---------|----------|----------|----------|----------|
| \$0.00 | \$13.55 | \$40.64 | \$67.73 | \$94.82 | \$135.46 | \$135.46 | \$135.46 | \$135.46 |
|--------|---------|---------|---------|---------|----------|----------|----------|----------|

| | | | | | | | | |
|--------|--------|---------|---------|---------|----------|----------|----------|----------|
| \$0.00 | \$0.00 | \$14.91 | \$44.72 | \$74.54 | \$104.35 | \$149.08 | \$149.08 | \$149.08 |
|--------|--------|---------|---------|---------|----------|----------|----------|----------|

| | | | | | | | | |
|--------|--------|--------|---------|---------|---------|---------|----------|----------|
| \$0.00 | \$0.00 | \$0.00 | \$10.16 | \$30.49 | \$50.81 | \$71.14 | \$101.62 | \$101.62 |
|--------|--------|--------|---------|---------|---------|---------|----------|----------|

| | | | | | | | | |
|--------|--------|--------|--------|---------|---------|---------|---------|----------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$10.13 | \$30.40 | \$50.66 | \$70.92 | \$101.32 |
|--------|--------|--------|--------|---------|---------|---------|---------|----------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|---------|---------|---------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$8.19 | \$24.56 | \$40.94 | \$57.31 |
|--------|--------|--------|--------|--------|--------|---------|---------|---------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|---------|---------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$7.42 | \$22.27 | \$37.11 |
|--------|--------|--------|--------|--------|--------|--------|---------|---------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$6.67 | \$20.02 |
|--------|--------|--------|--------|--------|--------|--------|--------|---------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$6.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|

| | | | | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| \$678.90 | \$713.97 | \$751.54 | \$788.57 | \$824.84 | \$856.90 | \$884.76 | \$905.97 | \$924.31 |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|

| | | | | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| \$21.89 | \$21.89 | \$21.89 | \$21.89 | \$21.89 | \$21.89 | \$21.89 | \$21.89 | \$21.89 |
| \$45.37 | \$45.37 | \$45.37 | \$45.37 | \$45.37 | \$45.37 | \$45.37 | \$45.37 | \$45.37 |
| \$58.24 | \$58.24 | \$58.24 | \$58.24 | \$58.24 | \$58.24 | \$58.24 | \$58.24 | \$58.24 |
| \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 | \$84.22 |
| \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 | \$84.21 |
| \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 | \$104.11 |
| \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 | \$83.69 |
| \$63.43 | \$63.43 | \$63.43 | \$63.43 | \$63.43 | \$63.43 | \$63.43 | \$63.43 | \$63.43 |
| \$103.19 | \$103.19 | \$103.19 | \$103.19 | \$103.19 | \$103.19 | \$103.19 | \$103.19 | \$103.19 |
| \$103.36 | \$103.36 | \$103.36 | \$103.36 | \$103.36 | \$103.36 | \$103.36 | \$103.36 | \$103.36 |
| \$83.24 | \$83.24 | \$83.24 | \$83.24 | \$83.24 | \$83.24 | \$83.24 | \$83.24 | \$83.24 |
| \$150.31 | \$150.31 | \$150.31 | \$150.31 | \$150.31 | \$150.31 | \$150.31 | \$150.31 | \$150.31 |
| \$103.02 | \$103.02 | \$103.02 | \$103.02 | \$103.02 | \$103.02 | \$103.02 | \$103.02 | \$103.02 |
| \$82.58 | \$82.58 | \$82.58 | \$82.58 | \$82.58 | \$82.58 | \$82.58 | \$82.58 | \$82.58 |
| \$102.46 | \$102.46 | \$102.46 | \$102.46 | \$102.46 | \$102.46 | \$102.46 | \$102.46 | \$102.46 |
| \$102.54 | \$102.54 | \$102.54 | \$102.54 | \$102.54 | \$102.54 | \$102.54 | \$102.54 | \$102.54 |
| \$135.65 | \$135.65 | \$135.65 | \$135.65 | \$135.65 | \$135.65 | \$135.65 | \$135.65 | \$135.65 |
| \$135.46 | \$135.46 | \$135.46 | \$135.46 | \$135.46 | \$135.46 | \$135.46 | \$135.46 | \$135.46 |
| \$149.08 | \$149.08 | \$149.08 | \$149.08 | \$149.08 | \$149.08 | \$149.08 | \$149.08 | \$149.08 |
| \$101.62 | \$101.62 | \$101.62 | \$101.62 | \$101.62 | \$101.62 | \$101.62 | \$101.62 | \$101.62 |
| \$101.32 | \$101.32 | \$101.32 | \$101.32 | \$101.32 | \$101.32 | \$101.32 | \$101.32 | \$101.32 |
| \$81.87 | \$81.87 | \$81.87 | \$81.87 | \$81.87 | \$81.87 | \$81.87 | \$81.87 | \$81.87 |
| \$74.23 | \$74.23 | \$74.23 | \$74.23 | \$74.23 | \$74.23 | \$74.23 | \$74.23 | \$74.23 |
| \$66.72 | \$66.72 | \$66.72 | \$66.72 | \$66.72 | \$66.72 | \$66.72 | \$66.72 | \$66.72 |
| \$41.98 | \$59.97 | \$59.97 | \$59.97 | \$59.97 | \$59.97 | \$59.97 | \$59.97 | \$59.97 |
| \$26.95 | \$37.73 | \$53.90 | \$53.90 | \$53.90 | \$53.90 | \$53.90 | \$53.90 | \$53.90 |
| \$14.54 | \$24.23 | \$33.92 | \$48.45 | \$48.45 | \$48.45 | \$48.45 | \$48.45 | \$48.45 |
| \$4.35 | \$13.06 | \$21.77 | \$30.48 | \$43.55 | \$43.55 | \$43.55 | \$43.55 | \$43.55 |
| \$0.00 | \$3.91 | \$11.74 | \$19.57 | \$27.40 | \$39.14 | \$39.14 | \$39.14 | \$39.14 |
| \$0.00 | \$0.00 | \$3.52 | \$10.56 | \$17.59 | \$24.63 | \$35.18 | \$35.18 | \$35.18 |
| \$0.00 | \$0.00 | \$0.00 | \$3.16 | \$9.49 | \$15.81 | \$22.14 | \$31.62 | \$31.62 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2.84 | \$8.53 | \$14.21 | \$19.90 | \$28.43 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2.56 | \$7.67 | \$12.78 | \$17.89 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2.30 | \$6.89 | \$11.48 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2.06 | \$6.19 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1.86 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$917.37 | \$926.54 | \$934.32 | \$940.92 | \$946.52 | \$950.96 | \$954.10 | \$956.14 | \$957.25 |

AESC Appendix J Workbooks, 'AppdxJ_O' and 'A'

Uncleared Capacity DRIPE, Zone-on-Zone: 2024 measure

WHOLESALE VALUES

| | | <i>Measure life (program duration)</i> | | | | |
|----------|----------|--|--------|--------|---------|---------|
| 34 | 35 | 1 | 2 | 3 | 4 | 5 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$22.70 | \$22.70 | \$1.87 | \$4.23 | \$8.98 | \$8.98 | \$8.98 |
| \$31.44 | \$31.44 | \$1.29 | \$3.11 | \$5.42 | \$10.07 | \$10.07 |
| \$51.74 | \$51.74 | \$0.00 | \$0.63 | \$2.95 | \$5.88 | \$11.79 |
| \$51.65 | \$51.65 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2.60 |
| \$67.23 | \$67.23 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$67.21 | \$67.21 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$83.10 | \$83.10 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$66.80 | \$66.80 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$50.63 | \$50.63 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$82.37 | \$82.37 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$82.50 | \$82.50 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$66.44 | \$66.44 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$119.98 | \$119.98 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$82.23 | \$82.23 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$65.92 | \$65.92 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$81.79 | \$81.79 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$81.85 | \$81.85 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$108.28 | \$108.28 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$108.13 | \$108.13 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$118.99 | \$118.99 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$81.12 | \$81.12 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$80.88 | \$80.88 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$65.35 | \$65.35 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$59.25 | \$59.25 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$53.26 | \$53.26 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$47.87 | \$47.87 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$43.03 | \$43.03 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$38.67 | \$38.67 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$34.76 | \$34.76 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$31.25 | \$31.25 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$28.08 | \$28.08 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$25.24 | \$25.24 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$15.88 | \$22.69 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$10.20 | \$14.28 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$5.50 | \$9.17 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$1.65 | \$4.94 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| \$0.00 | \$1.48 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

| | |
|--------|--------|
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |

| | |
|--|--|
| | |
| | |

| | |
|----|----|
| 34 | 35 |
|----|----|

| | |
|----------|----------|
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$28.44 | \$28.44 |
| \$39.39 | \$39.39 |
| \$64.82 | \$64.82 |
| \$64.71 | \$64.71 |
| \$84.22 | \$84.22 |
| \$84.21 | \$84.21 |
| \$104.11 | \$104.11 |
| \$83.69 | \$83.69 |
| \$63.43 | \$63.43 |
| \$103.19 | \$103.19 |
| \$103.36 | \$103.36 |
| \$83.24 | \$83.24 |
| \$150.31 | \$150.31 |
| \$103.02 | \$103.02 |
| \$82.58 | \$82.58 |
| \$102.46 | \$102.46 |
| \$102.54 | \$102.54 |
| \$135.65 | \$135.65 |
| \$135.46 | \$135.46 |
| \$149.08 | \$149.08 |
| \$101.62 | \$101.62 |
| \$101.32 | \$101.32 |
| \$81.87 | \$81.87 |
| \$74.23 | \$74.23 |
| \$66.72 | \$66.72 |
| \$59.97 | \$59.97 |
| \$53.90 | \$53.90 |
| \$48.45 | \$48.45 |
| \$43.55 | \$43.55 |
| \$39.14 | \$39.14 |
| \$35.18 | \$35.18 |
| \$31.62 | \$31.62 |
| \$19.90 | \$28.43 |
| \$12.78 | \$17.89 |
| \$6.89 | \$11.48 |
| \$2.06 | \$6.19 |
| \$0.00 | \$1.86 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$994.64 | \$994.64 |

| | | | | | |
|------|--------|--------|--------|--------|--------|
| 2065 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2066 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2067 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2068 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

Uncleared Capacity DRIPE, Zone-on-Zone: 2024 measure

RETAIL VALUES

| | <i>Measure life (program duration)</i> | | | | |
|-------------------|--|---------------|----------------|----------------|----------------|
| | 1 | 2 | 3 | 4 | 5 |
| 2024 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2025 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2026 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2027 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2028 | \$2.34 | \$5.30 | \$11.24 | \$11.24 | \$11.24 |
| 2029 | \$1.61 | \$3.90 | \$6.79 | \$12.62 | \$12.62 |
| 2030 | \$0.00 | \$0.79 | \$3.70 | \$7.37 | \$14.77 |
| 2031 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$3.26 |
| 2032 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2033 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2034 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2035 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2036 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2037 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2038 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2039 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2040 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2041 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2042 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2043 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2044 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2045 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2046 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2047 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2048 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2049 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2050 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2051 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2052 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2053 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2054 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2055 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2056 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2057 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2058 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2059 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2060 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2061 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2062 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2063 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2064 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2065 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2066 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2067 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2068 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Cumulative | \$3.16 | \$7.92 | \$17.13 | \$24.31 | \$31.94 |

| 34 | 35 |
|----------|----------|
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$16.21 | \$16.21 |
| \$24.46 | \$24.46 |
| \$46.57 | \$46.57 |
| \$51.65 | \$51.65 |
| \$67.23 | \$67.23 |
| \$67.21 | \$67.21 |
| \$83.10 | \$83.10 |
| \$66.80 | \$66.80 |
| \$50.63 | \$50.63 |
| \$82.37 | \$82.37 |
| \$82.50 | \$82.50 |
| \$66.44 | \$66.44 |
| \$119.98 | \$119.98 |
| \$82.23 | \$82.23 |
| \$65.92 | \$65.92 |
| \$81.79 | \$81.79 |
| \$81.85 | \$81.85 |
| \$108.28 | \$108.28 |
| \$108.13 | \$108.13 |
| \$118.99 | \$118.99 |
| \$81.12 | \$81.12 |
| \$80.88 | \$80.88 |
| \$65.35 | \$65.35 |
| \$59.25 | \$59.25 |
| \$53.26 | \$53.26 |
| \$47.87 | \$47.87 |
| \$43.03 | \$43.03 |
| \$38.67 | \$38.67 |
| \$34.76 | \$34.76 |
| \$31.25 | \$31.25 |
| \$28.08 | \$28.08 |
| \$25.24 | \$25.24 |
| \$22.69 | \$22.69 |
| \$14.28 | \$20.39 |
| \$9.17 | \$12.83 |
| \$4.94 | \$8.24 |
| \$1.48 | \$4.44 |
| \$0.00 | \$1.33 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |

| Uncleared Capacity DRIPE, Zone-on-Zone: 2025 measure | | | | | | |
|--|---------------------------------|--------|--------|---------|---------|--|
| WHOLESALE VALUES | | | | | | |
| | Measure life (program duration) | | | | | |
| | 1 | 2 | 3 | 4 | 5 | |
| 2024 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2025 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2026 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2027 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2028 | \$2.36 | \$7.11 | \$7.11 | \$7.11 | \$7.11 | |
| 2029 | \$1.83 | \$4.14 | \$8.79 | \$8.79 | \$8.79 | |
| 2030 | \$1.63 | \$3.96 | \$6.89 | \$12.79 | \$12.79 | |
| 2031 | \$0.00 | \$0.62 | \$2.91 | \$5.81 | \$11.64 | |
| 2032 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1.68 | |
| 2033 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2034 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2035 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2036 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2037 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2038 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2039 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2040 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2041 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2042 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2043 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2044 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2045 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2046 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2047 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2048 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2049 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2050 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2051 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2052 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2053 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2054 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2055 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2056 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2057 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2058 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2059 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2060 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2061 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2062 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2063 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2064 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2065 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2066 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2067 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 2068 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |

Uncleared Capacity DRIPE, Zone-on-Zone: 2025 measure
RETAIL VALUES

| 34 | 35 |
|-----------------|-----------------|
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$20.31 | \$20.31 |
| \$30.64 | \$30.64 |
| \$58.34 | \$58.34 |
| \$64.71 | \$64.71 |
| \$84.22 | \$84.22 |
| \$84.21 | \$84.21 |
| \$104.11 | \$104.11 |
| \$83.69 | \$83.69 |
| \$63.43 | \$63.43 |
| \$103.19 | \$103.19 |
| \$103.36 | \$103.36 |
| \$83.24 | \$83.24 |
| \$150.31 | \$150.31 |
| \$103.02 | \$103.02 |
| \$82.58 | \$82.58 |
| \$102.46 | \$102.46 |
| \$102.54 | \$102.54 |
| \$135.65 | \$135.65 |
| \$135.46 | \$135.46 |
| \$149.08 | \$149.08 |
| \$101.62 | \$101.62 |
| \$101.32 | \$101.32 |
| \$81.87 | \$81.87 |
| \$74.23 | \$74.23 |
| \$66.72 | \$66.72 |
| \$59.97 | \$59.97 |
| \$53.90 | \$53.90 |
| \$48.45 | \$48.45 |
| \$43.55 | \$43.55 |
| \$39.14 | \$39.14 |
| \$35.18 | \$35.18 |
| \$31.62 | \$31.62 |
| \$28.43 | \$28.43 |
| \$17.89 | \$25.55 |
| \$11.48 | \$16.08 |
| \$6.19 | \$10.32 |
| \$1.86 | \$5.57 |
| \$0.00 | \$1.67 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$980.86 | \$980.86 |
| | |
| | |
| | |
| | |
| 34 | 35 |

| | <i>Measure life (program duration)</i> | | | | |
|---|--|----------------|----------------|----------------|----------------|
| | 1 | 2 | 3 | 4 | 5 |
| 2024 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2025 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2026 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2027 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2028 | \$2.96 | \$8.90 | \$8.90 | \$8.90 | \$8.90 |
| 2029 | \$2.29 | \$5.18 | \$11.01 | \$11.01 | \$11.01 |
| 2030 | \$2.05 | \$4.96 | \$8.63 | \$16.03 | \$16.03 |
| 2031 | \$0.00 | \$0.78 | \$3.65 | \$7.28 | \$14.58 |
| 2032 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2.11 |
| 2033 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2034 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2035 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2036 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2037 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2038 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2039 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2040 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2041 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2042 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2043 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2044 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2045 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2046 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2047 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2048 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2049 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2050 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2051 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2052 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2053 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2054 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2055 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2056 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2057 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2058 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2059 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2060 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2061 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2062 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2063 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2064 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2065 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2066 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2067 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2068 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Cumulative | \$5.68 | \$15.43 | \$24.58 | \$32.46 | \$38.85 |
| Uncleared Capacity DRIPE, Zone-on-Zone: 2026 measure | | | | | |
| WHOLESALE VALUES | | | | | |
| | <i>Measure life (program duration)</i> | | | | |
| | 1 | 2 | 3 | 4 | 5 |

| | |
|---|----------|
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$9.73 | \$9.73 |
| \$17.47 | \$17.47 |
| \$36.22 | \$36.22 |
| \$46.49 | \$46.49 |
| \$67.23 | \$67.23 |
| \$67.21 | \$67.21 |
| \$83.10 | \$83.10 |
| \$66.80 | \$66.80 |
| \$50.63 | \$50.63 |
| \$82.37 | \$82.37 |
| \$82.50 | \$82.50 |
| \$66.44 | \$66.44 |
| \$119.98 | \$119.98 |
| \$82.23 | \$82.23 |
| \$65.92 | \$65.92 |
| \$81.79 | \$81.79 |
| \$81.85 | \$81.85 |
| \$108.28 | \$108.28 |
| \$108.13 | \$108.13 |
| \$118.99 | \$118.99 |
| \$81.12 | \$81.12 |
| \$80.88 | \$80.88 |
| \$65.35 | \$65.35 |
| \$59.25 | \$59.25 |
| \$53.26 | \$53.26 |
| \$47.87 | \$47.87 |
| \$43.03 | \$43.03 |
| \$38.67 | \$38.67 |
| \$34.76 | \$34.76 |
| \$31.25 | \$31.25 |
| \$28.08 | \$28.08 |
| \$25.24 | \$25.24 |
| \$22.69 | \$22.69 |
| \$20.39 | \$20.39 |
| \$12.83 | \$18.33 |
| \$8.24 | \$11.53 |
| \$4.44 | \$7.41 |
| \$1.33 | \$3.99 |
| \$0.00 | \$1.20 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| Uncleared Capacity DRIFE, Zone-on-Zone: 2026 measure | |
| RETAIL VALUES | |
| <i>Measure life (program duration)</i> | |
| | |
| 34 | 35 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$12.19 | \$12.19 |

| | | | | | |
|---|--------|--------|---------|---------|---------|
| 2024 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2025 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2026 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2027 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2028 | \$4.75 | \$4.75 | \$4.75 | \$4.75 | \$4.75 |
| 2029 | \$2.31 | \$6.96 | \$6.96 | \$6.96 | \$6.96 |
| 2030 | \$2.32 | \$5.26 | \$11.16 | \$11.16 | \$11.16 |
| 2031 | \$1.61 | \$3.90 | \$6.80 | \$12.63 | \$12.63 |
| 2032 | \$0.00 | \$0.40 | \$1.88 | \$3.75 | \$7.51 |
| 2033 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2.21 |
| 2034 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2035 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2036 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2037 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2038 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2039 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2040 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2041 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2042 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2043 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2044 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2045 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2046 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2047 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2048 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2049 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2050 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2051 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2052 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2053 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2054 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2055 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2056 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2057 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2058 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2059 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2060 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2061 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2062 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2063 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2064 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2065 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2066 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2067 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2068 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Uncleared Capacity DRIFE, Zone-on-Zone: 2026 measure | | | | | |
| RETAIL VALUES | | | | | |
| <i>Measure life (program duration)</i> | | | | | |
| | | | | | |
| | 1 | 2 | 3 | 4 | 5 |
| 2024 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2025 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2026 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2027 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2028 | \$5.95 | \$5.95 | \$5.95 | \$5.95 | \$5.95 |

| | |
|-----------------|-----------------|
| \$21.89 | \$21.89 |
| \$45.37 | \$45.37 |
| \$58.24 | \$58.24 |
| \$84.22 | \$84.22 |
| \$84.21 | \$84.21 |
| \$104.11 | \$104.11 |
| \$83.69 | \$83.69 |
| \$63.43 | \$63.43 |
| \$103.19 | \$103.19 |
| \$103.36 | \$103.36 |
| \$83.24 | \$83.24 |
| \$150.31 | \$150.31 |
| \$103.02 | \$103.02 |
| \$82.58 | \$82.58 |
| \$102.46 | \$102.46 |
| \$102.54 | \$102.54 |
| \$135.65 | \$135.65 |
| \$135.46 | \$135.46 |
| \$149.08 | \$149.08 |
| \$101.62 | \$101.62 |
| \$101.32 | \$101.32 |
| \$81.87 | \$81.87 |
| \$74.23 | \$74.23 |
| \$66.72 | \$66.72 |
| \$59.97 | \$59.97 |
| \$53.90 | \$53.90 |
| \$48.45 | \$48.45 |
| \$43.55 | \$43.55 |
| \$39.14 | \$39.14 |
| \$35.18 | \$35.18 |
| \$31.62 | \$31.62 |
| \$28.43 | \$28.43 |
| \$25.55 | \$25.55 |
| \$16.08 | \$22.97 |
| \$10.32 | \$14.45 |
| \$5.57 | \$9.28 |
| \$1.67 | \$5.00 |
| \$0.00 | \$1.50 |
| \$0.00 | \$0.00 |
| \$0.00 | \$0.00 |
| \$957.25 | \$957.25 |

| | | | | | |
|-------------------|----------------|----------------|----------------|----------------|----------------|
| 2029 | \$2.89 | \$8.72 | \$8.72 | \$8.72 | \$8.72 |
| 2030 | \$2.91 | \$6.58 | \$13.98 | \$13.98 | \$13.98 |
| 2031 | \$2.02 | \$4.89 | \$8.52 | \$15.82 | \$15.82 |
| 2032 | \$0.00 | \$0.50 | \$2.36 | \$4.70 | \$9.41 |
| 2033 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2.76 |
| 2034 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2035 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2036 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2037 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2038 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2039 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2040 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2041 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2042 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2043 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2044 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2045 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2046 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2047 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2048 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2049 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2050 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2051 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2052 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2053 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2054 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2055 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2056 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2057 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2058 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2059 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2060 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2061 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2062 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2063 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2064 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2065 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2066 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2067 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 2068 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Cumulative | \$10.61 | \$20.08 | \$29.17 | \$35.72 | \$40.47 |

| 1 LS_ID | 2 Load Shape Description | 3 Total Energy | | | | 4 Summer | | | 8 Peak Day | 7 On Peak | 9 Seasonal Peak |
|------------|--|-------------------|----------|-------------|----------|-------------|---------|---------|---------------|--------------|--------------------|
| | | 5 Summer | | 6 Winter | | | | | | | |
| | | On Peak | Off Peak | On Peak | Off Peak | | | | | | |
| ls_0 | Non-Electric Measures | 0.0% | 0.0% | 0.0% | 0.0% | | | | | | |
| ls_1 | Clothes Washer | 18.3% | 15.4% | 36.4% | 29.9% | 0.00013 | 0.00013 | 0.00014 | | | |
| ls_10 | 24 hour operation | 15.2% | 18.3% | 30.5% | 36.1% | | | | | | |
| ls_75 | Clothes Dryer - Electric | 16.9% | 14.2% | 38.9% | 30.0% | 0.00013 | 0.00013 | 0.00013 | | | |
| ls_76 | Clothes Dryer - Natural Gas | 15.9% | 16.4% | 37.6% | 30.1% | 0.00013 | 0.00013 | 0.00013 | | | |
| ls_3 | Hardwired Electric Heat | 0.0% | 0.0% | 43.1% | 56.9% | - | - | - | | | |
| ls_4 | Lighting | 19.0% | 15.1% | 35.1% | 30.7% | 0.00014 | 0.00014 | 0.00014 | | | |
| ls_6 | Primary TV and Peripherals | 15.4% | 17.6% | 32.2% | 34.8% | 0.00011 | 0.00011 | 0.00011 | | | |
| ls_91 | Primary Desktop Computer | 17.5% | 17.3% | 33.5% | 31.7% | 0.00014 | 0.00014 | 0.00015 | | | |
| ls_7 | Primary Refrigerator | 18.2% | 20.9% | 29.0% | 31.9% | 0.00016 | 0.00014 | 0.00016 | | | |
| ls_77 | Secondary Refrigerator | 19.9% | 23.6% | 26.3% | 30.2% | 0.00017 | 0.00016 | 0.00017 | | | |
| ls_78 | Freezer | 17.1% | 20.7% | 28.7% | 33.6% | 0.00014 | 0.00013 | 0.00013 | | | |
| ls_79 | Dehumidifier | 24.9% | 29.7% | 22.0% | 23.3% | 0.00021 | 0.00019 | 0.00020 | | | |
| ls_80 | Pool Pump | 54.5% | 38.2% | 4.9% | 2.4% | 0.00052 | 0.00058 | 0.00066 | | | |
| ls_81 | Dishwasher | 14.8% | 16.3% | 34.1% | 34.8% | 0.00008 | 0.00008 | 0.00009 | | | |
| ls_8 | Water Heater - Electric | 15.2% | 11.9% | 41.5% | 31.4% | 0.00007 | 0.00008 | 0.00009 | | | |
| ls_83 | Water Heater - Heat Pump | 14.9% | 13.0% | 39.1% | 33.0% | 0.00009 | 0.00009 | 0.00010 | | | |
| ls_9 | Water Heater - Natural Gas/Fuel Oil | 13.3% | 11.6% | 40.9% | 34.2% | 0.00007 | 0.00008 | 0.00008 | | | |
| ls_11 | Central Air Conditioner/Heat Pump (Cooling) | 47.3% | 42.2% | 6.6% | 3.8% | 0.00129 | 0.00055 | 0.00117 | | | |
| ls_18 | Room or Window Air Conditioner | 47.5% | 47.4% | 2.9% | 2.2% | 0.00125 | 0.00052 | 0.00116 | | | |
| ls_89 | Mini-Split Air Conditioner/Heat Pump (Cooling) | 43.4% | 40.2% | 7.4% | 9.0% | 0.00130 | 0.00047 | 0.00111 | | | |
| ls_90 | Mini-Split Heat Pump (Heating) | 0.0% | 0.0% | 42.9% | 57.1% | - | - | - | | | |
| ls_73 | Furnace Fan | 0.0% | 0.0% | 44.6% | 55.4% | - | - | - | | | |
| ls_82 | Boiler Distribution | 0.0% | 0.0% | 45.0% | 55.0% | - | - | - | | | |
| ls_84 | Weighted HVAC - All Homes | 23.2% | 21.7% | 25.4% | 29.7% | 0.00063 | 0.00026 | 0.00057 | | | |
| ls_85 | Weighted HVAC - Multi-family | 25.2% | 23.7% | 23.2% | 27.9% | 0.00068 | 0.00028 | 0.00062 | | | |
| ls_86 | Weighted HVAC - Multi-family Low Income | 22.4% | 21.6% | 25.4% | 30.6% | 0.00060 | 0.00025 | 0.00055 | | | |
| ls_87 | Weighted HVAC - Single Family | 22.5% | 20.8% | 26.1% | 30.5% | 0.00061 | 0.00026 | 0.00056 | | | |
| ls_88 | Weighted HVAC - Single Family Low Income | 23.1% | 21.7% | 25.3% | 29.9% | 0.00062 | 0.00026 | 0.00057 | | | |
| ls_12 | Central Heat Pump | 10.1% | 9.0% | 35.1% | 45.7% | | | | | | |
| ls_13 | DMSHP | 8.0% | 7.4% | 36.4% | 48.2% | | | | | | |
| ls_14 | Electric Resistance with AC | 6.0% | 5.0% | 45.0% | 44.0% | | | | | | |
| | Custom Calculation | | | | | | | | | | |
| ls_100 | C&I Codes & Standards | | | | | | | | | | |
| ls_101 | C&I Compressed Air - VFD Compressor | 26.5% | 23.7% | 25.9% | 23.9% | | | | | | |
| ls_102 | C&I Compressed Air - Air Dryer | 22.4% | 27.7% | 21.7% | 28.1% | | | | | | |
| ls_103 | C&I Electric Chiller (Combined) | 39.4% | 38.5% | 11.3% | 10.8% | | | | | | |
| ls_104 | C&I Electric Cooling Unitary Equipment | 52.7% | 34.1% | 8.6% | 4.6% | | | | | | |
| ls_105 | C&I Exterior Lighting | 19.2% | 29.0% | 20.1% | 31.6% | | | | | | |
| ls_106 | C&I Interior Lighting - Prescriptive | 34.3% | 18.1% | 30.3% | 17.4% | | | | | | |
| ls_107 | C&I Interior Lighting - Custom | 32.3% | 19.4% | 29.8% | 18.6% | | | | | | |
| ls_108 | C&I Lighting Controls | 32.1% | 17.7% | 31.3% | 19.0% | | | | | | |
| ls_109 | C&I Refrigeration | 23.3% | 26.8% | 22.6% | 27.3% | | | | | | |
| ls_110 | C&I VFDs (Combined) | 23.8% | 25.3% | 23.7% | 27.2% | | | | | | |
| ls_111 | C&I Food Services | 16.0% | 17.0% | 32.0% | 35.0% | | | | | | |
| ls_112 | C&I Heating & Cooling | 34.9% | 22.1% | 26.4% | 16.6% | | | | | | |

| | | | ΔkWh | ΔkW |
|-----------|---|---------|--------------------------------|-------------------------------|
| HPUMP_400 | Air Source Heat Pump - Lost Opportunity (cooling) | EA3b003 | 159.95 | 0.12 |
| HPUMP_400 | Air Source Heat Pump - Lost Opportunity (heating) | EA3b004 | 629.22 | 0.62 |
| DSHP_400 | Mini Split HP - Lost Opportunity (cooling) | EA3b005 | 92.58 | 0.12 |
| DSHP_400 | Mini Split HP - Lost Opportunity (heating) | EA3b006 | 284.25 | 0.53 |
| CAC_070 | ES AC (central) 3 ton | EA3b015 | 185.35 | 0.30 |

| ΔkW_{cool} | ΔkW_{heat} | Tons | CAPcool | CAPheat | EERbase | EERee | HSPFbase |
|--------------------|--------------------|------|---------|---------|---------|-------|----------|
| 0.12 | | | 36.4 | 36 | 12.3 | 12.8 | 8.8 |
| | 0.62 | | 36.4 | 36 | 12.3 | 12.8 | 8.8 |
| 0.12 | | | 22.0 | 22 | 12.3 | 13.2 | 8.8 |
| | 0.53 | | 22.0 | 22 | 12.3 | 13.2 | 8.8 |
| | | 3.1 | | | | | |

| <i>HSPFee</i> | <i>SEERbase</i> | <i>SEERee</i> | <i>EFLHcool</i> | <i>EFLHheat</i> | <i>AFUE</i> |
|---------------|-----------------|---------------|-----------------|-----------------|-------------|
| 10.3 | 15.0 | 19.6 | 280.0 | | |
| 10.3 | 15.0 | 19.6 | | 1,020.0 | |
| 11.2 | 15.0 | 21.1 | 218.0 | | |
| 11.2 | 15.0 | 21.1 | | 535.0 | |
| | 14.0 | 17.2 | 385.0 | | |

| | A | B | C | D | E | F | G | H | I | J | K |
|----|------|-----------------------------|--|--|---|------------------------|----------------------------|----------------------------|------------|--------------------------|-------------------|
| 4 | Year | Sector (Dropdown) | Program (Dropdown) | Subprogram (Dropdown) | Program Planning & Administration | Customer Incentives | Implementation Services | Education and Marketing | EM&V | Performance Incentive | TOTAL PA COSTS |
| 41 | 2025 | B - Income Eligible | B1 - Home Energy Assistance | B1a - HEA (Weatherization) | \$ 82,989 | \$ 1,219,211 | \$ 75,445 | \$ 75,445 | \$ - | | \$ 1,453,090 |
| 42 | 2025 | B - Income Eligible | B1 - Home Energy Assistance | B1b - HEA (HVAC Systems) | | \$ 433,028 | | | | | \$ 433,028 |
| 43 | 2025 | B - Income Eligible | B2a - IE Education | B2a - IE Education | \$ 1,704 | \$ 20,646 | \$ 5,192 | \$ 13,020 | \$ - | | \$ 40,562 |
| 44 | 2025 | B - Income Eligible | B2b - IE Evaluation, Measurement and Verification | B2b - IE Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ 101,404 | | \$ 101,404 |
| 46 | 2025 | A - Residential | A1 - Energy Star Homes | A1a - ES Homes | \$ 32,035 | \$ 636,603 | \$ 46,563 | \$ 29,800 | \$ - | | \$ 745,000 |
| 47 | 2025 | A - Residential | A2 - Home Performance | A2a - Home Performance (Weatherization) | \$ 58,154 | \$ 1,040,057 | \$ 128,480 | \$ 60,859 | \$ - | | \$ 1,287,551 |
| 48 | 2025 | A - Residential | A2 - Home Performance | A2b - Home Performance (HVAC Systems) | | \$ 64,875 | | | | | \$ 64,875 |
| 50 | 2025 | A - Residential | A3 - Energy Star Products | A3b - ES Appliances and Products | \$ 54,182 | \$ 978,419 | \$ 150,574 | \$ 76,862 | \$ - | | \$ 1,260,037 |
| 51 | 2025 | A - Residential | A3 - Energy Star Products | A3c - ES HVAC Systems | | | | | | | \$ - |
| 52 | 2025 | A - Residential | A4 - Residential Behavior | A4a - Residential Behavior | \$ 8,360 | \$ 157,510 | \$ 16,530 | \$ 7,600 | \$ - | | \$ 190,000 |
| 54 | 2025 | A - Residential | A6a - Res Education | A6a - Res Education | \$ 3,080 | \$ 40,390 | \$ 3,990 | \$ 22,540 | \$ - | | \$ 70,000 |
| 55 | 2025 | A - Residential | A6b - Res Evaluation, Measurement and Verification | A6b - Res Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ 190,393 | | \$ 190,393 |
| 58 | 2025 | C - Commercial & Industrial | C1 - Large Business Energy Solutions | C1a - LCI Retrofit | \$ 83,520 | \$ 842,559 | \$ 355,911 | \$ 94,910 | \$ - | | \$ 1,376,900 |
| 59 | 2025 | C - Commercial & Industrial | C1 - Large Business Energy Solutions | C1b - LCI New Equipment and Construction | | \$ 503,892 | | | | | \$ 503,892 |
| 60 | 2025 | C - Commercial & Industrial | C1 - Large Business Energy Solutions | C1c - LCI Midstream | | \$ 17,400 | | | | | \$ 17,400 |
| 62 | 2025 | C - Commercial & Industrial | C2 - Small Business Energy Solutions | C2a - SCI Retrofit | \$ 77,223 | \$ 489,528 | \$ 314,156 | \$ 87,753 | \$ - | | \$ 968,660 |
| 63 | 2025 | C - Commercial & Industrial | C2 - Small Business Energy Solutions | C2b - SCI New Equipment and Construction | | \$ 739,465 | | | | | \$ 739,465 |
| 64 | 2025 | C - Commercial & Industrial | C2 - Small Business Energy Solutions | C2c - SCI Midstream | | \$ 46,936 | | | | | \$ 46,936 |
| 66 | 2025 | C - Commercial & Industrial | C3 - Municipal Energy Solutions | C3a - Muni Retrofit | \$ 16,720 | \$ 129,980 | \$ 73,340 | \$ 15,200 | \$ - | | \$ 235,240 |
| 67 | 2025 | C - Commercial & Industrial | C3 - Municipal Energy Solutions | C3b - Muni New Equipment and Construction | | \$ 144,760 | | | | | \$ 144,760 |
| 70 | 2025 | C - Commercial & Industrial | C6a - C&I Education | C6a - C&I Education | \$ 2,408 | \$ 24,360 | \$ 3,640 | \$ 25,592 | \$ - | | \$ 56,000 |
| 73 | 2025 | C - Commercial & Industrial | C6b - C&I Evaluation, Measurement and Verification | C6b - C&I Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ 215,224 | | \$ 215,224 |
| 76 | | | | | | | | | | | |
| 77 | 2026 | B - Income Eligible | B1 - Home Energy Assistance | B1a - HEA (Weatherization) | \$ 89,459 | \$ 1,232,654 | \$ 81,680 | \$ 77,790 | \$ - | | \$ 1,481,584 |
| 78 | 2026 | B - Income Eligible | B1 - Home Energy Assistance | B1b - HEA (HVAC Systems) | | \$ 463,178 | | | | | \$ 463,178 |
| 79 | 2026 | B - Income Eligible | B2a - IE Education | B2a - IE Education | \$ 1,846 | \$ 23,168 | \$ 5,979 | \$ 12,969 | \$ - | | \$ 43,961 |
| 80 | 2026 | B - Income Eligible | B2b - IE Evaluation, Measurement and Verification | B2b - IE Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ 104,670 | | \$ 104,670 |
| 82 | 2026 | A - Residential | A1 - Energy Star Homes | A1a - ES Homes | \$ 34,695 | \$ 655,350 | \$ 50,115 | \$ 30,840 | \$ - | | \$ 771,000 |
| 83 | 2026 | A - Residential | A2 - Home Performance | A2a - Home Performance (Weatherization) | \$ 62,868 | \$ 1,075,824 | \$ 134,816 | \$ 58,676 | \$ - | | \$ 1,332,185 |
| 84 | 2026 | A - Residential | A2 - Home Performance | A2b - Home Performance (HVAC Systems) | | \$ 64,875 | | | | | \$ 64,875 |
| 85 | 2026 | A - Residential | A2 - Home Performance | A2c - Home Performance 3rd Party Financing (Loan buy-down) | | \$ - | | | | | \$ - |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|

Administrator:
Program Year:

| Sector (Dropdown) | Program (Dropdown) | Subprogram (Dropdown) | Measure |
|----------------------|-----------------------|----------------------------|---|
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Air Sealing, Gas |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Faucet Aerator, Gas |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Hand Held Showerhead, Gas |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Insulation, Gas |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | LED Bulb, General Service Lamps |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | LED Bulb, Linear |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | LED Bulb, Other Specialty |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | LED Bulb, Reflector |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | LED Fixture |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Low Flow Showerhead, Gas |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Pipe Insulation - Hot Water, Gas |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Visual Audit |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Baseload Audit - SF |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Baseload Audit - MF |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Insulated Door, Gas |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Window Replacement, Gas |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Window Insert, Gas |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Duct Insulation, Gas |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Hot Water Setback |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Duct Sealing, Gas |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Audit |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Quality Assurance |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Workforce Development/Training |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Nonprofit services |
| B - Incon | B1 - Home Energy A | B1a - HEA (Weatherization) | Wxn Projects |
| 0 | 0 | 0 | 0 |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | Boiler Replacement, Gas |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | Furnace Replacement, Gas |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | Programmable Thermostat, Gas |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | Wifi Thermostat, Gas |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | HVAC Repair: Boiler - Condensing, Water |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | HVAC Repair: Boiler - Steam |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | HVAC Repair: Boiler -Water |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | HVAC Repair: Furnace - Condensing, Ducted |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | HVAC Repair: Furnace - Ducted |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | Stand Alone Storage Water Heater, Gas |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | Indirect Water Heater, Gas |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | Water Heater - Indirect (attached to ES FHW Boiler; Combined eff rating >=85% (EF=.82), Gas |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | Water Heater - Integrated with Condensing Boiler >= 90% AFUE, Gas |
| B - Incon | B1 - Home Energy A | B1b - HEA (HVAC Systems) | Water Heater - Integrated with Condensing Boiler >= 95% AFUE, Gas |

| B - Incom | B1 - Home Energy A | B1b - HEA (HVAC Systems) | Water Heater - Tankless, OnDemand UEF >=.87, Gas |
|-----------|-----------------------|----------------------------------|---|
| 0 | 0 | 0 | 0 |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | Cooling, Electric, SF |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | Heating, Gas, SF |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | Hot Water, Gas, SF |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | Cooling, Electric, MF |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | Heating, Gas, MF |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | Hot Water, Gas, MF |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | LED Bulb |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | LED Fixture |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | Clothes Washer |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | HERS Rater Fee - SF |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | HERS Rater Fee - MF |
| A - Resid | A1 - Energy Star Home | A1a - ES Homes | Quality Assurance |
| 0 | 0 | 0 | 0 |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Air Sealing, Gas |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Faucet Aerator, Gas |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Hand Held Showerhead, Gas |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Insulation, Gas |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | LED Bulb, General Service Lamps |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | LED Bulb, Linear |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | LED Bulb, Other Specialty |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | LED Bulb, Reflector |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | LED Fixture |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Low Flow Showerhead, Gas |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Pipe Insulation - Hot Water, Gas |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Baseload Audit - Electric Savings |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Baseload Audit - Thermal Savings |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Visual Audit |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Duct Insulation, Gas |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Hot Water Setback |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Health & Safety Measures |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Audit Fee |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Vendor Fees - Admin Support |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | Quality Assurance |
| A - Resid | A2 - Home Performance | A2a - Home Performance (Weather | 3rd Party Financing - Interest Rate BuyDowns |
| 0 | 0 | 0 | 0 |
| A - Resid | A2 - Home Performance | A2b - Home Performance (HVAC Sy | Boiler Replacement, Gas |
| A - Resid | A2 - Home Performance | A2b - Home Performance (HVAC Sy | Furnace Replacement, Gas |
| A - Resid | A2 - Home Performance | A2b - Home Performance (HVAC Sy | Programmable Thermostat, Gas |
| A - Resid | A2 - Home Performance | A2b - Home Performance (HVAC Sy | Wifi Thermostat, Gas |
| A - Resid | A2 - Home Performance | A2b - Home Performance (HVAC Sy | Ancillary Savings – Boiler Circulator Pump |
| A - Resid | A2 - Home Performance | A2b - Home Performance (HVAC Sy | Ancillary Savings – Furnace |
| A - Resid | A2 - Home Performance | A2b - Home Performance (HVAC Sy | Ancillary Savings – Central AC |
| 0 | 0 | 0 | 0 |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Early Replacement Boiler, FHW - EE 90 AFUE (|
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Early Replacement Boiler, FHW - Retirement: 9 |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Early Replacement Boiler, Steam - EE: 82%+ A |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Early Replacement Boiler, Steam - Retirement: |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Boiler Reset Controls |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Condensing Boiler >= 90% AFUE (Up to 300 MB |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Condensing Boiler >= 95% AFUE (Up to 300 MB |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Furnace 95+ AFUE (<150) w/ECM Motor |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Furnace 97+ AFUE (<150) w/ECM Motor |

| | | | | |
|-----------|----------------------|----------------------------------|---|---|
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Heat Recovery Ventilator (-133 kWh penalty) | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Programmable Thermostat | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Indirect Water Heater (attached to ES FHW Boi | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Integrated Water Heater w/Condensing Boiler > | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Integrated Water Heater w/Condensing Boiler > | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Condensing Water Heater (EF 0.95) | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Stand Alone Storage Tank Water Heater (EF 0. | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Tankless On-Demand Water Heater, >= .82 | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Tankless On-Demand Water Heater, >= .94 | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | WiFi Thermostat (Heating Only) | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | WiFi Thermostat (Heating & Cooling) | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | ES Appliances Rebate Processing | |
| A - Resid | A3 - Energy Star Pro | A3b - ES Appliances and Products | Quality Assurance | |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| A - Resid | A4 - Residential Beh | A4a - Residential Behavior | Home Energy Reports | |
| 0 | 0 | 0 | 0 | 0 |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Custom Large Hot Water Retro | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Custom Large HVAC Retro | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Custom Large Other Retro | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Custom Large Process Retro | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Faucet Aerator, Gas | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Low Flow Showerhead With Thermostatic Valve | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Low Flow Showerhead, Gas | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Pipe Wrap - Hot Water, Gas | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Pre Rinse Spray Valve, Gas | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Boiler Reset Controls, Gas | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Boiler Tune-Ups | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Energy Management System, Gas | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Pipe Insulation - Heating, Gas | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Steam Trap, Gas | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Programmable Thermostat, Gas | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | WiFi Thermostat (Heating & Cooling) | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Air Sealing, Gas | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | Insulation, Gas | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | | |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | TA Studies | |
| C - Com | C1 - Large Business | C1a - LCI Retrofit | CI Audits - Large Retro | |
| 0 | 0 | 0 | 0 | 0 |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Custom Large Hot Water New | |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Custom Large HVAC New | |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Custom Large Other New | |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Custom Large Process New | |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Boiler 1701 to 2000 MBH 90 AFUE, Gas | |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Boiler 1000 to 1700 MBH 90 AFUE, Gas | |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Boiler 500 to 999 MBH 90 AFUE, Gas | |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Boiler 301 to 499 MBH 90 AFUE, Gas | |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Boiler to 300 MBH 90 AFUE, Gas | |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Boiler to 300 MBH 95 AFUE, Gas | |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Combo Condensing Boiler / Water Heater, Gas | |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Combo Furnace / Water Heater, Gas | |

| | | | |
|---------|---------------------|----------------------------------|---|
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Condensing Unit Heater, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Furnace w/ ECM 95 AFUE, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Furnace w/ ECM 97 AFUE, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Infrared Heater, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Faucet Aerator, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Low Flow Showerhead With Thermostatic Valve |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Low Flow Showerhead, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Pre Rinse Spray Valve, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Combination Oven, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Convection Oven, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Conveyor Oven, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Fryer, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Griddle, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Rack Oven, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Steam Cooker, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Indirect Water Heater, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | On Demand Tankless Water Heater, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Volume Water Heater, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Condensing Gas Water Heater |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Vendor Fees |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Clothes Washer, High Speed, Gas |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Pasta Cooker, Gas |
| 0 | 0 | 0 | 0 |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | C&I Large New Construction Code Compliance |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | TA Studies |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | Downstream Rebate Processing |
| 0 | 0 | 0 | 0 |
| C - Com | C1 - Large Business | C1b - LCI New Equipment and Cons | CI Audits - Large New |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Combination Oven, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Convection Oven, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Conveyor Oven, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Fryer, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Griddle, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Pre-Rinse Spray Valve, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Rack Oven, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Steam Cooker, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Indirect Water Heater, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream On Demand Tankless Water Heater, |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Volume Water Heater, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Condensing Gas Water Heater |
| C - Com | C1 - Large Business | C1c - LCI Midstream | OMP Thermostatic Shut-off Valve, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | OMP Low-Flow Showerhead, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | OMP Low-Flow Showerhead with Thermostatic |
| C - Com | C1 - Large Business | C1c - LCI Midstream | OMP Faucet Aerator, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | OMP Pipe Wrap, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | OMP Pre-Rinse Spray Valve, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | OMP Programmable Thermostat, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | OMP Wi-Fi Thermostat |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Underfired Broiler |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Clothes Washer, High Speed, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Pasta Cooker, Gas |
| C - Com | C1 - Large Business | C1c - LCI Midstream | Midstream Rebate Processing |
| 0 | 0 | 0 | 0 |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Custom Small Hot Water Retro |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Custom Small HVAC Retro |

| | | | | |
|---------|---------------------|----------------------------------|---|---|
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Custom Small Other Retro | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Custom Small Process Retro | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Faucet Aerator, Gas | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Low Flow Showerhead With Thermostatic Valve | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Low Flow Showerhead, Gas | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Pipe Wrap - Hot Water, Gas | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Pre Rinse Spray Valve, Gas | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Boiler Reset Controls, Gas | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Boiler Tune-Ups | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Energy Management System, Gas | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Pipe Insulation - Heating, Gas | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Steam Trap, Gas | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Programmable Thermostat, Gas | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Air Sealing, Gas | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Insulation, Gas | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | | 0 |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | | 0 |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | | 0 |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | Vendor Fees - TA Studies | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | CI Audits - Small Retro | |
| C - Com | C2 - Small Business | C2a - SCI Retrofit | | 0 |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Custom Small Hot Water New | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Custom Small HVAC New | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Custom Small Other New | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Custom Small Process New | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Boiler 1701 to 2000 MBH 90 AFUE, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Boiler 1000 to 1700 MBH 90 AFUE, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Boiler 500 to 999 MBH 90 AFUE, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Boiler 301 to 499 MBH 90 AFUE, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Boiler to 300 MBH 90 AFUE, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Boiler to 300 MBH 95 AFUE, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Combo Condensing Boiler / Water Heater, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Combo Furnace / Water Heater, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Condensing Unit Heater, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Furnace w/ ECM 95 AFUE, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Furnace w/ ECM 97 AFUE, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Infrared Heater, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Faucet Aerator, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Low Flow Showerhead With Thermostatic Valve | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Low Flow Showerhead, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Pre Rinse Spray Valve, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Combination Oven, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Convection Oven, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Conveyor Oven, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Fryer, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Griddle, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Rack Oven, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Steam Cooker, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Indirect Water Heater, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | On Demand Tankless Water Heater, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Volume Water Heater, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Condensing Gas Water Heater | |

| | | | | |
|---------|----------------------|----------------------------------|---|---|
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Vendor Fees | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Clothes Washer, High Speed, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Pasta Cooker, Gas | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | | 0 |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | C&I Small New Construction Code Compliance | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | TA Studies | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | Downstream Rebate Processing | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | | 0 |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | CI Audits - Small New | |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | | 0 |
| C - Com | C2 - Small Business | C2b - SCI New Equipment and Cons | | 0 |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Combination Oven, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Convection Oven, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Conveyor Oven, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Fryer, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Griddle, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Pre-Rinse Spray Valve, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Rack Oven, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Steam Cooker, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Indirect Water Heater, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream On Demand Tankless Water Heater, | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Volume Water Heater, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Water Heater, Condensing Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | OMP Thermostatic Shut-off Valve, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | OMP Low-Flow Showerhead, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | OMP Low-Flow Showerhead with Thermostatic | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | OMP Faucet Aerator, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | OMP Pipe Wrap, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | OMP Pre-Rinse Spray Valve, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | OMP Programmable Thermostat, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | OMP Wi-Fi Thermostat | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Clothes Washer, High Speed, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Pasta Cooker, Gas | |
| C - Com | C2 - Small Business | C2c - SCI Midstream | Midstream Rebate Processing | |
| 0 | | | | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Custom Small Hot Water Retro | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Custom Small HVAC Retro | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Custom Small Other Retro | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Custom Small Process Retro | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Faucet Aerator, Gas | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Low Flow Showerhead With Thermostatic Valve | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Low Flow Showerhead, Gas | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Pipe Wrap - Hot Water, Gas | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Pre Rinse Spray Valve, Gas | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Boiler Reset Controls, Gas | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Boiler Tune-Ups | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Energy Management System, Gas | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Pipe Insulation - Heating, Gas | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Steam Trap, Gas | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Programmable Thermostat, Gas | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Air Sealing, Gas | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | Insulation, Gas | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | | 0 |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | | |

| | | | | |
|---------|----------------------|----------------------------------|---|---|
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | | 0 |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | | 0 |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | TA Studies | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | CI Audits - Small Retro | |
| C - Com | C3 - Municipal Energ | C3a - Muni Retrofit | | 0 |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Custom Small Hot Water New | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Custom Small HVAC New | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Custom Small Other New | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Custom Small Process New | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Boiler 1701 to 2000 MBH 90 AFUE, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Boiler 1000 to 1700 MBH 90 AFUE, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Boiler 500 to 999 MBH 90 AFUE, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Boiler 301 to 499 MBH 90 AFUE, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Boiler to 300 MBH 90 AFUE, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Boiler to 300 MBH 95 AFUE, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Combo Condensing Boiler / Water Heater, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Combo Furnace / Water Heater, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Condensing Unit Heater, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Furnace w/ ECM 95 AFUE, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Furnace w/ ECM 97 AFUE, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Infrared Heater, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Faucet Aerator, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Low Flow Showerhead With Thermostatic Valve | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Low Flow Showerhead, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Pre Rinse Spray Valve, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Combination Oven, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Convection Oven, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Conveyor Oven, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Fryer, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Griddle, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Rack Oven, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Steam Cooker, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Indirect Water Heater, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | On Demand Tankless Water Heater, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Volume Water Heater, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Condensing Gas Water Heater | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Vendor Fees | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Clothes Washer, High Speed, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Pasta Cooker, Gas | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | | 0 |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | C&I Small New Construction Code Compliance | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | TA Studies | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | Downstream Rebate Processing | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | | 0 |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | CI Audits - Small New | |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | | 0 |
| C - Com | C3 - Municipal Energ | C3b - Muni New Equipment and Cor | | 0 |

Liberty
2025

| Measure ID | End Use (Dropdown) | Quantity | Measure Life | Total Resource Cost | Incentive |
|------------|-----------------------|----------|--------------|---------------------|--------------|
| GB1a001 | Envelope | 197 | 15.0 | \$ 625.00 | \$ 625.00 |
| GB1a002 | Hot Water | 197 | 7.0 | \$ 50.00 | \$ 50.00 |
| GB1a003 | Hot Water | 0 | 7.0 | \$ 50.00 | \$ 50.00 |
| GB1a004 | Envelope | 197 | 25.0 | \$ 5,000.00 | \$ 5,000.00 |
| GB1a005 | Lighting | 0 | 2.0 | \$ 15.00 | \$ 15.00 |
| GB1a006 | Lighting | 0 | 10.0 | \$ - | \$ - |
| GB1a007 | Lighting | 0 | 2.0 | \$ - | \$ - |
| GB1a008 | Lighting | 0 | 2.0 | \$ - | \$ - |
| GB1a009 | Lighting | 0 | 2.0 | \$ - | \$ - |
| GB1a010 | Hot Water | 197 | 7.0 | \$ 100.00 | \$ 100.00 |
| GB1a011 | Hot Water | 0 | 15.0 | \$ 500.00 | \$ 500.00 |
| GB1a012 | Non-Energy Saving | 0 | 1.0 | \$ - | \$ - |
| GB1a013 | Non-Energy Saving | 0 | 1.0 | \$ - | \$ - |
| GB1a014 | Non-Energy Saving | 0 | 1.0 | \$ - | \$ - |
| GB1a015 | Envelope | 0 | 25.0 | \$ - | \$ - |
| GB1a016 | Envelope | 0 | 25.0 | \$ - | \$ - |
| GB1a017 | Envelope | 40 | 4.0 | \$ 575.00 | \$ 575.00 |
| GB1a018 | HVAC | 0 | 15.0 | \$ - | \$ - |
| GB1a019 | Hot Water | 30 | 2.0 | \$ 25.00 | \$ 25.00 |
| GB1a020 | HVAC | 0 | 20.0 | \$ - | \$ - |
| | 0 Non-Energy Saving | 0 | 1.0 | \$ - | \$ - |
| | 0 Non-Energy Saving | 1 | 1.0 | \$ 59,086.28 | \$ 59,086.28 |
| | 0 Non-Energy Saving | 0 | 1.0 | \$ - | \$ - |
| | 0 Non-Energy Saving | 0 | 0.0 | \$ - | \$ - |
| | 0 HVAC | 197 | 21.1 | \$ - | \$ - |
| | 0 | 0 | 0.0 | \$ - | \$ - |
| GB1b001 | HVAC | 20 | 19.0 | \$ 10,000.00 | \$ 10,000.00 |
| GB1b002 | HVAC | 19 | 17.0 | \$ 10,000.00 | \$ 10,000.00 |
| GB1b003 | HVAC | 70 | 15.0 | \$ 150.00 | \$ 150.00 |
| GB1b004 | HVAC | 70 | 15.0 | \$ 400.00 | \$ 400.00 |
| GB1b005 | HVAC | 0 | 1.0 | \$ 500.00 | \$ 500.00 |
| GB1b006 | HVAC | 0 | 1.0 | \$ 500.00 | \$ 500.00 |
| GB1b007 | HVAC | 4 | 1.0 | \$ 500.00 | \$ 500.00 |
| GB1b008 | HVAC | 0 | 1.0 | \$ 500.00 | \$ 500.00 |
| GB1b009 | HVAC | 4 | 1.0 | \$ 632.00 | \$ 632.00 |
| GB1b010 | Hot Water | 0 | 13.0 | \$ 1,500.00 | \$ 1,500.00 |
| GB1b011 | Hot Water | 0 | 13.0 | \$ 1,500.00 | \$ 1,500.00 |
| GB1b012 | Hot Water | 0 | 20.0 | \$ 1,500.00 | \$ 1,500.00 |
| GB1b013 | Hot Water | 0 | 19.0 | \$ 1,500.00 | \$ 1,500.00 |
| GB1b014 | Hot Water | 0 | 19.0 | \$ 1,500.00 | \$ 1,500.00 |

| | | | | | |
|---------|-------------------|-----|------|---------------|---------------|
| GB1b015 | Hot Water | 0 | 19.0 | \$ 1,500.00 | \$ 1,500.00 |
| 0 | 0 | 0 | 0.0 | \$ - | \$ - |
| GA1a001 | HVAC | 0 | 25.0 | \$ - | \$ - |
| GA1a002 | HVAC | 140 | 25.0 | \$ 2,922.00 | \$ 1,850.00 |
| GA1a003 | Hot Water | 140 | 15.0 | \$ - | \$ - |
| GA1a002 | HVAC | 0 | 25.0 | \$ - | \$ - |
| GA1a005 | HVAC | 80 | 25.0 | \$ 2,000.00 | \$ 850.00 |
| GA1a006 | Hot Water | 80 | 15.0 | \$ - | \$ - |
| GA1a007 | Lighting | 0 | 5.0 | \$ - | \$ - |
| GA1a008 | Lighting | 0 | 5.0 | \$ - | \$ - |
| GA1a009 | Hot Water | 0 | 11.0 | \$ - | \$ - |
| 0 | Non-Energy Saving | 1 | 1.0 | \$ 216,818.79 | \$ 216,818.79 |
| 0 | Non-Energy Saving | 1 | 1.0 | \$ 72,000.00 | \$ 72,000.00 |
| | HVAC | 1 | 1.0 | \$ 21,000.00 | \$ 21,000.00 |
| 0 | 0 | 0 | 0.0 | \$ - | \$ - |
| GA2a001 | Envelope | 167 | 15.0 | \$ 1,000.00 | \$ 750.00 |
| GA2a002 | Hot Water | 58 | 7.0 | \$6.27 | \$ 13.00 |
| GA2a003 | Hot Water | 58 | 7.0 | \$ 33.25 | \$ 25.00 |
| GA2a004 | Envelope | 167 | 25.0 | \$ 6,500.00 | \$ 5,000.00 |
| GA2a005 | Lighting | 0 | 2.0 | \$ 9.00 | \$ 9.00 |
| GA2a006 | Lighting | 0 | 10.0 | \$ 25.00 | \$ 25.00 |
| GA2a007 | Lighting | 0 | 2.0 | \$ 25.00 | \$ 25.00 |
| GA2a008 | Lighting | 0 | 2.0 | \$ 25.00 | \$ 25.00 |
| GA2a009 | Lighting | 0 | 2.0 | \$ - | \$ - |
| GA2a010 | Hot Water | 58 | 7.0 | \$ 25.00 | \$ 25.00 |
| GA2a011 | Hot Water | 58 | 15.0 | \$ 150.00 | \$ 112.00 |
| GA2a012 | Envelope | 0 | 1.0 | \$ - | \$ - |
| GA2a013 | Envelope | 0 | 1.0 | \$ - | \$ - |
| GA2a014 | Envelope | 0 | 1.0 | \$ 150.00 | \$ 150.00 |
| GA2a018 | Envelope | 33 | 15.0 | \$ 950.00 | \$ 540.00 |
| GA2a019 | Hot Water | 58 | 2.0 | \$ 15.00 | \$ 15.00 |
| 0 | Non-Energy Saving | 0 | 1.0 | | |
| 0 | Non-Energy Saving | 0 | 1.0 | | |
| 0 | Non-Energy Saving | 0 | 1.0 | | |
| 0 | Non-Energy Saving | 1 | 1.0 | \$ 45,394.07 | \$ 45,394.07 |
| 0 | Non-Energy Saving | 1 | 1.0 | \$ 6,000.00 | \$ 6,000.00 |
| 0 | 0 | 0 | 0.0 | \$ - | \$ - |
| GA2b001 | HVAC | 0 | 19.0 | \$ - | \$ - |
| GA2b002 | HVAC | 0 | 17.0 | \$ - | \$ - |
| GA2b003 | HVAC | 38 | 15.0 | \$ 375.00 | \$ 375.00 |
| GA2b004 | HVAC | 135 | 15.0 | \$ 505.75 | \$ 505.75 |
| GA2b008 | HVAC | 17 | 19.0 | \$ - | \$ - |
| GA2b009 | HVAC | 36 | 18.0 | \$ - | \$ - |
| GA2b010 | HVAC | 32 | 18.0 | \$ - | \$ - |
| 0 | 0 | 0 | 0.0 | \$ - | \$ - |
| GA3b001 | HVAC | 0 | 19.0 | \$ - | \$ - |
| GA3b002 | HVAC | 0 | 19.0 | \$ - | \$ - |
| GA3b003 | HVAC | 0 | 19.0 | \$ - | \$ - |
| GA3b004 | HVAC | 0 | 19.0 | \$ - | \$ - |
| GA3b005 | HVAC | 4 | 15.0 | \$ 300.00 | \$ 225.00 |
| GA3b006 | HVAC | 33 | 19.0 | \$ 2,342.00 | \$ 1,000.00 |
| GA3b007 | HVAC | 130 | 19.0 | \$ 2,400.00 | \$ 1,500.00 |
| GA3b008 | HVAC | 250 | 17.0 | \$ 921.00 | \$ 300.00 |
| GA3b009 | HVAC | 75 | 17.0 | \$ 1,083.00 | \$ 450.00 |

| | | | | | | | |
|---------|---------------------|--------|------|----|------------|----|------------|
| GA3b010 | HVAC | 0 | 20.0 | \$ | 960.00 | \$ | 500.00 |
| GA3b011 | HVAC | 65 | 15.0 | \$ | 92.00 | \$ | 25.00 |
| GA3b012 | Hot Water | 45 | 20.0 | \$ | 1,749.00 | \$ | 400.00 |
| GA3b013 | Hot Water | 0 | 19.0 | \$ | 1,728.48 | \$ | 1,000.00 |
| GA3b014 | Hot Water | 191 | 19.0 | \$ | 3,365.27 | \$ | 1,000.00 |
| GA3b015 | Hot Water | 0 | 15.0 | \$ | 685.00 | \$ | 500.00 |
| GA3b016 | Hot Water | 14 | 13.0 | \$ | 400.00 | \$ | 100.00 |
| GA3b017 | Hot Water | 0 | 19.0 | \$ | 1,198.00 | \$ | 500.00 |
| GA3b018 | Hot Water | 170 | 19.0 | \$ | 1,035.25 | \$ | 500.00 |
| GA3b019 | HVAC | 2,650 | 15.0 | \$ | 268.00 | \$ | 85.00 |
| GA3b020 | HVAC | 0 | 15.0 | \$ | 268.00 | \$ | 85.00 |
| | 0 Non-Energy Saving | 1 | 1.0 | \$ | 97,383.32 | \$ | 97,383.32 |
| | 0 Non-Energy Saving | 1 | 1.0 | \$ | 21,000.00 | \$ | 21,000.00 |
| | | 0 | 0.0 | \$ | - | \$ | - |
| | 0 | 0 | 0.0 | \$ | - | \$ | - |
| GA4a001 | Behavior | 22,043 | 1.0 | \$ | - | \$ | - |
| | | 0 | 0.0 | \$ | - | \$ | - |
| GC1a001 | Hot Water | 0 | 10.0 | \$ | 4,135.00 | \$ | 2,300.00 |
| GC1a002 | HVAC | 0 | 20.0 | \$ | 20,066.67 | \$ | 15,050.00 |
| GC1a003 | Custom Measures | 23 | 13.0 | \$ | 43,200.00 | \$ | 21,600.00 |
| GC1a004 | Process | 0 | 13.0 | \$ | 80,660.00 | \$ | 63,000.00 |
| GC1a005 | Hot Water | 0 | 7.0 | \$ | - | \$ | - |
| GC1a006 | Hot Water | 0 | 7.0 | \$ | - | \$ | - |
| GC1a007 | Hot Water | 0 | 7.0 | \$ | - | \$ | - |
| GC1a008 | Hot Water | 0 | 7.0 | \$ | - | \$ | - |
| GC1a009 | Hot Water | 0 | 8.0 | \$ | 285.00 | \$ | 142.50 |
| GC1a010 | HVAC | 0 | 15.0 | \$ | - | \$ | - |
| GC1a011 | HVAC | 0 | 1.0 | \$ | 1,050.00 | \$ | 525.00 |
| GC1a012 | HVAC | 0 | 15.0 | \$ | 21,937.50 | \$ | 5,441.50 |
| GC1a013 | HVAC | 5 | 15.0 | \$ | 6,000.00 | \$ | 3,000.00 |
| GC1a014 | HVAC | 260 | 6.0 | \$ | 1,224.00 | \$ | 612.00 |
| GC1a015 | HVAC | 0 | 15.0 | \$ | - | \$ | - |
| GC1a016 | HVAC | 0 | 15.0 | \$ | - | \$ | - |
| GC1a017 | Envelope | 0 | 15.0 | \$ | - | \$ | - |
| GC1a018 | Envelope | 0 | 25.0 | \$ | - | \$ | - |
| | 0 Non-Energy Saving | | 1.0 | | | | |
| | 0 | 0 | 1.0 | | | | |
| | 0 | 0 | 1.0 | | | | |
| | 0 | 0 | 0.0 | \$ | - | \$ | - |
| | 0 | 0 | 0.0 | \$ | - | \$ | - |
| | 0 Non-Energy Saving | 1 | 1.0 | \$ | 68,007.00 | \$ | 68,007.00 |
| | 0 Non-Energy Saving | 1 | 1.0 | \$ | 102,000.00 | \$ | 102,000.00 |
| | 0 | 0 | 0.0 | \$ | - | \$ | - |
| GC1b001 | Hot Water | 0 | 10.0 | \$ | 4,135.00 | \$ | 2,300.00 |
| GC1b002 | HVAC | 0 | 18.0 | \$ | 34,375.00 | \$ | 6,875.00 |
| GC1b003 | Custom Measures | 5 | 13.0 | \$ | 114,400.00 | \$ | 57,200.00 |
| GC1b004 | Process | 0 | 13.0 | \$ | 50,000.00 | \$ | 40,000.00 |
| GC1b005 | HVAC | 0 | 25.0 | \$ | 10,601.00 | \$ | 10,000.00 |
| GC1b006 | HVAC | 4 | 25.0 | \$ | 7,874.00 | \$ | 7,500.00 |
| GC1b007 | HVAC | 5 | 25.0 | \$ | 5,077.00 | \$ | 4,000.00 |
| GC1b008 | HVAC | 4 | 25.0 | \$ | 3,879.00 | \$ | 2,000.00 |
| GC1b009 | HVAC | 0 | 25.0 | \$ | 1,500.00 | \$ | 1,000.00 |
| GC1b010 | HVAC | 0 | 25.0 | \$ | 3,885.31 | \$ | 1,500.00 |
| GC1b011 | HVAC | 0 | 25.0 | \$ | - | \$ | - |
| GC1b012 | HVAC | 0 | 18.0 | \$ | - | \$ | - |

| | | | | | | | |
|---------|---------------------|---|------|----|------------|----|------------|
| GC1b013 | HVAC | 0 | 18.0 | \$ | - | \$ | - |
| GC1b014 | HVAC | 0 | 18.0 | \$ | 921.04 | \$ | 300.00 |
| GC1b015 | HVAC | 0 | 18.0 | \$ | - | \$ | - |
| GC1b016 | HVAC | 7 | 17.0 | \$ | 2,982.00 | \$ | 750.00 |
| GC1b017 | Hot Water | 0 | 7.0 | \$ | - | \$ | - |
| GC1b018 | Hot Water | 0 | 7.0 | \$ | - | \$ | - |
| GC1b019 | Hot Water | 0 | 7.0 | \$ | - | \$ | - |
| GC1b020 | Hot Water | 0 | 8.0 | \$ | 285.00 | \$ | 142.50 |
| GC1b021 | Food Service | 0 | 12.0 | \$ | 1,300.00 | \$ | 1,000.00 |
| GC1b022 | Food Service | 0 | 12.0 | \$ | 1,886.00 | \$ | 1,200.00 |
| GC1b023 | Food Service | 0 | 12.0 | \$ | - | \$ | - |
| GC1b024 | Food Service | 0 | 12.0 | \$ | 3,400.00 | \$ | 1,200.00 |
| GC1b025 | Food Service | 0 | 12.0 | \$ | - | \$ | - |
| GC1b026 | Food Service | 0 | 12.0 | \$ | - | \$ | - |
| GC1b027 | Food Service | 0 | 12.0 | \$ | - | \$ | - |
| GC1b028 | Hot Water | 0 | 15.0 | \$ | 1,084.00 | \$ | 400.00 |
| GC1b029 | Hot Water | 0 | 20.0 | \$ | 4,135.00 | \$ | 2,300.00 |
| GC1b030 | Hot Water | 0 | 15.0 | \$ | 4,352.00 | \$ | 1,700.00 |
| GC1b031 | Hot Water | 0 | 15.0 | \$ | 740.00 | \$ | 400.00 |
| | 0 Non-Energy Saving | 0 | 1.0 | \$ | - | \$ | - |
| GC1b032 | Hot Water | 0 | 7.0 | \$ | 500.00 | \$ | 300.00 |
| GC1b033 | Food Service | 0 | 12.0 | \$ | 9,652.00 | \$ | 2,000.00 |
| | 0 | 0 | 0.0 | \$ | - | \$ | - |
| GC1b028 | HVAC | 0 | 20.0 | \$ | 3,235.05 | \$ | 3,235.05 |
| | 0 Non-Energy Saving | 1 | 1.0 | \$ | 55,642.00 | \$ | 55,642.00 |
| | 0 Non-Energy Saving | 1 | 1.0 | \$ | 16,000.00 | \$ | 16,000.00 |
| | 0 | 0 | 0.0 | \$ | - | \$ | - |
| | 0 Non-Energy Saving | 1 | 1.0 | \$ | 83,000.00 | \$ | 83,000.00 |
| GC1c001 | Food Service | 5 | 12.0 | \$ | 1,300.00 | \$ | 1,000.00 |
| GC1c002 | Food Service | 2 | 12.0 | \$ | 1,886.00 | \$ | 1,200.00 |
| GC1c003 | Food Service | 0 | 12.0 | \$ | 2,100.00 | \$ | 1,000.00 |
| GC1c004 | Food Service | 1 | 12.0 | \$ | 3,400.00 | \$ | 1,200.00 |
| GC1c005 | Food Service | 0 | 12.0 | \$ | 1,165.00 | \$ | 500.00 |
| GC1c006 | Hot Water | 0 | 8.0 | \$ | 130.00 | \$ | 60.00 |
| GC1c007 | Food Service | 0 | 12.0 | \$ | 4,000.00 | \$ | 1,200.00 |
| GC1c008 | Food Service | 0 | 12.0 | \$ | 2,000.00 | \$ | 1,000.00 |
| GC1c009 | Hot Water | 5 | 15.0 | \$ | 1,084.00 | \$ | 400.00 |
| GC1c010 | Hot Water | 0 | 20.0 | \$ | 4,135.00 | \$ | 2,300.00 |
| GC1c011 | Hot Water | 4 | 15.0 | \$ | 4,352.00 | \$ | 1,700.00 |
| GC1c012 | Hot Water | 0 | 15.0 | \$ | 740.00 | \$ | 400.00 |
| GC1c013 | Hot Water | 0 | 15.0 | \$ | 25.00 | \$ | 10.00 |
| GC1c014 | Hot Water | 0 | 10.0 | \$ | 40.00 | \$ | 15.00 |
| GC1c015 | Hot Water | 0 | 10.0 | \$ | 65.00 | \$ | 30.00 |
| GC1c016 | Hot Water | 0 | 10.0 | \$ | 4.00 | \$ | 2.00 |
| GC1c017 | Hot Water | 0 | 15.0 | \$ | 7.00 | \$ | 4.00 |
| GC1c018 | Hot Water | 0 | 8.0 | \$ | 36.00 | \$ | 20.00 |
| GC1c019 | HVAC | 0 | 15.0 | \$ | 70.00 | \$ | 25.00 |
| GC1c020 | HVAC | 0 | 15.0 | \$ | 250.00 | \$ | 100.00 |
| GC1c021 | Food Service | 0 | 15.0 | \$ | 670.00 | \$ | 650.00 |
| GC1c022 | Hot Water | 0 | 7.0 | \$ | 500.00 | \$ | 300.00 |
| GC1c023 | Food Service | 0 | 12.0 | \$ | 9,652.00 | \$ | 2,000.00 |
| | 0 Non-Energy Saving | 0 | 1.0 | \$ | 181,696.72 | \$ | 181,696.72 |
| | 0 | 0 | 0.0 | \$ | - | \$ | - |
| GC2a001 | Hot Water | 0 | 10.0 | \$ | 6,250.00 | \$ | 5,000.00 |
| GC2a002 | HVAC | 0 | 14.0 | \$ | 82,142.86 | \$ | 57,500.00 |

| | | | | | | | |
|---------|-------------------|-----|------|----|-----------|----|-----------|
| GC2a003 | Custom Measures | 50 | 15.0 | \$ | 13,000.00 | \$ | 6,500.00 |
| GC2a004 | Process | 0 | 20.0 | \$ | 3,750.00 | \$ | 3,000.00 |
| GC2a005 | Hot Water | 485 | 7.0 | \$ | 7.00 | \$ | 7.00 |
| GC2a006 | Hot Water | 0 | 7.0 | \$ | - | \$ | - |
| GC2a007 | Hot Water | 0 | 7.0 | \$ | 40.00 | \$ | 40.00 |
| GC2a008 | Hot Water | 130 | 7.0 | \$ | 16.00 | \$ | 8.00 |
| GC2a009 | Hot Water | 22 | 8.0 | \$ | 285.00 | \$ | 142.50 |
| GC2a010 | HVAC | 2 | 15.0 | \$ | 1,200.00 | \$ | 225.00 |
| GC2a011 | HVAC | 0 | 2.0 | \$ | 1,050.00 | \$ | 525.00 |
| GC2a012 | HVAC | 0 | 0.0 | \$ | - | \$ | - |
| GC2a013 | HVAC | 0 | 15.0 | \$ | - | \$ | - |
| GC2a014 | HVAC | 7 | 6.0 | \$ | 544.00 | \$ | 272.00 |
| GC2a015 | HVAC | 126 | 15.0 | \$ | 85.00 | \$ | 85.00 |
| GC2a017 | Envelope | 0 | 15.0 | \$ | - | \$ | - |
| GC2a018 | Envelope | 0 | 25.0 | \$ | 5,000.00 | \$ | 4,500.00 |
| 0 | | 0 | 0.0 | \$ | - | \$ | - |
| 0 | Non-Energy Saving | | 1.0 | | | | |
| 0 | | 0 | 1.0 | | | | |
| 0 | | 0 | 1.0 | | | | |
| 0 | | 0 | 0.0 | \$ | - | \$ | - |
| 0 | | 0 | 0.0 | \$ | - | \$ | - |
| 0 | Non-Energy Saving | 1 | 1.0 | \$ | 52,894.00 | \$ | 52,894.00 |
| 0 | Non-Energy Saving | 1 | 1.0 | \$ | 91,000.00 | \$ | 91,000.00 |
| 0 | | 0 | 0.0 | \$ | - | \$ | - |
| GC2b001 | Hot Water | 0 | 12.0 | \$ | 2,773.33 | \$ | 2,080.00 |
| GC2b002 | HVAC | 0 | 14.0 | \$ | 28,000.00 | \$ | 21,000.00 |
| GC2b003 | Custom Measures | 32 | 13.0 | \$ | 14,166.67 | \$ | 10,625.00 |
| GC2b004 | Process | 0 | 0.0 | \$ | - | \$ | - |
| GC2b005 | HVAC | 4 | 25.0 | \$ | 10,601.00 | \$ | 10,000.00 |
| GC2b006 | HVAC | 3 | 25.0 | \$ | 7,874.00 | \$ | 7,500.00 |
| GC2b007 | HVAC | 20 | 25.0 | \$ | 5,077.00 | \$ | 4,000.00 |
| GC2b008 | HVAC | 16 | 25.0 | \$ | 3,879.00 | \$ | 2,000.00 |
| GC2b009 | HVAC | 0 | 25.0 | \$ | 3,479.00 | \$ | 1,000.00 |
| GC2b010 | HVAC | 30 | 25.0 | \$ | 3,848.00 | \$ | 1,500.00 |
| GC2b011 | HVAC | 0 | 25.0 | \$ | 2,910.00 | \$ | 1,600.00 |
| GC2b012 | HVAC | 0 | 18.0 | \$ | 995.00 | \$ | 950.00 |
| GC2b013 | HVAC | 0 | 18.0 | \$ | 2,400.00 | \$ | 750.00 |
| GC2b014 | HVAC | 25 | 18.0 | \$ | 1,132.00 | \$ | 300.00 |
| GC2b015 | HVAC | 5 | 18.0 | \$ | 1,294.00 | \$ | 600.00 |
| GC2b016 | HVAC | 22 | 17.0 | \$ | 2,982.00 | \$ | 750.00 |
| GC2b017 | Hot Water | 0 | 10.0 | \$ | 15.00 | \$ | 15.00 |
| GC2b018 | Hot Water | 0 | 7.0 | \$ | - | \$ | - |
| GC2b019 | Hot Water | 400 | 7.0 | \$ | 66.25 | \$ | 36.54 |
| GC2b020 | Hot Water | 20 | 8.0 | \$ | 285.00 | \$ | 142.50 |
| GC2b021 | Food Service | 0 | 12.0 | \$ | 1,300.00 | \$ | 1,000.00 |
| GC2b022 | Food Service | 0 | 12.0 | \$ | 1,886.00 | \$ | 1,000.00 |
| GC2b023 | Food Service | 0 | 12.0 | \$ | 2,100.00 | \$ | 1,000.00 |
| GC2b024 | Food Service | 0 | 12.0 | \$ | 3,400.00 | \$ | 1,000.00 |
| GC2b025 | Food Service | 0 | 12.0 | \$ | 1,165.00 | \$ | 500.00 |
| GC2b026 | Food Service | 0 | 12.0 | \$ | 4,000.00 | \$ | 1,000.00 |
| GC2b027 | Food Service | 0 | 12.0 | \$ | 2,000.00 | \$ | 1,000.00 |
| GC2b028 | Hot Water | 0 | 15.0 | \$ | 1,084.00 | \$ | 400.00 |
| GC2b029 | Hot Water | 0 | 20.0 | \$ | 4,135.00 | \$ | 2,300.00 |
| GC2b030 | Hot Water | 0 | 15.0 | \$ | 4,352.00 | \$ | 1,700.00 |
| GC2b031 | Hot Water | 0 | 15.0 | \$ | 740.00 | \$ | 400.00 |

| | | | | | | |
|---------|---|-------------------|----|------|--------------|--------------|
| | 0 | Non-Energy Saving | 0 | 1.0 | \$ 2,000.00 | \$ 2,000.00 |
| GC2b032 | | Hot Water | 0 | 7.0 | \$ 500.00 | \$ 300.00 |
| GC2b033 | | Food Service | 0 | 12.0 | \$ 9,652.00 | \$ 2,000.00 |
| | 0 | | 0 | 0.0 | \$ - | \$ - |
| GC2b028 | | HVAC | 0 | 20.0 | \$ 1,741.95 | \$ 1,741.95 |
| | 0 | Non-Energy Saving | 1 | 1.0 | \$ 43,277.00 | \$ 43,277.00 |
| | 0 | Non-Energy Saving | 1 | 1.0 | \$ 21,000.00 | \$ 21,000.00 |
| | 0 | | 0 | 0.0 | \$ - | \$ - |
| | 0 | Non-Energy Saving | 1 | 1.0 | \$ 74,000.00 | \$ 74,000.00 |
| | 0 | | 0 | 0.0 | \$ - | \$ - |
| | 0 | | 0 | 0.0 | \$ - | \$ - |
| GC2c001 | | Food Service | 2 | 12.0 | \$ 1,300.00 | \$ 1,000.00 |
| GC2c002 | | Food Service | 3 | 12.0 | \$ 1,886.00 | \$ 1,200.00 |
| GC2c003 | | Food Service | 2 | 12.0 | \$ 2,100.00 | \$ 1,000.00 |
| GC2c004 | | Food Service | 3 | 12.0 | \$ 3,400.00 | \$ 1,200.00 |
| GC2c005 | | Food Service | 2 | 12.0 | \$ 1,165.00 | \$ 500.00 |
| GC2c006 | | Hot Water | 0 | 8.0 | \$ 130.00 | \$ 60.00 |
| GC2c007 | | Food Service | 0 | 12.0 | \$ 4,000.00 | \$ 1,200.00 |
| GC2c008 | | Food Service | 16 | 12.0 | \$ 2,000.00 | \$ 1,000.00 |
| GC2c009 | | Hot Water | 9 | 15.0 | \$ 1,084.00 | \$ 400.00 |
| GC2c010 | | Hot Water | 4 | 20.0 | \$ 589.44 | \$ 384.00 |
| GC2c011 | | Hot Water | 8 | 15.0 | \$ 4,352.00 | \$ 1,700.00 |
| GC2c012 | | Hot Water | 0 | 15.0 | \$ 1,186.90 | \$ 237.72 |
| GC2c013 | | Hot Water | 0 | 15.0 | \$ 25.00 | \$ 10.00 |
| GC2c014 | | Hot Water | 0 | 10.0 | \$ 40.00 | \$ 15.00 |
| GC2c015 | | Hot Water | 0 | 10.0 | \$ 65.00 | \$ 30.00 |
| GC2c016 | | Hot Water | 0 | 10.0 | \$ 4.00 | \$ 2.00 |
| GC2c017 | | Hot Water | 0 | 15.0 | \$ 7.00 | \$ 4.00 |
| GC2c018 | | Hot Water | 0 | 8.0 | \$ 36.00 | \$ 20.00 |
| GC2c019 | | HVAC | 0 | 15.0 | \$ 70.00 | \$ 25.00 |
| GC2c020 | | HVAC | 0 | 15.0 | \$ 250.00 | \$ 100.00 |
| GC2c022 | | Hot Water | 0 | 7.0 | \$ 500.00 | \$ 300.00 |
| GC2c023 | | Food Service | 0 | 12.0 | \$ 9,652.00 | \$ 2,000.00 |
| | 0 | Non-Energy Saving | 0 | 1.0 | \$ 7,916.70 | \$ 7,916.70 |
| | 0 | | | | | |
| GC3a001 | | Hot Water | 0 | 10.0 | \$ 6,250.00 | \$ 5,000.00 |
| GC3a002 | | HVAC | 0 | 14.0 | \$ 18,750.00 | \$ 15,000.00 |
| GC3a003 | | Custom Measures | 10 | 15.0 | \$ 13,680.00 | \$ 6,840.00 |
| GC3a004 | | Process | 0 | 20.0 | \$ 3,750.00 | \$ 3,000.00 |
| GC3a005 | | Hot Water | 50 | 7.0 | \$ 7.00 | \$ 7.00 |
| GC3a006 | | Hot Water | 0 | 7.0 | \$ - | \$ - |
| GC3a007 | | Hot Water | 0 | 7.0 | \$ 40.00 | \$ 40.00 |
| GC3a008 | | Hot Water | 12 | 7.0 | \$ 16.00 | \$ 8.00 |
| GC3a009 | | Hot Water | 1 | 8.0 | \$ 285.00 | \$ 142.50 |
| GC3a010 | | HVAC | 0 | 15.0 | \$ 1,200.00 | \$ 225.00 |
| GC3a011 | | HVAC | 0 | 2.0 | \$ 1,050.00 | \$ 525.00 |
| GC3a012 | | HVAC | 1 | 10.0 | \$ 6,800.00 | \$ 3,400.00 |
| GC3a013 | | HVAC | 0 | 15.0 | \$ - | \$ - |
| GC3a014 | | HVAC | 40 | 6.0 | \$ 544.00 | \$ 272.00 |
| GC3a015 | | HVAC | 50 | 15.0 | \$ 85.00 | \$ 85.00 |
| GC3a017 | | Envelope | 0 | 15.0 | \$ - | \$ - |
| GC3a018 | | Envelope | 0 | 25.0 | \$ - | \$ - |
| | 0 | | 0 | 0.0 | \$ - | \$ - |
| | 0 | Non-Energy Saving | | 1.0 | | |
| | 0 | | 0 | 1.0 | | |

| | | | | | | |
|---------|-------------------|----|------|----|-----------|--------------|
| 0 | | 0 | 1.0 | | | |
| 0 | | 0 | 0.0 | \$ | - | \$ - |
| 0 | | 0 | 0.0 | \$ | - | \$ - |
| 0 | Non-Energy Saving | 1 | 1.0 | \$ | 22,669.00 | \$ 22,669.00 |
| 0 | Non-Energy Saving | 1 | 1.0 | \$ | 22,000.00 | \$ 22,000.00 |
| 0 | | 0 | 0.0 | \$ | - | \$ - |
| GC3b001 | Hot Water | 0 | 12.0 | \$ | 1,875.00 | \$ 1,500.00 |
| GC3b002 | HVAC | 0 | 14.0 | \$ | 10,000.00 | \$ 7,500.00 |
| GC3b003 | Custom Measures | 2 | 13.0 | \$ | 15,400.00 | \$ 11,550.00 |
| GC3b004 | Process | 0 | 0.0 | \$ | - | \$ - |
| GC3b005 | HVAC | 2 | 25.0 | \$ | 10,601.00 | \$ 10,000.00 |
| GC3b006 | HVAC | 0 | 25.0 | \$ | 7,874.00 | \$ 7,500.00 |
| GC3b007 | HVAC | 8 | 25.0 | \$ | 5,077.00 | \$ 4,000.00 |
| GC3b008 | HVAC | 2 | 25.0 | \$ | 3,879.00 | \$ 2,000.00 |
| GC3b009 | HVAC | 0 | 25.0 | \$ | 3,479.00 | \$ 1,000.00 |
| GC3b010 | HVAC | 12 | 25.0 | \$ | 3,848.00 | \$ 1,500.00 |
| GC3b011 | HVAC | 0 | 25.0 | \$ | 2,910.00 | \$ 1,600.00 |
| GC3b012 | HVAC | 0 | 18.0 | \$ | 995.00 | \$ 950.00 |
| GC3b013 | HVAC | 0 | 18.0 | \$ | 2,400.00 | \$ 750.00 |
| GC3b014 | HVAC | 0 | 18.0 | \$ | 1,132.00 | \$ 300.00 |
| GC3b015 | HVAC | 3 | 18.0 | \$ | 1,294.00 | \$ 600.00 |
| GC3b016 | HVAC | 0 | 17.0 | \$ | 759.36 | \$ 759.36 |
| GC3b017 | Hot Water | 0 | 10.0 | \$ | 15.00 | \$ 15.00 |
| GC3b018 | Hot Water | 0 | 7.0 | \$ | 459.08 | \$ 459.08 |
| GC3b019 | Hot Water | 61 | 7.0 | \$ | 66.25 | \$ 36.54 |
| GC3b020 | Hot Water | 0 | 8.0 | \$ | 285.00 | \$ 142.50 |
| GC3b021 | Food Service | 0 | 12.0 | \$ | 1,300.00 | \$ 1,000.00 |
| GC3b022 | Food Service | 0 | 12.0 | \$ | 1,886.00 | \$ 1,000.00 |
| GC3b023 | Food Service | 0 | 12.0 | \$ | 2,100.00 | \$ 1,000.00 |
| GC3b024 | Food Service | 0 | 12.0 | \$ | 3,400.00 | \$ 1,000.00 |
| GC3b025 | Food Service | 0 | 12.0 | \$ | 1,165.00 | \$ 500.00 |
| GC3b026 | Food Service | 0 | 12.0 | \$ | 4,000.00 | \$ 1,000.00 |
| GC3b027 | Food Service | 0 | 12.0 | \$ | 2,000.00 | \$ 1,000.00 |
| GC3b028 | Hot Water | 0 | 15.0 | \$ | 1,084.00 | \$ 213.50 |
| GC3b029 | Hot Water | 1 | 20.0 | \$ | 589.00 | \$ 384.00 |
| GC3b030 | Hot Water | 1 | 15.0 | \$ | 4,352.00 | \$ 1,700.00 |
| GC3b031 | Hot Water | 0 | 15.0 | \$ | 1,187.00 | \$ 238.00 |
| 0 | Non-Energy Saving | 0 | 1.0 | \$ | 2,000.00 | \$ 2,000.00 |
| GC3b032 | Hot Water | 0 | 7.0 | \$ | 500.00 | \$ 300.00 |
| GC3b033 | Food Service | 0 | 12.0 | \$ | 9,652.00 | \$ 2,000.00 |
| 0 | | 0 | 0.0 | \$ | - | \$ - |
| GC3b028 | HVAC | 0 | 20.0 | \$ | 1,741.95 | \$ 1,741.95 |
| 0 | Non-Energy Saving | 1 | 1.0 | \$ | 18,547.00 | \$ 18,547.00 |
| 0 | Non-Energy Saving | 1 | 1.0 | \$ | 5,000.00 | \$ 5,000.00 |
| 0 | | 0 | 0.0 | \$ | - | \$ - |
| 0 | Non-Energy Saving | 1 | 1.0 | \$ | 18,000.00 | \$ 18,000.00 |
| 0 | | 0 | 0.0 | \$ | - | \$ - |
| 0 | | 0 | 0.0 | \$ | - | \$ - |
| 0 | | 0 | 0.0 | \$ | - | \$ - |

| | | | | | | | | | | |
|----|-------|----|-----------|------|------|------|--------|--------|--------|--------|
| \$ | 19.36 | \$ | 460.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 19.36 | \$ | 67.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 19.36 | \$ | 1,349.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 19.36 | \$ | 728.48 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 19.36 | \$ | 2,365.27 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 19.36 | \$ | 185.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 19.36 | \$ | 300.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 19.36 | \$ | 698.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 19.36 | \$ | 535.25 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 19.36 | \$ | 183.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 19.36 | \$ | 183.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 1,835.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 99.9% | 100.0% |
| | | \$ | 5,016.67 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 99.9% | 100.0% |
| | | \$ | 21,600.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 99.9% | 100.0% |
| | | \$ | 17,660.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 99.9% | 100.0% |
| \$ | 1.70 | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 2.65 | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 0.21 | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 11.40 | \$ | 142.50 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 35.50 | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 525.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 16,496.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 3,000.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 612.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 1,835.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 99.9% | 100.0% |
| | | \$ | 27,500.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 99.9% | 100.0% |
| | | \$ | 57,200.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 99.9% | 100.0% |
| | | \$ | 10,000.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 99.9% | 100.0% |
| | | \$ | 601.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 374.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 1,077.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 1,879.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 500.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 2,385.31 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |

| | | | | | | | | | |
|----|------------|-------------|-------|------|------|---------|--------|--------|--------|
| | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | 621.04 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | 2,232.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | 142.50 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | 300.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | 686.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | 2,200.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 133.00 | \$ 684.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | 62.30 | \$ 1,835.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | 1,808.10 | \$ 2,652.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 340.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 200.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 250.00 | \$ 7,652.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ - | | | | #VALUE! | | | |
| \$ | - | \$ - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 36.0% | 36.0% |
| \$ | - | \$ - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ - | | | | #VALUE! | | | |
| \$ | - | \$ - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 2,017.80 | \$ 300.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | 608.40 | \$ 686.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | 2,777.40 | \$ 1,100.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | 1,409.40 | \$ 2,200.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | 682.20 | \$ 665.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | 205.20 | \$ 70.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | 3,803.40 | \$ 2,800.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | 6,672.60 | \$ 1,000.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| \$ | 133.00 | \$ 684.00 | 70.0% | 0.0% | 0.0% | 30.0% | 100.0% | 100.0% | 100.0% |
| \$ | 62.30 | \$ 1,835.00 | 40.0% | 0.0% | 0.0% | 60.0% | 100.0% | 100.0% | 100.0% |
| \$ | 1,808.10 | \$ 2,652.00 | 40.0% | 0.0% | 0.0% | 60.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 340.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 15.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 25.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 35.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 2.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 3.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 16.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 45.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 150.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 20.00 | \$ 20.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ 200.00 | 23.0% | 9.0% | 0.0% | 86.0% | 100.0% | 100.0% | 100.0% |
| \$ | 250.00 | \$ 7,652.00 | 23.0% | 9.0% | 0.0% | 86.0% | 100.0% | 100.0% | 100.0% |
| \$ | 130,989.60 | \$ - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | 1,250.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | \$ | 24,642.86 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |

| | | | | | | | | | | |
|--|--|----|----------|-------|------|------|--------|--------|--------|--------|
| | | \$ | 6,500.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 750.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 8.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 142.50 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 975.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 525.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 272.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 500.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | | | 0.0% | 0.0% | 0.0% | | 100.0% | 100.0% | 100.0% |
| | | | | 0.0% | 0.0% | 0.0% | | 100.0% | 100.0% | 100.0% |
| | | | | 0.0% | 0.0% | 0.0% | | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 693.33 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 7,000.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 3,541.67 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 601.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 374.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 1,077.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 1,879.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 2,479.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 2,348.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 1,310.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 45.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 1,650.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 832.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 694.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 2,232.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 29.71 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 142.50 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 300.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 886.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 1,100.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 2,400.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 665.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 3,000.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 1,000.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | \$ | 133.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| | | \$ | 62.30 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| | | \$ | 1,808.10 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |
| | | \$ | - | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% | 100.0% |

| | | | | | | | | | |
|----|----------|----|----------|-------|------|--------|---------|--------|--------|
| | | | 0.0% | 0.0% | 0.0% | | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 375.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 2,500.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 3,850.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 601.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 374.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 1,077.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 1,879.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 2,479.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 2,348.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 1,310.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 45.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 1,650.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 832.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 694.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 29.71 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 142.50 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 300.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 886.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 1,100.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 2,400.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 665.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 3,000.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 1,000.00 | \$ | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| \$ | 133.00 | \$ | 870.50 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% |
| \$ | 62.30 | \$ | 205.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% |
| \$ | 1,808.10 | \$ | 2,652.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% |
| \$ | - | \$ | 949.00 | 23.7% | 7.0% | 0.0% | 83.3% | 100.0% | 100.0% |
| \$ | - | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | 200.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% |
| \$ | 250.00 | \$ | 7,652.00 | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | - | | | | #VALUE! | | |
| \$ | - | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 36.0% |
| \$ | - | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | - | | | | #VALUE! | | |
| \$ | - | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% |
| \$ | - | \$ | - | | | | #VALUE! | | |
| \$ | - | \$ | - | 0.0% | 0.0% | 0.0% | 100.0% | 100.0% | 100.0% |

| | | | | | | |
|--------|--------|--------|------------------------------|-------|----------|-------|
| 91.0% | 91.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | 24.10 | Clothes Washer | 0.075 | 0.000270 | 36.4% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 35.0% | 35.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 104.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 104.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | 35.30 | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | 17.00 | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | 50.60 | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | 50.60 | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | 37.40 | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 104.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 96.0% | 104.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 96.0% | 104.0% | - | 24 Hour Operation | | 0.000114 | 30.5% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | 168.00 | Furnace Fan | | 0.000645 | 44.6% |
| 100.0% | 104.0% | 27.00 | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 104.0% | 46.00 | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 104.0% | 9.00 | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 104.0% | 86.00 | Furnace Fan | | 0.000645 | 44.6% |
| 100.0% | 104.0% | 32.00 | Central Air Conditioner/Heat | | 0.001594 | 6.6% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | 104.20 | Furnace Fan | | 0.000645 | 44.6% |
| 100.0% | 100.0% | 104.20 | Furnace Fan | | 0.000645 | 44.6% |

| | | | | | | |
|--------|--------|----------|-----------------------------|--------|----------|-------|
| 100.0% | 100.0% | (133.00) | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | 27.00 | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | (43.00) | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | (43.00) | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | (43.00) | Water Heater - Natural Gas/ | -0.010 | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | 24.86 | Weighted HVAC - All Homes | | 0.000783 | 25.4% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| | | | | | | |
| 100.0% | 100.0% | - | | | | |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| | | | | | | |
| 100.0% | 100.0% | - | | | | |
| 100.0% | 87.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 87.0% | - | Custom Calculation | | 0.000000 | 0.0% |
| 100.0% | 87.0% | - | Custom Calculation | | 0.000000 | 0.0% |
| 100.0% | 87.0% | - | Custom Calculation | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 87.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 87.0% | - | Custom Calculation | | 0.000000 | 0.0% |
| 100.0% | 87.0% | - | Custom Calculation | | 0.000000 | 0.0% |
| 100.0% | 87.0% | - | Custom Calculation | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Furnace Fan | | 0.000645 | 44.6% |

| | | | | | |
|--------|--------|--------|-----------------------------|----------|-------|
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | 168.00 | Furnace Fan | 0.000645 | 44.6% |
| 100.0% | 100.0% | 168.00 | Furnace Fan | 0.000645 | 44.6% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Custom Calculation | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | | | |
| 36.0% | 36.0% | - | C&I Codes & Standards | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | | | |
| 100.0% | 100.0% | - | Non-Electric Measures | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | | | |
| 100.0% | 100.0% | - | | | |
| 100.0% | 87.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 87.0% | - | Custom Calculation | 0.000000 | 0.0% |

| | | | | | |
|--------|--------|--------|-----------------------------|----------|-------|
| 100.0% | 87.0% | - | Custom Calculation | 0.000000 | 0.0% |
| 100.0% | 87.0% | - | Custom Calculation | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Boiler Distribution | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | Non-Electric Measures | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | 0.000000 | 0.0% |
| 100.0% | 87.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 87.0% | - | Custom Calculation | 0.000000 | 0.0% |
| 100.0% | 87.0% | - | Custom Calculation | 0.000000 | 0.0% |
| 100.0% | 87.0% | - | Custom Calculation | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Boiler Distribution | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Furnace Fan | 0.000645 | 44.6% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | 168.00 | Furnace Fan | 0.000645 | 44.6% |
| 100.0% | 100.0% | 168.00 | Furnace Fan | 0.000645 | 44.6% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | 0.000357 | 40.9% |

| | | | | | | |
|--------|--------|---|-----------------------------|--|----------|-------|
| 100.0% | 100.0% | - | | | | |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | C&I Food Services | | 0.000000 | 32.0% |
| | | - | | | | |
| 36.0% | 36.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| | | - | | | | |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| | | - | | | | |
| 100.0% | 100.0% | - | | | | |
| 100.0% | 100.0% | - | C&I Food Services | | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | C&I Food Services | | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | C&I Food Services | | 0.000000 | 32.0% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | C&I Food Services | | 0.000000 | 32.0% |
| | | - | | | | |
| 100.0% | 87.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 87.0% | - | Custom Calculation | | 0.000000 | 0.0% |
| 100.0% | 87.0% | - | Custom Calculation | | 0.000000 | 0.0% |
| 100.0% | 87.0% | - | Custom Calculation | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Water Heater - Natural Gas/ | | 0.000357 | 40.9% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | Boiler Distribution | | 0.000551 | 45.0% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | C&I Heating & Cooling | | 0.000000 | 26.4% |
| 100.0% | 100.0% | - | | | | |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |
| 100.0% | 100.0% | - | Non-Electric Measures | | 0.000000 | 0.0% |

| | | | | | | | |
|-------|-------|-------|-------|--------|--------|--------|--------|
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.9% | 18.3% | 15.4% | 0.075 | 49.1% | 52.0% | 49.1% | 49.1% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.028 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.013 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.040 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.040 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.029 | 33.6% | 20.1% | 33.6% | 33.6% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 36.1% | 15.2% | 18.3% | 0.000 | 100.0% | 100.0% | 100.0% | 100.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.4% | 0.0% | 0.0% | 0.108 | 0.0% | 45.2% | 0.0% | 0.0% |
| 29.7% | 23.2% | 21.7% | 0.021 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.036 | 33.6% | 20.1% | 33.6% | 33.6% |
| 55.0% | 0.0% | 0.0% | 0.005 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.4% | 0.0% | 0.0% | 0.055 | 0.0% | 45.2% | 0.0% | 0.0% |
| 3.8% | 47.3% | 42.2% | 0.051 | 34.6% | 0.0% | 34.6% | 34.6% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.4% | 0.0% | 0.0% | 0.067 | 0.0% | 45.2% | 0.0% | 0.0% |
| 55.4% | 0.0% | 0.0% | 0.067 | 0.0% | 45.2% | 0.0% | 0.0% |

| | | | | | | | |
|----------|-------|-------|--------|-------|--------|-------|-------|
| 29.7% | 23.2% | 21.7% | -0.104 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.021 | 33.6% | 20.1% | 33.6% | 33.6% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | -0.015 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | -0.015 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | -0.010 | 21.4% | 39.9% | 21.4% | 21.4% |
| 29.7% | 23.2% | 21.7% | 0.000 | 33.6% | 20.1% | 33.6% | 33.6% |
| 29.7% | 23.2% | 21.7% | 0.019 | 33.6% | 20.1% | 33.6% | 33.6% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| | | | | | | | |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| | | | | | | | |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 0.0% | 100.0% | 0.0% | 0.0% |
| 34.2% | 13.3% | 11.6% | 0.000 | 0.0% | 39.9% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.4% | 0.0% | 0.0% | 0.000 | 0.0% | 45.2% | 0.0% | 0.0% |

| | | | | | | | |
|-------|-------|-------|-------|--------|--------|--------|--------|
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 35.0% | 16.0% | 17.0% | 0.000 | 90.0% | 90.0% | 90.0% | 90.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 35.0% | 16.0% | 17.0% | 0.000 | 90.0% | 90.0% | 90.0% | 90.0% |
| 35.0% | 16.0% | 17.0% | 0.000 | 90.0% | 90.0% | 90.0% | 90.0% |
| 35.0% | 16.0% | 17.0% | 0.000 | 90.0% | 90.0% | 90.0% | 90.0% |
| 35.0% | 16.0% | 17.0% | 0.000 | 90.0% | 90.0% | 90.0% | 90.0% |
| 35.0% | 16.0% | 17.0% | 0.000 | 90.0% | 90.0% | 90.0% | 90.0% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 35.0% | 16.0% | 17.0% | 0.000 | 90.0% | 90.0% | 90.0% | 90.0% |
| 35.0% | 16.0% | 17.0% | 0.000 | 90.0% | 90.0% | 90.0% | 90.0% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 0.0% | 100.0% | 0.0% | 0.0% |
| 34.2% | 13.3% | 11.6% | 0.000 | 0.0% | 39.9% | 0.0% | 0.0% |
| 34.2% | 13.3% | 11.6% | 0.000 | 0.0% | 39.9% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 34.2% | 13.3% | 11.6% | 0.000 | 100.0% | 39.9% | 100.0% | 100.0% |
| 35.0% | 16.0% | 17.0% | 0.000 | 200.0% | 90.0% | 200.0% | 200.0% |
| | | | | 0.0% | | | |
| | | | | 0.0% | | | |
| 34.2% | 13.3% | 11.6% | 0.000 | 0.0% | 39.9% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 34.2% | 13.3% | 11.6% | 0.000 | 0.0% | 39.9% | 0.0% | 0.0% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 34.2% | 13.3% | 11.6% | 0.000 | 21.4% | 39.9% | 21.4% | 21.4% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 55.0% | 0.0% | 0.0% | 0.000 | 0.0% | 53.5% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 16.6% | 34.9% | 22.1% | 0.000 | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | | 0.0% | 0.0% | 0.0% | 0.0% |
| 0.0% | 0.0% | 0.0% | | 0.0% | 0.0% | 0.0% | 0.0% |

Non-Electric Benefit

| Fossil Fuel Type #1 (Dropdown) | Savings from Fuel Type #1 (MMBtu/Year) | Fossil Fuel Type #2 (Dropdown) | Savings from Fuel Type #2 (MMBtu/Year) |
|--|---|--|---|
| NG - Res Heating | 13.00 | | |
| NG - Res Hot Water | 0.16 | | |
| NG - Res Hot Water | 0.63 | | |
| NG - Res Heating | 37.50 | | |
| | - | | |
| | - | | |
| | - | | |
| | - | | |
| | - | | |
| NG - Res Hot Water | 0.63 | | |
| NG - Res Hot Water | 3.50 | | |
| | - | | |
| | - | | |
| | - | | |
| NG - Res Heating | - | | |
| NG - Res Heating | - | | |
| NG - Res Heating | 1.10 | | |
| NG - Res Heating | - | | |
| NG - Res Hot Water | 1.37 | | |
| NG - Res Heating | - | | |
| NG - Res Heating | - | | |
| | - | | - |
| | - | | |
| NG - Res Heating | - | | |
| | - | | - |
| NG - Res Heating | 32.00 | | |
| NG - Res Heating | 20.00 | | |
| NG - Res Heating | 2.07 | | |
| NG - Res Heating | 5.80 | | |
| NG - Res Heating | 5.37 | | |
| NG - Res Heating | 5.37 | | |
| NG - Res Heating | 5.37 | | |
| NG - Res Heating | 5.37 | | |
| NG - Res Heating | 3.00 | | |
| NG - Res Hot Water | 2.50 | | |
| NG - Res Hot Water | 4.00 | | |
| | - | | |
| NG - Res Hot Water | 4.00 | | |
| | - | | |
| NG - Res Hot Water | 8.40 | | |
| | - | | |
| NG - Res Hot Water | 12.80 | | |

| | | | |
|--------------------|-------|---------|---|
| NG - Res Hot Water | 7.30 | | |
| | - | | - |
| NG - Res Heating | 23.50 | | |
| NG - Res Hot Water | 3.50 | | |
| | - | | |
| NG - Res Heating | 17.50 | | |
| NG - Res Hot Water | 3.50 | | |
| | - | | |
| | - | | |
| NG - Res Hot Water | 0.29 | | |
| | - | | |
| | - | | |
| NG - Res All | - | | |
| | - | | |
| NG - Res Heating | 13.00 | | |
| NG - Res Hot Water | 0.16 | | |
| NG - Res Hot Water | 0.63 | | |
| NG - Res Heating | 27.00 | | |
| | - | | |
| | - | | |
| | - | | |
| | - | | |
| | - | | |
| NG - Res Hot Water | 0.63 | | |
| NG - Res Hot Water | 4.00 | | |
| NG - Res Heating | - | Propane | - |
| NG - Res Heating | - | Propane | - |
| NG - Res Heating | - | Propane | - |
| NG - Res Heating | - | Propane | - |
| NG - Res Heating | - | Propane | - |
| | - | | |
| | - | | |
| | - | | |
| | - | | |
| | - | | |
| NG - Res Heating | 12.10 | | |
| NG - Res Heating | - | | |
| NG - Res Heating | 2.07 | | |
| NG - Res Heating | 5.80 | | |
| NG - Res Heating | - | | |
| NG - Res Heating | - | | |
| NG - Res Heating | - | | |
| | - | | |
| | - | | |
| NG - Res Heating | 11.40 | | |
| NG - Res Heating | 7.00 | | |
| NG - Res Heating | 2.90 | | |
| NG - Res Heating | 8.00 | | |
| NG - Res Heating | 5.10 | | |
| NG - Res Heating | 12.10 | | |
| NG - Res Heating | 14.80 | | |
| NG - Res Heating | 9.80 | | |
| NG - Res Heating | 10.30 | | |

| | | | |
|--------------------------|----------|--|--|
| NG - Res Heating | 7.70 | | |
| NG - Res Heating | 2.07 | | |
| NG - Res Hot Water | 4.00 | | |
| NG - Res Hot Water | 8.40 | | |
| NG - Res Hot Water | 12.80 | | |
| NG - Res Hot Water | 7.00 | | |
| NG - Res Hot Water | 3.00 | | |
| NG - Res Hot Water | 10.20 | | |
| NG - Res Hot Water | 7.30 | | |
| NG - Res Heating | 5.80 | | |
| NG - Res Heating | 5.80 | | |
| | - | | |
| | - | | |
| | - | | |
| NG - Res Heating | 0.91 | | |
| | - | | |
| NG - C&I Gas Non Heating | 78.57 | | |
| NG - C&I Gas Heat | 700.00 | | |
| NG - C&I Gas Heat | 800.00 | | |
| NG - C&I Gas Non Heating | 1,500.00 | | |
| NG - C&I Gas Non Heating | 1.70 | | |
| NG - C&I Gas Non Heating | 0.33 | | |
| NG - C&I Gas Non Heating | 2.65 | | |
| NG - C&I Gas Non Heating | 5.25 | | |
| NG - C&I Gas Non Heating | 11.40 | | |
| NG - C&I Gas Heat | 35.50 | | |
| NG - C&I Gas Heat | 215.00 | | |
| NG - C&I Gas All | 219.38 | | |
| NG - C&I Gas Heat | 155.00 | | |
| NG - C&I Gas Heat | 36.00 | | |
| NG - C&I Gas Heat | 3.50 | | |
| NG - C&I Gas Heat | 9.86 | | |
| NG - C&I Gas Heat | - | | |
| NG - C&I Gas Heat | - | | |
| | - | | |
| | - | | |
| | - | | |
| | - | | |
| | - | | |
| | - | | |
| NG - C&I Gas All | 78.57 | | |
| NG - C&I Gas Heat | 600.00 | | |
| NG - C&I Gas Heat | 2,200.00 | | |
| NG - C&I Gas Non Heating | 1,200.00 | | |
| NG - C&I Gas Heat | 165.30 | | |
| NG - C&I Gas Heat | 94.50 | | |
| NG - C&I Gas Heat | 51.40 | | |
| NG - C&I Gas Heat | 28.00 | | |
| NG - C&I Gas Heat | 14.70 | | |
| NG - C&I Gas Heat | 17.70 | | |
| NG - C&I Gas All | 30.50 | | |
| NG - C&I Gas All | 15.10 | | |

| | | | |
|--------------------------|--------|--|---|
| NG - C&I Gas Heat | 40.90 | | |
| NG - C&I Gas Heat | 5.70 | | |
| NG - C&I Gas Heat | 6.70 | | |
| NG - C&I Gas Heat | 12.00 | | |
| NG - C&I Gas Non Heating | 1.70 | | |
| NG - C&I Gas Non Heating | 0.33 | | |
| NG - C&I Gas Non Heating | 2.65 | | |
| NG - C&I Gas Non Heating | 11.40 | | |
| NG - C&I Gas Non Heating | 33.60 | | |
| NG - C&I Gas Non Heating | 12.70 | | |
| NG - C&I Gas Non Heating | 88.40 | | |
| NG - C&I Gas Non Heating | 51.20 | | |
| NG - C&I Gas Non Heating | 22.10 | | |
| NG - C&I Gas Non Heating | 122.90 | | |
| NG - C&I Gas Non Heating | 71.30 | | |
| NG - C&I Gas Non Heating | 18.72 | | |
| NG - C&I Gas Non Heating | 8.77 | | - |
| NG - C&I Gas Non Heating | 254.43 | | - |
| NG - C&I Gas Non Heating | 14.41 | | |
| | - | | |
| NG - C&I Gas Non Heating | 15.00 | | |
| NG - C&I Gas Non Heating | 140.20 | | |
| | - | | - |
| NG - C&I Gas All | - | | - |
| NG - C&I Gas All | - | | - |
| NG - C&I Gas All | - | | - |
| | - | | - |
| NG - C&I Gas All | - | | |
| NG - C&I Gas Non Heating | 33.60 | | |
| NG - C&I Gas Non Heating | 12.70 | | |
| NG - C&I Gas Non Heating | 88.40 | | |
| NG - C&I Gas Non Heating | 51.20 | | |
| NG - C&I Gas Non Heating | 22.10 | | |
| NG - C&I Gas Non Heating | 11.40 | | |
| NG - C&I Gas Non Heating | 122.90 | | |
| NG - C&I Gas Non Heating | 71.30 | | |
| NG - C&I Gas Non Heating | 18.72 | | |
| NG - C&I Gas Non Heating | 8.77 | | |
| NG - C&I Gas Non Heating | 254.43 | | |
| NG - C&I Gas Non Heating | 14.41 | | |
| NG - C&I Gas Non Heating | 0.34 | | |
| NG - C&I Gas Non Heating | 2.65 | | |
| NG - C&I Gas Non Heating | 1.41 | | |
| NG - C&I Gas Non Heating | 1.70 | | |
| NG - C&I Gas Non Heating | 2.90 | | |
| NG - C&I Gas Non Heating | 11.40 | | |
| NG - C&I Gas Heat | 2.07 | | |
| NG - C&I Gas Heat | 3.11 | | |
| NG - C&I Gas Non Heating | 21.78 | | |
| NG - C&I Gas Non Heating | 15.00 | | |
| NG - C&I Gas Non Heating | 140.20 | | |
| | - | | |
| | - | | |
| NG - C&I Gas Non Heating | 95.00 | | |
| NG - C&I Gas Heat | 500.00 | | |

| | |
|---------------------------|--------|
| NG - C& I Gas Non Heating | 100.00 |
| NG - C& I Gas Non Heating | 70.00 |
| NG - C& I Gas Non Heating | 1.70 |
| NG - C& I Gas Non Heating | 0.33 |
| NG - C& I Gas Non Heating | 2.65 |
| NG - C& I Gas Non Heating | 0.21 |
| NG - C& I Gas Non Heating | 11.40 |
| NG - C&I Gas Heat | 35.50 |
| NG - C&I Gas Heat | 215.00 |
| NG - C&I Gas All | - |
| NG - C&I Gas Heat | 0.21 |
| NG - C&I Gas Heat | 16.00 |
| NG - C&I Gas Heat | 3.50 |
| NG - C&I Gas Heat | - |
| NG - C&I Gas Heat | 50.00 |
| NG - C&I Gas Heat | - |
| | |
| | |
| | - |
| | - |
| | - |
| | - |
| | - |
| | - |
| | - |
| NG - C& I Gas Non Heating | 40.00 |
| NG - C&I Gas Heat | 300.00 |
| NG - C&I Gas Heat | 125.00 |
| NG - C& I Gas Non Heating | - |
| NG - C&I Gas Heat | 165.30 |
| NG - C&I Gas Heat | 94.50 |
| NG - C&I Gas Heat | 51.40 |
| NG - C&I Gas Heat | 28.00 |
| NG - C&I Gas Heat | 14.70 |
| NG - C&I Gas Heat | 17.70 |
| NG - C&I Gas All | 30.50 |
| NG - C&I Gas All | 15.10 |
| NG - C&I Gas Heat | 40.90 |
| NG - C&I Gas Heat | 5.70 |
| NG - C&I Gas Heat | 6.70 |
| NG - C&I Gas Heat | 12.00 |
| NG - C& I Gas Non Heating | 1.70 |
| NG - C& I Gas Non Heating | 0.33 |
| NG - C& I Gas Non Heating | 2.65 |
| NG - Res Heating | - |
| NG - Res Heating | - |
| NG - Res Heating | - |
| NG - Res Heating | - |
| NG - Res Heating | - |
| NG - C& I Gas Non Heating | 22.10 |
| NG - C& I Gas Non Heating | 122.90 |
| NG - C& I Gas Non Heating | 71.30 |
| NG - C& I Gas Non Heating | 18.72 |
| NG - C& I Gas Non Heating | 8.77 |
| NG - C& I Gas Non Heating | 254.43 |
| NG - C& I Gas Non Heating | 14.41 |

Propane
Propane
Propane
Propane
Propane

-
-
-
-
-

| | | | |
|-------------------------------------|--------|--|---|
| | - | | |
| NG - C&I Gas Non Heating | 15.00 | | |
| NG - C&I Gas Non Heating | 140.20 | | |
| | - | | - |
| NG - C&I Gas All | - | | - |
| | - | | - |
| | - | | - |
| | - | | - |
| | - | | - |
| | - | | - |
| | - | | - |
| NG - C&I Gas Non Heating | 33.60 | | |
| NG - C&I Gas Non Heating | 12.70 | | |
| NG - C&I Gas Non Heating | 88.40 | | |
| NG - C&I Gas Non Heating | 51.20 | | |
| NG - C&I Gas Non Heating | 22.10 | | |
| NG - C&I Gas Non Heating | 11.40 | | |
| NG - C&I Gas Non Heating | 122.90 | | |
| NG - C&I Gas Non Heating | 71.30 | | |
| NG - C&I Gas Non Heating | 19.00 | | |
| NG - C&I Gas Non Heating | 8.90 | | |
| NG - C&I Gas Non Heating | 81.80 | | |
| NG - C&I Gas Non Heating | 30.10 | | |
| NG - C&I Gas Non Heating | 0.34 | | |
| NG - C&I Gas Non Heating | 2.65 | | |
| NG - C&I Gas Non Heating | 1.41 | | |
| NG - C&I Gas Non Heating | 1.70 | | |
| NG - C&I Gas Non Heating | 2.90 | | |
| NG - C&I Gas Non Heating | 11.40 | | |
| NG - C&I Gas Heat | 2.07 | | |
| NG - C&I Gas Heat | 3.11 | | |
| NG - C&I Gas Non Heating | 15.00 | | |
| NG - C&I Gas Non Heating | 140.20 | | |
| | - | | |
| NG - C&I Gas Non Heating | | | |
| NG - C&I Gas Non Heating | 120.00 | | |
| NG - C&I Gas Heat | 500.00 | | |
| NG - C&I Gas Non Heating | 180.00 | | |
| NG - C&I Gas Non Heating | 70.00 | | |
| NG - C&I Gas Non Heating | 1.70 | | |
| NG - C&I Gas Non Heating | 0.33 | | |
| NG - C&I Gas Non Heating | 2.65 | | |
| NG - C&I Gas Non Heating | 0.21 | | |
| NG - C&I Gas Non Heating | 11.40 | | |
| NG - C&I Gas Heat | 35.50 | | |
| NG - C&I Gas Heat | 215.00 | | |
| NG - C&I Gas All | 136.00 | | |
| NG - C&I Gas Heat | 0.21 | | |
| NG - C&I Gas Heat | 16.00 | | |
| NG - C&I Gas Heat | 3.50 | | |
| NG - C&I Gas Heat | - | | |
| NG - C&I Gas Heat | - | | |
| NG - C&I Gas Heat | - | | |
| | | | |
| | | | |
| | | | |

| | | | |
|-----------------------------------|---|---|---------|
| | - | - | - |
| | - | - | - |
| | - | - | 5,460 |
| | - | - | 558 |
| | - | - | 7,300 |
| | - | - | - |
| | - | - | 6,410 |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | 5,460 |
| | - | - | 558 |
| | - | - | 7,300 |
| Fuel Oil - Residential Distillate | - | - | 6,410 |
| Fuel Oil - Residential Distillate | - | - | 65,700 |
| Fuel Oil - Residential Distillate | - | - | - |
| Fuel Oil - Residential Distillate | - | - | - |
| Fuel Oil - Residential Distillate | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | 103,563 |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |

| | | |
|---------|-----------------------|----------------------------------|
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |
| C - Com | C3 - Municipal Energy | C3b - Muni New Equipment and Cor |



Administrator: Liberty
Program Year: 2026

| Measure | Measure ID | End Use (Dropdown) | Quantity | Measure Life |
|---|------------|-----------------------|----------|--------------|
| Air Sealing, Gas | GB1a001 | Envelope | 199 | 15.0 |
| Faucet Aerator, Gas | GB1a002 | Hot Water | 199 | 7.0 |
| Hand Held Showerhead, Gas | GB1a003 | Hot Water | 0 | 7.0 |
| Insulation, Gas | GB1a004 | Envelope | 199 | 25.0 |
| LED Bulb, General Service Lamps | GB1a005 | Lighting | 0 | 2.0 |
| LED Bulb, Linear | GB1a006 | Lighting | 0 | 10.0 |
| LED Bulb, Other Specialty | GB1a007 | Lighting | 0 | 2.0 |
| LED Bulb, Reflector | GB1a008 | Lighting | 0 | 2.0 |
| LED Fixture | GB1a009 | Lighting | 0 | 2.0 |
| Low Flow Showerhead, Gas | GB1a010 | Hot Water | 199 | 7.0 |
| Pipe Insulation - Hot Water, Gas | GB1a011 | Hot Water | 0 | 15.0 |
| Visual Audit | GB1a012 | Non-Energy Saving | 0 | 1.0 |
| Baseload Audit - SF | GB1a013 | Non-Energy Saving | 0 | 1.0 |
| Baseload Audit - MF | GB1a014 | Non-Energy Saving | 0 | 1.0 |
| Insulated Door, Gas | GB1a015 | Envelope | 0 | 25.0 |
| Window Replacement, Gas | GB1a016 | Envelope | 0 | 25.0 |
| Window Insert, Gas | GB1a017 | Envelope | 40 | 4.0 |
| Duct Insulation, Gas | GB1a018 | HVAC | 0 | 15.0 |
| Hot Water Setback | GB1a019 | Hot Water | 30 | 2.0 |
| Duct Sealing, Gas | GB1a020 | HVAC | 0 | 20.0 |
| Audit | 0 | Non-Energy Saving | 0 | 1.0 |
| Quality Assurance | 0 | Non-Energy Saving | 1 | 1.0 |
| Workforce Development/Training | 0 | Non-Energy Saving | 0 | 1.0 |
| Nonprofit services | 0 | Non-Energy Saving | 0 | 0.0 |
| Wxn Projects | 0 | HVAC | 199 | 21.1 |
| | 0 | | 0 | 0.0 |
| Boiler Replacement, Gas | GB1b001 | HVAC | 21 | 19.0 |
| Furnace Replacement, Gas | GB1b002 | HVAC | 21 | 17.0 |
| Programmable Thermostat, Gas | GB1b003 | HVAC | 71 | 15.0 |
| Wifi Thermostat, Gas | GB1b004 | HVAC | 70 | 15.0 |
| HVAC Repair: Boiler - Condensing, Water | GB1b005 | HVAC | 0 | 1.0 |
| HVAC Repair: Boiler - Steam | GB1b006 | HVAC | 0 | 1.0 |
| HVAC Repair: Boiler -Water | GB1b007 | HVAC | 4 | 1.0 |
| HVAC Repair: Furnace - Condensing, Ducted | GB1b008 | HVAC | 0 | 1.0 |
| HVAC Repair: Furnace - Ducted | GB1b009 | HVAC | 4 | 1.0 |
| Stand Alone Storage Water Heater, Gas | GB1b010 | Hot Water | 0 | 13.0 |
| Indirect Water Heater, Gas | GB1b011 | Hot Water | 0 | 13.0 |
| Water Heater - Indirect (attached to ES FHW Boiler; Combined eff rating >=85% (EF=.82), Gas | GB1b012 | Hot Water | 0 | 20.0 |
| Water Heater - Integrated with Condensing Boiler >= 90% AFUE, Gas | GB1b013 | Hot Water | 0 | 19.0 |

| | | | | |
|---|---------|---------------------|-----|------|
| Water Heater - Integrated with Condensing Boiler >= 95% AFUE, Gas | GB1b014 | Hot Water | 0 | 19.0 |
| Water Heater - Tankless, OnDemand UEF >=.87, Gas | GB1b015 | Hot Water | 0 | 19.0 |
| 0 | 0 | 0 | 0 | 0.0 |
| Cooling, Electric, SF | GA1a001 | HVAC | 0 | 25.0 |
| Heating, Gas, SF | GA1a002 | HVAC | 144 | 25.0 |
| Hot Water, Gas, SF | GA1a003 | Hot Water | 144 | 15.0 |
| Cooling, Electric, MF | GA1a002 | HVAC | 0 | 25.0 |
| Heating, Gas, MF | GA1a005 | HVAC | 81 | 25.0 |
| Hot Water, Gas, MF | GA1a006 | Hot Water | 81 | 15.0 |
| LED Bulb | GA1a007 | Lighting | 0 | 5.0 |
| LED Fixture | GA1a008 | Lighting | 0 | 5.0 |
| Clothes Washer | GA1a009 | Hot Water | 0 | 11.0 |
| HERS Rater Fee - SF | | 0 Non-Energy Saving | 1 | 1.0 |
| HERS Rater Fee - MF | | 0 Non-Energy Saving | 1 | 1.0 |
| Quality Assurance | | HVAC | 1 | 1.0 |
| 0 | 0 | 0 | 0 | 0.0 |
| Air Sealing, Gas | GA2a001 | Envelope | 172 | 15.0 |
| Faucet Aerator, Gas | GA2a002 | Hot Water | 60 | 7.0 |
| Hand Held Showerhead, Gas | GA2a003 | Hot Water | 60 | 7.0 |
| Insulation, Gas | GA2a004 | Envelope | 172 | 25.0 |
| LED Bulb, General Service Lamps | GA2a005 | Lighting | 0 | 2.0 |
| LED Bulb, Linear | GA2a006 | Lighting | 0 | 10.0 |
| LED Bulb, Other Specialty | GA2a007 | Lighting | 0 | 2.0 |
| LED Bulb, Reflector | GA2a008 | Lighting | 0 | 2.0 |
| LED Fixture | GA2a009 | Lighting | 0 | 2.0 |
| Low Flow Showerhead, Gas | GA2a010 | Hot Water | 60 | 7.0 |
| Pipe Insulation - Hot Water, Gas | GA2a011 | Hot Water | 60 | 15.0 |
| Baseload Audit - Electric Savings | GA2a012 | Envelope | 0 | 1.0 |
| Baseload Audit - Thermal Savings | GA2a013 | Envelope | 0 | 1.0 |
| Visual Audit | GA2a014 | Envelope | 0 | 1.0 |
| Duct Insulation, Gas | GA2a018 | Envelope | 34 | 15.0 |
| Hot Water Setback | GA2a019 | Hot Water | 60 | 2.0 |
| Health & Safety Measures | | 0 Non-Energy Saving | 0 | 1.0 |
| Audit Fee | | 0 Non-Energy Saving | 0 | 1.0 |
| Vendor Fees - Admin Support | | 0 Non-Energy Saving | 0 | 1.0 |
| Quality Assurance | | 0 Non-Energy Saving | 1 | 1.0 |
| 3rd Party Financing - Interest Rate BuyDowns | | 0 Non-Energy Saving | 1 | 1.0 |
| 0 | 0 | 0 | 0 | 0.0 |
| Boiler Replacement, Gas | GA2b001 | HVAC | 0 | 19.0 |
| Furnace Replacement, Gas | GA2b002 | HVAC | 0 | 17.0 |
| Programmable Thermostat, Gas | GA2b003 | HVAC | 38 | 15.0 |
| Wifi Thermostat, Gas | GA2b004 | HVAC | 135 | 15.0 |
| Ancillary Savings – Boiler Circulator Pump | GA2b008 | HVAC | 17 | 19.0 |
| Ancillary Savings – Furnace | GA2b009 | HVAC | 36 | 18.0 |
| Ancillary Savings – Central AC | GA2b010 | HVAC | 32 | 18.0 |
| 0 | 0 | 0 | 0 | 0.0 |
| Early Replacement Boiler, FHW - EE 90 AFUE | GA3b001 | HVAC | 0 | 19.0 |
| Early Replacement Boiler, FHW - Retirement: 9 | GA3b002 | HVAC | 0 | 19.0 |
| Early Replacement Boiler, Steam - EE: 82%+ A | GA3b003 | HVAC | 0 | 19.0 |
| Early Replacement Boiler, Steam - Retirement: | GA3b004 | HVAC | 0 | 19.0 |

| | | | | |
|---|---------|---------------------|--------|------|
| Boiler Reset Controls | GA3b005 | HVAC | 5 | 15.0 |
| Condensing Boiler >= 90% AFUE (Up to 300 MBtu/yr) | GA3b006 | HVAC | 35 | 19.0 |
| Condensing Boiler >= 95% AFUE (Up to 300 MBtu/yr) | GA3b007 | HVAC | 135 | 19.0 |
| Furnace 95+ AFUE (<150) w/ECM Motor | GA3b008 | HVAC | 256 | 17.0 |
| Furnace 97+ AFUE (<150) w/ECM Motor | GA3b009 | HVAC | 85 | 17.0 |
| Heat Recovery Ventilator (-133 kWh penalty) | GA3b010 | HVAC | 0 | 20.0 |
| Programmable Thermostat | GA3b011 | HVAC | 70 | 15.0 |
| Indirect Water Heater (attached to ES FHW Boiler) | GA3b012 | Hot Water | 55 | 20.0 |
| Integrated Water Heater w/Condensing Boiler >= 90% AFUE | GA3b013 | Hot Water | 0 | 19.0 |
| Integrated Water Heater w/Condensing Boiler >= 95% AFUE | GA3b014 | Hot Water | 200 | 19.0 |
| Condensing Water Heater (EF 0.95) | GA3b015 | Hot Water | 0 | 15.0 |
| Stand Alone Storage Tank Water Heater (EF 0.95) | GA3b016 | Hot Water | 15 | 13.0 |
| Tankless On-Demand Water Heater, >= .82 | GA3b017 | Hot Water | 0 | 19.0 |
| Tankless On-Demand Water Heater, >= .94 | GA3b018 | Hot Water | 176 | 19.0 |
| WiFi Thermostat (Heating Only) | GA3b019 | HVAC | 2,750 | 15.0 |
| WiFi Thermostat (Heating & Cooling) | GA3b020 | HVAC | 0 | 15.0 |
| ES Appliances Rebate Processing | | 0 Non-Energy Saving | 1 | 1.0 |
| Quality Assurance | | 0 Non-Energy Saving | 1 | 1.0 |
| 0 | 0 | 0 | 0 | 0.0 |
| 0 | 0 | 0 | 0 | 0.0 |
| Home Energy Reports | GA4a001 | Behavior | 22,043 | 1.0 |
| 0 | 0 | 0 | 0 | 0.0 |
| Custom Large Hot Water Retro | GC1a001 | Hot Water | 0 | 10.0 |
| Custom Large HVAC Retro | GC1a002 | HVAC | 0 | 20.0 |
| Custom Large Other Retro | GC1a003 | Custom Measures | 23 | 13.0 |
| Custom Large Process Retro | GC1a004 | Process | 0 | 13.0 |
| Faucet Aerator, Gas | GC1a005 | Hot Water | 0 | 7.0 |
| Low Flow Showerhead With Thermostatic Valve | GC1a006 | Hot Water | 0 | 7.0 |
| Low Flow Showerhead, Gas | GC1a007 | Hot Water | 0 | 7.0 |
| Pipe Wrap - Hot Water, Gas | GC1a008 | Hot Water | 0 | 7.0 |
| Pre Rinse Spray Valve, Gas | GC1a009 | Hot Water | 0 | 8.0 |
| Boiler Reset Controls, Gas | GC1a010 | HVAC | 0 | 15.0 |
| Boiler Tune-Ups | GC1a011 | HVAC | 0 | 1.0 |
| Energy Management System, Gas | GC1a012 | HVAC | 0 | 15.0 |
| Pipe Insulation - Heating, Gas | GC1a013 | HVAC | 5 | 15.0 |
| Steam Trap, Gas | GC1a014 | HVAC | 255 | 6.0 |
| Programmable Thermostat, Gas | GC1a015 | HVAC | 0 | 15.0 |
| WiFi Thermostat (Heating & Cooling) | GC1a016 | HVAC | 0 | 15.0 |
| Air Sealing, Gas | GC1a017 | Envelope | 0 | 15.0 |
| Insulation, Gas | GC1a018 | Envelope | 0 | 25.0 |
| | | 0 Non-Energy Saving | | 1.0 |
| | | 0 | 0 | 1.0 |
| | | 0 | 0 | 1.0 |
| 0 | 0 | 0 | 0 | 0.0 |
| 0 | 0 | 0 | 0 | 0.0 |
| TA Studies | | 0 Non-Energy Saving | 1 | 1.0 |
| CI Audits - Large Retro | | 0 Non-Energy Saving | 1 | 1.0 |
| 0 | 0 | 0 | 0 | 0.0 |
| Custom Large Hot Water New | GC1b001 | Hot Water | 0 | 10.0 |
| Custom Large HVAC New | GC1b002 | HVAC | 0 | 18.0 |
| Custom Large Other New | GC1b003 | Custom Measures | 5 | 13.0 |
| Custom Large Process New | GC1b004 | Process | 0 | 13.0 |

| | | | | |
|---|---------|---------------------|---|------|
| Boiler 1701 to 2000 MBH 90 AFUE, Gas | GC1b005 | HVAC | 0 | 25.0 |
| Boiler 1000 to 1700 MBH 90 AFUE, Gas | GC1b006 | HVAC | 4 | 25.0 |
| Boiler 500 to 999 MBH 90 AFUE, Gas | GC1b007 | HVAC | 4 | 25.0 |
| Boiler 301 to 499 MBH 90 AFUE, Gas | GC1b008 | HVAC | 3 | 25.0 |
| Boiler to 300 MBH 90 AFUE, Gas | GC1b009 | HVAC | 0 | 25.0 |
| Boiler to 300 MBH 95 AFUE, Gas | GC1b010 | HVAC | 0 | 25.0 |
| Combo Condensing Boiler / Water Heater, Gas | GC1b011 | HVAC | 0 | 25.0 |
| Combo Furnace / Water Heater, Gas | GC1b012 | HVAC | 0 | 18.0 |
| Condensing Unit Heater, Gas | GC1b013 | HVAC | 0 | 18.0 |
| Furnace w/ ECM 95 AFUE, Gas | GC1b014 | HVAC | 0 | 18.0 |
| Furnace w/ ECM 97 AFUE, Gas | GC1b015 | HVAC | 0 | 18.0 |
| Infrared Heater, Gas | GC1b016 | HVAC | 6 | 17.0 |
| Faucet Aerator, Gas | GC1b017 | Hot Water | 0 | 7.0 |
| Low Flow Showerhead With Thermostatic Valve | GC1b018 | Hot Water | 0 | 7.0 |
| Low Flow Showerhead, Gas | GC1b019 | Hot Water | 0 | 7.0 |
| Pre Rinse Spray Valve, Gas | GC1b020 | Hot Water | 0 | 8.0 |
| Combination Oven, Gas | GC1b021 | Food Service | 0 | 12.0 |
| Convection Oven, Gas | GC1b022 | Food Service | 0 | 12.0 |
| Conveyor Oven, Gas | GC1b023 | Food Service | 0 | 12.0 |
| Fryer, Gas | GC1b024 | Food Service | 0 | 12.0 |
| Griddle, Gas | GC1b025 | Food Service | 0 | 12.0 |
| Rack Oven, Gas | GC1b026 | Food Service | 0 | 12.0 |
| Steam Cooker, Gas | GC1b027 | Food Service | 0 | 12.0 |
| Indirect Water Heater, Gas | GC1b028 | Hot Water | 0 | 15.0 |
| On Demand Tankless Water Heater, Gas | GC1b029 | Hot Water | 0 | 20.0 |
| Volume Water Heater, Gas | GC1b030 | Hot Water | 0 | 15.0 |
| Condensing Gas Water Heater | GC1b031 | Hot Water | 0 | 15.0 |
| Vendor Fees | | 0 Non-Energy Saving | 0 | 1.0 |
| Clothes Washer, High Speed, Gas | GC1b032 | Hot Water | 0 | 7.0 |
| Pasta Cooker, Gas | GC1b033 | Food Service | 0 | 12.0 |
| 0 | | 0 | 0 | 0.0 |
| C&I Large New Construction Code Compliance | GC1b028 | HVAC | 0 | 20.0 |
| TA Studies | | 0 Non-Energy Saving | 1 | 1.0 |
| Downstream Rebate Processing | | 0 Non-Energy Saving | 1 | 1.0 |
| 0 | | 0 | 0 | 0.0 |
| CI Audits - Large New | | 0 Non-Energy Saving | 1 | 1.0 |
| Midstream Combination Oven, Gas | GC1c001 | Food Service | 4 | 12.0 |
| Midstream Convection Oven, Gas | GC1c002 | Food Service | 1 | 12.0 |
| Midstream Conveyor Oven, Gas | GC1c003 | Food Service | 0 | 12.0 |
| Midstream Fryer, Gas | GC1c004 | Food Service | 1 | 12.0 |
| Midstream Griddle, Gas | GC1c005 | Food Service | 0 | 12.0 |
| Midstream Pre-Rinse Spray Valve, Gas | GC1c006 | Hot Water | 0 | 8.0 |
| Midstream Rack Oven, Gas | GC1c007 | Food Service | 0 | 12.0 |
| Midstream Steam Cooker, Gas | GC1c008 | Food Service | 0 | 12.0 |
| Midstream Indirect Water Heater, Gas | GC1c009 | Hot Water | 4 | 15.0 |
| Midstream On Demand Tankless Water Heater | GC1c010 | Hot Water | 0 | 20.0 |
| Midstream Volume Water Heater, Gas | GC1c011 | Hot Water | 3 | 15.0 |
| Midstream Condensing Gas Water Heater | GC1c012 | Hot Water | 0 | 15.0 |
| OMP Thermostatic Shut-off Valve, Gas | GC1c013 | Hot Water | 0 | 15.0 |
| OMP Low-Flow Showerhead, Gas | GC1c014 | Hot Water | 0 | 10.0 |
| OMP Low-Flow Showerhead with Thermostatic | GC1c015 | Hot Water | 0 | 10.0 |
| OMP Faucet Aerator, Gas | GC1c016 | Hot Water | 0 | 10.0 |

| | | | | |
|---|---------|---------------------|-----|------|
| OMP Pipe Wrap, Gas | GC1c017 | Hot Water | 0 | 15.0 |
| OMP Pre-Rinse Spray Valve, Gas | GC1c018 | Hot Water | 0 | 8.0 |
| OMP Programmable Thermostat, Gas | GC1c019 | HVAC | 0 | 15.0 |
| OMP Wi-Fi Thermostat | GC1c020 | HVAC | 0 | 15.0 |
| Underfired Broiler | GC1c021 | Food Service | 0 | 15.0 |
| Clothes Washer, High Speed, Gas | GC1c022 | Hot Water | 0 | 7.0 |
| Pasta Cooker, Gas | GC1c023 | Food Service | 0 | 12.0 |
| Midstream Rebate Processing | | 0 Non-Energy Saving | 0 | 1.0 |
| | 0 | 0 | 0 | 0.0 |
| Custom Small Hot Water Retro | GC2a001 | Hot Water | 0 | 10.0 |
| Custom Small HVAC Retro | GC2a002 | HVAC | 0 | 14.0 |
| Custom Small Other Retro | GC2a003 | Custom Measures | 48 | 15.0 |
| Custom Small Process Retro | GC2a004 | Process | 0 | 20.0 |
| Faucet Aerator, Gas | GC2a005 | Hot Water | 480 | 7.0 |
| Low Flow Showerhead With Thermostatic Valve | GC2a006 | Hot Water | 0 | 7.0 |
| Low Flow Showerhead, Gas | GC2a007 | Hot Water | 0 | 7.0 |
| Pipe Wrap - Hot Water, Gas | GC2a008 | Hot Water | 130 | 7.0 |
| Pre Rinse Spray Valve, Gas | GC2a009 | Hot Water | 21 | 8.0 |
| Boiler Reset Controls, Gas | GC2a010 | HVAC | 4 | 15.0 |
| Boiler Tune-Ups | GC2a011 | HVAC | 0 | 2.0 |
| Energy Management System, Gas | GC2a012 | HVAC | 0 | 0.0 |
| Pipe Insulation - Heating, Gas | GC2a013 | HVAC | 0 | 15.0 |
| Steam Trap, Gas | GC2a014 | HVAC | 6 | 6.0 |
| Programmable Thermostat, Gas | GC2a015 | HVAC | 126 | 15.0 |
| Air Sealing, Gas | GC2a017 | Envelope | 0 | 15.0 |
| Insulation, Gas | GC2a018 | Envelope | 0 | 25.0 |
| | 0 | 0 | 0 | 0.0 |
| | | 0 Non-Energy Saving | | 1.0 |
| | | | 0 | 1.0 |
| | | | 0 | 1.0 |
| | 0 | 0 | 0 | 0.0 |
| | 0 | 0 | 0 | 0.0 |
| Vendor Fees - TA Studies | | 0 Non-Energy Saving | 1 | 1.0 |
| CI Audits - Small Retro | | 0 Non-Energy Saving | 1 | 1.0 |
| | 0 | 0 | 0 | 0.0 |
| Custom Small Hot Water New | GC2b001 | Hot Water | 0 | 12.0 |
| Custom Small HVAC New | GC2b002 | HVAC | 0 | 14.0 |
| Custom Small Other New | GC2b003 | Custom Measures | 34 | 13.0 |
| Custom Small Process New | GC2b004 | Process | 0 | 0.0 |
| Boiler 1701 to 2000 MBH 90 AFUE, Gas | GC2b005 | HVAC | 5 | 25.0 |
| Boiler 1000 to 1700 MBH 90 AFUE, Gas | GC2b006 | HVAC | 4 | 25.0 |
| Boiler 500 to 999 MBH 90 AFUE, Gas | GC2b007 | HVAC | 19 | 25.0 |
| Boiler 301 to 499 MBH 90 AFUE, Gas | GC2b008 | HVAC | 17 | 25.0 |
| Boiler to 300 MBH 90 AFUE, Gas | GC2b009 | HVAC | 1 | 25.0 |
| Boiler to 300 MBH 95 AFUE, Gas | GC2b010 | HVAC | 30 | 25.0 |
| Combo Condensing Boiler / Water Heater, Gas | GC2b011 | HVAC | 0 | 25.0 |
| Combo Furnace / Water Heater, Gas | GC2b012 | HVAC | 0 | 18.0 |
| Condensing Unit Heater, Gas | GC2b013 | HVAC | 0 | 18.0 |
| Furnace w/ ECM 95 AFUE, Gas | GC2b014 | HVAC | 25 | 18.0 |
| Furnace w/ ECM 97 AFUE, Gas | GC2b015 | HVAC | 4 | 18.0 |
| Infrared Heater, Gas | GC2b016 | HVAC | 21 | 17.0 |
| Faucet Aerator, Gas | GC2b017 | Hot Water | 0 | 10.0 |

| | | | | |
|---|---------|---------------------|-----|------|
| Low Flow Showerhead With Thermostatic Valve | GC2b018 | Hot Water | 0 | 7.0 |
| Low Flow Showerhead, Gas | GC2b019 | Hot Water | 400 | 7.0 |
| Pre Rinse Spray Valve, Gas | GC2b020 | Hot Water | 18 | 8.0 |
| Combination Oven, Gas | GC2b021 | Food Service | 0 | 12.0 |
| Convection Oven, Gas | GC2b022 | Food Service | 0 | 12.0 |
| Conveyor Oven, Gas | GC2b023 | Food Service | 0 | 12.0 |
| Fryer, Gas | GC2b024 | Food Service | 0 | 12.0 |
| Griddle, Gas | GC2b025 | Food Service | 0 | 12.0 |
| Rack Oven, Gas | GC2b026 | Food Service | 0 | 12.0 |
| Steam Cooker, Gas | GC2b027 | Food Service | 0 | 12.0 |
| Indirect Water Heater, Gas | GC2b028 | Hot Water | 0 | 15.0 |
| On Demand Tankless Water Heater, Gas | GC2b029 | Hot Water | 0 | 20.0 |
| Volume Water Heater, Gas | GC2b030 | Hot Water | 0 | 15.0 |
| Condensing Gas Water Heater | GC2b031 | Hot Water | 0 | 15.0 |
| Vendor Fees | | 0 Non-Energy Saving | 0 | 1.0 |
| Clothes Washer, High Speed, Gas | GC2b032 | Hot Water | 0 | 7.0 |
| Pasta Cooker, Gas | GC2b033 | Food Service | 0 | 12.0 |
| | 0 | | 0 | 0.0 |
| C&I Small New Construction Code Compliance | GC2b028 | HVAC | 0 | 20.0 |
| TA Studies | | 0 Non-Energy Saving | 1 | 1.0 |
| Downstream Rebate Processing | | 0 Non-Energy Saving | 1 | 1.0 |
| | 0 | | 0 | 0.0 |
| CI Audits - Small New | | 0 Non-Energy Saving | 1 | 1.0 |
| | 0 | | 0 | 0.0 |
| | 0 | | 0 | 0.0 |
| Midstream Combination Oven, Gas | GC2c001 | Food Service | 3 | 12.0 |
| Midstream Convection Oven, Gas | GC2c002 | Food Service | 2 | 12.0 |
| Midstream Conveyor Oven, Gas | GC2c003 | Food Service | 3 | 12.0 |
| Midstream Fryer, Gas | GC2c004 | Food Service | 2 | 12.0 |
| Midstream Griddle, Gas | GC2c005 | Food Service | 1 | 12.0 |
| Midstream Pre-Rinse Spray Valve, Gas | GC2c006 | Hot Water | 0 | 8.0 |
| Midstream Rack Oven, Gas | GC2c007 | Food Service | 0 | 12.0 |
| Midstream Steam Cooker, Gas | GC2c008 | Food Service | 16 | 12.0 |
| Midstream Indirect Water Heater, Gas | GC2c009 | Hot Water | 8 | 15.0 |
| Midstream On Demand Tankless Water Heater | GC2c010 | Hot Water | 4 | 20.0 |
| Midstream Volume Water Heater, Gas | GC2c011 | Hot Water | 8 | 15.0 |
| Midstream Water Heater, Condensing Gas | GC2c012 | Hot Water | 0 | 15.0 |
| OMP Thermostatic Shut-off Valve, Gas | GC2c013 | Hot Water | 0 | 15.0 |
| OMP Low-Flow Showerhead, Gas | GC2c014 | Hot Water | 0 | 10.0 |
| OMP Low-Flow Showerhead with Thermostatic | GC2c015 | Hot Water | 0 | 10.0 |
| OMP Faucet Aerator, Gas | GC2c016 | Hot Water | 0 | 10.0 |
| OMP Pipe Wrap, Gas | GC2c017 | Hot Water | 0 | 15.0 |
| OMP Pre-Rinse Spray Valve, Gas | GC2c018 | Hot Water | 0 | 8.0 |
| OMP Programmable Thermostat, Gas | GC2c019 | HVAC | 0 | 15.0 |
| OMP Wi-Fi Thermostat | GC2c020 | HVAC | 0 | 15.0 |
| Clothes Washer, High Speed, Gas | GC2c022 | Hot Water | 0 | 7.0 |
| Pasta Cooker, Gas | GC2c023 | Food Service | 0 | 12.0 |
| Midstream Rebate Processing | | 0 Non-Energy Saving | 0 | 1.0 |
| | 0 | | | |
| Custom Small Hot Water Retro | GC3a001 | Hot Water | 0 | 10.0 |
| Custom Small HVAC Retro | GC3a002 | HVAC | 0 | 14.0 |
| Custom Small Other Retro | GC3a003 | Custom Measures | 9 | 15.0 |

| | | | | |
|---|---------|---------------------|----|------|
| Custom Small Process Retro | GC3a004 | Process | 0 | 20.0 |
| Faucet Aerator, Gas | GC3a005 | Hot Water | 50 | 7.0 |
| Low Flow Showerhead With Thermostatic Valve | GC3a006 | Hot Water | 0 | 7.0 |
| Low Flow Showerhead, Gas | GC3a007 | Hot Water | 0 | 7.0 |
| Pipe Wrap - Hot Water, Gas | GC3a008 | Hot Water | 12 | 7.0 |
| Pre Rinse Spray Valve, Gas | GC3a009 | Hot Water | 1 | 8.0 |
| Boiler Reset Controls, Gas | GC3a010 | HVAC | 0 | 15.0 |
| Boiler Tune-Ups | GC3a011 | HVAC | 0 | 2.0 |
| Energy Management System, Gas | GC3a012 | HVAC | 1 | 10.0 |
| Pipe Insulation - Heating, Gas | GC3a013 | HVAC | 0 | 15.0 |
| Steam Trap, Gas | GC3a014 | HVAC | 40 | 6.0 |
| Programmable Thermostat, Gas | GC3a015 | HVAC | 50 | 15.0 |
| Air Sealing, Gas | GC3a017 | Envelope | 0 | 15.0 |
| Insulation, Gas | GC3a018 | Envelope | 0 | 25.0 |
| | 0 | 0 | 0 | 0.0 |
| | | 0 Non-Energy Saving | | 1.0 |
| | | 0 | 0 | 1.0 |
| | | 0 | 0 | 1.0 |
| | 0 | 0 | 0 | 0.0 |
| | 0 | 0 | 0 | 0.0 |
| TA Studies | | 0 Non-Energy Saving | 1 | 1.0 |
| CI Audits - Small Retro | | 0 Non-Energy Saving | 1 | 1.0 |
| | 0 | 0 | 0 | 0.0 |
| Custom Small Hot Water New | GC3b001 | Hot Water | 0 | 12.0 |
| Custom Small HVAC New | GC3b002 | HVAC | 0 | 14.0 |
| Custom Small Other New | GC3b003 | Custom Measures | 2 | 13.0 |
| Custom Small Process New | GC3b004 | Process | 0 | 0.0 |
| Boiler 1701 to 2000 MBH 90 AFUE, Gas | GC3b005 | HVAC | 2 | 25.0 |
| Boiler 1000 to 1700 MBH 90 AFUE, Gas | GC3b006 | HVAC | 0 | 25.0 |
| Boiler 500 to 999 MBH 90 AFUE, Gas | GC3b007 | HVAC | 8 | 25.0 |
| Boiler 301 to 499 MBH 90 AFUE, Gas | GC3b008 | HVAC | 2 | 25.0 |
| Boiler to 300 MBH 90 AFUE, Gas | GC3b009 | HVAC | 0 | 25.0 |
| Boiler to 300 MBH 95 AFUE, Gas | GC3b010 | HVAC | 13 | 25.0 |
| Combo Condensing Boiler / Water Heater, Gas | GC3b011 | HVAC | 0 | 25.0 |
| Combo Furnace / Water Heater, Gas | GC3b012 | HVAC | 0 | 18.0 |
| Condensing Unit Heater, Gas | GC3b013 | HVAC | 0 | 18.0 |
| Furnace w/ ECM 95 AFUE, Gas | GC3b014 | HVAC | 0 | 18.0 |
| Furnace w/ ECM 97 AFUE, Gas | GC3b015 | HVAC | 4 | 18.0 |
| Infrared Heater, Gas | GC3b016 | HVAC | 0 | 17.0 |
| Faucet Aerator, Gas | GC3b017 | Hot Water | 0 | 10.0 |
| Low Flow Showerhead With Thermostatic Valve | GC3b018 | Hot Water | 0 | 7.0 |
| Low Flow Showerhead, Gas | GC3b019 | Hot Water | 61 | 7.0 |
| Pre Rinse Spray Valve, Gas | GC3b020 | Hot Water | 0 | 8.0 |
| Combination Oven, Gas | GC3b021 | Food Service | 0 | 12.0 |
| Convection Oven, Gas | GC3b022 | Food Service | 0 | 12.0 |
| Conveyor Oven, Gas | GC3b023 | Food Service | 0 | 12.0 |
| Fryer, Gas | GC3b024 | Food Service | 0 | 12.0 |
| Griddle, Gas | GC3b025 | Food Service | 0 | 12.0 |
| Rack Oven, Gas | GC3b026 | Food Service | 0 | 12.0 |
| Steam Cooker, Gas | GC3b027 | Food Service | 0 | 12.0 |
| Indirect Water Heater, Gas | GC3b028 | Hot Water | 0 | 15.0 |
| On Demand Tankless Water Heater, Gas | GC3b029 | Hot Water | 2 | 20.0 |

| | | | | |
|--|---------|---------------------|---|------|
| Volume Water Heater, Gas | GC3b030 | Hot Water | 1 | 15.0 |
| Condensing Gas Water Heater | GC3b031 | Hot Water | 0 | 15.0 |
| Vendor Fees | | 0 Non-Energy Saving | 0 | 1.0 |
| Clothes Washer, High Speed, Gas | GC3b032 | Hot Water | 0 | 7.0 |
| Pasta Cooker, Gas | GC3b033 | Food Service | 0 | 12.0 |
| 0 | | 0 | 0 | 0.0 |
| C&I Small New Construction Code Compliance | GC3b028 | HVAC | 0 | 20.0 |
| TA Studies | | 0 Non-Energy Saving | 1 | 1.0 |
| Downstream Rebate Processing | | 0 Non-Energy Saving | 1 | 1.0 |
| 0 | | 0 | 0 | 0.0 |
| CI Audits - Small New | | 0 Non-Energy Saving | 1 | 1.0 |
| 0 | | 0 | 0 | 0.0 |
| 0 | | 0 | 0 | 0.0 |
| | | | 0 | |

| Total Resource Cost | Incentive | Processing Costs | Customer Cost | Free-Ridership Rate | Spillover [Participant] Rate | Spillover [Non-Participant] Rate |
|---------------------|--------------|------------------|---------------|---------------------|------------------------------|----------------------------------|
| \$ 625.00 | \$ 625.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 50.00 | \$ 50.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 50.00 | \$ 50.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 5,000.00 | \$ 5,000.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 15.00 | \$ 15.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 100.00 | \$ 100.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 500.00 | \$ 500.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 575.00 | \$ 575.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 25.00 | \$ 25.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 62,040.60 | \$ 62,040.60 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | \$ - | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | \$ - | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 10,000.00 | \$ 10,000.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 10,000.00 | \$ 10,000.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 150.00 | \$ 150.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 400.00 | \$ 400.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 500.00 | \$ 500.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 500.00 | \$ 500.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 500.00 | \$ 500.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 500.00 | \$ 500.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 500.00 | \$ 500.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 632.00 | \$ 632.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 1,500.00 | \$ 1,500.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 1,500.00 | \$ 1,500.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 1,500.00 | \$ 1,500.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 1,500.00 | \$ 1,500.00 | | \$ - | 0.0% | 0.0% | 0.0% |

| | | | | | | | | | | |
|----|------------|----|------------|----|-------|----|-----------|------|------|------|
| \$ | 300.00 | \$ | 225.00 | \$ | 19.36 | \$ | 75.00 | 0.0% | 0.0% | 0.0% |
| \$ | 2,342.00 | \$ | 1,000.00 | \$ | 19.36 | \$ | 1,342.00 | 0.0% | 0.0% | 0.0% |
| \$ | 2,400.00 | \$ | 1,500.00 | \$ | 19.36 | \$ | 900.00 | 0.0% | 0.0% | 0.0% |
| \$ | 921.00 | \$ | 300.00 | \$ | 19.36 | \$ | 621.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,083.00 | \$ | 450.00 | \$ | 19.36 | \$ | 633.00 | 0.0% | 0.0% | 0.0% |
| \$ | 960.00 | \$ | 500.00 | \$ | 19.36 | \$ | 460.00 | 0.0% | 0.0% | 0.0% |
| \$ | 92.00 | \$ | 25.00 | \$ | 19.36 | \$ | 67.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,749.00 | \$ | 400.00 | \$ | 19.36 | \$ | 1,349.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,728.48 | \$ | 1,000.00 | \$ | 19.36 | \$ | 728.48 | 0.0% | 0.0% | 0.0% |
| \$ | 3,365.27 | \$ | 1,000.00 | \$ | 19.36 | \$ | 2,365.27 | 0.0% | 0.0% | 0.0% |
| \$ | 685.00 | \$ | 500.00 | \$ | 19.36 | \$ | 185.00 | 0.0% | 0.0% | 0.0% |
| \$ | 400.00 | \$ | 100.00 | \$ | 19.36 | \$ | 300.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,198.00 | \$ | 500.00 | \$ | 19.36 | \$ | 698.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,035.25 | \$ | 500.00 | \$ | 19.36 | \$ | 535.25 | 0.0% | 0.0% | 0.0% |
| \$ | 268.00 | \$ | 85.00 | \$ | 19.36 | \$ | 183.00 | 0.0% | 0.0% | 0.0% |
| \$ | 268.00 | \$ | 85.00 | \$ | 19.36 | \$ | 183.00 | 0.0% | 0.0% | 0.0% |
| \$ | 101,708.62 | \$ | 101,708.62 | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 22,000.00 | \$ | 22,000.00 | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 4,135.00 | \$ | 2,300.00 | \$ | - | \$ | 1,835.00 | 0.0% | 0.0% | 0.0% |
| \$ | 20,066.67 | \$ | 15,050.00 | \$ | - | \$ | 5,016.67 | 0.0% | 0.0% | 0.0% |
| \$ | 43,200.00 | \$ | 21,600.00 | \$ | - | \$ | 21,600.00 | 0.0% | 0.0% | 0.0% |
| \$ | 80,660.00 | \$ | 63,000.00 | \$ | - | \$ | 17,660.00 | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | 1.70 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | 2.65 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | 0.21 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 285.00 | \$ | 142.50 | \$ | 11.40 | \$ | 142.50 | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | 35.50 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 1,050.00 | \$ | 525.00 | \$ | - | \$ | 525.00 | 0.0% | 0.0% | 0.0% |
| \$ | 21,937.50 | \$ | 5,441.50 | \$ | - | \$ | 16,496.00 | 0.0% | 0.0% | 0.0% |
| \$ | 6,000.00 | \$ | 3,000.00 | \$ | - | \$ | 3,000.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,224.00 | \$ | 612.00 | \$ | - | \$ | 612.00 | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 72,768.00 | \$ | 72,768.00 | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 109,000.00 | \$ | 109,000.00 | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 4,135.00 | \$ | 2,300.00 | \$ | - | \$ | 1,835.00 | 0.0% | 0.0% | 0.0% |
| \$ | 34,375.00 | \$ | 6,875.00 | \$ | - | \$ | 27,500.00 | 0.0% | 0.0% | 0.0% |
| \$ | 114,400.00 | \$ | 57,200.00 | \$ | - | \$ | 57,200.00 | 0.0% | 0.0% | 0.0% |
| \$ | 50,000.00 | \$ | 40,000.00 | \$ | - | \$ | 10,000.00 | 0.0% | 0.0% | 0.0% |

| | | | | | | |
|--------------|--------------|-------------|-------------|-------|------|------|
| \$ 10,601.00 | \$ 10,000.00 | | \$ 601.00 | 0.0% | 0.0% | 0.0% |
| \$ 7,874.00 | \$ 7,500.00 | | \$ 374.00 | 0.0% | 0.0% | 0.0% |
| \$ 5,077.00 | \$ 4,000.00 | | \$ 1,077.00 | 0.0% | 0.0% | 0.0% |
| \$ 3,879.00 | \$ 2,000.00 | | \$ 1,879.00 | 0.0% | 0.0% | 0.0% |
| \$ 1,500.00 | \$ 1,000.00 | | \$ 500.00 | 0.0% | 0.0% | 0.0% |
| \$ 3,885.31 | \$ 1,500.00 | | \$ 2,385.31 | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 921.04 | \$ 300.00 | | \$ 621.04 | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 2,982.00 | \$ 750.00 | | \$ 2,232.00 | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 285.00 | \$ 142.50 | | \$ 142.50 | 0.0% | 0.0% | 0.0% |
| \$ 1,300.00 | \$ 1,000.00 | | \$ 300.00 | 0.0% | 0.0% | 0.0% |
| \$ 1,886.00 | \$ 1,200.00 | | \$ 686.00 | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 3,400.00 | \$ 1,200.00 | | \$ 2,200.00 | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 1,084.00 | \$ 400.00 | \$ 133.00 | \$ 684.00 | 23.7% | 7.0% | 0.0% |
| \$ 4,135.00 | \$ 2,300.00 | \$ 62.30 | \$ 1,835.00 | 23.7% | 7.0% | 0.0% |
| \$ 4,352.00 | \$ 1,700.00 | \$ 1,808.10 | \$ 2,652.00 | 23.7% | 7.0% | 0.0% |
| \$ 740.00 | \$ 400.00 | \$ - | \$ 340.00 | 23.7% | 7.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 500.00 | \$ 300.00 | \$ - | \$ 200.00 | 0.0% | 0.0% | 0.0% |
| \$ 9,652.00 | \$ 2,000.00 | \$ 250.00 | \$ 7,652.00 | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | \$ - | \$ - | | | |
| \$ 3,235.05 | \$ 3,235.05 | \$ - | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 59,537.00 | \$ 59,537.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 17,000.00 | \$ 17,000.00 | \$ - | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | \$ - | \$ - | | | |
| \$ 89,000.00 | \$ 89,000.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 1,300.00 | \$ 1,000.00 | \$ 2,017.80 | \$ 300.00 | 23.7% | 7.0% | 0.0% |
| \$ 1,886.00 | \$ 1,200.00 | \$ 608.40 | \$ 686.00 | 23.7% | 7.0% | 0.0% |
| \$ 2,100.00 | \$ 1,000.00 | \$ 2,777.40 | \$ 1,100.00 | 23.7% | 7.0% | 0.0% |
| \$ 3,400.00 | \$ 1,200.00 | \$ 1,409.40 | \$ 2,200.00 | 23.7% | 7.0% | 0.0% |
| \$ 1,165.00 | \$ 500.00 | \$ 682.20 | \$ 665.00 | 23.7% | 7.0% | 0.0% |
| \$ 130.00 | \$ 60.00 | \$ 205.20 | \$ 70.00 | 23.7% | 7.0% | 0.0% |
| \$ 4,000.00 | \$ 1,200.00 | \$ 3,803.40 | \$ 2,800.00 | 23.7% | 7.0% | 0.0% |
| \$ 2,000.00 | \$ 1,000.00 | \$ 6,672.60 | \$ 1,000.00 | 23.7% | 7.0% | 0.0% |
| \$ 1,084.00 | \$ 400.00 | \$ 133.00 | \$ 684.00 | 70.0% | 0.0% | 0.0% |
| \$ 4,135.00 | \$ 2,300.00 | \$ 62.30 | \$ 1,835.00 | 40.0% | 0.0% | 0.0% |
| \$ 4,352.00 | \$ 1,700.00 | \$ 1,808.10 | \$ 2,652.00 | 40.0% | 0.0% | 0.0% |
| \$ 740.00 | \$ 400.00 | \$ - | \$ 340.00 | 0.0% | 0.0% | 0.0% |
| \$ 25.00 | \$ 10.00 | \$ - | \$ 15.00 | 0.0% | 0.0% | 0.0% |
| \$ 40.00 | \$ 15.00 | \$ - | \$ 25.00 | 0.0% | 0.0% | 0.0% |
| \$ 65.00 | \$ 30.00 | \$ - | \$ 35.00 | 0.0% | 0.0% | 0.0% |
| \$ 4.00 | \$ 2.00 | \$ - | \$ 2.00 | 0.0% | 0.0% | 0.0% |

| | | | | | | |
|---------------|---------------|---------------|--------------|-------|------|------|
| \$ 7.00 | \$ 4.00 | \$ - | \$ 3.00 | 0.0% | 0.0% | 0.0% |
| \$ 36.00 | \$ 20.00 | \$ - | \$ 16.00 | 0.0% | 0.0% | 0.0% |
| \$ 70.00 | \$ 25.00 | \$ - | \$ 45.00 | 0.0% | 0.0% | 0.0% |
| \$ 250.00 | \$ 100.00 | \$ - | \$ 150.00 | 0.0% | 0.0% | 0.0% |
| \$ 670.00 | \$ 650.00 | \$ 20.00 | \$ 20.00 | 0.0% | 0.0% | 0.0% |
| \$ 500.00 | \$ 300.00 | \$ - | \$ 200.00 | 23.0% | 9.0% | 0.0% |
| \$ 9,652.00 | \$ 2,000.00 | \$ 250.00 | \$ 7,652.00 | 23.0% | 9.0% | 0.0% |
| \$ 181,696.72 | \$ 181,696.72 | \$ 130,989.60 | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | \$ - | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 6,250.00 | \$ 5,000.00 | | \$ 1,250.00 | 0.0% | 0.0% | 0.0% |
| \$ 82,142.86 | \$ 57,500.00 | | \$ 24,642.86 | 0.0% | 0.0% | 0.0% |
| \$ 13,000.00 | \$ 6,500.00 | | \$ 6,500.00 | 0.0% | 0.0% | 0.0% |
| \$ 3,750.00 | \$ 3,000.00 | | \$ 750.00 | 0.0% | 0.0% | 0.0% |
| \$ 7.00 | \$ 7.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 40.00 | \$ 40.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 16.00 | \$ 8.00 | | \$ 8.00 | 0.0% | 0.0% | 0.0% |
| \$ 285.00 | \$ 142.50 | | \$ 142.50 | 0.0% | 0.0% | 0.0% |
| \$ 1,200.00 | \$ 225.00 | | \$ 975.00 | 0.0% | 0.0% | 0.0% |
| \$ 1,050.00 | \$ 525.00 | | \$ 525.00 | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 544.00 | \$ 272.00 | | \$ 272.00 | 0.0% | 0.0% | 0.0% |
| \$ 85.00 | \$ 85.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 5,000.00 | \$ 4,500.00 | | \$ 500.00 | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| | | | | 0.0% | 0.0% | 0.0% |
| | | | | 0.0% | 0.0% | 0.0% |
| | | | | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | \$ - | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | \$ - | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 52,894.00 | \$ 52,894.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 97,000.00 | \$ 97,000.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 2,773.33 | \$ 2,080.00 | | \$ 693.33 | 0.0% | 0.0% | 0.0% |
| \$ 28,000.00 | \$ 21,000.00 | | \$ 7,000.00 | 0.0% | 0.0% | 0.0% |
| \$ 14,166.67 | \$ 10,625.00 | | \$ 3,541.67 | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 10,601.00 | \$ 10,000.00 | | \$ 601.00 | 0.0% | 0.0% | 0.0% |
| \$ 7,874.00 | \$ 7,500.00 | | \$ 374.00 | 0.0% | 0.0% | 0.0% |
| \$ 5,077.00 | \$ 4,000.00 | | \$ 1,077.00 | 0.0% | 0.0% | 0.0% |
| \$ 3,879.00 | \$ 2,000.00 | | \$ 1,879.00 | 0.0% | 0.0% | 0.0% |
| \$ 3,479.00 | \$ 1,000.00 | | \$ 2,479.00 | 0.0% | 0.0% | 0.0% |
| \$ 3,848.00 | \$ 1,500.00 | | \$ 2,348.00 | 0.0% | 0.0% | 0.0% |
| \$ 2,910.00 | \$ 1,600.00 | | \$ 1,310.00 | 0.0% | 0.0% | 0.0% |
| \$ 995.00 | \$ 950.00 | | \$ 45.00 | 0.0% | 0.0% | 0.0% |
| \$ 2,400.00 | \$ 750.00 | | \$ 1,650.00 | 0.0% | 0.0% | 0.0% |
| \$ 1,132.00 | \$ 300.00 | | \$ 832.00 | 0.0% | 0.0% | 0.0% |
| \$ 1,294.00 | \$ 600.00 | | \$ 694.00 | 0.0% | 0.0% | 0.0% |
| \$ 2,982.00 | \$ 750.00 | | \$ 2,232.00 | 0.0% | 0.0% | 0.0% |
| \$ 15.00 | \$ 15.00 | | \$ - | 0.0% | 0.0% | 0.0% |

| | | | | | | |
|--------------|--------------|--------------|-------------|-------|------|------|
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 66.25 | \$ 36.54 | | \$ 29.71 | 0.0% | 0.0% | 0.0% |
| \$ 285.00 | \$ 142.50 | | \$ 142.50 | 0.0% | 0.0% | 0.0% |
| \$ 1,300.00 | \$ 1,000.00 | | \$ 300.00 | 0.0% | 0.0% | 0.0% |
| \$ 1,886.00 | \$ 1,000.00 | | \$ 886.00 | 0.0% | 0.0% | 0.0% |
| \$ 2,100.00 | \$ 1,000.00 | | \$ 1,100.00 | 0.0% | 0.0% | 0.0% |
| \$ 3,400.00 | \$ 1,000.00 | | \$ 2,400.00 | 0.0% | 0.0% | 0.0% |
| \$ 1,165.00 | \$ 500.00 | | \$ 665.00 | 0.0% | 0.0% | 0.0% |
| \$ 4,000.00 | \$ 1,000.00 | | \$ 3,000.00 | 0.0% | 0.0% | 0.0% |
| \$ 2,000.00 | \$ 1,000.00 | | \$ 1,000.00 | 0.0% | 0.0% | 0.0% |
| \$ 1,084.00 | \$ 400.00 | \$ 133.00 | \$ 684.00 | 23.7% | 7.0% | 0.0% |
| \$ 4,135.00 | \$ 2,300.00 | \$ 62.30 | \$ 1,835.00 | 23.7% | 7.0% | 0.0% |
| \$ 4,352.00 | \$ 1,700.00 | \$ 1,808.10 | \$ 2,652.00 | 23.7% | 7.0% | 0.0% |
| \$ 740.00 | \$ 400.00 | \$ - | \$ 340.00 | 23.7% | 7.0% | 0.0% |
| \$ 2,000.00 | \$ 2,000.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 500.00 | \$ 300.00 | \$ - | \$ 200.00 | 0.0% | 0.0% | 0.0% |
| \$ 9,652.00 | \$ 2,000.00 | \$ 250.00 | \$ 7,652.00 | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | \$ - | \$ - | | | |
| \$ 1,741.95 | \$ 1,741.95 | \$ - | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 43,277.00 | \$ 43,277.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 22,000.00 | \$ 22,000.00 | \$ - | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | \$ - | \$ - | | | |
| \$ 79,000.00 | \$ 79,000.00 | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ - | \$ - | \$ - | \$ - | | | |
| \$ - | \$ - | | \$ - | 0.0% | 0.0% | 0.0% |
| \$ 1,300.00 | \$ 1,000.00 | \$ 2,017.80 | \$ 300.00 | 23.7% | 7.0% | 0.0% |
| \$ 1,886.00 | \$ 1,200.00 | \$ 608.40 | \$ 686.00 | 23.7% | 7.0% | 0.0% |
| \$ 2,100.00 | \$ 1,000.00 | \$ 2,777.40 | \$ 1,100.00 | 23.7% | 7.0% | 0.0% |
| \$ 3,400.00 | \$ 1,200.00 | \$ 1,409.40 | \$ 2,200.00 | 23.7% | 7.0% | 0.0% |
| \$ 1,165.00 | \$ 500.00 | \$ 682.20 | \$ 665.00 | 23.7% | 7.0% | 0.0% |
| \$ 130.00 | \$ 60.00 | \$ 205.20 | \$ 70.00 | 23.7% | 7.0% | 0.0% |
| \$ 4,000.00 | \$ 1,200.00 | \$ 3,803.40 | \$ 2,800.00 | 23.7% | 7.0% | 0.0% |
| \$ 2,000.00 | \$ 1,000.00 | \$ 6,672.60 | \$ 1,000.00 | 23.7% | 7.0% | 0.0% |
| \$ 1,084.00 | \$ 400.00 | \$ 133.00 | \$ 684.00 | 70.0% | 0.0% | 0.0% |
| \$ 589.44 | \$ 384.00 | \$ 62.30 | \$ 205.44 | 40.0% | 0.0% | 0.0% |
| \$ 4,352.00 | \$ 1,700.00 | \$ 1,808.10 | \$ 2,652.00 | 40.0% | 0.0% | 0.0% |
| \$ 1,186.90 | \$ 237.72 | \$ 210.70 | \$ 949.18 | 70.0% | 0.0% | 0.0% |
| \$ 25.00 | \$ 10.00 | \$ - | \$ 15.00 | 0.0% | 0.0% | 0.0% |
| \$ 40.00 | \$ 15.00 | \$ - | \$ 25.00 | 0.0% | 0.0% | 0.0% |
| \$ 65.00 | \$ 30.00 | \$ - | \$ 35.00 | 0.0% | 0.0% | 0.0% |
| \$ 4.00 | \$ 2.00 | \$ - | \$ 2.00 | 0.0% | 0.0% | 0.0% |
| \$ 7.00 | \$ 4.00 | \$ - | \$ 3.00 | 0.0% | 0.0% | 0.0% |
| \$ 36.00 | \$ 20.00 | \$ - | \$ 16.00 | 0.0% | 0.0% | 0.0% |
| \$ 70.00 | \$ 25.00 | \$ - | \$ 45.00 | 0.0% | 0.0% | 0.0% |
| \$ 250.00 | \$ 100.00 | \$ - | \$ 150.00 | 0.0% | 0.0% | 0.0% |
| \$ 500.00 | \$ 300.00 | \$ - | \$ 200.00 | 23.0% | 9.0% | 0.0% |
| \$ 9,652.00 | \$ 2,000.00 | \$ 250.00 | \$ 7,652.00 | 23.0% | 9.0% | 0.0% |
| \$ 7,916.70 | \$ 7,916.70 | \$ 23,495.70 | \$ - | | | |
| \$ 6,250.00 | \$ 5,000.00 | | \$ 1,250.00 | 0.0% | 0.0% | 0.0% |
| \$ 18,750.00 | \$ 15,000.00 | | \$ 3,750.00 | 0.0% | 0.0% | 0.0% |
| \$ 13,680.00 | \$ 6,840.00 | | \$ 6,840.00 | 0.0% | 0.0% | 0.0% |

| | | | | | | | | |
|----|-----------|----|-----------|----|----------|-------|------|------|
| \$ | 3,750.00 | \$ | 3,000.00 | \$ | 750.00 | 0.0% | 0.0% | 0.0% |
| \$ | 7.00 | \$ | 7.00 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 40.00 | \$ | 40.00 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 16.00 | \$ | 8.00 | \$ | 8.00 | 0.0% | 0.0% | 0.0% |
| \$ | 285.00 | \$ | 142.50 | \$ | 142.50 | 0.0% | 0.0% | 0.0% |
| \$ | 1,200.00 | \$ | 225.00 | \$ | 975.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,050.00 | \$ | 525.00 | \$ | 525.00 | 0.0% | 0.0% | 0.0% |
| \$ | 6,800.00 | \$ | 3,400.00 | \$ | 3,400.00 | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 544.00 | \$ | 272.00 | \$ | 272.00 | 0.0% | 0.0% | 0.0% |
| \$ | 85.00 | \$ | 85.00 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 24,256.00 | \$ | 24,256.00 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 23,000.00 | \$ | 23,000.00 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 1,875.00 | \$ | 1,500.00 | \$ | 375.00 | 0.0% | 0.0% | 0.0% |
| \$ | 10,000.00 | \$ | 7,500.00 | \$ | 2,500.00 | 0.0% | 0.0% | 0.0% |
| \$ | 15,400.00 | \$ | 11,550.00 | \$ | 3,850.00 | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 10,601.00 | \$ | 10,000.00 | \$ | 601.00 | 0.0% | 0.0% | 0.0% |
| \$ | 7,874.00 | \$ | 7,500.00 | \$ | 374.00 | 0.0% | 0.0% | 0.0% |
| \$ | 5,077.00 | \$ | 4,000.00 | \$ | 1,077.00 | 0.0% | 0.0% | 0.0% |
| \$ | 3,879.00 | \$ | 2,000.00 | \$ | 1,879.00 | 0.0% | 0.0% | 0.0% |
| \$ | 3,479.00 | \$ | 1,000.00 | \$ | 2,479.00 | 0.0% | 0.0% | 0.0% |
| \$ | 3,848.00 | \$ | 1,500.00 | \$ | 2,348.00 | 0.0% | 0.0% | 0.0% |
| \$ | 2,910.00 | \$ | 1,600.00 | \$ | 1,310.00 | 0.0% | 0.0% | 0.0% |
| \$ | 995.00 | \$ | 950.00 | \$ | 45.00 | 0.0% | 0.0% | 0.0% |
| \$ | 2,400.00 | \$ | 750.00 | \$ | 1,650.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,132.00 | \$ | 300.00 | \$ | 832.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,294.00 | \$ | 600.00 | \$ | 694.00 | 0.0% | 0.0% | 0.0% |
| \$ | 759.36 | \$ | 759.36 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 15.00 | \$ | 15.00 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 459.08 | \$ | 459.08 | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 66.25 | \$ | 36.54 | \$ | 29.71 | 0.0% | 0.0% | 0.0% |
| \$ | 285.00 | \$ | 142.50 | \$ | 142.50 | 0.0% | 0.0% | 0.0% |
| \$ | 1,300.00 | \$ | 1,000.00 | \$ | 300.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,886.00 | \$ | 1,000.00 | \$ | 886.00 | 0.0% | 0.0% | 0.0% |
| \$ | 2,100.00 | \$ | 1,000.00 | \$ | 1,100.00 | 0.0% | 0.0% | 0.0% |
| \$ | 3,400.00 | \$ | 1,000.00 | \$ | 2,400.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,165.00 | \$ | 500.00 | \$ | 665.00 | 0.0% | 0.0% | 0.0% |
| \$ | 4,000.00 | \$ | 1,000.00 | \$ | 3,000.00 | 0.0% | 0.0% | 0.0% |
| \$ | 2,000.00 | \$ | 1,000.00 | \$ | 1,000.00 | 0.0% | 0.0% | 0.0% |
| \$ | 1,084.00 | \$ | 213.50 | \$ | 870.50 | 23.7% | 7.0% | 0.0% |
| \$ | 589.00 | \$ | 384.00 | \$ | 205.00 | 23.7% | 7.0% | 0.0% |

| | | | | | | | | | | |
|----|-----------|----|-----------|----|----------|----|----------|-------|------|------|
| \$ | 4,352.00 | \$ | 1,700.00 | \$ | 1,808.10 | \$ | 2,652.00 | 23.7% | 7.0% | 0.0% |
| \$ | 1,187.00 | \$ | 238.00 | \$ | - | \$ | 949.00 | 23.7% | 7.0% | 0.0% |
| \$ | 2,000.00 | \$ | 2,000.00 | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 500.00 | \$ | 300.00 | \$ | - | \$ | 200.00 | 0.0% | 0.0% | 0.0% |
| \$ | 9,652.00 | \$ | 2,000.00 | \$ | 250.00 | \$ | 7,652.00 | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | - | - | - |
| \$ | 1,741.95 | \$ | 1,741.95 | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 19,846.00 | \$ | 19,846.00 | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | 5,000.00 | \$ | 5,000.00 | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | - | - | - |
| \$ | 19,000.00 | \$ | 19,000.00 | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |
| \$ | - | \$ | - | \$ | - | \$ | - | - | - | - |
| \$ | - | \$ | - | \$ | - | \$ | - | 0.0% | 0.0% | 0.0% |



| Impact Factors | | | | | | |
|----------------|-----------------|----------------------|----------------------------|----------------------------|-------------------------------|------------------------|
| Net to Gross | In-Service Rate | kWh Realization Rate | kW Winter Realization Rate | kW Summer Realization Rate | Non Electric Realization Rate | Gross Annual kWh Saved |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | 50.00 |
| 100.0% | 98.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 98.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 98.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 98.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 98.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | 150.00 |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | 27.00 |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | 46.00 |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | (43.08) |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |
| 100.0% | 100.0% | 91.0% | 91.0% | 91.0% | 91.0% | - |

| | | | | | | |
|---------|--------|--------|--------|--------|--------|---|
| 83.3% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | - |
| 83.3% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | - |
| 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | - |
| 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | - |
| 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | - |
| #VALUE! | | | | | | - |
| 100.0% | 100.0% | 36.0% | 36.0% | 36.0% | 36.0% | - |
| 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | - |
| 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | - |
| #VALUE! | | | | | | - |
| 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | - |
| #VALUE! | | | | | | - |
| 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | - |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



Energy Savings

| LS_ID (Dropdown) | Max Demand (Entered) | Max Demand Factor (Look-up) | Winter Peak Energy % | Winter Off- Peak Energy % | Summer Peak Energy % | Summer Off- Peak Energy % |
|-----------------------------|-------------------------|-----------------------------------|----------------------------|---------------------------------|----------------------------|---------------------------------|
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Lighting | 0.030 | 0.000255 | 35.1% | 30.7% | 19.0% | 15.1% |
| Lighting | 0.020 | 0.000255 | 35.1% | 30.7% | 19.0% | 15.1% |
| Lighting | 0.050 | 0.000255 | 35.1% | 30.7% | 19.0% | 15.1% |
| Lighting | 0.050 | 0.000255 | 35.1% | 30.7% | 19.0% | 15.1% |
| Lighting | 0.020 | 0.000255 | 35.1% | 30.7% | 19.0% | 15.1% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| 24 Hour Operation | | 0.000114 | 30.5% | 36.1% | 15.2% | 18.3% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Furnace Fan | | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Furnace Fan | | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| Furnace Fan | | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| Water Heater - Natural Gas/ | -0.010 | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |

| | | | | | | |
|------------------------------|-------|----------|-------|-------|-------|-------|
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Clothes Washer | 0.075 | 0.000270 | 36.4% | 29.9% | 18.3% | 15.4% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| 24 Hour Operation | | 0.000114 | 30.5% | 36.1% | 15.2% | 18.3% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Furnace Fan | | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Furnace Fan | | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| Central Air Conditioner/Heat | | 0.001594 | 6.6% | 3.8% | 47.3% | 42.2% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |

| | | | | | | |
|------------------------------------|--------|----------|-------|-------|-------|-------|
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Furnace Fan | | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| Furnace Fan | | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | -0.010 | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Weighted HVAC - All Homes | | 0.000783 | 25.4% | 29.7% | 23.2% | 21.7% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | | | | | |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Water Heater - Natural Gas/ | | | | | | |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Custom Calculation | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Custom Calculation | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Custom Calculation | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| C&I Heating & Cooling | | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Water Heater - Natural Gas/ | | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Custom Calculation | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Custom Calculation | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Custom Calculation | | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |

| | | | | | |
|-----------------------------|----------|-------|-------|-------|-------|
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| | | | | | |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| | | | | | |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Furnace Fan | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| Furnace Fan | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| Furnace Fan | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |

| | | | | | |
|-----------------------------|----------|-------|-------|-------|-------|
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |

| | | | | | |
|-----------------------------|----------|-------|-------|-------|-------|
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Custom Calculation | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Boiler Distribution | 0.000551 | 45.0% | 55.0% | 0.0% | 0.0% |
| Furnace Fan | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| Furnace Fan | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| Furnace Fan | 0.000645 | 44.6% | 55.4% | 0.0% | 0.0% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |

| | | | | | |
|-----------------------------|----------|-------|-------|-------|-------|
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| Water Heater - Natural Gas/ | 0.000357 | 40.9% | 34.2% | 13.3% | 11.6% |
| C&I Food Services | 0.000000 | 32.0% | 35.0% | 16.0% | 17.0% |
| C&I Heating & Cooling | 0.000000 | 26.4% | 16.6% | 34.9% | 22.1% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |
| Non-Electric Measures | 0.000000 | 0.0% | 0.0% | 0.0% | 0.0% |



| Capacity Savings | | | | | Fossil Fuel Type #1 |
|-----------------------------|-----------------------|-----------------------|-----------------------|----------------------|---------------------|
| Maximum Load Reduction (kW) | Summer Coincident (%) | Winter Coincident (%) | Trans. Coincident (%) | Dist. Coincident (%) | (Dropdown) |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.039 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.030 | 54.7% | 84.8% | 54.7% | 54.7% | |
| 0.020 | 54.7% | 84.8% | 54.7% | 54.7% | |
| 0.050 | 54.7% | 84.8% | 54.7% | 54.7% | |
| 0.050 | 54.7% | 84.8% | 54.7% | 54.7% | |
| 0.020 | 54.7% | 84.8% | 54.7% | 54.7% | |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 100.0% | 100.0% | 100.0% | 100.0% | NG - Res Hot Water |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - Res Heating |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.097 | 0.0% | 45.2% | 0.0% | 0.0% | NG - Res Heating |
| 0.021 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.036 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.000 | 0.0% | 45.2% | 0.0% | 0.0% | NG - Res Heating |
| 0.000 | 0.0% | 45.2% | 0.0% | 0.0% | NG - Res Heating |
| -0.010 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |

| | | | | | |
|-------|--------|--------|--------|--------|--------------------|
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.075 | 49.1% | 52.0% | 49.1% | 49.1% | NG - Res Hot Water |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res All |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.028 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.013 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.040 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.040 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.029 | 33.6% | 20.1% | 33.6% | 33.6% | |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 100.0% | 100.0% | 100.0% | 100.0% | NG - Res Heating |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.108 | 0.0% | 45.2% | 0.0% | 0.0% | NG - Res Heating |
| 0.021 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.036 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.005 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.055 | 0.0% | 45.2% | 0.0% | 0.0% | NG - Res Heating |
| 0.051 | 34.6% | 0.0% | 34.6% | 34.6% | NG - Res Heating |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |

| | | | | | |
|-------------------------------------|-------|--------|-------|-------|--------------------------|
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - Res Heating |
| 0.067 | 0.0% | 45.2% | 0.0% | 0.0% | NG - Res Heating |
| 0.067 | 0.0% | 45.2% | 0.0% | 0.0% | NG - Res Heating |
| -0.104 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.021 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| -0.015 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| -0.015 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| -0.010 | 21.4% | 39.9% | 21.4% | 21.4% | NG - Res Hot Water |
| 0.000 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.019 | 33.6% | 20.1% | 33.6% | 33.6% | NG - Res Heating |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| NG - Res Heating | | | | | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - Res Heating |
| NG - C&I Gas Non Heating | | | | | |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - C&I Gas Non Heating |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Non Heating |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - C&I Gas Non Heating |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - C&I Gas Non Heating |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - C&I Gas Non Heating |
| 0.000 | 0.0% | 100.0% | 0.0% | 0.0% | NG - C&I Gas Non Heating |
| 0.000 | 0.0% | 39.9% | 0.0% | 0.0% | NG - C&I Gas Non Heating |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 53.5% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas All |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - C&I Gas All |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Heat |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas Non Heating |

| | | | | | |
|-------|-------|-------|-------|-------|---------------------------|
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - C& I Gas Non Heating |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - C& I Gas Non Heating |
| 0.000 | 21.4% | 39.9% | 21.4% | 21.4% | NG - C& I Gas Non Heating |
| 0.000 | 90.0% | 90.0% | 90.0% | 90.0% | NG - C& I Gas Non Heating |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | NG - C&I Gas All |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |
| 0.000 | 0.0% | 0.0% | 0.0% | 0.0% | |

Non-Electric Benefits

| Savings from Fuel Type #1 (MMBtu/Year) | Fossil Fuel Type #2 (Dropdown) | Savings from Fuel Type #2 (MMBtu/Year) | Fossil Fuel Type #3 (Dropdown) |
|--|-----------------------------------|--|-----------------------------------|
| 13.00 | | | |
| 0.16 | | | |
| 0.63 | | | |
| 37.50 | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| 0.63 | | | |
| 3.50 | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| 1.10 | | | |
| - | | | |
| 1.37 | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| 32.00 | | | |
| 20.00 | | | |
| 2.07 | | | |
| 5.80 | | | |
| 5.37 | | | |
| 5.37 | | | |
| 5.37 | | | |
| 5.37 | | | |
| 5.37 | | | |
| 3.00 | | | |
| 2.50 | | | |
| 4.00 | | | |
| 4.00 | | | |
| 8.40 | | | |

| | | | |
|-------|---------|---|-----------------------------------|
| 12.80 | | | |
| 7.30 | | | |
| - | | | |
| - | | | |
| 23.50 | | | |
| 3.50 | | | |
| - | | | |
| 17.50 | | | |
| 3.50 | | | |
| - | | | |
| - | | | |
| 0.29 | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| 13.00 | | | |
| 0.16 | | | |
| 0.63 | | | |
| 27.00 | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| 0.63 | | | |
| 4.00 | | | |
| - | Propane | - | Fuel Oil - Residential Distillate |
| - | Propane | - | Fuel Oil - Residential Distillate |
| - | Propane | - | Fuel Oil - Residential Distillate |
| - | Propane | - | Fuel Oil - Residential Distillate |
| - | Propane | - | Fuel Oil - Residential Distillate |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| 12.10 | | | |
| - | | | |
| 2.07 | | | |
| 5.80 | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| 11.40 | | | |
| 7.00 | | | |
| 2.90 | | | |
| 8.00 | | | |

| | | | |
|----------|--|--|--|
| 5.10 | | | |
| 12.10 | | | |
| 14.80 | | | |
| 9.80 | | | |
| 10.30 | | | |
| 7.70 | | | |
| 2.07 | | | |
| 4.00 | | | |
| 8.40 | | | |
| 12.80 | | | |
| 7.00 | | | |
| 3.00 | | | |
| 10.20 | | | |
| 7.30 | | | |
| 5.80 | | | |
| 5.80 | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| 0.91 | | | |
| - | | | |
| 78.57 | | | |
| 700.00 | | | |
| 800.00 | | | |
| 1,500.00 | | | |
| 1.70 | | | |
| 0.33 | | | |
| 2.65 | | | |
| 5.25 | | | |
| 11.40 | | | |
| 35.50 | | | |
| 215.00 | | | |
| 219.38 | | | |
| 155.00 | | | |
| 36.00 | | | |
| 3.50 | | | |
| 9.86 | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| - | | | |
| 78.57 | | | |
| 600.00 | | | |
| 2,200.00 | | | |
| 1,200.00 | | | |

| | | | |
|--------|--|---|--|
| 2.90 | | | |
| 11.40 | | | |
| 2.07 | | | |
| 3.11 | | | |
| 21.78 | | | |
| 15.00 | | | |
| 140.20 | | | |
| - | | | |
| - | | | |
| 95.00 | | | |
| 500.00 | | | |
| 100.00 | | | |
| 70.00 | | | |
| 1.70 | | | |
| 0.33 | | | |
| 2.65 | | | |
| 0.21 | | | |
| 11.40 | | | |
| 35.50 | | | |
| 215.00 | | | |
| - | | | |
| 0.21 | | | |
| 16.00 | | | |
| 3.50 | | | |
| - | | | |
| 50.00 | | | |
| - | | | |
| | | | |
| | | | |
| - | | - | |
| - | | - | |
| - | | | |
| - | | | |
| - | | | |
| 40.00 | | | |
| 300.00 | | | |
| 125.00 | | | |
| - | | | |
| 165.30 | | | |
| 94.50 | | | |
| 51.40 | | | |
| 28.00 | | | |
| 14.70 | | | |
| 17.70 | | | |
| 30.50 | | | |
| 15.10 | | | |
| 40.90 | | | |
| 5.70 | | | |
| 6.70 | | | |
| 12.00 | | | |
| 1.70 | | | |

| | | |
|--------|---|-----------------------------------|
| 0.33 | | |
| 2.65 | | |
| 11.40 | | |
| 33.60 | - | Fuel Oil - Residential Distillate |
| 12.70 | - | Fuel Oil - Residential Distillate |
| 88.40 | - | Fuel Oil - Residential Distillate |
| 51.20 | - | Fuel Oil - Residential Distillate |
| 22.10 | - | Fuel Oil - Residential Distillate |
| 122.90 | | |
| 71.30 | | |
| 18.72 | | |
| 8.77 | | |
| 254.43 | | |
| 14.41 | | |
| - | | |
| 15.00 | | |
| 140.20 | | |
| - | - | |
| - | - | |
| - | - | |
| - | - | |
| - | - | |
| - | - | |
| - | - | |
| 33.60 | | |
| 12.70 | | |
| 88.40 | | |
| 51.20 | | |
| 22.10 | | |
| 11.40 | | |
| 122.90 | | |
| 71.30 | | |
| 19.00 | | |
| 8.90 | | |
| 81.80 | | |
| 30.10 | | |
| 0.34 | | |
| 2.65 | | |
| 1.41 | | |
| 1.70 | | |
| 2.90 | | |
| 11.40 | | |
| 2.07 | | |
| 3.11 | | |
| 15.00 | | |
| 140.20 | | |
| - | | |
| 120.00 | | |
| 500.00 | | |
| 180.00 | | |

| |
|--------|
| 81.80 |
| 30.10 |
| - |
| 15.00 |
| 140.20 |
| - |
| - |
| - |
| - |
| - |
| - |
| - |
| - |
| - |
| - |
| - |


| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |



| | | | |
|---|---|---------|---|
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | 5,460 | - |
| | - | 558 | - |
| | - | 7,300 | - |
| | - | 6,410 | - |
| | - | 65,700 | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | 103,563 | - |
| | - | - | - |
| - | - | - | - |
| - | - | - | - |
| | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| | - | - | - |
| | - | 65,700 | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | 6,410 | - |
| | - | - | - |
| | - | 103,563 | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | - | - |
| | - | 558 | - |
| | - | 7,300 | - |
| | - | 7,300 | - |
| | - | 5,460 | - |

| | | | |
|---|---|---------|---|
| - | - | - | - |
| - | - | 5,460 | - |
| - | - | 558 | - |
| - | - | 7,300 | - |
| - | - | - | - |
| - | - | 6,410 | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | 5,460 | - |
| - | - | 558 | - |
| - | - | 7,300 | - |
| - | - | 6,410 | - |
| - | - | 65,700 | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | 103,563 | - |
| - | - | - | - |
| - | - | - | - |



| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P |
|----|--------------|----------------------|---------------------------|--------------------------------------|------------|-------------------|----------|--------------|-------------|-------------------|-----------------------|--------------------------|-----------------------------------|----------------------------|-------------------------------------|------------------------|
| 1 | Year | 2024 | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | |
| 3 | Inputs | | | | | | | | Costs | | | | Electric Savin | | | |
| 4 | Sector | Program | Subprogram | Measure | Measure ID | End Use | Quantity | Measure Life | TRC (Total) | Incentive (Total) | Customer Cost (Total) | Gross Annual MWh Savings | Adjusted Gross Annual MWh Savings | Gross Lifetime MWh Savings | Adjusted Gross Lifetime MWh Savings | Net Annual MWh Savings |
| 5 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Air Sealing, Gas | GB1a001 | Envelope | 190 | 15.0 | \$ 118,832 | \$ 118,832 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 6 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Faucet Aerator, Gas | GB1a002 | Hot Water | 190 | 7.0 | \$ 9,507 | \$ 9,507 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 7 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Hand Held Showerhead, Gas | GB1a003 | Hot Water | | | | | | | | | | |
| 8 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Insulation, Gas | GB1a004 | Envelope | 190 | 25.0 | \$ 950,655 | \$ 950,655 | \$ - | 9.507 | 8.651 | 237.664 | 216.274 | 8.651 |
| 9 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | LED Bulb, General Service Lamps | GB1a005 | Lighting | | | | | | | | | | |
| 10 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | LED Bulb, Linear | GB1a006 | Lighting | | | | | | | | | | |
| 11 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | LED Bulb, Other Specialty | GB1a007 | Lighting | | | | | | | | | | |
| 12 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | LED Bulb, Reflector | GB1a008 | Lighting | | | | | | | | | | |
| 13 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | LED Fixture | GB1a009 | Lighting | | | | | | | | | | |
| 14 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Low Flow Showerhead, Gas | GB1a010 | Hot Water | 190 | 7.0 | \$ 19,013 | \$ 19,013 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 15 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Pipe Insulation - Hot Water, Gas | GB1a011 | Hot Water | | | | | | | | | | |
| 16 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Visual Audit | GB1a012 | Non-Energy Saving | | | | | | | | | | |
| 17 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Baseload Audit - SF | GB1a013 | Non-Energy Saving | | | | | | | | | | |
| 18 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Baseload Audit - MF | GB1a014 | Non-Energy Saving | | | | | | | | | | |
| 19 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Insulated Door, Gas | GB1a015 | Envelope | | | | | | | | | | |
| 20 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Window Replacement, Gas | GB1a016 | Envelope | | | | | | | | | | |
| 21 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Window Insert, Gas | GB1a017 | Envelope | 40 | 4.0 | \$ 23,034 | \$ 23,034 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 22 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Duct Insulation, Gas | GB1a018 | HVAC | | | | | | | | | | |
| 23 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Hot Water Setback | GB1a019 | Hot Water | 30 | 2.0 | \$ 750 | \$ 750 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 24 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Duct Sealing, Gas | GB1a020 | HVAC | | | | | | | | | | |
| 25 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Audit | 0 | Non-Energy Saving | | | | | | | | | | |
| 26 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Quality Assurance | 0 | Non-Energy Saving | 1 | 1.0 | \$ 56,273 | \$ 56,273 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 27 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Workforce Development/Training | 0 | Non-Energy Saving | | | | | | | | | | |
| 28 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Nonprofit services | 0 | Non-Energy Saving | | | | | | | | | | |
| 29 | B - Income E | B1 - Home Energy As | B1a - HEA (Weatherization | Wxn Projects | 0 | HVAC | 190 | 21.1 | \$ - | \$ - | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 30 | | | | | | | | | | | | | | | | |
| 31 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | Boiler Replacement, Gas | GB1b001 | HVAC | 20 | 19.0 | \$ 200,000 | \$ 200,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 32 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | Furnace Replacement, Gas | GB1b002 | HVAC | 20 | 17.0 | \$ 200,000 | \$ 200,000 | \$ - | 3.000 | 2.730 | 51.000 | 46.410 | 2.730 |
| 33 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | Programmable Thermostat, Gas | GB1b003 | HVAC | 70 | 15.0 | \$ 10,500 | \$ 10,500 | \$ - | 1.890 | 1.720 | 28.350 | 25.799 | 1.720 |
| 34 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | Wifi Thermostat, Gas | GB1b004 | HVAC | 70 | 15.0 | \$ 28,000 | \$ 28,000 | \$ - | 3.220 | 2.930 | 48.300 | 43.953 | 2.930 |
| 35 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | HVAC Repair: Boiler - Condensing | GB1b005 | HVAC | | | | | | | | | | |
| 36 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | HVAC Repair: Boiler - Steam | GB1b006 | HVAC | | | | | | | | | | |
| 37 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | HVAC Repair: Boiler -Water | GB1b007 | HVAC | 4 | 1.0 | \$ 2,000 | \$ 2,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 38 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | HVAC Repair: Furnace - Condensi | GB1b008 | HVAC | | | | | | | | | | |
| 39 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | HVAC Repair: Furnace - Ducted | GB1b009 | HVAC | 4 | 1.0 | \$ 2,528 | \$ 2,528 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 40 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | Stand Alone Storage Water Heater | GB1b010 | Hot Water | | | | | | | | | | |
| 41 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | Indirect Water Heater, Gas | GB1b011 | Hot Water | | | | | | | | | | |
| 42 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | Water Heater - Indirect (attached to | GB1b012 | Hot Water | | | | | | | | | | |
| 43 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | Water Heater - Integrated with Cor | GB1b013 | Hot Water | | | | | | | | | | |
| 44 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | Water Heater - Integrated with Cor | GB1b014 | Hot Water | | | | | | | | | | |
| 45 | B - Income E | B1 - Home Energy As | B1b - HEA (HVAC Systems | Water Heater - Tankless, OnDema | GB1b015 | Hot Water | | | | | | | | | | |
| 46 | | | | | | | | | | | | | | | | |
| 47 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | Cooling, Electric, SF | GA1a001 | HVAC | | | | | | | | | | |
| 48 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | Heating, Gas, SF | GA1a002 | HVAC | 148 | 25.0 | \$ 433,067 | \$ 274,187 | \$ 158,880 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 49 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | Hot Water, Gas, SF | GA1a003 | Hot Water | 148 | 15.0 | \$ - | \$ - | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 50 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | Cooling, Electric, MF | GA1a002 | HVAC | | | | | | | | | | |
| 51 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | Heating, Gas, MF | GA1a005 | HVAC | 88 | 25.0 | \$ 176,000 | \$ 74,800 | \$ 101,200 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 52 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | Hot Water, Gas, MF | GA1a006 | Hot Water | 88 | 15.0 | \$ - | \$ - | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 53 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | LED Bulb | GA1a007 | Lighting | | | | | | | | | | |
| 54 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | LED Fixture | GA1a008 | Lighting | | | | | | | | | | |
| 55 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | Clothes Washer | GA1a009 | Hot Water | | | | | | | | | | |
| 56 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | HERS Rater Fee - SF | 0 | Non-Energy Saving | 1 | 1.0 | \$ 229,724 | \$ 229,724 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 57 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | HERS Rater Fee - MF | 0 | Non-Energy Saving | 1 | 1.0 | \$ 79,200 | \$ 79,200 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 58 | A - Resident | A1 - Energy Star Hom | A1a - ES Homes | Quality Assurance | 0 | HVAC | 1 | 1.0 | \$ 20,000 | \$ 20,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 59 | | | | | | | | | | | | | | | | |
| 60 | A - Resident | A2 - Home Performan | A2a - Home Performance (| Air Sealing, Gas | GA2a001 | Envelope | 178 | 15.0 | \$ 177,729 | \$ 133,297 | \$ 44,432 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P |
|-----|--------------|-----------------------|----------------------------|-------------------------------------|---------|-------------------|--------|------|--------------|------------|------------|--------|--------|----------|----------|--------|
| 61 | A - Resident | A2 - Home Performance | A2a - Home Performance | Faucet Aerator, Gas | GA2a002 | Hot Water | 170 | 7.0 | \$ 1,066 | \$ 2,210 | \$ (1,144) | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 62 | A - Resident | A2 - Home Performance | A2a - Home Performance | Hand Held Showerhead, Gas | GA2a003 | Hot Water | 100 | 7.0 | \$ 3,325 | \$ 2,500 | \$ 825 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 63 | A - Resident | A2 - Home Performance | A2a - Home Performance | Insulation, Gas | GA2a004 | Envelope | 178 | 25.0 | \$ 1,155,239 | \$ 888,646 | \$ 266,594 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 64 | A - Resident | A2 - Home Performance | A2a - Home Performance | LED Bulb, General Service Lamps | GA2a005 | Lighting | | | | | | | | | | |
| 65 | A - Resident | A2 - Home Performance | A2a - Home Performance | LED Bulb, Linear | GA2a006 | Lighting | | | | | | | | | | |
| 66 | A - Resident | A2 - Home Performance | A2a - Home Performance | LED Bulb, Other Specialty | GA2a007 | Lighting | | | | | | | | | | |
| 67 | A - Resident | A2 - Home Performance | A2a - Home Performance | LED Bulb, Reflector | GA2a008 | Lighting | | | | | | | | | | |
| 68 | A - Resident | A2 - Home Performance | A2a - Home Performance | LED Fixture | GA2a009 | Lighting | | | | | | | | | | |
| 69 | A - Resident | A2 - Home Performance | A2a - Home Performance | Low Flow Showerhead, Gas | GA2a010 | Hot Water | 62 | 7.0 | \$ 1,555 | \$ 1,555 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 70 | A - Resident | A2 - Home Performance | A2a - Home Performance | Pipe Insulation - Hot Water, Gas | GA2a011 | Hot Water | 71 | 15.0 | \$ 10,664 | \$ 7,962 | \$ 2,701 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 71 | A - Resident | A2 - Home Performance | A2a - Home Performance | Baseload Audit - Electric Savings | GA2a012 | Envelope | | | | | | | | | | |
| 72 | A - Resident | A2 - Home Performance | A2a - Home Performance | Baseload Audit - Thermal Savings | GA2a013 | Envelope | | | | | | | | | | |
| 73 | A - Resident | A2 - Home Performance | A2a - Home Performance | Visual Audit | GA2a014 | Envelope | | | | | | | | | | |
| 74 | A - Resident | A2 - Home Performance | A2a - Home Performance | Duct Insulation, Gas | GA2a018 | Envelope | 36 | 15.0 | \$ 33,769 | \$ 19,195 | \$ 14,574 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 75 | A - Resident | A2 - Home Performance | A2a - Home Performance | Hot Water Setback | GA2a019 | Hot Water | 62 | 2.0 | \$ 933 | \$ 933 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 76 | A - Resident | A2 - Home Performance | A2a - Home Performance | Health & Safety Measures | 0 | Non-Energy Saving | | | | | | | | | | |
| 77 | A - Resident | A2 - Home Performance | A2a - Home Performance | Audit Fee | 0 | Non-Energy Saving | | | | | | | | | | |
| 78 | A - Resident | A2 - Home Performance | A2a - Home Performance | Vendor Fees - Admin Support | 0 | Non-Energy Saving | | | | | | | | | | |
| 79 | A - Resident | A2 - Home Performance | A2a - Home Performance | Quality Assurance | 0 | Non-Energy Saving | 1 | 1.0 | \$ 40,613 | \$ 40,613 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 80 | A - Resident | A2 - Home Performance | A2a - Home Performance | 3rd Party Financing - Interest Rate | 0 | Non-Energy Saving | 1 | 1.0 | \$ 5,000 | \$ 5,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 81 | | | | | | | | | | | | | | | | |
| 82 | A - Resident | A2 - Home Performance | A2b - Home Performance | Boiler Replacement, Gas | GA2b001 | HVAC | | | | | | | | | | |
| 83 | A - Resident | A2 - Home Performance | A2b - Home Performance | Furnace Replacement, Gas | GA2b002 | HVAC | | | | | | | | | | |
| 84 | A - Resident | A2 - Home Performance | A2b - Home Performance | Programmable Thermostat, Gas | GA2b003 | HVAC | 46 | 15.0 | \$ 17,235 | \$ 17,235 | \$ - | 1.241 | 1.229 | 18.614 | 18.428 | 1.229 |
| 85 | A - Resident | A2 - Home Performance | A2b - Home Performance | Wifi Thermostat, Gas | GA2b004 | HVAC | 250 | 15.0 | \$ 126,438 | \$ 126,438 | \$ - | 11.500 | 11.500 | 172.500 | 172.500 | 11.500 |
| 86 | A - Resident | A2 - Home Performance | A2b - Home Performance | Ancillary Savings - Boiler Circulat | GA2b008 | HVAC | 20 | 19.0 | \$ - | \$ - | \$ - | 0.180 | 0.180 | 3.420 | 3.420 | 0.180 |
| 87 | A - Resident | A2 - Home Performance | A2b - Home Performance | Ancillary Savings - Furnace | GA2b009 | HVAC | 40 | 18.0 | \$ - | \$ - | \$ - | 3.440 | 3.440 | 61.920 | 61.920 | 3.440 |
| 88 | A - Resident | A2 - Home Performance | A2b - Home Performance | Ancillary Savings - Central AC | GA2b010 | HVAC | 35 | 18.0 | \$ - | \$ - | \$ - | 1.120 | 1.120 | 20.160 | 20.160 | 1.120 |
| 89 | | | | | | | | | | | | | | | | |
| 90 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Early Replacement Boiler, FHW - F | GA3b001 | HVAC | | | | | | | | | | |
| 91 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Early Replacement Boiler, FHW - F | GA3b002 | HVAC | | | | | | | | | | |
| 92 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Early Replacement Boiler, Steam- | GA3b003 | HVAC | | | | | | | | | | |
| 93 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Early Replacement Boiler, Steam- | GA3b004 | HVAC | | | | | | | | | | |
| 94 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Boiler Reset Controls | GA3b005 | HVAC | 5 | 15.0 | \$ 1,500 | \$ 1,125 | \$ 375 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 95 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Condensing Boiler >= 90% AFUE | GA3b006 | HVAC | 36 | 19.0 | \$ 84,312 | \$ 36,000 | \$ 48,312 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 96 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Condensing Boiler >= 95% AFUE | GA3b007 | HVAC | 140 | 19.0 | \$ 336,616 | \$ 210,385 | \$ 126,231 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 97 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Furnace 95+ AFUE (<150) w/ECM | GA3b008 | HVAC | 265 | 17.0 | \$ 244,065 | \$ 79,500 | \$ 164,565 | 27.613 | 27.613 | 469.421 | 469.421 | 27.613 |
| 98 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Furnace 97+ AFUE (<150) w/ECM | GA3b009 | HVAC | 90 | 17.0 | \$ 97,470 | \$ 40,500 | \$ 56,970 | 9.378 | 9.378 | 159.426 | 159.426 | 9.378 |
| 99 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Heat Recovery Ventilator (-133 kW) | GA3b010 | HVAC | | | | | | | | | | |
| 100 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Programmable Thermostat | GA3b011 | HVAC | 75 | 15.0 | \$ 6,900 | \$ 1,875 | \$ 5,025 | 2.025 | 2.025 | 30.375 | 30.375 | 2.025 |
| 101 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Indirect Water Heater (attached to | GA3b012 | Hot Water | 55 | 20.0 | \$ 96,195 | \$ 22,000 | \$ 74,195 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 102 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Integrated Water Heater w/Conder | GA3b013 | Hot Water | | | | | | | | | | |
| 103 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Integrated Water Heater w/Conder | GA3b014 | Hot Water | 215 | 19.0 | \$ 723,533 | \$ 215,000 | \$ 508,533 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 104 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Condensing Water Heater (EF 0.9) | GA3b015 | Hot Water | | | | | | | | | | |
| 105 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Stand Alone Storage Tank Water H | GA3b016 | Hot Water | 15 | 13.0 | \$ 6,000 | \$ 1,500 | \$ 4,500 | -0.645 | -0.645 | -8.385 | -8.385 | -0.645 |
| 106 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Tankless On-Demand Water Heate | GA3b017 | Hot Water | | | | | | | | | | |
| 107 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Tankless On-Demand Water Heate | GA3b018 | Hot Water | 175 | 19.0 | \$ 181,169 | \$ 87,500 | \$ 93,669 | -7.525 | -7.525 | -142.975 | -142.975 | -7.525 |
| 108 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | WiFi Thermostat (Heating Only) | GA3b019 | HVAC | 2,769 | 15.0 | \$ 742,088 | \$ 235,364 | \$ 506,724 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 109 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | WiFi Thermostat (Heating & Coolir | GA3b020 | HVAC | | | | | | | | | | |
| 110 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | ES Appliances Rebate Processing | 0 | Non-Energy Saving | 1 | 1.0 | \$ 103,829 | \$ 103,829 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 111 | A - Resident | A3 - Energy Star Proc | A3b - ES Appliances and F | Quality Assurance | 0 | Non-Energy Saving | 1 | 1.0 | \$ 20,000 | \$ 20,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 112 | | | | | | | | | | | | | | | | |
| 113 | | | | | | | | | | | | | | | | |
| 114 | A - Resident | A4 - Residential Beha | A4a - Residential Behavior | Home Energy Reports | GA4a001 | Behavior | 22,043 | 1.0 | \$ - | \$ - | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 115 | | | | | | | | | | | | | | | | |
| 116 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Custom Large Hot Water Retro | GC1a001 | Hot Water | | | | | | | | | | |
| 117 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Custom Large HVAC Retro | GC1a002 | HVAC | | | | | | | | | | |
| 118 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Custom Large Other Retro | GC1a003 | Custom Measures | 21 | 13.0 | \$ 903,876 | \$ 451,938 | \$ 451,938 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 119 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Custom Large Process Retro | GC1a004 | Process | | | | | | | | | | |
| 120 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Faucet Aerator, Gas | GC1a005 | Hot Water | | | | | | | | | | |
| 121 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Low Flow Showerhead With Therm | GC1a006 | Hot Water | | | | | | | | | | |
| 122 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Low Flow Showerhead, Gas | GC1a007 | Hot Water | | | | | | | | | | |
| 123 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Pipe Wrap - Hot Water, Gas | GC1a008 | Hot Water | | | | | | | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P |
|-----|------------|---------------------|-------------------------|-----------------------------------|---------|-------------------|-----|------|------------|------------|------------|-------|-------|-------|-------|-------|
| 124 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Pre Rinse Spray Valve, Gas | GC1a009 | Hot Water | | | | | | | | | | |
| 125 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Boiler Reset Controls, Gas | GC1a010 | HVAC | | | | | | | | | | |
| 126 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Boiler Tune-Ups | GC1a011 | HVAC | | | | | | | | | | |
| 127 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Energy Management System, Gas | GC1a012 | HVAC | | | | | | | | | | |
| 128 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Pipe Insulation - Heating, Gas | GC1a013 | HVAC | 4 | 15.0 | \$ 24,000 | \$ 12,000 | \$ 12,000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 129 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Steam Trap, Gas | GC1a014 | HVAC | 250 | 6.0 | \$ 306,000 | \$ 153,000 | \$ 153,000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 130 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Programmable Thermostat, Gas | GC1a015 | HVAC | | | | | | | | | | |
| 131 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | WiFi Thermostat (Heating & Coolin | GC1a016 | HVAC | | | | | | | | | | |
| 132 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Air Sealing, Gas | GC1a017 | Envelope | | | | | | | | | | |
| 133 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | Insulation, Gas | GC1a018 | Envelope | | | | | | | | | | |
| 134 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | 0 | 0 | Non-Energy Saving | | | | | | | | | | |
| 135 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 136 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 137 | | | | | | | | | | | | | | | | |
| 138 | | | | | | | | | | | | | | | | |
| 139 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | TA Studies | 0 | Non-Energy Saving | 1 | 1.0 | \$ 63,558 | \$ 63,558 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 140 | C - Commer | C1 - Large Business | C1a - LCI Retrofit | CI Audits - Large Retro | 0 | Non-Energy Saving | 1 | 1.0 | \$ 95,000 | \$ 95,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 141 | | | | | | | | | | | | | | | | |
| 142 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Custom Large Hot Water New | GC1b001 | Hot Water | | | | | | | | | | |
| 143 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Custom Large HVAC New | GC1b002 | HVAC | | | | | | | | | | |
| 144 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Custom Large Other New | GC1b003 | Custom Measures | 4 | 13.0 | \$ 457,600 | \$ 228,800 | \$ 228,800 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 145 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Custom Large Process New | GC1b004 | Process | | | | | | | | | | |
| 146 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Boiler 1701 to 2000 MBH 90 AFUE | GC1b005 | HVAC | | | | | | | | | | |
| 147 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Boiler 1000 to 1700 MBH 90 AFUE | GC1b006 | HVAC | 3 | 25.0 | \$ 23,622 | \$ 22,500 | \$ 1,122 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 148 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Boiler 500 to 999 MBH 90 AFUE, G | GC1b007 | HVAC | 4 | 25.0 | \$ 20,308 | \$ 16,000 | \$ 4,308 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 149 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Boiler 301 to 499 MBH 90 AFUE, G | GC1b008 | HVAC | 4 | 25.0 | \$ 15,516 | \$ 8,000 | \$ 7,516 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 150 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Boiler to 300 MBH 90 AFUE, Gas | GC1b009 | HVAC | | | | | | | | | | |
| 151 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Boiler to 300 MBH 95 AFUE, Gas | GC1b010 | HVAC | | | | | | | | | | |
| 152 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Combo Condensing Boiler / Water | GC1b011 | HVAC | | | | | | | | | | |
| 153 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Combo Furnace / Water Heater, G | GC1b012 | HVAC | | | | | | | | | | |
| 154 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Condensing Unit Heater, Gas | GC1b013 | HVAC | | | | | | | | | | |
| 155 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Furnace w/ ECM 95 AFUE, Gas | GC1b014 | HVAC | | | | | | | | | | |
| 156 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Furnace w/ ECM 97 AFUE, Gas | GC1b015 | HVAC | | | | | | | | | | |
| 157 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Infrared Heater, Gas | GC1b016 | HVAC | 6 | 17.0 | \$ 17,892 | \$ 4,500 | \$ 13,392 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 158 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Faucet Aerator, Gas | GC1b017 | Hot Water | | | | | | | | | | |
| 159 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Low Flow Showerhead With Therm | GC1b018 | Hot Water | | | | | | | | | | |
| 160 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Low Flow Showerhead, Gas | GC1b019 | Hot Water | | | | | | | | | | |
| 161 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Pre Rinse Spray Valve, Gas | GC1b020 | Hot Water | | | | | | | | | | |
| 162 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Combination Oven, Gas | GC1b021 | Food Service | | | | | | | | | | |
| 163 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Convection Oven, Gas | GC1b022 | Food Service | | | | | | | | | | |
| 164 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Conveyor Oven, Gas | GC1b023 | Food Service | | | | | | | | | | |
| 165 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Fryer, Gas | GC1b024 | Food Service | | | | | | | | | | |
| 166 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Griddle, Gas | GC1b025 | Food Service | | | | | | | | | | |
| 167 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Rack Oven, Gas | GC1b026 | Food Service | | | | | | | | | | |
| 168 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Steam Cooker, Gas | GC1b027 | Food Service | | | | | | | | | | |
| 169 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Indirect Water Heater, Gas | GC1b028 | Hot Water | | | | | | | | | | |
| 170 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | On Demand Tankless Water Heate | GC1b029 | Hot Water | | | | | | | | | | |
| 171 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Volume Water Heater, Gas | GC1b030 | Hot Water | | | | | | | | | | |
| 172 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Condensing Gas Water Heater | GC1b031 | Hot Water | | | | | | | | | | |
| 173 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Vendor Fees | 0 | Non-Energy Saving | | | | | | | | | | |
| 174 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Clothes Washer, High Speed, Gas | GC1b032 | Hot Water | | | | | | | | | | |
| 175 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Pasta Cooker, Gas | GC1b033 | Food Service | | | | | | | | | | |
| 176 | | | | | | | | | | | | | | | | |
| 177 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | C&I Large New Construction Code | GC1b028 | HVAC | | | | | | | | | | |
| 178 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | TA Studies | 0 | Non-Energy Saving | 1 | 1.0 | \$ 52,002 | \$ 52,002 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 179 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | Downstream Rebate Processing | 0 | Non-Energy Saving | 1 | 1.0 | \$ 15,000 | \$ 15,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 180 | | | | | | | | | | | | | | | | |
| 181 | C - Commer | C1 - Large Business | C1b - LCI New Equipment | CI Audits - Large New | 0 | Non-Energy Saving | 1 | 1.0 | \$ 78,000 | \$ 78,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 182 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Combination Oven, Gas | GC1c001 | Food Service | 4 | 12.0 | \$ 4,332 | \$ 4,000 | \$ 332 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 183 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Convection Oven, Gas | GC1c002 | Food Service | 2 | 12.0 | \$ 3,142 | \$ 2,400 | \$ 742 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 184 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Conveyor Oven, Gas | GC1c003 | Food Service | | | | | | | | | | |
| 185 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Fryer, Gas | GC1c004 | Food Service | 1 | 12.0 | \$ 2,832 | \$ 1,200 | \$ 1,632 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 186 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Griddle, Gas | GC1c005 | Food Service | | | | | | | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P |
|-----|------------|---------------------|-------------------------|----------------------------------|---------|-------------------|-----|------|------------|------------|------------|-------|-------|--------|--------|-------|
| 187 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Pre-Rinse Spray Valve, | GC1c006 | Hot Water | | | | | | | | | | |
| 188 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Rack Oven, Gas | GC1c007 | Food Service | | | | | | | | | | |
| 189 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Steam Cooker, Gas | GC1c008 | Food Service | | | | | | | | | | |
| 190 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Indirect Water Heater, | GC1c009 | Hot Water | 4 | 15.0 | \$ 1,301 | \$ 1,600 | \$ (299) | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 191 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream On Demand Tankless V | GC1c010 | Hot Water | | | | | | | | | | |
| 192 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Volume Water Heater, | GC1c011 | Hot Water | 3 | 15.0 | \$ 7,834 | \$ 5,100 | \$ 2,734 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 193 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Condensing Gas Water | GC1c012 | Hot Water | | | | | | | | | | |
| 194 | C - Commer | C1 - Large Business | C1c - LCI Midstream | OMP Thermostatic Shut-off Valve, | GC1c013 | Hot Water | | | | | | | | | | |
| 195 | C - Commer | C1 - Large Business | C1c - LCI Midstream | OMP Low-Flow Showerhead, Gas | GC1c014 | Hot Water | | | | | | | | | | |
| 196 | C - Commer | C1 - Large Business | C1c - LCI Midstream | OMP Low-Flow Showerhead with | GC1c015 | Hot Water | | | | | | | | | | |
| 197 | C - Commer | C1 - Large Business | C1c - LCI Midstream | OMP Faucet Aerator, Gas | GC1c016 | Hot Water | | | | | | | | | | |
| 198 | C - Commer | C1 - Large Business | C1c - LCI Midstream | OMP Pipe Wrap, Gas | GC1c017 | Hot Water | | | | | | | | | | |
| 199 | C - Commer | C1 - Large Business | C1c - LCI Midstream | OMP Pre-Rinse Spray Valve, Gas | GC1c018 | Hot Water | | | | | | | | | | |
| 200 | C - Commer | C1 - Large Business | C1c - LCI Midstream | OMP Programmable Thermostat, C | GC1c019 | HVAC | | | | | | | | | | |
| 201 | C - Commer | C1 - Large Business | C1c - LCI Midstream | OMP Wi-Fi Thermostat | GC1c020 | HVAC | | | | | | | | | | |
| 202 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Underfired Broiler | GC1c021 | Food Service | | | | | | | | | | |
| 203 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Clothes Washer, High Speed, Gas | GC1c022 | Hot Water | | | | | | | | | | |
| 204 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Pasta Cooker, Gas | GC1c023 | Food Service | | | | | | | | | | |
| 205 | C - Commer | C1 - Large Business | C1c - LCI Midstream | Midstream Rebate Processing | 0 | Non-Energy Saving | | | | | | | | | | |
| 206 | | | | | | | | | | | | | | | | |
| 207 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Custom Small Hot Water Retro | GC2a001 | Hot Water | | | | | | | | | | |
| 208 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Custom Small HVAC Retro | GC2a002 | HVAC | | | | | | | | | | |
| 209 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Custom Small Other Retro | GC2a003 | Custom Measures | 39 | 15.0 | \$ 503,240 | \$ 251,620 | \$ 251,620 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 210 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Custom Small Process Retro | GC2a004 | Process | | | | | | | | | | |
| 211 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Faucet Aerator, Gas | GC2a005 | Hot Water | 475 | 7.0 | \$ 3,325 | \$ 3,325 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 212 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Low Flow Showerhead With Therm | GC2a006 | Hot Water | | | | | | | | | | |
| 213 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Low Flow Showerhead, Gas | GC2a007 | Hot Water | | | | | | | | | | |
| 214 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Pipe Wrap - Hot Water, Gas | GC2a008 | Hot Water | 130 | 7.0 | \$ 2,080 | \$ 1,040 | \$ 1,040 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 215 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Pre Rinse Spray Valve, Gas | GC2a009 | Hot Water | 20 | 8.0 | \$ 5,700 | \$ 2,850 | \$ 2,850 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 216 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Boiler Reset Controls, Gas | GC2a010 | HVAC | 2 | 15.0 | \$ 2,400 | \$ 450 | \$ 1,950 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 217 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Boiler Tune-Ups | GC2a011 | HVAC | | | | | | | | | | |
| 218 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Energy Management System, Gas | GC2a012 | HVAC | | | | | | | | | | |
| 219 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Pipe Insulation - Heating, Gas | GC2a013 | HVAC | | | | | | | | | | |
| 220 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Steam Trap, Gas | GC2a014 | HVAC | 5 | 6.0 | \$ 2,720 | \$ 1,360 | \$ 1,360 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 221 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Programmable Thermostat, Gas | GC2a015 | HVAC | 125 | 15.0 | \$ 10,625 | \$ 10,625 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 222 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Air Sealing, Gas | GC2a017 | Envelope | | | | | | | | | | |
| 223 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Insulation, Gas | GC2a018 | Envelope | | | | | | | | | | |
| 224 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 225 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | 0 | 0 | Non-Energy Saving | | | | | | | | | | |
| 226 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 227 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 228 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 229 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 230 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | Vendor Fees - TA Studies | 0 | Non-Energy Saving | 1 | 1.0 | \$ 49,434 | \$ 49,434 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 231 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | CI Audits - Small Retro | 0 | Non-Energy Saving | 1 | 1.0 | \$ 85,000 | \$ 85,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 232 | C - Commer | C2 - Small Business | C2a - SCI Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 233 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Custom Small Hot Water New | GC2b001 | Hot Water | | | | | | | | | | |
| 234 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Custom Small HVAC New | GC2b002 | HVAC | | | | | | | | | | |
| 235 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Custom Small Other New | GC2b003 | Custom Measures | 30 | 13.0 | \$ 424,285 | \$ 318,214 | \$ 106,071 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 236 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Custom Small Process New | GC2b004 | Process | | | | | | | | | | |
| 237 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Boiler 1701 to 2000 MBH 90 AFUE | GC2b005 | HVAC | 4 | 25.0 | \$ 42,404 | \$ 40,000 | \$ 2,404 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 238 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Boiler 1000 to 1700 MBH 90 AFUE | GC2b006 | HVAC | 2 | 25.0 | \$ 15,748 | \$ 15,000 | \$ 748 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 239 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Boiler 500 to 999 MBH 90 AFUE, | GC2b007 | HVAC | 19 | 25.0 | \$ 96,463 | \$ 76,000 | \$ 20,463 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 240 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Boiler 301 to 499 MBH 90 AFUE, | GC2b008 | HVAC | 15 | 25.0 | \$ 58,185 | \$ 30,000 | \$ 28,185 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 241 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Boiler to 300 MBH 90 AFUE, Gas | GC2b009 | HVAC | | | | | | | | | | |
| 242 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Boiler to 300 MBH 95 AFUE, Gas | GC2b010 | HVAC | 30 | 25.0 | \$ 115,440 | \$ 45,000 | \$ 70,440 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 243 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Combo Condensing Boiler / Water | GC2b011 | HVAC | | | | | | | | | | |
| 244 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Combo Furnace / Water Heater, G | GC2b012 | HVAC | | | | | | | | | | |
| 245 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Condensing Unit Heater, Gas | GC2b013 | HVAC | | | | | | | | | | |
| 246 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Furnace w/ ECM 95 AFUE, Gas | GC2b014 | HVAC | 25 | 18.0 | \$ 28,300 | \$ 7,500 | \$ 20,800 | 4.200 | 4.200 | 75.600 | 75.600 | 4.200 |
| 247 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Furnace w/ ECM 97 AFUE, Gas | GC2b015 | HVAC | 4 | 18.0 | \$ 5,176 | \$ 2,400 | \$ 2,776 | 0.672 | 0.672 | 12.096 | 12.096 | 0.672 |
| 248 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Infrared Heater, Gas | GC2b016 | HVAC | 21 | 17.0 | \$ 62,622 | \$ 15,750 | \$ 46,872 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 249 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Faucet Aerator, Gas | GC2b017 | Hot Water | | | | | | | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P |
|-----|------------|-----------------------|-------------------------|------------------------------------|---------|-------------------|-----|------|------------|-----------|-----------|-------|-------|-------|-------|-------|
| 250 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Low Flow Showerhead With Therm | GC2b018 | Hot Water | | | | | | | | | | |
| 251 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Low Flow Showerhead, Gas | GC2b019 | Hot Water | 400 | 7.0 | \$ 26,500 | \$ 14,616 | \$ 11,884 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 252 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Pre Rinse Spray Valve, Gas | GC2b020 | Hot Water | 18 | 8.0 | \$ 5,130 | \$ 2,565 | \$ 2,565 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 253 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Combination Oven, Gas | GC2b021 | Food Service | | | | | | | | | | |
| 254 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Convection Oven, Gas | GC2b022 | Food Service | | | | | | | | | | |
| 255 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Conveyor Oven, Gas | GC2b023 | Food Service | | | | | | | | | | |
| 256 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Fryer, Gas | GC2b024 | Food Service | | | | | | | | | | |
| 257 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Griddle, Gas | GC2b025 | Food Service | | | | | | | | | | |
| 258 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Rack Oven, Gas | GC2b026 | Food Service | | | | | | | | | | |
| 259 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Steam Cooker, Gas | GC2b027 | Food Service | | | | | | | | | | |
| 260 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Indirect Water Heater, Gas | GC2b028 | Hot Water | | | | | | | | | | |
| 261 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | On Demand Tankless Water Heater | GC2b029 | Hot Water | | | | | | | | | | |
| 262 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Volume Water Heater, Gas | GC2b030 | Hot Water | | | | | | | | | | |
| 263 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Condensing Gas Water Heater | GC2b031 | Hot Water | | | | | | | | | | |
| 264 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Vendor Fees | 0 | Non-Energy Saving | | | | | | | | | | |
| 265 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Clothes Washer, High Speed, Gas | GC2b032 | Hot Water | | | | | | | | | | |
| 266 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Pasta Cooker, Gas | GC2b033 | Food Service | | | | | | | | | | |
| 267 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | 0 | 0 | | | | | | | | | | | |
| 268 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | C&I Small New Construction Code | GC2b028 | HVAC | | | | | | | | | | |
| 269 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | TA Studies | 0 | Non-Energy Saving | 1 | 1.0 | \$ 40,446 | \$ 40,446 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 270 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | Downstream Rebate Processing | 0 | Non-Energy Saving | 1 | 1.0 | \$ 20,000 | \$ 20,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 271 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | 0 | 0 | | | | | | | | | | | |
| 272 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | CI Audits - Small New | 0 | Non-Energy Saving | 1 | 1.0 | \$ 70,000 | \$ 70,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 273 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | 0 | 0 | | | | | | | | | | | |
| 274 | C - Commer | C2 - Small Business | C2b - SCI New Equipment | 0 | 0 | | | | | | | | | | | |
| 275 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Combination Oven, Gas | GC2c001 | Food Service | 2 | 12.0 | \$ 2,166 | \$ 2,000 | \$ 166 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 276 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Convection Oven, Gas | GC2c002 | Food Service | 2 | 12.0 | \$ 3,142 | \$ 2,400 | \$ 742 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 277 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Conveyor Oven, Gas | GC2c003 | Food Service | 2 | 12.0 | \$ 3,499 | \$ 2,000 | \$ 1,499 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 278 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Fryer, Gas | GC2c004 | Food Service | 3 | 12.0 | \$ 8,497 | \$ 3,600 | \$ 4,897 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 279 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Griddle, Gas | GC2c005 | Food Service | 1 | 12.0 | \$ 970 | \$ 500 | \$ 470 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 280 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Pre-Rinse Spray Valve, | GC2c006 | Hot Water | | | | | | | | | | |
| 281 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Rack Oven, Gas | GC2c007 | Food Service | | | | | | | | | | |
| 282 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Steam Cooker, Gas | GC2c008 | Food Service | 16 | 12.0 | \$ 26,656 | \$ 16,000 | \$ 10,656 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 283 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Indirect Water Heater, G | GC2c009 | Hot Water | 8 | 15.0 | \$ 2,602 | \$ 3,200 | \$ (598) | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 284 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream On Demand Tankless W | GC2c010 | Hot Water | 4 | 20.0 | \$ 1,415 | \$ 1,536 | \$ (121) | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 285 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Volume Water Heater, G | GC2c011 | Hot Water | 8 | 15.0 | \$ 20,890 | \$ 13,600 | \$ 7,290 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 286 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Water Heater, Condens | GC2c012 | Hot Water | | | | | | | | | | |
| 287 | C - Commer | C2 - Small Business | C2c - SCI Midstream | OMP Thermostatic Shut-off Valve, | GC2c013 | Hot Water | | | | | | | | | | |
| 288 | C - Commer | C2 - Small Business | C2c - SCI Midstream | OMP Low-Flow Showerhead, Gas | GC2c014 | Hot Water | | | | | | | | | | |
| 289 | C - Commer | C2 - Small Business | C2c - SCI Midstream | OMP Low-Flow Showerhead with | GC2c015 | Hot Water | | | | | | | | | | |
| 290 | C - Commer | C2 - Small Business | C2c - SCI Midstream | OMP Faucet Aerator, Gas | GC2c016 | Hot Water | | | | | | | | | | |
| 291 | C - Commer | C2 - Small Business | C2c - SCI Midstream | OMP Pipe Wrap, Gas | GC2c017 | Hot Water | | | | | | | | | | |
| 292 | C - Commer | C2 - Small Business | C2c - SCI Midstream | OMP Pre-Rinse Spray Valve, Gas | GC2c018 | Hot Water | | | | | | | | | | |
| 293 | C - Commer | C2 - Small Business | C2c - SCI Midstream | OMP Programmable Thermostat, G | GC2c019 | HVAC | | | | | | | | | | |
| 294 | C - Commer | C2 - Small Business | C2c - SCI Midstream | OMP Wi-Fi Thermostat | GC2c020 | HVAC | | | | | | | | | | |
| 295 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Clothes Washer, High Speed, Gas | GC2c022 | Hot Water | | | | | | | | | | |
| 296 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Pasta Cooker, Gas | GC2c023 | Food Service | | | | | | | | | | |
| 297 | C - Commer | C2 - Small Business | C2c - SCI Midstream | Midstream Rebate Processing | 0 | Non-Energy Saving | | | | | | | | | | |
| 298 | 0 | | | | 0 | | | | | | | | | | | |
| 299 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Custom Small Hot Water Retro | GC3a001 | Hot Water | | | | | | | | | | |
| 300 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Custom Small HVAC Retro | GC3a002 | HVAC | | | | | | | | | | |
| 301 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Custom Small Other Retro | GC3a003 | Custom Measures | 10 | 15.0 | \$ 136,800 | \$ 68,400 | \$ 68,400 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 302 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Custom Small Process Retro | GC3a004 | Process | | | | | | | | | | |
| 303 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Faucet Aerator, Gas | GC3a005 | Hot Water | 50 | 7.0 | \$ 350 | \$ 350 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 304 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Low Flow Showerhead With Therm | GC3a006 | Hot Water | | | | | | | | | | |
| 305 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Low Flow Showerhead, Gas | GC3a007 | Hot Water | | | | | | | | | | |
| 306 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Pipe Wrap - Hot Water, Gas | GC3a008 | Hot Water | 12 | 7.0 | \$ 192 | \$ 96 | \$ 96 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 307 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Pre Rinse Spray Valve, Gas | GC3a009 | Hot Water | 1 | 8.0 | \$ 285 | \$ 143 | \$ 143 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 308 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Boiler Reset Controls, Gas | GC3a010 | HVAC | | | | | | | | | | |
| 309 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Boiler Tune-Ups | GC3a011 | HVAC | | | | | | | | | | |
| 310 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Energy Management System, Gas | GC3a012 | HVAC | 1 | 10.0 | \$ 6,800 | \$ 3,400 | \$ 3,400 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 311 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Pipe Insulation - Heating, Gas | GC3a013 | HVAC | | | | | | | | | | |
| 312 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Steam Trap, Gas | GC3a014 | HVAC | 40 | 6.0 | \$ 21,677 | \$ 10,839 | \$ 10,839 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P |
|-----|------------|-----------------------|-------------------------|----------------------------------|---------|-------------------|----|------|-----------|-----------|-----------|-------|-------|-------|-------|-------|
| 313 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Programmable Thermostat, Gas | GC3a015 | HVAC | 50 | 15.0 | \$ 4,250 | \$ 4,250 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 314 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Air Sealing, Gas | GC3a017 | Envelope | | | | | | | | | | |
| 315 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | Insulation, Gas | GC3a018 | Envelope | | | | | | | | | | |
| 316 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 317 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | 0 | 0 | Non-Energy Saving | | | | | | | | | | |
| 318 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 319 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 320 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 321 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 322 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | TA Studies | 0 | Non-Energy Saving | 1 | 1.0 | \$ 21,186 | \$ 21,186 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 323 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | CI Audits - Small Retro | 0 | Non-Energy Saving | 1 | 1.0 | \$ 20,000 | \$ 20,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 324 | C - Commer | C3 - Municipal Energy | C3a - Muni Retrofit | 0 | 0 | 0 | | | | | | | | | | |
| 325 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Custom Small Hot Water New | GC3b001 | Hot Water | | | | | | | | | | |
| 326 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Custom Small HVAC New | GC3b002 | HVAC | | | | | | | | | | |
| 327 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Custom Small Other New | GC3b003 | Custom Measures | 2 | 13.0 | \$ 30,799 | \$ 23,100 | \$ 7,700 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 328 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Custom Small Process New | GC3b004 | Process | | | | | | | | | | |
| 329 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Boiler 1701 to 2000 MBH 90 AFUE | GC3b005 | HVAC | 2 | 25.0 | \$ 21,202 | \$ 20,000 | \$ 1,202 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 330 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Boiler 1000 to 1700 MBH 90 AFUE | GC3b006 | HVAC | | | | | | | | | | |
| 331 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Boiler 500 to 999 MBH 90 AFUE, G | GC3b007 | HVAC | 8 | 25.0 | \$ 40,616 | \$ 32,000 | \$ 8,616 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 332 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Boiler 301 to 499 MBH 90 AFUE, G | GC3b008 | HVAC | 2 | 25.0 | \$ 7,758 | \$ 4,000 | \$ 3,758 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 333 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Boiler to 300 MBH 90 AFUE, Gas | GC3b009 | HVAC | | | | | | | | | | |
| 334 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Boiler to 300 MBH 95 AFUE, Gas | GC3b010 | HVAC | 12 | 25.0 | \$ 46,176 | \$ 18,000 | \$ 28,176 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 335 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Combo Condensing Boiler / Water | GC3b011 | HVAC | | | | | | | | | | |
| 336 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Combo Furnace / Water Heater, G | GC3b012 | HVAC | | | | | | | | | | |
| 337 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Condensing Unit Heater, Gas | GC3b013 | HVAC | | | | | | | | | | |
| 338 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Furnace w/ ECM 95 AFUE, Gas | GC3b014 | HVAC | | | | | | | | | | |
| 339 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Furnace w/ ECM 97 AFUE, Gas | GC3b015 | HVAC | 3 | 18.0 | \$ 3,882 | \$ 1,800 | \$ 2,082 | 0.504 | 0.504 | 9.072 | 9.072 | 0.504 |
| 340 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Infrared Heater, Gas | GC3b016 | HVAC | | | | | | | | | | |
| 341 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Faucet Aerator, Gas | GC3b017 | Hot Water | | | | | | | | | | |
| 342 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Low Flow Showerhead With Therm | GC3b018 | Hot Water | | | | | | | | | | |
| 343 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Low Flow Showerhead, Gas | GC3b019 | Hot Water | 61 | 7.0 | \$ 4,042 | \$ 2,229 | \$ 1,813 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 344 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Pre Rinse Spray Valve, Gas | GC3b020 | Hot Water | | | | | | | | | | |
| 345 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Combination Oven, Gas | GC3b021 | Food Service | | | | | | | | | | |
| 346 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Convection Oven, Gas | GC3b022 | Food Service | | | | | | | | | | |
| 347 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Conveyor Oven, Gas | GC3b023 | Food Service | | | | | | | | | | |
| 348 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Fryer, Gas | GC3b024 | Food Service | | | | | | | | | | |
| 349 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Griddle, Gas | GC3b025 | Food Service | | | | | | | | | | |
| 350 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Rack Oven, Gas | GC3b026 | Food Service | | | | | | | | | | |
| 351 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Steam Cooker, Gas | GC3b027 | Food Service | | | | | | | | | | |
| 352 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Indirect Water Heater, Gas | GC3b028 | Hot Water | | | | | | | | | | |
| 353 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | On Demand Tankless Water Heater | GC3b029 | Hot Water | 1 | 20.0 | \$ 491 | \$ 384 | \$ 107 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 354 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Volume Water Heater, Gas | GC3b030 | Hot Water | 1 | 15.0 | \$ 3,625 | \$ 1,700 | \$ 1,925 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 355 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Condensing Gas Water Heater | GC3b031 | Hot Water | | | | | | | | | | |
| 356 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Vendor Fees | 0 | Non-Energy Saving | | | | | | | | | | |
| 357 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Clothes Washer, High Speed, Gas | GC3b032 | Hot Water | | | | | | | | | | |
| 358 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Pasta Cooker, Gas | GC3b033 | Food Service | | | | | | | | | | |
| 359 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | 0 | 0 | 0 | | | | | | | | | | |
| 360 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | C&I Small New Construction Code | GC3b028 | HVAC | | | | | | | | | | |
| 361 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | TA Studies | 0 | Non-Energy Saving | 1 | 1.0 | \$ 17,334 | \$ 17,334 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 362 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | Downstream Rebate Processing | 0 | Non-Energy Saving | 1 | 1.0 | \$ 5,000 | \$ 5,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 363 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | 0 | 0 | 0 | | | | | | | | | | |
| 364 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | CI Audits - Small New | 0 | Non-Energy Saving | 1 | 1.0 | \$ 17,000 | \$ 17,000 | \$ - | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 365 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | 0 | 0 | 0 | | | | | | | | | | |
| 366 | C - Commer | C3 - Municipal Energy | C3b - Muni New Equipmen | 0 | 0 | 0 | | | | | | | | | | |
| 367 | | | | | | | | | | | | | | | | |
| 368 | | | | | | | | | | | | | | | | |
| 369 | | | | | | | | | | | | | | | | |
| 370 | | | | | | | | | | | | | | | | |
| 371 | | | | | | | | | | | | | | | | |
| 372 | | | | | | | | | | | | | | | | |
| 373 | | | | | | | | | | | | | | | | |
| 374 | | | | | | | | | | | | | | | | |
| 375 | | | | | | | | | | | | | | | | |

| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 376 | | | | | | | | | | | | | | | | |
| 377 | | | | | | | | | | | | | | | | |
| 378 | | | | | | | | | | | | | | | | |
| 379 | | | | | | | | | | | | | | | | |
| 380 | | | | | | | | | | | | | | | | |
| 381 | | | | | | | | | | | | | | | | |
| 382 | | | | | | | | | | | | | | | | |
| 383 | | | | | | | | | | | | | | | | |

| | Q | R | S | T | U | V | W | X | Y | Z | AA | AB | AC | AD | AE |
|----|--------------------------|-------------------------------------|---|-------------------------------------|---|-----------------------------------|---------------------------------|----------------------|---------------------------------|----------------------|---------------------------------------|---|--------------------------------|----------------------------------|--------------------------------------|
| 1 | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | |
| 3 | gs: Energy | | | | | Electric Savings: Capacity | | | | | Natural Gas Savings | | | | |
| 4 | Net Lifetime MWh Savings | Winter Peak Energy MWh Net Lifetime | Winter Off-Peak Energy MWh Net Lifetime | Summer Peak Energy MWh Net Lifetime | Summer Off-Peak Energy MWh Net Lifetime | Max Net kW | Annual Adjusted Gross Winter kW | Annual Net Winter kW | Annual Adjusted Gross Summer kw | Annual Net Summer kw | Adj. Gross Annual Gas Savings (MMBTU) | Adj. Gross Lifetime Gas Savings (MMBTU) | Net Annual Gas Savings (MMBTU) | Net Lifetime Gas Savings (MMBTU) | Adj Gross Annual Oil Savings (MMBTU) |
| 5 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 2,249.249 | 33,738.730 | 2,249.249 | 33,738.730 | - |
| 6 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 26.991 | 188.937 | 26.991 | 188.937 | - |
| 7 | | | | | | | | | | | | | | | |
| 8 | 216.274 | 54.949 | 64.151 | 50.278 | 46.896 | 7.446 | 1.362 | 1.362 | 2.277 | 2.277 | 6,488.217 | 162,205.432 | 6,488.217 | 162,205.432 | - |
| 9 | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | |
| 14 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 109.521 | 766.648 | 109.521 | 766.648 | - |
| 15 | | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 21 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 40.100 | 160.399 | 40.100 | 160.399 | - |
| 22 | | | | | | | | | | | | | | | |
| 23 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 37.401 | 74.802 | 37.401 | 74.802 | - |
| 24 | | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | | |
| 26 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 27 | | | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | | | |
| 29 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 30 | | | | | | | | | | | | | | | |
| 31 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 582.400 | 11,065.600 | 582.400 | 11,065.600 | - |
| 32 | 46.410 | 20.689 | 25.721 | 0.000 | 0.000 | 1.935 | 0.796 | 0.796 | 0.000 | 0.000 | 364.000 | 6,188.000 | 364.000 | 6,188.000 | - |
| 33 | 25.799 | 6.555 | 7.652 | 5.997 | 5.594 | 1.480 | 0.271 | 0.271 | 0.453 | 0.453 | 131.859 | 1,977.885 | 131.859 | 1,977.885 | - |
| 34 | 43.953 | 11.167 | 13.037 | 10.218 | 9.531 | 2.522 | 0.461 | 0.461 | 0.771 | 0.771 | 369.460 | 5,541.900 | 369.460 | 5,541.900 | - |
| 35 | | | | | | | | | | | | | | | |
| 36 | | | | | | | | | | | | | | | |
| 37 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 19.547 | 19.547 | 19.547 | 19.547 | - |
| 38 | | | | | | | | | | | | | | | |
| 39 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 10.920 | 10.920 | 10.920 | 10.920 | - |
| 40 | | | | | | | | | | | | | | | |
| 41 | | | | | | | | | | | | | | | |
| 42 | | | | | | | | | | | | | | | |
| 43 | | | | | | | | | | | | | | | |
| 44 | | | | | | | | | | | | | | | |
| 45 | | | | | | | | | | | | | | | |
| 46 | | | | | | | | | | | | | | | |
| 47 | | | | | | | | | | | | | | | |
| 48 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 3,482.911 | 87,072.779 | 3,482.911 | 87,072.779 | - |
| 49 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 518.731 | 7,780.972 | 518.731 | 7,780.972 | - |
| 50 | | | | | | | | | | | | | | | |
| 51 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 1,540.000 | 38,500.000 | 1,540.000 | 38,500.000 | - |
| 52 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 308.000 | 4,620.000 | 308.000 | 4,620.000 | - |
| 53 | | | | | | | | | | | | | | | |
| 54 | | | | | | | | | | | | | | | |
| 55 | | | | | | | | | | | | | | | |
| 56 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 57 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 58 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 59 | | | | | | | | | | | | | | | |
| 60 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 2,378.869 | 35,683.036 | 2,378.869 | 35,683.036 | - |

| | Q | R | S | T | U | V | W | X | Y | Z | AA | AB | AC | AD | AE |
|-----|----------|---------|---------|---------|---------|--------|--------|--------|--------|--------|------------|-------------|------------|-------------|----|
| 61 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 27.305 | 191.135 | 27.305 | 191.135 | - |
| 62 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 62.697 | 438.877 | 62.697 | 438.877 | - |
| 63 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 4,940.728 | 123,518.201 | 4,940.728 | 123,518.201 | - |
| 64 | | | | | | | | | | | | | | | |
| 65 | | | | | | | | | | | | | | | |
| 66 | | | | | | | | | | | | | | | |
| 67 | | | | | | | | | | | | | | | |
| 68 | | | | | | | | | | | | | | | |
| 69 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 38.982 | 272.875 | 38.982 | 272.875 | - |
| 70 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 292.784 | 4,391.758 | 292.784 | 4,391.758 | - |
| 71 | | | | | | | | | | | | | | | |
| 72 | | | | | | | | | | | | | | | |
| 73 | | | | | | | | | | | | | | | |
| 74 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 144.928 | 2,173.920 | 144.928 | 2,173.920 | - |
| 75 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 26.323 | 52.646 | 26.323 | 52.646 | - |
| 76 | | | | | | | | | | | | | | | |
| 77 | | | | | | | | | | | | | | | |
| 78 | | | | | | | | | | | | | | | |
| 79 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 80 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 81 | | | | | | | | | | | | | | | |
| 82 | | | | | | | | | | | | | | | |
| 83 | | | | | | | | | | | | | | | |
| 84 | 18.428 | 4.682 | 5.466 | 4.284 | 3.996 | 0.962 | 0.193 | 0.193 | 0.323 | 0.323 | 97.953 | 1,469.299 | 97.953 | 1,469.299 | - |
| 85 | 172.500 | 43.828 | 51.166 | 40.102 | 37.404 | 9.007 | 1.810 | 1.810 | 3.026 | 3.026 | 1,508.000 | 22,620.000 | 1,508.000 | 22,620.000 | - |
| 86 | 3.420 | 1.539 | 1.881 | 0.000 | 0.000 | 0.099 | 0.053 | 0.053 | 0.000 | 0.000 | - | - | - | - | - |
| 87 | 61.920 | 27.603 | 34.317 | 0.000 | 0.000 | 2.219 | 1.003 | 1.003 | 0.000 | 0.000 | - | - | - | - | - |
| 88 | 20.160 | 1.329 | 0.775 | 9.540 | 8.515 | 1.785 | 0.000 | 0.000 | 0.618 | 0.618 | - | - | - | - | - |
| 89 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | |
| 91 | | | | | | | | | | | | | | | |
| 92 | | | | | | | | | | | | | | | |
| 93 | | | | | | | | | | | | | | | |
| 94 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 25.500 | 382.500 | 25.500 | 382.500 | - |
| 95 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 435.600 | 8,276.400 | 435.600 | 8,276.400 | - |
| 96 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 2,075.797 | 39,440.137 | 2,075.797 | 39,440.137 | - |
| 97 | 469.421 | 209.258 | 260.163 | 0.000 | 0.000 | 17.808 | 8.049 | 8.049 | 0.000 | 0.000 | 2,597.000 | 44,149.000 | 2,597.000 | 44,149.000 | - |
| 98 | 159.426 | 71.069 | 88.357 | 0.000 | 0.000 | 6.048 | 2.734 | 2.734 | 0.000 | 0.000 | 927.000 | 15,759.000 | 927.000 | 15,759.000 | - |
| 99 | | | | | | | | | | | | | | | |
| 100 | 30.375 | 7.717 | 9.010 | 7.061 | 6.586 | 1.586 | 0.319 | 0.319 | 0.533 | 0.533 | 155.250 | 2,328.750 | 155.250 | 2,328.750 | - |
| 101 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 220.000 | 4,400.000 | 220.000 | 4,400.000 | - |
| 102 | | | | | | | | | | | | | | | |
| 103 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 2,752.000 | 52,288.000 | 2,752.000 | 52,288.000 | - |
| 104 | | | | | | | | | | | | | | | |
| 105 | -8.385 | -3.433 | -2.867 | -1.116 | -0.969 | -0.230 | -0.092 | -0.092 | -0.049 | -0.049 | 45.000 | 585.000 | 45.000 | 585.000 | - |
| 106 | | | | | | | | | | | | | | | |
| 107 | -142.975 | -58.533 | -48.889 | -19.022 | -16.531 | -1.750 | -0.698 | -0.698 | -0.375 | -0.375 | 1,277.500 | 24,272.500 | 1,277.500 | 24,272.500 | - |
| 108 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 16,060.109 | 240,901.641 | 16,060.109 | 240,901.641 | - |
| 109 | | | | | | | | | | | | | | | |
| 110 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 111 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 112 | | | | | | | | | | | | | | | |
| 113 | | | | | | | | | | | | | | | |
| 114 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 20,044.350 | 20,044.350 | 20,044.350 | 20,044.350 | - |
| 115 | | | | | | | | | | | | | | | |
| 116 | | | | | | | | | | | | | | | |
| 117 | | | | | | | | | | | | | | | |
| 118 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 14,562.447 | 189,311.807 | 14,562.447 | 189,311.807 | - |
| 119 | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | |
| 121 | | | | | | | | | | | | | | | |
| 122 | | | | | | | | | | | | | | | |
| 123 | | | | | | | | | | | | | | | |

| | Q | R | S | T | U | V | W | X | Y | Z | AA | AB | AC | AD | AE |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|-----------|------------|----|
| 124 | | | | | | | | | | | | | | | |
| 125 | | | | | | | | | | | | | | | |
| 126 | | | | | | | | | | | | | | | |
| 127 | | | | | | | | | | | | | | | |
| 128 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 620.000 | 9,300.000 | 620.000 | 9,300.000 | - |
| 129 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 9,000.000 | 54,000.000 | 9,000.000 | 54,000.000 | - |
| 130 | | | | | | | | | | | | | | | |
| 131 | | | | | | | | | | | | | | | |
| 132 | | | | | | | | | | | | | | | |
| 133 | | | | | | | | | | | | | | | |
| 134 | | | | | | | | | | | | | | | |
| 135 | | | | | | | | | | | | | | | |
| 136 | | | | | | | | | | | | | | | |
| 137 | | | | | | | | | | | | | | | |
| 138 | | | | | | | | | | | | | | | |
| 139 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 140 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 141 | | | | | | | | | | | | | | | |
| 142 | | | | | | | | | | | | | | | |
| 143 | | | | | | | | | | | | | | | |
| 144 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 7,656.000 | 99,528.000 | 7,656.000 | 99,528.000 | - |
| 145 | | | | | | | | | | | | | | | |
| 146 | | | | | | | | | | | | | | | |
| 147 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 283.500 | 7,087.500 | 283.500 | 7,087.500 | - |
| 148 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 205.600 | 5,140.000 | 205.600 | 5,140.000 | - |
| 149 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 112.000 | 2,800.000 | 112.000 | 2,800.000 | - |
| 150 | | | | | | | | | | | | | | | |
| 151 | | | | | | | | | | | | | | | |
| 152 | | | | | | | | | | | | | | | |
| 153 | | | | | | | | | | | | | | | |
| 154 | | | | | | | | | | | | | | | |
| 155 | | | | | | | | | | | | | | | |
| 156 | | | | | | | | | | | | | | | |
| 157 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 72.000 | 1,224.000 | 72.000 | 1,224.000 | - |
| 158 | | | | | | | | | | | | | | | |
| 159 | | | | | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | |
| 161 | | | | | | | | | | | | | | | |
| 162 | | | | | | | | | | | | | | | |
| 163 | | | | | | | | | | | | | | | |
| 164 | | | | | | | | | | | | | | | |
| 165 | | | | | | | | | | | | | | | |
| 166 | | | | | | | | | | | | | | | |
| 167 | | | | | | | | | | | | | | | |
| 168 | | | | | | | | | | | | | | | |
| 169 | | | | | | | | | | | | | | | |
| 170 | | | | | | | | | | | | | | | |
| 171 | | | | | | | | | | | | | | | |
| 172 | | | | | | | | | | | | | | | |
| 173 | | | | | | | | | | | | | | | |
| 174 | | | | | | | | | | | | | | | |
| 175 | | | | | | | | | | | | | | | |
| 176 | | | | | | | | | | | | | | | |
| 177 | | | | | | | | | | | | | | | |
| 178 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 179 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 180 | | | | | | | | | | | | | | | |
| 181 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 182 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 134.400 | 1,612.800 | 111.955 | 1,343.462 | - |
| 183 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 25.400 | 304.800 | 21.158 | 253.898 | - |
| 184 | | | | | | | | | | | | | | | |
| 185 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 51.200 | 614.400 | 42.650 | 511.795 | - |
| 186 | | | | | | | | | | | | | | | |

| | Q | R | S | T | U | V | W | X | Y | Z | AA | AB | AC | AD | AE |
|-----|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|-----------|------------|----|
| 187 | | | | | | | | | | | | | | | |
| 188 | | | | | | | | | | | | | | | |
| 189 | | | | | | | | | | | | | | | |
| 190 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 74.860 | 1,122.900 | 22.458 | 336.870 | - |
| 191 | | | | | | | | | | | | | | | |
| 192 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 763.277 | 11,449.148 | 457.966 | 6,869.489 | - |
| 193 | | | | | | | | | | | | | | | |
| 194 | | | | | | | | | | | | | | | |
| 195 | | | | | | | | | | | | | | | |
| 196 | | | | | | | | | | | | | | | |
| 197 | | | | | | | | | | | | | | | |
| 198 | | | | | | | | | | | | | | | |
| 199 | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | |
| 201 | | | | | | | | | | | | | | | |
| 202 | | | | | | | | | | | | | | | |
| 203 | | | | | | | | | | | | | | | |
| 204 | | | | | | | | | | | | | | | |
| 205 | | | | | | | | | | | | | | | |
| 206 | | | | | | | | | | | | | | | |
| 207 | | | | | | | | | | | | | | | |
| 208 | | | | | | | | | | | | | | | |
| 209 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 3,367.837 | 50,517.554 | 3,367.837 | 50,517.554 | - |
| 210 | | | | | | | | | | | | | | | |
| 211 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 807.500 | 5,652.500 | 807.500 | 5,652.500 | - |
| 212 | | | | | | | | | | | | | | | |
| 213 | | | | | | | | | | | | | | | |
| 214 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 27.300 | 191.100 | 27.300 | 191.100 | - |
| 215 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 228.000 | 1,824.000 | 228.000 | 1,824.000 | - |
| 216 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 71.000 | 1,065.000 | 71.000 | 1,065.000 | - |
| 217 | | | | | | | | | | | | | | | |
| 218 | | | | | | | | | | | | | | | |
| 219 | | | | | | | | | | | | | | | |
| 220 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 80.000 | 480.000 | 80.000 | 480.000 | - |
| 221 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 437.500 | 6,562.500 | 437.500 | 6,562.500 | - |
| 222 | | | | | | | | | | | | | | | |
| 223 | | | | | | | | | | | | | | | |
| 224 | | | | | | | | | | | | | | | |
| 225 | | | | | | | | | | | | | | | |
| 226 | | | | | | | | | | | | | | | |
| 227 | | | | | | | | | | | | | | | |
| 228 | | | | | | | | | | | | | | | |
| 229 | | | | | | | | | | | | | | | |
| 230 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 231 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 232 | | | | | | | | | | | | | | | |
| 233 | | | | | | | | | | | | | | | |
| 234 | | | | | | | | | | | | | | | |
| 235 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 3,257.012 | 42,341.157 | 3,257.012 | 42,341.157 | - |
| 236 | | | | | | | | | | | | | | | |
| 237 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 661.200 | 16,530.000 | 661.200 | 16,530.000 | - |
| 238 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 189.000 | 4,725.000 | 189.000 | 4,725.000 | - |
| 239 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 976.600 | 24,415.000 | 976.600 | 24,415.000 | - |
| 240 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 420.000 | 10,500.000 | 420.000 | 10,500.000 | - |
| 241 | | | | | | | | | | | | | | | |
| 242 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 531.000 | 13,275.000 | 531.000 | 13,275.000 | - |
| 243 | | | | | | | | | | | | | | | |
| 244 | | | | | | | | | | | | | | | |
| 245 | | | | | | | | | | | | | | | |
| 246 | 75.600 | 33.701 | 41.899 | 0.000 | 0.000 | 2.709 | 1.224 | 1.224 | 0.000 | 0.000 | 142.500 | 2,565.000 | 142.500 | 2,565.000 | - |
| 247 | 12.096 | 5.392 | 6.704 | 0.000 | 0.000 | 0.433 | 0.196 | 0.196 | 0.000 | 0.000 | 26.800 | 482.400 | 26.800 | 482.400 | - |
| 248 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 252.000 | 4,284.000 | 252.000 | 4,284.000 | - |
| 249 | | | | | | | | | | | | | | | |

| | Q | R | S | T | U | V | W | X | Y | Z | AA | AB | AC | AD | AE |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|-----------|------------|----|
| 250 | | | | | | | | | | | | | | | |
| 251 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 1,060.000 | 7,420.000 | 1,060.000 | 7,420.000 | - |
| 252 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 205.200 | 1,641.600 | 205.200 | 1,641.600 | - |
| 253 | | | | | | | | | | | | | | | |
| 254 | | | | | | | | | | | | | | | |
| 255 | | | | | | | | | | | | | | | |
| 256 | | | | | | | | | | | | | | | |
| 257 | | | | | | | | | | | | | | | |
| 258 | | | | | | | | | | | | | | | |
| 259 | | | | | | | | | | | | | | | |
| 260 | | | | | | | | | | | | | | | |
| 261 | | | | | | | | | | | | | | | |
| 262 | | | | | | | | | | | | | | | |
| 263 | | | | | | | | | | | | | | | |
| 264 | | | | | | | | | | | | | | | |
| 265 | | | | | | | | | | | | | | | |
| 266 | | | | | | | | | | | | | | | |
| 267 | | | | | | | | | | | | | | | |
| 268 | | | | | | | | | | | | | | | |
| 269 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 270 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 271 | | | | | | | | | | | | | | | |
| 272 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 273 | | | | | | | | | | | | | | | |
| 274 | | | | | | | | | | | | | | | |
| 275 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 67.200 | 806.400 | 55.978 | 671.731 | - |
| 276 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 25.400 | 304.800 | 21.158 | 253.898 | - |
| 277 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 176.800 | 2,121.600 | 147.274 | 1,767.293 | - |
| 278 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 153.600 | 1,843.200 | 127.949 | 1,535.386 | - |
| 279 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 22.100 | 265.200 | 18.409 | 220.912 | - |
| 280 | | | | | | | | | | | | | | | |
| 281 | | | | | | | | | | | | | | | |
| 282 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 1,140.800 | 13,689.600 | 950.286 | 11,403.437 | - |
| 283 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 152.000 | 2,280.000 | 45.600 | 684.000 | - |
| 284 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 35.600 | 712.000 | 21.360 | 427.200 | - |
| 285 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 654.400 | 9,816.000 | 392.640 | 5,889.600 | - |
| 286 | | | | | | | | | | | | | | | |
| 287 | | | | | | | | | | | | | | | |
| 288 | | | | | | | | | | | | | | | |
| 289 | | | | | | | | | | | | | | | |
| 290 | | | | | | | | | | | | | | | |
| 291 | | | | | | | | | | | | | | | |
| 292 | | | | | | | | | | | | | | | |
| 293 | | | | | | | | | | | | | | | |
| 294 | | | | | | | | | | | | | | | |
| 295 | | | | | | | | | | | | | | | |
| 296 | | | | | | | | | | | | | | | |
| 297 | | | | | | | | | | | | | | | |
| 298 | | | | | | | | | | | | | | | |
| 299 | | | | | | | | | | | | | | | |
| 300 | | | | | | | | | | | | | | | |
| 301 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 1,566.000 | 23,490.000 | 1,566.000 | 23,490.000 | - |
| 302 | | | | | | | | | | | | | | | |
| 303 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 85.000 | 595.000 | 85.000 | 595.000 | - |
| 304 | | | | | | | | | | | | | | | |
| 305 | | | | | | | | | | | | | | | |
| 306 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 2.520 | 17.640 | 2.520 | 17.640 | - |
| 307 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 11.400 | 91.200 | 11.400 | 91.200 | - |
| 308 | | | | | | | | | | | | | | | |
| 309 | | | | | | | | | | | | | | | |
| 310 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 136.000 | 1,360.000 | 136.000 | 1,360.000 | - |
| 311 | | | | | | | | | | | | | | | |
| 312 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 637.559 | 3,825.353 | 637.559 | 3,825.353 | - |

| | Q | R | S | T | U | V | W | X | Y | Z | AA | AB | AC | AD | AE |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|------------|---------|------------|----|
| 313 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 175.000 | 2,625.000 | 175.000 | 2,625.000 | - |
| 314 | | | | | | | | | | | | | - | | |
| 315 | | | | | | | | | | | | | - | | |
| 316 | | | | | | | | | | | | | - | | |
| 317 | | | | | | | | | | | | | - | | |
| 318 | | | | | | | | | | | | | - | | |
| 319 | | | | | | | | | | | | | - | | |
| 320 | | | | | | | | | | | | | - | | |
| 321 | | | | | | | | | | | | | - | | |
| 322 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 323 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 324 | | | | | | | | | | | | | - | | |
| 325 | | | | | | | | | | | | | - | | |
| 326 | | | | | | | | | | | | | - | | |
| 327 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 913.484 | 11,875.294 | 913.484 | 11,875.294 | - |
| 328 | | | | | | | | | | | | | - | | |
| 329 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 330.600 | 8,265.000 | 330.600 | 8,265.000 | - |
| 330 | | | | | | | | | | | | | - | | |
| 331 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 411.200 | 10,280.000 | 411.200 | 10,280.000 | - |
| 332 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 56.000 | 1,400.000 | 56.000 | 1,400.000 | - |
| 333 | | | | | | | | | | | | | - | | |
| 334 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 212.400 | 5,310.000 | 212.400 | 5,310.000 | - |
| 335 | | | | | | | | | | | | | - | | |
| 336 | | | | | | | | | | | | | - | | |
| 337 | | | | | | | | | | | | | - | | |
| 338 | | | | | | | | | | | | | - | | |
| 339 | 9.072 | 4.044 | 5.028 | 0.000 | 0.000 | 0.325 | 0.147 | 0.147 | 0.000 | 0.000 | 20.100 | 361.800 | 20.100 | 361.800 | - |
| 340 | | | | | | | | | | | | | - | | |
| 341 | | | | | | | | | | | | | - | | |
| 342 | | | | | | | | | | | | | - | | |
| 343 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 161.683 | 1,131.784 | 161.683 | 1,131.784 | - |
| 344 | | | | | | | | | | | | | - | | |
| 345 | | | | | | | | | | | | | - | | |
| 346 | | | | | | | | | | | | | - | | |
| 347 | | | | | | | | | | | | | - | | |
| 348 | | | | | | | | | | | | | - | | |
| 349 | | | | | | | | | | | | | - | | |
| 350 | | | | | | | | | | | | | - | | |
| 351 | | | | | | | | | | | | | - | | |
| 352 | | | | | | | | | | | | | - | | |
| 353 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 8.900 | 178.000 | 7.414 | 148.274 | - |
| 354 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 81.800 | 1,227.000 | 68.139 | 1,022.091 | - |
| 355 | | | | | | | | | | | | | - | | |
| 356 | | | | | | | | | | | | | - | | |
| 357 | | | | | | | | | | | | | - | | |
| 358 | | | | | | | | | | | | | - | | |
| 359 | | | | | | | | | | | | | - | | |
| 360 | | | | | | | | | | | | | - | | |
| 361 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 362 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 363 | | | | | | | | | | | | | - | | |
| 364 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | - | - | - | - | - |
| 365 | | | | | | | | | | | | | - | | |
| 366 | | | | | | | | | | | | | - | | |
| 367 | | | | | | | | | | | | | - | | |
| 368 | | | | | | | | | | | | | - | | |
| 369 | | | | | | | | | | | | | - | | |
| 370 | | | | | | | | | | | | | - | | |
| 371 | | | | | | | | | | | | | - | | |
| 372 | | | | | | | | | | | | | - | | |
| 373 | | | | | | | | | | | | | - | | |
| 374 | | | | | | | | | | | | | - | | |
| 375 | | | | | | | | | | | | | - | | |

| | Q | R | S | T | U | V | W | X | Y | Z | AA | AB | AC | AD | AE |
|-----|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|
| 376 | | | | | | | | | | | | | | | |
| 377 | | | | | | | | | | | | | | | |
| 378 | | | | | | | | | | | | | | | |
| 379 | | | | | | | | | | | | | | | |
| 380 | | | | | | | | | | | | | | | |
| 381 | | | | | | | | | | | | | | | |
| 382 | | | | | | | | | | | | | | | |
| 383 | | | | | | | | | | | | | | | |

| | AF | AG | AH | AI | AJ | AK | AL | AM | AN | AO | AP | AQ | AR | AS | AT |
|----|--|--------------------------------|----------------------------------|--|--|------------------------------------|--------------------------------------|---|---|-------------------------------------|---------------------------------------|--|--|--------------------------------------|--|
| 1 | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | |
| 3 | Other Resource Savings: Oil | | | Other Resource Savings: Propane | | | | Other Resource Savings: Kerosene | | | | Other Resource Savings: Cord Wood | | | |
| 4 | Adj Gross Lifetime Oil Savings (MMBTU) | Net Annual Oil Savings (MMBTU) | Net Lifetime Oil Savings (MMBTU) | Adj Gross Annual Propane Savings (MMBTU) | Adj Gross Lifetime Propane Savings (MMBTU) | Net Annual Propane Savings (MMBTU) | Net Lifetime Propane Savings (MMBTU) | Adj Gross Annual Kerosene Savings (MMBTU) | Adj Gross Lifetime Kerosene Savings (MMBTU) | Net Annual Kerosene Savings (MMBTU) | Net Lifetime Kerosene Savings (MMBTU) | Adj Gross Annual Cord Wood Savings (MMBTU) | Adj Gross Lifetime Cord Wood Savings (MMBTU) | Net Annual Cord Wood Savings (MMBTU) | Net Lifetime Cord Wood Savings (MMBTU) |
| 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 12 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 13 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 14 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 18 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 20 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 21 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 22 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 23 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 24 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 25 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 26 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 27 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 28 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 29 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 30 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 31 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 32 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 33 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 34 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 35 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 36 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 37 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 38 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 39 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 40 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 41 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 42 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 43 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 44 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 47 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 48 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 49 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 50 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 51 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 52 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 53 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 54 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 55 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 56 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 57 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 58 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 59 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 60 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

| | AF | AG | AH | AI | AJ | AK | AL | AM | AN | AO | AP | AQ | AR | AS | AT |
|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 61 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 62 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 63 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 64 | | - | | | | | | | | | | | | | |
| 65 | | - | | | | | | | | | | | | | |
| 66 | | - | | | | | | | | | | | | | |
| 67 | | - | | | | | | | | | | | | | |
| 68 | | - | | | | | | | | | | | | | |
| 69 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 70 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 71 | | - | | | | | | | | | | | | | |
| 72 | | - | | | | | | | | | | | | | |
| 73 | | - | | | | | | | | | | | | | |
| 74 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 75 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 76 | | - | | | | | | | | | | | | | |
| 77 | | - | | | | | | | | | | | | | |
| 78 | | - | | | | | | | | | | | | | |
| 79 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 80 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 81 | | - | | | | | | | | | | | | | |
| 82 | | - | | | | | | | | | | | | | |
| 83 | | - | | | | | | | | | | | | | |
| 84 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 85 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 86 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 87 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 89 | | - | | | | | | | | | | | | | |
| 90 | | - | | | | | | | | | | | | | |
| 91 | | - | | | | | | | | | | | | | |
| 92 | | - | | | | | | | | | | | | | |
| 93 | | - | | | | | | | | | | | | | |
| 94 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 95 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 96 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 97 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 98 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 99 | | - | | | | | | | | | | | | | |
| 100 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 101 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 102 | | - | | | | | | | | | | | | | |
| 103 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 104 | | - | | | | | | | | | | | | | |
| 105 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 106 | | - | | | | | | | | | | | | | |
| 107 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 108 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 109 | | - | | | | | | | | | | | | | |
| 110 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 111 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 112 | | - | | | | | | | | | | | | | |
| 113 | | - | | | | | | | | | | | | | |
| 114 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 115 | | - | | | | | | | | | | | | | |
| 116 | | - | | | | | | | | | | | | | |
| 117 | | - | | | | | | | | | | | | | |
| 118 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 119 | | - | | | | | | | | | | | | | |
| 120 | | - | | | | | | | | | | | | | |
| 121 | | - | | | | | | | | | | | | | |
| 122 | | - | | | | | | | | | | | | | |
| 123 | | - | | | | | | | | | | | | | |

| | AF | AG | AH | AI | AJ | AK | AL | AM | AN | AO | AP | AQ | AR | AS | AT |
|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 124 | | - | | | | - | | | | - | | | | | |
| 125 | | - | | | | - | | | | - | | | | | |
| 126 | | - | | | | - | | | | - | | | | | |
| 127 | | - | | | | - | | | | - | | | | | |
| 128 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 129 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 130 | | - | | | | - | | | | - | | | | | |
| 131 | | - | | | | - | | | | - | | | | | |
| 132 | | - | | | | - | | | | - | | | | | |
| 133 | | - | | | | - | | | | - | | | | | |
| 134 | | - | | | | - | | | | - | | | | | |
| 135 | | - | | | | - | | | | - | | | | | |
| 136 | | - | | | | - | | | | - | | | | | |
| 137 | | - | | | | - | | | | - | | | | | |
| 138 | | - | | | | - | | | | - | | | | | |
| 139 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 140 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 141 | | - | | | | - | | | | - | | | | | |
| 142 | | - | | | | - | | | | - | | | | | |
| 143 | | - | | | | - | | | | - | | | | | |
| 144 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 145 | | - | | | | - | | | | - | | | | | |
| 146 | | - | | | | - | | | | - | | | | | |
| 147 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 148 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 149 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 150 | | - | | | | - | | | | - | | | | | |
| 151 | | - | | | | - | | | | - | | | | | |
| 152 | | - | | | | - | | | | - | | | | | |
| 153 | | - | | | | - | | | | - | | | | | |
| 154 | | - | | | | - | | | | - | | | | | |
| 155 | | - | | | | - | | | | - | | | | | |
| 156 | | - | | | | - | | | | - | | | | | |
| 157 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 158 | | - | | | | - | | | | - | | | | | |
| 159 | | - | | | | - | | | | - | | | | | |
| 160 | | - | | | | - | | | | - | | | | | |
| 161 | | - | | | | - | | | | - | | | | | |
| 162 | | - | | | | - | | | | - | | | | | |
| 163 | | - | | | | - | | | | - | | | | | |
| 164 | | - | | | | - | | | | - | | | | | |
| 165 | | - | | | | - | | | | - | | | | | |
| 166 | | - | | | | - | | | | - | | | | | |
| 167 | | - | | | | - | | | | - | | | | | |
| 168 | | - | | | | - | | | | - | | | | | |
| 169 | | - | | | | - | | | | - | | | | | |
| 170 | | - | | | | - | | | | - | | | | | |
| 171 | | - | | | | - | | | | - | | | | | |
| 172 | | - | | | | - | | | | - | | | | | |
| 173 | | - | | | | - | | | | - | | | | | |
| 174 | | - | | | | - | | | | - | | | | | |
| 175 | | - | | | | - | | | | - | | | | | |
| 176 | | - | | | | - | | | | - | | | | | |
| 177 | | - | | | | - | | | | - | | | | | |
| 178 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 179 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 180 | | - | | | | - | | | | - | | | | | |
| 181 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 182 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 183 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 184 | | - | | | | - | | | | - | | | | | |
| 185 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 186 | | - | | | | - | | | | - | | | | | |

| | AF | AG | AH | AI | AJ | AK | AL | AM | AN | AO | AP | AQ | AR | AS | AT |
|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 187 | | - | | | | - | | | | - | | | | | |
| 188 | | - | | | | - | | | | - | | | | | |
| 189 | | - | | | | - | | | | - | | | | | |
| 190 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 191 | | - | | | | - | | | | - | | | | | |
| 192 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 193 | | - | | | | - | | | | - | | | | | |
| 194 | | - | | | | - | | | | - | | | | | |
| 195 | | - | | | | - | | | | - | | | | | |
| 196 | | - | | | | - | | | | - | | | | | |
| 197 | | - | | | | - | | | | - | | | | | |
| 198 | | - | | | | - | | | | - | | | | | |
| 199 | | - | | | | - | | | | - | | | | | |
| 200 | | - | | | | - | | | | - | | | | | |
| 201 | | - | | | | - | | | | - | | | | | |
| 202 | | - | | | | - | | | | - | | | | | |
| 203 | | - | | | | - | | | | - | | | | | |
| 204 | | - | | | | - | | | | - | | | | | |
| 205 | | - | | | | - | | | | - | | | | | |
| 206 | | - | | | | - | | | | - | | | | | |
| 207 | | - | | | | - | | | | - | | | | | |
| 208 | | - | | | | - | | | | - | | | | | |
| 209 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 210 | | - | | | | - | | | | - | | | | | |
| 211 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 212 | | - | | | | - | | | | - | | | | | |
| 213 | | - | | | | - | | | | - | | | | | |
| 214 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 215 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 216 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 217 | | - | | | | - | | | | - | | | | | |
| 218 | | - | | | | - | | | | - | | | | | |
| 219 | | - | | | | - | | | | - | | | | | |
| 220 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 221 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 222 | | - | | | | - | | | | - | | | | | |
| 223 | | - | | | | - | | | | - | | | | | |
| 224 | | - | | | | - | | | | - | | | | | |
| 225 | | - | | | | - | | | | - | | | | | |
| 226 | | - | | | | - | | | | - | | | | | |
| 227 | | - | | | | - | | | | - | | | | | |
| 228 | | - | | | | - | | | | - | | | | | |
| 229 | | - | | | | - | | | | - | | | | | |
| 230 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 231 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 232 | | - | | | | - | | | | - | | | | | |
| 233 | | - | | | | - | | | | - | | | | | |
| 234 | | - | | | | - | | | | - | | | | | |
| 235 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 236 | | - | | | | - | | | | - | | | | | |
| 237 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 238 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 239 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 240 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 241 | | - | | | | - | | | | - | | | | | |
| 242 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 243 | | - | | | | - | | | | - | | | | | |
| 244 | | - | | | | - | | | | - | | | | | |
| 245 | | - | | | | - | | | | - | | | | | |
| 246 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 247 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 248 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 249 | | - | | | | - | | | | - | | | | | |

| | AF | AG | AH | AI | AJ | AK | AL | AM | AN | AO | AP | AQ | AR | AS | AT |
|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 250 | | - | | | | - | | | | - | | | | | |
| 251 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 252 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 253 | | - | | | | - | | | | - | | | | | |
| 254 | | - | | | | - | | | | - | | | | | |
| 255 | | - | | | | - | | | | - | | | | | |
| 256 | | - | | | | - | | | | - | | | | | |
| 257 | | - | | | | - | | | | - | | | | | |
| 258 | | - | | | | - | | | | - | | | | | |
| 259 | | - | | | | - | | | | - | | | | | |
| 260 | | - | | | | - | | | | - | | | | | |
| 261 | | - | | | | - | | | | - | | | | | |
| 262 | | - | | | | - | | | | - | | | | | |
| 263 | | - | | | | - | | | | - | | | | | |
| 264 | | - | | | | - | | | | - | | | | | |
| 265 | | - | | | | - | | | | - | | | | | |
| 266 | | - | | | | - | | | | - | | | | | |
| 267 | | - | | | | - | | | | - | | | | | |
| 268 | | - | | | | - | | | | - | | | | | |
| 269 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 270 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 271 | | - | | | | - | | | | - | | | | | |
| 272 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 273 | | - | | | | - | | | | - | | | | | |
| 274 | | - | | | | - | | | | - | | | | | |
| 275 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 276 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 277 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 278 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 279 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 280 | | - | | | | - | | | | - | | | | | |
| 281 | | - | | | | - | | | | - | | | | | |
| 282 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 283 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 284 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 285 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 286 | | - | | | | - | | | | - | | | | | |
| 287 | | - | | | | - | | | | - | | | | | |
| 288 | | - | | | | - | | | | - | | | | | |
| 289 | | - | | | | - | | | | - | | | | | |
| 290 | | - | | | | - | | | | - | | | | | |
| 291 | | - | | | | - | | | | - | | | | | |
| 292 | | - | | | | - | | | | - | | | | | |
| 293 | | - | | | | - | | | | - | | | | | |
| 294 | | - | | | | - | | | | - | | | | | |
| 295 | | - | | | | - | | | | - | | | | | |
| 296 | | - | | | | - | | | | - | | | | | |
| 297 | | - | | | | - | | | | - | | | | | |
| 298 | | - | | | | - | | | | - | | | | | |
| 299 | | - | | | | - | | | | - | | | | | |
| 300 | | - | | | | - | | | | - | | | | | |
| 301 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 302 | | - | | | | - | | | | - | | | | | |
| 303 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 304 | | - | | | | - | | | | - | | | | | |
| 305 | | - | | | | - | | | | - | | | | | |
| 306 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 307 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 308 | | - | | | | - | | | | - | | | | | |
| 309 | | - | | | | - | | | | - | | | | | |
| 310 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 311 | | - | | | | - | | | | - | | | | | |
| 312 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

| | AF | AG | AH | AI | AJ | AK | AL | AM | AN | AO | AP | AQ | AR | AS | AT |
|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 313 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 314 | | - | | | | | | | | | | | | | |
| 315 | | - | | | | | | | | | | | | | |
| 316 | | - | | | | | | | | | | | | | |
| 317 | | - | | | | | | | | | | | | | |
| 318 | | - | | | | | | | | | | | | | |
| 319 | | - | | | | | | | | | | | | | |
| 320 | | - | | | | | | | | | | | | | |
| 321 | | - | | | | | | | | | | | | | |
| 322 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 323 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 324 | | - | | | | | | | | | | | | | |
| 325 | | - | | | | | | | | | | | | | |
| 326 | | - | | | | | | | | | | | | | |
| 327 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 328 | | - | | | | | | | | | | | | | |
| 329 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 330 | | - | | | | | | | | | | | | | |
| 331 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 332 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 333 | | - | | | | | | | | | | | | | |
| 334 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 335 | | - | | | | | | | | | | | | | |
| 336 | | - | | | | | | | | | | | | | |
| 337 | | - | | | | | | | | | | | | | |
| 338 | | - | | | | | | | | | | | | | |
| 339 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 340 | | - | | | | | | | | | | | | | |
| 341 | | - | | | | | | | | | | | | | |
| 342 | | - | | | | | | | | | | | | | |
| 343 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 344 | | - | | | | | | | | | | | | | |
| 345 | | - | | | | | | | | | | | | | |
| 346 | | - | | | | | | | | | | | | | |
| 347 | | - | | | | | | | | | | | | | |
| 348 | | - | | | | | | | | | | | | | |
| 349 | | - | | | | | | | | | | | | | |
| 350 | | - | | | | | | | | | | | | | |
| 351 | | - | | | | | | | | | | | | | |
| 352 | | - | | | | | | | | | | | | | |
| 353 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 354 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 355 | | - | | | | | | | | | | | | | |
| 356 | | - | | | | | | | | | | | | | |
| 357 | | - | | | | | | | | | | | | | |
| 358 | | - | | | | | | | | | | | | | |
| 359 | | - | | | | | | | | | | | | | |
| 360 | | - | | | | | | | | | | | | | |
| 361 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 362 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 363 | | - | | | | | | | | | | | | | |
| 364 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 365 | | - | | | | | | | | | | | | | |
| 366 | | - | | | | | | | | | | | | | |
| 367 | | - | | | | | | | | | | | | | |
| 368 | | - | | | | | | | | | | | | | |
| 369 | | | | | | | | | | | | | | | |
| 370 | | | | | | | | | | | | | | | |
| 371 | | | | | | | | | | | | | | | |
| 372 | | | | | | | | | | | | | | | |
| 373 | | | | | | | | | | | | | | | |
| 374 | | | | | | | | | | | | | | | |
| 375 | | | | | | | | | | | | | | | |

| | AF | AG | AH | AI | AJ | AK | AL | AM | AN | AO | AP | AQ | AR | AS | AT |
|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 376 | | | | | | | | | | | | | | | |
| 377 | | | | | | | | | | | | | | | |
| 378 | | | | | | | | | | | | | | | |
| 379 | | | | | | | | | | | | | | | |
| 380 | | | | | | | | | | | | | | | |
| 381 | | | | | | | | | | | | | | | |
| 382 | | | | | | | | | | | | | | | |
| 383 | | | | | | | | | | | | | | | |

| | AU | AV | AW | AX | AY | AZ | BA | BB | BC | BD | BE | BF | BG | BH | BI |
|----|--|--|--|--|------------------------|--------------------------|--------------------------------------|--------------------------------------|------------------------------------|----------------------------------|--------------------------------------|----------------------------------|--------------------------------------|------------------------------------|--|
| 1 | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | 3 | 4 | 5 | 6 | | 7 |
| 3 | Other Resource Savings: Wood Pellet | | | | SUB-TOTAL | | Other Resource Savings: Water | | | Electric Benefits: Energy | | | | | |
| 4 | Adj Gross Annual Wood Pellet Savings (MMBTU) | Adj Gross Lifetime Wood Pellet Savings (MMBTU) | Net Annual Wood Pellet Savings (MMBTU) | Net Lifetime Wood Pellet Savings (MMBTU) | Total Net Annual MMBTU | Total Net Lifetime MMBTU | Net Annual Res Water Savings Gallons | Net Annual C&I Water Savings Gallons | Net Lifetime Water Savings Gallons | Winter Peak Energy Benefits (\$) | Winter Off-Peak Energy Benefits (\$) | Summer Peak Energy Benefits (\$) | Summer Off-Peak Energy Benefits (\$) | Total Avoided Energy Benefits (\$) | Winter Peak Energy DRIPE Benefits (\$) |
| 5 | - | - | - | - | 2,249.249 | 33,738.730 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 6 | - | - | - | - | 26.991 | 188.937 | 101,389 | - | 709,724 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 7 | | | | | | | | | | | | | | | |
| 8 | - | - | - | - | 6,488.217 | 162,205.432 | - | - | - | \$2,204.29 | \$2,542.56 | \$1,525.17 | \$1,340.62 | \$7,612.64 | \$114.65 |
| 9 | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | |
| 14 | - | - | - | - | 109.521 | 766.648 | 201,394 | - | 1,409,760 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 15 | | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 21 | - | - | - | - | 40.100 | 160.399 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 22 | | | | | | | | | | | | | | | |
| 23 | - | - | - | - | 37.401 | 74.802 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 24 | | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | | |
| 26 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 27 | | | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | | | |
| 29 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 30 | | | | | | | | | | | | | | | |
| 31 | - | - | - | - | 582.400 | 11,065.600 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 32 | - | - | - | - | 364.000 | 6,188.000 | - | - | - | \$985.02 | \$1,205.12 | \$0.00 | \$0.00 | \$2,190.13 | \$63.48 |
| 33 | - | - | - | - | 131.859 | 1,977.885 | - | - | - | \$326.82 | \$374.88 | \$221.91 | \$194.28 | \$1,117.90 | \$22.79 |
| 34 | - | - | - | - | 369.460 | 5,541.900 | - | - | - | \$556.80 | \$638.68 | \$378.08 | \$331.00 | \$1,904.57 | \$38.84 |
| 35 | | | | | | | | | | | | | | | |
| 36 | | | | | | | | | | | | | | | |
| 37 | - | - | - | - | 19.547 | 19.547 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 38 | | | | | | | | | | | | | | | |
| 39 | - | - | - | - | 10.920 | 10.920 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 40 | | | | | | | | | | | | | | | |
| 41 | | | | | | | | | | | | | | | |
| 42 | | | | | | | | | | | | | | | |
| 43 | | | | | | | | | | | | | | | |
| 44 | | | | | | | | | | | | | | | |
| 45 | | | | | | | | | | | | | | | |
| 46 | | | | | | | | | | | | | | | |
| 47 | | | | | | | | | | | | | | | |
| 48 | - | - | - | - | 3,482.911 | 87,072.779 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 49 | - | - | - | - | 518.731 | 7,780.972 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 50 | | | | | | | | | | | | | | | |
| 51 | - | - | - | - | 1,540.000 | 38,500.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 52 | - | - | - | - | 308.000 | 4,620.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 53 | | | | | | | | | | | | | | | |
| 54 | | | | | | | | | | | | | | | |
| 55 | | | | | | | | | | | | | | | |
| 56 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 57 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 58 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 59 | | | | | | | | | | | | | | | |
| 60 | - | - | - | - | 2,378.869 | 35,683.036 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

| | AU | AV | AW | AX | AY | AZ | BA | BB | BC | BD | BE | BF | BG | BH | BI |
|-----|----|----|----|----|------------|-------------|---------|----|---------|-------------|-------------|------------|------------|-------------|-----------|
| 61 | - | - | - | - | 27.305 | 191.135 | 102,569 | - | 717,981 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 62 | - | - | - | - | 62.697 | 438.877 | 123,354 | - | 863,478 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 63 | - | - | - | - | 4,940.728 | 123,518.201 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 64 | | | | | - | - | | | | | | | | | |
| 65 | | | | | - | - | | | | | | | | | |
| 66 | | | | | - | - | | | | | | | | | |
| 67 | | | | | - | - | | | | | | | | | |
| 68 | | | | | - | - | | | | | | | | | |
| 69 | - | - | - | - | 38.982 | 272.875 | 71,683 | - | 501,779 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 70 | - | - | - | - | 292.784 | 4,391.758 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 71 | | | | | - | - | | | | | | | | | |
| 72 | | | | | - | - | | | | | | | | | |
| 73 | | | | | - | - | | | | | | | | | |
| 74 | - | - | - | - | 144.928 | 2,173.920 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 75 | - | - | - | - | 26.323 | 52.646 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 76 | | | | | - | - | | | | | | | | | |
| 77 | | | | | - | - | | | | | | | | | |
| 78 | | | | | - | - | | | | | | | | | |
| 79 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 80 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 81 | | | | | - | - | | | | | | | | | |
| 82 | | | | | - | - | | | | | | | | | |
| 83 | | | | | - | - | | | | | | | | | |
| 84 | - | - | - | - | 97.953 | 1,469.299 | - | - | - | \$233.44 | \$267.77 | \$158.51 | \$138.78 | \$798.50 | \$16.28 |
| 85 | - | - | - | - | 1,508.000 | 22,620.000 | - | - | - | \$2,185.25 | \$2,506.61 | \$1,483.81 | \$1,299.07 | \$7,474.75 | \$152.41 |
| 86 | - | - | - | - | - | - | - | - | - | \$70.08 | \$84.36 | \$0.00 | \$0.00 | \$154.44 | \$4.23 |
| 87 | - | - | - | - | - | - | - | - | - | \$1,284.87 | \$1,573.01 | \$0.00 | \$0.00 | \$2,857.88 | \$79.99 |
| 88 | - | - | - | - | - | - | - | - | - | \$61.89 | \$35.54 | \$331.46 | \$278.10 | \$706.99 | \$3.85 |
| 89 | | | | | - | - | | | | | | | | | |
| 90 | | | | | - | - | | | | | | | | | |
| 91 | | | | | - | - | | | | | | | | | |
| 92 | | | | | - | - | | | | | | | | | |
| 93 | | | | | - | - | | | | | | | | | |
| 94 | - | - | - | - | 25.500 | 382.500 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 95 | - | - | - | - | 435.600 | 8,276.400 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 96 | - | - | - | - | 2,075.797 | 39,440.137 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 97 | - | - | - | - | 2,597.000 | 44,149.000 | - | - | - | \$9,963.12 | \$12,189.32 | \$0.00 | \$0.00 | \$22,152.44 | \$642.10 |
| 98 | - | - | - | - | 927.000 | 15,759.000 | - | - | - | \$3,383.70 | \$4,139.77 | \$0.00 | \$0.00 | \$7,523.47 | \$218.07 |
| 99 | | | | | - | - | | | | | | | | | |
| 100 | - | - | - | - | 155.250 | 2,328.750 | - | - | - | \$384.79 | \$441.38 | \$261.28 | \$228.75 | \$1,316.21 | \$26.84 |
| 101 | - | - | - | - | 220.000 | 4,400.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 102 | | | | | - | - | | | | | | | | | |
| 103 | - | - | - | - | 2,752.000 | 52,288.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 104 | | | | | - | - | | | | | | | | | |
| 105 | - | - | - | - | 45.000 | 585.000 | - | - | - | -\$179.45 | -\$146.98 | -\$43.10 | -\$35.11 | -\$404.64 | -\$13.77 |
| 106 | | | | | - | - | | | | | | | | | |
| 107 | - | - | - | - | 1,277.500 | 24,272.500 | - | - | - | -\$2,664.72 | -\$2,192.99 | -\$647.58 | -\$529.25 | -\$6,034.55 | -\$160.70 |
| 108 | - | - | - | - | 16,060.109 | 240,901.641 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 109 | | | | | - | - | | | | | | | | | |
| 110 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 111 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 112 | | | | | - | - | | | | | | | | | |
| 113 | | | | | - | - | | | | | | | | | |
| 114 | - | - | - | - | 20,044.350 | 20,044.350 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 115 | | | | | - | - | | | | | | | | | |
| 116 | | | | | - | - | | | | | | | | | |
| 117 | | | | | - | - | | | | | | | | | |
| 118 | - | - | - | - | 14,562.447 | 189,311.807 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 119 | | | | | - | - | | | | | | | | | |
| 120 | | | | | - | - | | | | | | | | | |
| 121 | | | | | - | - | | | | | | | | | |
| 122 | | | | | - | - | | | | | | | | | |
| 123 | | | | | - | - | | | | | | | | | |

| | AU | AV | AW | AX | AY | AZ | BA | BB | BC | BD | BE | BF | BG | BH | BI |
|-----|----|----|----|----|-----------|------------|----|---------|-----------|--------|--------|--------|--------|--------|--------|
| 124 | | | | | - | - | | | | | | | | | |
| 125 | | | | | - | - | | | | | | | | | |
| 126 | | | | | - | - | | | | | | | | | |
| 127 | | | | | - | - | | | | | | | | | |
| 128 | - | - | - | - | 620.000 | 9,300.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 129 | - | - | - | - | 9,000.000 | 54,000.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 130 | | | | | - | - | | | | | | | | | |
| 131 | | | | | - | - | | | | | | | | | |
| 132 | | | | | - | - | | | | | | | | | |
| 133 | | | | | - | - | | | | | | | | | |
| 134 | | | | | - | - | | | | | | | | | |
| 135 | | | | | - | - | | | | | | | | | |
| 136 | | | | | - | - | | | | | | | | | |
| 137 | | | | | - | - | | | | | | | | | |
| 138 | | | | | - | - | | | | | | | | | |
| 139 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 140 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 141 | | | | | - | - | | | | | | | | | |
| 142 | | | | | - | - | | | | | | | | | |
| 143 | | | | | - | - | | | | | | | | | |
| 144 | - | - | - | - | 7,656.000 | 99,528.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 145 | | | | | - | - | | | | | | | | | |
| 146 | | | | | - | - | | | | | | | | | |
| 147 | - | - | - | - | 283.500 | 7,087.500 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 148 | - | - | - | - | 205.600 | 5,140.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 149 | - | - | - | - | 112.000 | 2,800.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 150 | | | | | - | - | | | | | | | | | |
| 151 | | | | | - | - | | | | | | | | | |
| 152 | | | | | - | - | | | | | | | | | |
| 153 | | | | | - | - | | | | | | | | | |
| 154 | | | | | - | - | | | | | | | | | |
| 155 | | | | | - | - | | | | | | | | | |
| 156 | | | | | - | - | | | | | | | | | |
| 157 | - | - | - | - | 72.000 | 1,224.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 158 | | | | | - | - | | | | | | | | | |
| 159 | | | | | - | - | | | | | | | | | |
| 160 | | | | | - | - | | | | | | | | | |
| 161 | | | | | - | - | | | | | | | | | |
| 162 | | | | | - | - | | | | | | | | | |
| 163 | | | | | - | - | | | | | | | | | |
| 164 | | | | | - | - | | | | | | | | | |
| 165 | | | | | - | - | | | | | | | | | |
| 166 | | | | | - | - | | | | | | | | | |
| 167 | | | | | - | - | | | | | | | | | |
| 168 | | | | | - | - | | | | | | | | | |
| 169 | | | | | - | - | | | | | | | | | |
| 170 | | | | | - | - | | | | | | | | | |
| 171 | | | | | - | - | | | | | | | | | |
| 172 | | | | | - | - | | | | | | | | | |
| 173 | | | | | - | - | | | | | | | | | |
| 174 | | | | | - | - | | | | | | | | | |
| 175 | | | | | - | - | | | | | | | | | |
| 176 | | | | | - | - | | | | | | | | | |
| 177 | | | | | - | - | | | | | | | | | |
| 178 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 179 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 180 | | | | | - | - | | | | | | | | | |
| 181 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 182 | - | - | - | - | 111.955 | 1,343.462 | - | 218,912 | 2,626,949 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 183 | - | - | - | - | 21.158 | 253.898 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 184 | | | | | - | - | | | | | | | | | |
| 185 | - | - | - | - | 42.650 | 511.795 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 186 | | | | | - | - | | | | | | | | | |

| | AU | AV | AW | AX | AY | AZ | BA | BB | BC | BD | BE | BF | BG | BH | BI |
|-----|----|----|----|----|-----------|------------|----|-----------|------------|------------|------------|--------|--------|------------|---------|
| 187 | | | | | - | - | | | | | | | | | |
| 188 | | | | | - | - | | | | | | | | | |
| 189 | | | | | - | - | | | | | | | | | |
| 190 | - | - | - | - | 22.458 | 336.870 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 191 | | | | | - | - | | | | | | | | | |
| 192 | - | - | - | - | 457.966 | 6,869.489 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 193 | | | | | - | - | | | | | | | | | |
| 194 | | | | | - | - | | | | | | | | | |
| 195 | | | | | - | - | | | | | | | | | |
| 196 | | | | | - | - | | | | | | | | | |
| 197 | | | | | - | - | | | | | | | | | |
| 198 | | | | | - | - | | | | | | | | | |
| 199 | | | | | - | - | | | | | | | | | |
| 200 | | | | | - | - | | | | | | | | | |
| 201 | | | | | - | - | | | | | | | | | |
| 202 | | | | | - | - | | | | | | | | | |
| 203 | | | | | - | - | | | | | | | | | |
| 204 | | | | | - | - | | | | | | | | | |
| 205 | | | | | - | - | | | | | | | | | |
| 206 | | | | | - | - | | | | | | | | | |
| 207 | | | | | - | - | | | | | | | | | |
| 208 | | | | | - | - | | | | | | | | | |
| 209 | - | - | - | - | 3,367.837 | 50,517.554 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 210 | | | | | - | - | | | | | | | | | |
| 211 | - | - | - | - | 807.500 | 5,652.500 | - | 2,593.500 | 18,154.500 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 212 | | | | | - | - | | | | | | | | | |
| 213 | | | | | - | - | | | | | | | | | |
| 214 | - | - | - | - | 27.300 | 191.100 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 215 | - | - | - | - | 228.000 | 1,824.000 | - | 128.200 | 1,025.600 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 216 | - | - | - | - | 71.000 | 1,065.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 217 | | | | | - | - | | | | | | | | | |
| 218 | | | | | - | - | | | | | | | | | |
| 219 | | | | | - | - | | | | | | | | | |
| 220 | - | - | - | - | 80.000 | 480.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 221 | - | - | - | - | 437.500 | 6,562.500 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 222 | | | | | - | - | | | | | | | | | |
| 223 | | | | | - | - | | | | | | | | | |
| 224 | | | | | - | - | | | | | | | | | |
| 225 | | | | | - | - | | | | | | | | | |
| 226 | | | | | - | - | | | | | | | | | |
| 227 | | | | | - | - | | | | | | | | | |
| 228 | | | | | - | - | | | | | | | | | |
| 229 | | | | | - | - | | | | | | | | | |
| 230 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 231 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 232 | | | | | - | - | | | | | | | | | |
| 233 | | | | | - | - | | | | | | | | | |
| 234 | | | | | - | - | | | | | | | | | |
| 235 | - | - | - | - | 3,257.012 | 42,341.157 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 236 | | | | | - | - | | | | | | | | | |
| 237 | - | - | - | - | 661.200 | 16,530.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 238 | - | - | - | - | 189.000 | 4,725.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 239 | - | - | - | - | 976.600 | 24,415.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 240 | - | - | - | - | 420.000 | 10,500.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 241 | | | | | - | - | | | | | | | | | |
| 242 | - | - | - | - | 531.000 | 13,275.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 243 | | | | | - | - | | | | | | | | | |
| 244 | | | | | - | - | | | | | | | | | |
| 245 | | | | | - | - | | | | | | | | | |
| 246 | - | - | - | - | 142.500 | 2,565.000 | - | - | - | \$1,568.74 | \$1,920.54 | \$0.00 | \$0.00 | \$3,489.27 | \$97.67 |
| 247 | - | - | - | - | 26.800 | 482.400 | - | - | - | \$251.00 | \$307.29 | \$0.00 | \$0.00 | \$558.28 | \$15.63 |
| 248 | - | - | - | - | 252.000 | 4,284.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 249 | | | | | - | - | | | | | | | | | |

| | AU | AV | AW | AX | AY | AZ | BA | BB | BC | BD | BE | BF | BG | BH | BI |
|-----|----|----|----|----|-----------|------------|----|-----------|------------|--------|--------|--------|--------|--------|--------|
| 250 | | | | | - | - | | | | | | | | | |
| 251 | - | - | - | - | 1,060.000 | 7,420.000 | - | 2,920.000 | 20,440.000 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 252 | - | - | - | - | 205.200 | 1,641.600 | - | 115,380 | 923,040 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 253 | | | | | - | - | | | | | | | | | |
| 254 | | | | | - | - | | | | | | | | | |
| 255 | | | | | - | - | | | | | | | | | |
| 256 | | | | | - | - | | | | | | | | | |
| 257 | | | | | - | - | | | | | | | | | |
| 258 | | | | | - | - | | | | | | | | | |
| 259 | | | | | - | - | | | | | | | | | |
| 260 | | | | | - | - | | | | | | | | | |
| 261 | | | | | - | - | | | | | | | | | |
| 262 | | | | | - | - | | | | | | | | | |
| 263 | | | | | - | - | | | | | | | | | |
| 264 | | | | | - | - | | | | | | | | | |
| 265 | | | | | - | - | | | | | | | | | |
| 266 | | | | | - | - | | | | | | | | | |
| 267 | | | | | - | - | | | | | | | | | |
| 268 | | | | | - | - | | | | | | | | | |
| 269 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 270 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 271 | | | | | - | - | | | | | | | | | |
| 272 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 273 | | | | | - | - | | | | | | | | | |
| 274 | | | | | - | - | | | | | | | | | |
| 275 | - | - | - | - | 55.978 | 671.731 | - | 109,456 | 1,313,474 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 276 | - | - | - | - | 21.158 | 253.898 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 277 | - | - | - | - | 147.274 | 1,767.293 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 278 | - | - | - | - | 127.949 | 1,535.386 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 279 | - | - | - | - | 18.409 | 220.912 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 280 | | | | | - | - | | | | | | | | | |
| 281 | | | | | - | - | | | | | | | | | |
| 282 | - | - | - | - | 950.286 | 11,403.437 | - | 1,380,288 | 16,563,452 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 283 | - | - | - | - | 45.600 | 684.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 284 | - | - | - | - | 21.360 | 427.200 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 285 | - | - | - | - | 392.640 | 5,889.600 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 286 | | | | | - | - | | | | | | | | | |
| 287 | | | | | - | - | | | | | | | | | |
| 288 | | | | | - | - | | | | | | | | | |
| 289 | | | | | - | - | | | | | | | | | |
| 290 | | | | | - | - | | | | | | | | | |
| 291 | | | | | - | - | | | | | | | | | |
| 292 | | | | | - | - | | | | | | | | | |
| 293 | | | | | - | - | | | | | | | | | |
| 294 | | | | | - | - | | | | | | | | | |
| 295 | | | | | - | - | | | | | | | | | |
| 296 | | | | | - | - | | | | | | | | | |
| 297 | | | | | - | - | | | | | | | | | |
| 298 | | | | | - | - | | | | | | | | | |
| 299 | | | | | - | - | | | | | | | | | |
| 300 | | | | | - | - | | | | | | | | | |
| 301 | - | - | - | - | 1,566.000 | 23,490.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 302 | | | | | - | - | | | | | | | | | |
| 303 | - | - | - | - | 85.000 | 595.000 | - | 273.000 | 1,911,000 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 304 | | | | | - | - | | | | | | | | | |
| 305 | | | | | - | - | | | | | | | | | |
| 306 | - | - | - | - | 2.520 | 17.640 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 307 | - | - | - | - | 11.400 | 91.200 | - | 6,410 | 51,280 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 308 | | | | | - | - | | | | | | | | | |
| 309 | | | | | - | - | | | | | | | | | |
| 310 | - | - | - | - | 136.000 | 1,360.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 311 | | | | | - | - | | | | | | | | | |
| 312 | - | - | - | - | 637.559 | 3,825.353 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

| | AU | AV | AW | AX | AY | AZ | BA | BB | BC | BD | BE | BF | BG | BH | BI | |
|-----|----|----|----|----|---------|------------|----|---------|-----------|-----------|----------|----------|----------|----------|-----------|---------|
| 313 | - | - | - | - | 175.000 | 2,625.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 314 | | | | | - | - | | | | | | | | | | |
| 315 | | | | | - | - | | | | | | | | | | |
| 316 | | | | | - | - | | | | | | | | | | |
| 317 | | | | | - | - | | | | | | | | | | |
| 318 | | | | | - | - | | | | | | | | | | |
| 319 | | | | | - | - | | | | | | | | | | |
| 320 | | | | | - | - | | | | | | | | | | |
| 321 | | | | | - | - | | | | | | | | | | |
| 322 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 323 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 324 | | | | | - | - | | | | | | | | | | |
| 325 | | | | | - | - | | | | | | | | | | |
| 326 | | | | | - | - | | | | | | | | | | |
| 327 | - | - | - | - | 913.484 | 11,875.294 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 328 | | | | | - | - | | | | | | | | | | |
| 329 | - | - | - | - | 330.600 | 8,265.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 330 | | | | | - | - | | | | | | | | | | |
| 331 | - | - | - | - | 411.200 | 10,280.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 332 | - | - | - | - | 56.000 | 1,400.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 333 | | | | | - | - | | | | | | | | | | |
| 334 | - | - | - | - | 212.400 | 5,310.000 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 335 | | | | | - | - | | | | | | | | | | |
| 336 | | | | | - | - | | | | | | | | | | |
| 337 | | | | | - | - | | | | | | | | | | |
| 338 | | | | | - | - | | | | | | | | | | |
| 339 | - | - | - | - | 20.100 | 361.800 | - | - | - | \$188.25 | \$230.46 | \$0.00 | \$0.00 | \$418.71 | \$11.72 | |
| 340 | | | | | - | - | | | | | | | | | | |
| 341 | | | | | - | - | | | | | | | | | | |
| 342 | | | | | - | - | | | | | | | | | | |
| 343 | - | - | - | - | 161.683 | 1,131.784 | - | 445,392 | 3,117,743 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 344 | | | | | - | - | | | | | | | | | | |
| 345 | | | | | - | - | | | | | | | | | | |
| 346 | | | | | - | - | | | | | | | | | | |
| 347 | | | | | - | - | | | | | | | | | | |
| 348 | | | | | - | - | | | | | | | | | | |
| 349 | | | | | - | - | | | | | | | | | | |
| 350 | | | | | - | - | | | | | | | | | | |
| 351 | | | | | - | - | | | | | | | | | | |
| 352 | | | | | - | - | | | | | | | | | | |
| 353 | - | - | - | - | 7.414 | 148.274 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 354 | - | - | - | - | 68.139 | 1,022.091 | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 355 | | | | | - | - | | | | | | | | | | |
| 356 | | | | | - | - | | | | | | | | | | |
| 357 | | | | | - | - | | | | | | | | | | |
| 358 | | | | | - | - | | | | | | | | | | |
| 359 | | | | | - | - | | | | | | | | | | |
| 360 | | | | | - | - | | | | | | | | | | |
| 361 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 362 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 363 | | | | | - | - | | | | | | | | | | |
| 364 | - | - | - | - | - | - | - | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | |
| 365 | | | | | - | - | | | | | | | | | | |
| 366 | | | | | - | - | | | | | | | | | | |
| 367 | | | | | - | - | | | | | | | | | | |
| 368 | | | | | - | - | | | | | | | | | | |
| 369 | | | | | | | | | | | | | | | | |
| 370 | | | | | | | | | | | | | | | | |
| 371 | | | | | | | | | | AESC 2021 | \$28,575 | \$35,949 | \$5,149 | \$4,559 | \$74,232 | \$1,686 |
| 372 | | | | | | | | | | AESC 2024 | \$20,804 | \$26,117 | \$3,670 | \$3,246 | \$53,837 | \$1,334 |
| 373 | | | | | | | | | | Variance | -\$7,771 | -\$9,831 | -\$1,479 | -\$1,313 | -\$20,395 | -\$352 |
| 374 | | | | | | | | | | % | -27% | -27% | -29% | -29% | -27% | -21% |
| 375 | | | | | | | | | | | | | | | | |

| | AU | AV | AW | AX | AY | AZ | BA | BB | BC | BD | BE | BF | BG | BH | BI |
|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 376 | | | | | | | | | | | | | | | |
| 377 | | | | | | | | | | | | | | | |
| 378 | | | | | | | | | | | | | | | |
| 379 | | | | | | | | | | | | | | | |
| 380 | | | | | | | | | | | | | | | |
| 381 | | | | | | | | | | | | | | | |
| 382 | | | | | | | | | | | | | | | |
| 383 | | | | | | | | | | | | | | | |

| | BJ | BK | BL | BM | BN | BO | BP | BQ | BR | BS | BT | BU | BV | BW |
|----|--|--|--|---|---|--|------------------------------------|------------------------|------------------------------|------------------|-------------------|----------------------------|----------------------------|--|
| 1 | | | | | | | | | | | | | | |
| 2 | 8 | 9 | 10 | 11 | | | 12 | 13 | 14 | 15 | 16 | 17 | 18 | |
| 3 | Electric Benefits: Energy DRIPE | | | | | Sub-Total | Electric Benefits: Capacity | | | | | | | |
| 4 | Winter Off-Peak Energy DRIPE Benefits (\$) | Summer Peak Energy DRIPE Benefits (\$) | Summer Off-Peak Energy DRIPE Benefits (\$) | Energy Electric Cross DRIPE Benefits (\$) | Total Energy DRIPE Benefits (\$) | Total Electric Energy Benefits (\$) | Summer Generation Benefits (\$) | Winter Generation (\$) | Electric Capacity DRIPE (\$) | Reliability (\$) | PTF Benefits (\$) | Transmission Benefits (\$) | Distribution Benefits (\$) | Total Electric Capacity Benefits (\$) |
| 5 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 6 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 7 | | | | | | | | | | | | | | |
| 8 | \$116.41 | \$61.86 | \$36.40 | \$105.11 | \$ 434.44 | \$ 8,047.08 | \$561.62 | \$0.00 | \$0.00 | \$0.00 | \$2,961.52 | \$0.00 | \$2,855.82 | \$6,378.96 |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | |
| 14 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 15 | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | |
| 21 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 22 | | | | | | | | | | | | | | |
| 23 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 24 | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | |
| 26 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 27 | | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | | |
| 29 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 30 | | | | | | | | | | | | | | |
| 31 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 32 | \$68.64 | \$0.00 | \$0.00 | \$33.03 | \$ 165.15 | \$ 2,355.29 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 33 | \$23.14 | \$12.30 | \$7.24 | \$20.78 | \$ 86.26 | \$ 1,204.15 | \$111.66 | \$0.00 | \$0.00 | \$0.00 | \$446.30 | \$0.00 | \$430.37 | \$988.32 |
| 34 | \$39.43 | \$20.95 | \$12.33 | \$35.40 | \$ 146.95 | \$ 2,051.52 | \$190.23 | \$0.00 | \$0.00 | \$0.00 | \$760.36 | \$0.00 | \$733.22 | \$1,683.80 |
| 35 | | | | | | | | | | | | | | |
| 36 | | | | | | | | | | | | | | |
| 37 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 38 | | | | | | | | | | | | | | |
| 39 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 40 | | | | | | | | | | | | | | |
| 41 | | | | | | | | | | | | | | |
| 42 | | | | | | | | | | | | | | |
| 43 | | | | | | | | | | | | | | |
| 44 | | | | | | | | | | | | | | |
| 45 | | | | | | | | | | | | | | |
| 46 | | | | | | | | | | | | | | |
| 47 | | | | | | | | | | | | | | |
| 48 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 49 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 50 | | | | | | | | | | | | | | |
| 51 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 52 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 53 | | | | | | | | | | | | | | |
| 54 | | | | | | | | | | | | | | |
| 55 | | | | | | | | | | | | | | |
| 56 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 57 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 58 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 59 | | | | | | | | | | | | | | |
| 60 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

| | BJ | BK | BL | BM | BN | BO | BP | BQ | BR | BS | BT | BU | BV | BW |
|-----|-----------|----------|----------|----------|-------------|---------------|----------|--------|--------|--------|------------|--------|------------|------------|
| 61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 62 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 63 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 64 | | | | | | | | | | | | | | |
| 65 | | | | | | | | | | | | | | |
| 66 | | | | | | | | | | | | | | |
| 67 | | | | | | | | | | | | | | |
| 68 | | | | | | | | | | | | | | |
| 69 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 70 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 71 | | | | | | | | | | | | | | |
| 72 | | | | | | | | | | | | | | |
| 73 | | | | | | | | | | | | | | |
| 74 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 75 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 76 | | | | | | | | | | | | | | |
| 77 | | | | | | | | | | | | | | |
| 78 | | | | | | | | | | | | | | |
| 79 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 80 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 81 | | | | | | | | | | | | | | |
| 82 | | | | | | | | | | | | | | |
| 83 | | | | | | | | | | | | | | |
| 84 | \$16.53 | \$8.79 | \$5.17 | \$14.84 | \$ 61.61 | \$ 860.12 | \$79.75 | \$0.00 | \$0.00 | \$0.00 | \$318.79 | \$0.00 | \$307.41 | \$705.95 |
| 85 | \$154.75 | \$82.24 | \$48.39 | \$138.94 | \$ 576.74 | \$ 8,051.49 | \$746.58 | \$0.00 | \$0.00 | \$0.00 | \$2,984.13 | \$0.00 | \$2,877.62 | \$6,608.33 |
| 86 | \$4.49 | \$0.00 | \$0.00 | \$2.18 | \$ 10.90 | \$ 165.34 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 87 | \$86.49 | \$0.00 | \$0.00 | \$41.65 | \$ 208.13 | \$ 3,066.01 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 88 | \$1.95 | \$16.30 | \$9.18 | \$13.56 | \$ 44.85 | \$ 751.84 | \$152.36 | \$0.00 | \$0.00 | \$0.00 | \$679.45 | \$0.00 | \$655.19 | \$1,487.00 |
| 89 | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | |
| 91 | | | | | | | | | | | | | | |
| 92 | | | | | | | | | | | | | | |
| 93 | | | | | | | | | | | | | | |
| 94 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 95 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 96 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 97 | \$694.27 | \$0.00 | \$0.00 | \$334.09 | \$ 1,670.46 | \$ 23,822.90 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 98 | \$235.79 | \$0.00 | \$0.00 | \$113.46 | \$ 567.33 | \$ 8,090.80 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 99 | | | | | | | | | | | | | | |
| 100 | \$27.25 | \$14.48 | \$8.52 | \$24.47 | \$ 101.56 | \$ 1,417.76 | \$131.46 | \$0.00 | \$0.00 | \$0.00 | \$525.47 | \$0.00 | \$506.71 | \$1,163.64 |
| 101 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 102 | | | | | | | | | | | | | | |
| 103 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 104 | | | | | | | | | | | | | | |
| 105 | -\$10.01 | -\$2.64 | -\$1.45 | -\$7.78 | \$ (35.65) | \$ (440.28) | -\$12.15 | \$0.00 | \$0.00 | \$0.00 | -\$44.25 | \$0.00 | -\$42.67 | -\$99.06 |
| 106 | | | | | | | | | | | | | | |
| 107 | -\$116.73 | -\$30.80 | -\$16.88 | -\$91.16 | \$ (416.27) | \$ (6,450.82) | -\$92.39 | \$0.00 | \$0.00 | \$0.00 | -\$424.68 | \$0.00 | -\$409.52 | -\$926.59 |
| 108 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 109 | | | | | | | | | | | | | | |
| 110 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 111 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 112 | | | | | | | | | | | | | | |
| 113 | | | | | | | | | | | | | | |
| 114 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 115 | | | | | | | | | | | | | | |
| 116 | | | | | | | | | | | | | | |
| 117 | | | | | | | | | | | | | | |
| 118 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 119 | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | |
| 121 | | | | | | | | | | | | | | |
| 122 | | | | | | | | | | | | | | |
| 123 | | | | | | | | | | | | | | |

| | BJ | BK | BL | BM | BN | BO | BP | BQ | BR | BS | BT | BU | BV | BW |
|-----|--------|--------|--------|--------|------|------|--------|--------|--------|--------|--------|--------|--------|--------|
| 124 | | | | | | | | | | | | | | |
| 125 | | | | | | | | | | | | | | |
| 126 | | | | | | | | | | | | | | |
| 127 | | | | | | | | | | | | | | |
| 128 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 129 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 130 | | | | | | | | | | | | | | |
| 131 | | | | | | | | | | | | | | |
| 132 | | | | | | | | | | | | | | |
| 133 | | | | | | | | | | | | | | |
| 134 | | | | | | | | | | | | | | |
| 135 | | | | | | | | | | | | | | |
| 136 | | | | | | | | | | | | | | |
| 137 | | | | | | | | | | | | | | |
| 138 | | | | | | | | | | | | | | |
| 139 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 140 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 141 | | | | | | | | | | | | | | |
| 142 | | | | | | | | | | | | | | |
| 143 | | | | | | | | | | | | | | |
| 144 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 145 | | | | | | | | | | | | | | |
| 146 | | | | | | | | | | | | | | |
| 147 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 148 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 149 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 150 | | | | | | | | | | | | | | |
| 151 | | | | | | | | | | | | | | |
| 152 | | | | | | | | | | | | | | |
| 153 | | | | | | | | | | | | | | |
| 154 | | | | | | | | | | | | | | |
| 155 | | | | | | | | | | | | | | |
| 156 | | | | | | | | | | | | | | |
| 157 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 158 | | | | | | | | | | | | | | |
| 159 | | | | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | |
| 161 | | | | | | | | | | | | | | |
| 162 | | | | | | | | | | | | | | |
| 163 | | | | | | | | | | | | | | |
| 164 | | | | | | | | | | | | | | |
| 165 | | | | | | | | | | | | | | |
| 166 | | | | | | | | | | | | | | |
| 167 | | | | | | | | | | | | | | |
| 168 | | | | | | | | | | | | | | |
| 169 | | | | | | | | | | | | | | |
| 170 | | | | | | | | | | | | | | |
| 171 | | | | | | | | | | | | | | |
| 172 | | | | | | | | | | | | | | |
| 173 | | | | | | | | | | | | | | |
| 174 | | | | | | | | | | | | | | |
| 175 | | | | | | | | | | | | | | |
| 176 | | | | | | | | | | | | | | |
| 177 | | | | | | | | | | | | | | |
| 178 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 179 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 180 | | | | | | | | | | | | | | |
| 181 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 182 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 183 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 184 | | | | | | | | | | | | | | |
| 185 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 186 | | | | | | | | | | | | | | |

| | BJ | BK | BL | BM | BN | BO | BP | BQ | BR | BS | BT | BU | BV | BW |
|-----|----------|--------|--------|---------|-----------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|
| 187 | | | | | | | | | | | | | | |
| 188 | | | | | | | | | | | | | | |
| 189 | | | | | | | | | | | | | | |
| 190 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 191 | | | | | | | | | | | | | | |
| 192 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 193 | | | | | | | | | | | | | | |
| 194 | | | | | | | | | | | | | | |
| 195 | | | | | | | | | | | | | | |
| 196 | | | | | | | | | | | | | | |
| 197 | | | | | | | | | | | | | | |
| 198 | | | | | | | | | | | | | | |
| 199 | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | |
| 201 | | | | | | | | | | | | | | |
| 202 | | | | | | | | | | | | | | |
| 203 | | | | | | | | | | | | | | |
| 204 | | | | | | | | | | | | | | |
| 205 | | | | | | | | | | | | | | |
| 206 | | | | | | | | | | | | | | |
| 207 | | | | | | | | | | | | | | |
| 208 | | | | | | | | | | | | | | |
| 209 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 210 | | | | | | | | | | | | | | |
| 211 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 212 | | | | | | | | | | | | | | |
| 213 | | | | | | | | | | | | | | |
| 214 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 215 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 216 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 217 | | | | | | | | | | | | | | |
| 218 | | | | | | | | | | | | | | |
| 219 | | | | | | | | | | | | | | |
| 220 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 221 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 222 | | | | | | | | | | | | | | |
| 223 | | | | | | | | | | | | | | |
| 224 | | | | | | | | | | | | | | |
| 225 | | | | | | | | | | | | | | |
| 226 | | | | | | | | | | | | | | |
| 227 | | | | | | | | | | | | | | |
| 228 | | | | | | | | | | | | | | |
| 229 | | | | | | | | | | | | | | |
| 230 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 231 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 232 | | | | | | | | | | | | | | |
| 233 | | | | | | | | | | | | | | |
| 234 | | | | | | | | | | | | | | |
| 235 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 236 | | | | | | | | | | | | | | |
| 237 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 238 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 239 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 240 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 241 | | | | | | | | | | | | | | |
| 242 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 243 | | | | | | | | | | | | | | |
| 244 | | | | | | | | | | | | | | |
| 245 | | | | | | | | | | | | | | |
| 246 | \$105.60 | \$0.00 | \$0.00 | \$50.85 | \$ 254.11 | \$ 3,743.39 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 247 | \$16.90 | \$0.00 | \$0.00 | \$8.14 | \$ 40.66 | \$ 598.94 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 248 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 249 | | | | | | | | | | | | | | |

| | BJ | BK | BL | BM | BN | BO | BP | BQ | BR | BS | BT | BU | BV | BW |
|-----|--------|--------|--------|--------|------|------|--------|--------|--------|--------|--------|--------|--------|--------|
| 250 | | | | | | | | | | | | | | |
| 251 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 252 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 253 | | | | | | | | | | | | | | |
| 254 | | | | | | | | | | | | | | |
| 255 | | | | | | | | | | | | | | |
| 256 | | | | | | | | | | | | | | |
| 257 | | | | | | | | | | | | | | |
| 258 | | | | | | | | | | | | | | |
| 259 | | | | | | | | | | | | | | |
| 260 | | | | | | | | | | | | | | |
| 261 | | | | | | | | | | | | | | |
| 262 | | | | | | | | | | | | | | |
| 263 | | | | | | | | | | | | | | |
| 264 | | | | | | | | | | | | | | |
| 265 | | | | | | | | | | | | | | |
| 266 | | | | | | | | | | | | | | |
| 267 | | | | | | | | | | | | | | |
| 268 | | | | | | | | | | | | | | |
| 269 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 270 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 271 | | | | | | | | | | | | | | |
| 272 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 273 | | | | | | | | | | | | | | |
| 274 | | | | | | | | | | | | | | |
| 275 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 276 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 277 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 278 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 279 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 280 | | | | | | | | | | | | | | |
| 281 | | | | | | | | | | | | | | |
| 282 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 283 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 284 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 285 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 286 | | | | | | | | | | | | | | |
| 287 | | | | | | | | | | | | | | |
| 288 | | | | | | | | | | | | | | |
| 289 | | | | | | | | | | | | | | |
| 290 | | | | | | | | | | | | | | |
| 291 | | | | | | | | | | | | | | |
| 292 | | | | | | | | | | | | | | |
| 293 | | | | | | | | | | | | | | |
| 294 | | | | | | | | | | | | | | |
| 295 | | | | | | | | | | | | | | |
| 296 | | | | | | | | | | | | | | |
| 297 | | | | | | | | | | | | | | |
| 298 | | | | | | | | | | | | | | |
| 299 | | | | | | | | | | | | | | |
| 300 | | | | | | | | | | | | | | |
| 301 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 302 | | | | | | | | | | | | | | |
| 303 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 304 | | | | | | | | | | | | | | |
| 305 | | | | | | | | | | | | | | |
| 306 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 307 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 308 | | | | | | | | | | | | | | |
| 309 | | | | | | | | | | | | | | |
| 310 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 311 | | | | | | | | | | | | | | |
| 312 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

| | BJ | BK | BL | BM | BN | BO | BP | BQ | BR | BS | BT | BU | BV | BW |
|-----|---------|--------|--------|---------|----------|-----------|---------|---------|---------|---------|----------|---------|----------|----------|
| 313 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 314 | | | | | | | | | | | | | | |
| 315 | | | | | | | | | | | | | | |
| 316 | | | | | | | | | | | | | | |
| 317 | | | | | | | | | | | | | | |
| 318 | | | | | | | | | | | | | | |
| 319 | | | | | | | | | | | | | | |
| 320 | | | | | | | | | | | | | | |
| 321 | | | | | | | | | | | | | | |
| 322 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 323 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 324 | | | | | | | | | | | | | | |
| 325 | | | | | | | | | | | | | | |
| 326 | | | | | | | | | | | | | | |
| 327 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 328 | | | | | | | | | | | | | | |
| 329 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 330 | | | | | | | | | | | | | | |
| 331 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 332 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 333 | | | | | | | | | | | | | | |
| 334 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 335 | | | | | | | | | | | | | | |
| 336 | | | | | | | | | | | | | | |
| 337 | | | | | | | | | | | | | | |
| 338 | | | | | | | | | | | | | | |
| 339 | \$12.67 | \$0.00 | \$0.00 | \$6.10 | \$ 30.49 | \$ 449.21 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 340 | | | | | | | | | | | | | | |
| 341 | | | | | | | | | | | | | | |
| 342 | | | | | | | | | | | | | | |
| 343 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 344 | | | | | | | | | | | | | | |
| 345 | | | | | | | | | | | | | | |
| 346 | | | | | | | | | | | | | | |
| 347 | | | | | | | | | | | | | | |
| 348 | | | | | | | | | | | | | | |
| 349 | | | | | | | | | | | | | | |
| 350 | | | | | | | | | | | | | | |
| 351 | | | | | | | | | | | | | | |
| 352 | | | | | | | | | | | | | | |
| 353 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 354 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 355 | | | | | | | | | | | | | | |
| 356 | | | | | | | | | | | | | | |
| 357 | | | | | | | | | | | | | | |
| 358 | | | | | | | | | | | | | | |
| 359 | | | | | | | | | | | | | | |
| 360 | | | | | | | | | | | | | | |
| 361 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 362 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 363 | | | | | | | | | | | | | | |
| 364 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 365 | | | | | | | | | | | | | | |
| 366 | | | | | | | | | | | | | | |
| 367 | | | | | | | | | | | | | | |
| 368 | | | | | | | | | | | | | | |
| 369 | | | | | | | | | | | | | | |
| 370 | | | | | | | | | | | | | | |
| 371 | \$1,871 | \$232 | \$138 | \$1,021 | \$4,949 | \$79,181 | \$2,442 | \$0 | \$0 | \$0 | \$10,473 | \$0 | \$12,272 | \$25,188 |
| 372 | \$1,478 | \$183 | \$109 | \$844 | \$3,948 | \$57,785 | \$1,869 | \$0 | \$0 | \$0 | \$8,207 | \$0 | \$7,914 | \$17,990 |
| 373 | -\$393 | -\$49 | -\$29 | -\$178 | -\$1,001 | -\$21,396 | -\$573 | \$0 | \$0 | \$0 | -\$2,266 | \$0 | -\$4,358 | -\$7,198 |
| 374 | -21% | -21% | -21% | -17% | -20% | -27% | -23% | #DIV/0! | #DIV/0! | #DIV/0! | -22% | #DIV/0! | -36% | -29% |
| 375 | | | | | | | | | | | | | | |

| | BJ | BK | BL | BM | BN | BO | BP | BQ | BR | BS | BT | BU | BV | BW |
|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 376 | | | | | | | | | | | | | | |
| 377 | | | | | | | | | | | | | | |
| 378 | | | | | | | | | | | | | | |
| 379 | | | | | | | | | | | | | | |
| 380 | | | | | | | | | | | | | | |
| 381 | | | | | | | | | | | | | | |
| 382 | | | | | | | | | | | | | | |
| 383 | | | | | | | | | | | | | | |

| | BX | BY | BZ | CA | CB | CC | CD | CE | CF | CG | CH | CI | CJ | CK | CL |
|----|------------------------------|---|--------------------|------------------|--------------|----------------------------|-------------------|------------------|---------------------------------|---|----------------------|--------------------|------------------|--------------|----------------------|
| 1 | | | | | | | | | | | | | | | |
| 2 | | 19 | 20 | 21 | 22 | 23 | 24 | 25 | | 26 | 27 | 28 | 29 | 30 | 31 |
| 3 | Total | Non-Electric Resource Benefits: Natural Gas | | | | | | | | Non-Electric Resource Benefits: Natural Gas DRIPE | | | | | |
| 4 | Total Electric Benefits (\$) | NG - Res Non Heating | NG - Res Hot Water | NG - Res Heating | NG - Res All | NG - C & I Gas Non Heating | NG - C&I Gas Heat | NG - C&I Gas All | Total Avoided Gas Benefits (\$) | Gas Supply DRIPE | Res Non-Heating GECD | Res Hot Water GECD | Res Heating GECD | Res All GECD | C&I Non-Heating GECD |
| 5 | \$0.00 | \$0.00 | \$0.00 | \$215,715.75 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 215,715.75 | \$51.89 | \$0.00 | \$0.00 | \$5,944.99 | \$0.00 | \$0.00 |
| 6 | \$0.00 | \$0.00 | \$1,050.38 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,050.38 | \$0.33 | \$0.00 | \$36.32 | \$0.00 | \$0.00 | \$0.00 |
| 7 | | | | | | | | | | | | | | | |
| 8 | \$14,426.04 | \$0.00 | \$0.00 | \$831,572.83 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 831,572.83 | \$202.87 | \$0.00 | \$0.00 | \$17,149.02 | \$0.00 | \$0.00 |
| 9 | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | |
| 14 | \$0.00 | \$0.00 | \$4,262.11 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 4,262.11 | \$1.35 | \$0.00 | \$147.36 | \$0.00 | \$0.00 | \$0.00 |
| 15 | | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 21 | \$0.00 | \$0.00 | \$0.00 | \$1,323.03 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,323.03 | \$0.28 | \$0.00 | \$0.00 | \$69.09 | \$0.00 | \$0.00 |
| 22 | | | | | | | | | | | | | | | |
| 23 | \$0.00 | \$0.00 | \$461.22 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 461.22 | \$0.11 | \$0.00 | \$15.54 | \$0.00 | \$0.00 | \$0.00 |
| 24 | | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | | |
| 26 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 27 | | | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | | | |
| 29 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 30 | | | | | | | | | | | | | | | |
| 31 | \$0.00 | \$0.00 | \$0.00 | \$64,608.59 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 64,608.59 | \$15.67 | \$0.00 | \$0.00 | \$1,539.34 | \$0.00 | \$0.00 |
| 32 | \$2,355.29 | \$0.00 | \$0.00 | \$37,793.23 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 37,793.23 | \$9.13 | \$0.00 | \$0.00 | \$962.09 | \$0.00 | \$0.00 |
| 33 | \$2,192.47 | \$0.00 | \$0.00 | \$12,646.03 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 12,646.03 | \$3.04 | \$0.00 | \$0.00 | \$348.52 | \$0.00 | \$0.00 |
| 34 | \$3,735.32 | \$0.00 | \$0.00 | \$35,433.32 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 35,433.32 | \$8.52 | \$0.00 | \$0.00 | \$976.52 | \$0.00 | \$0.00 |
| 35 | | | | | | | | | | | | | | | |
| 36 | | | | | | | | | | | | | | | |
| 37 | \$0.00 | \$0.00 | \$0.00 | \$173.54 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 173.54 | \$0.02 | \$0.00 | \$0.00 | \$6.12 | \$0.00 | \$0.00 |
| 38 | | | | | | | | | | | | | | | |
| 39 | \$0.00 | \$0.00 | \$0.00 | \$96.95 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 96.95 | \$0.01 | \$0.00 | \$0.00 | \$3.42 | \$0.00 | \$0.00 |
| 40 | | | | | | | | | | | | | | | |
| 41 | | | | | | | | | | | | | | | |
| 42 | | | | | | | | | | | | | | | |
| 43 | | | | | | | | | | | | | | | |
| 44 | | | | | | | | | | | | | | | |
| 45 | | | | | | | | | | | | | | | |
| 46 | | | | | | | | | | | | | | | |
| 47 | | | | | | | | | | | | | | | |
| 48 | \$0.00 | \$0.00 | \$0.00 | \$446,392.92 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 446,392.92 | \$108.90 | \$0.00 | \$0.00 | \$9,205.69 | \$0.00 | \$0.00 |
| 49 | \$0.00 | \$0.00 | \$36,306.95 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 36,306.95 | \$11.97 | \$0.00 | \$747.95 | \$0.00 | \$0.00 | \$0.00 |
| 50 | | | | | | | | | | | | | | | |
| 51 | \$0.00 | \$0.00 | \$0.00 | \$197,376.58 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 197,376.58 | \$48.15 | \$0.00 | \$0.00 | \$4,070.38 | \$0.00 | \$0.00 |
| 52 | \$0.00 | \$0.00 | \$21,557.48 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 21,557.48 | \$7.11 | \$0.00 | \$444.10 | \$0.00 | \$0.00 | \$0.00 |
| 53 | | | | | | | | | | | | | | | |
| 54 | | | | | | | | | | | | | | | |
| 55 | | | | | | | | | | | | | | | |
| 56 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 57 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 58 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 59 | | | | | | | | | | | | | | | |
| 60 | \$0.00 | \$0.00 | \$0.00 | \$228,147.09 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 228,147.09 | \$54.88 | \$0.00 | \$0.00 | \$6,287.59 | \$0.00 | \$0.00 |

| | BX | BY | BZ | CA | CB | CC | CD | CE | CF | CG | CH | CI | CJ | CK | CL |
|-----|-------------|--------|--------------|----------------|--------|--------|----------------|--------|-----------------|----------|--------|------------|-------------|--------|--------|
| 61 | \$0.00 | \$0.00 | \$1,062.60 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,062.60 | \$0.34 | \$0.00 | \$36.74 | \$0.00 | \$0.00 | \$0.00 |
| 62 | \$0.00 | \$0.00 | \$2,439.89 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 2,439.89 | \$0.77 | \$0.00 | \$84.36 | \$0.00 | \$0.00 | \$0.00 |
| 63 | \$0.00 | \$0.00 | \$0.00 | \$633,236.37 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 633,236.37 | \$154.48 | \$0.00 | \$0.00 | \$13,058.85 | \$0.00 | \$0.00 |
| 64 | | | | | | | | | | | | | | | |
| 65 | | | | | | | | | | | | | | | |
| 66 | | | | | | | | | | | | | | | |
| 67 | | | | | | | | | | | | | | | |
| 68 | | | | | | | | | | | | | | | |
| 69 | \$0.00 | \$0.00 | \$1,517.02 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,517.02 | \$0.48 | \$0.00 | \$52.45 | \$0.00 | \$0.00 | \$0.00 |
| 70 | \$0.00 | \$0.00 | \$20,492.47 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 20,492.47 | \$6.75 | \$0.00 | \$422.16 | \$0.00 | \$0.00 | \$0.00 |
| 71 | | | | | | | | | | | | | | | |
| 72 | | | | | | | | | | | | | | | |
| 73 | | | | | | | | | | | | | | | |
| 74 | \$0.00 | \$0.00 | \$0.00 | \$13,899.42 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 13,899.42 | \$3.34 | \$0.00 | \$0.00 | \$383.06 | \$0.00 | \$0.00 |
| 75 | \$0.00 | \$0.00 | \$324.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 324.61 | \$0.07 | \$0.00 | \$10.94 | \$0.00 | \$0.00 | \$0.00 |
| 76 | | | | | | | | | | | | | | | |
| 77 | | | | | | | | | | | | | | | |
| 78 | | | | | | | | | | | | | | | |
| 79 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 80 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 81 | | | | | | | | | | | | | | | |
| 82 | | | | | | | | | | | | | | | |
| 83 | | | | | | | | | | | | | | | |
| 84 | \$1,566.06 | \$0.00 | \$0.00 | \$9,394.28 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 9,394.28 | \$2.26 | \$0.00 | \$0.00 | \$258.90 | \$0.00 | \$0.00 |
| 85 | \$14,659.82 | \$0.00 | \$0.00 | \$144,625.79 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 144,625.79 | \$34.79 | \$0.00 | \$0.00 | \$3,985.80 | \$0.00 | \$0.00 |
| 86 | \$165.34 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 87 | \$3,066.01 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 88 | \$2,238.84 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 89 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | |
| 91 | | | | | | | | | | | | | | | |
| 92 | | | | | | | | | | | | | | | |
| 93 | | | | | | | | | | | | | | | |
| 94 | \$0.00 | \$0.00 | \$0.00 | \$2,445.60 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 2,445.60 | \$0.59 | \$0.00 | \$0.00 | \$67.40 | \$0.00 | \$0.00 |
| 95 | \$0.00 | \$0.00 | \$0.00 | \$48,323.32 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 48,323.32 | \$11.72 | \$0.00 | \$0.00 | \$1,151.34 | \$0.00 | \$0.00 |
| 96 | \$0.00 | \$0.00 | \$0.00 | \$230,278.66 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 230,278.66 | \$55.83 | \$0.00 | \$0.00 | \$5,486.54 | \$0.00 | \$0.00 |
| 97 | \$23,822.90 | \$0.00 | \$0.00 | \$269,640.15 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 269,640.15 | \$65.16 | \$0.00 | \$0.00 | \$6,864.14 | \$0.00 | \$0.00 |
| 98 | \$8,090.80 | \$0.00 | \$0.00 | \$96,248.14 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 96,248.14 | \$23.26 | \$0.00 | \$0.00 | \$2,450.16 | \$0.00 | \$0.00 |
| 99 | | | | | | | | | | | | | | | |
| 100 | \$2,581.40 | \$0.00 | \$0.00 | \$14,889.36 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 14,889.36 | \$3.58 | \$0.00 | \$0.00 | \$410.34 | \$0.00 | \$0.00 |
| 101 | \$0.00 | \$0.00 | \$18,434.84 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 18,434.84 | \$6.10 | \$0.00 | \$317.22 | \$0.00 | \$0.00 | \$0.00 |
| 102 | | | | | | | | | | | | | | | |
| 103 | \$0.00 | \$0.00 | \$223,768.33 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 223,768.33 | \$74.02 | \$0.00 | \$3,968.08 | \$0.00 | \$0.00 | \$0.00 |
| 104 | | | | | | | | | | | | | | | |
| 105 | -\$539.35 | \$0.00 | \$2,852.75 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 2,852.75 | \$0.94 | \$0.00 | \$64.88 | \$0.00 | \$0.00 | \$0.00 |
| 106 | | | | | | | | | | | | | | | |
| 107 | -\$7,377.40 | \$0.00 | \$103,875.01 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 103,875.01 | \$34.36 | \$0.00 | \$1,842.01 | \$0.00 | \$0.00 | \$0.00 |
| 108 | \$0.00 | \$0.00 | \$0.00 | \$1,540,255.94 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,540,255.94 | \$370.48 | \$0.00 | \$0.00 | \$42,448.51 | \$0.00 | \$0.00 |
| 109 | | | | | | | | | | | | | | | |
| 110 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 111 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 112 | | | | | | | | | | | | | | | |
| 113 | | | | | | | | | | | | | | | |
| 114 | \$0.00 | \$0.00 | \$0.00 | \$177,960.88 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 177,960.88 | \$21.13 | \$0.00 | \$0.00 | \$6,276.03 | \$0.00 | \$0.00 |
| 115 | | | | | | | | | | | | | | | |
| 116 | | | | | | | | | | | | | | | |
| 117 | | | | | | | | | | | | | | | |
| 118 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1,186,537.22 | \$0.00 | \$ 1,186,537.22 | \$303.09 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 119 | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | |
| 121 | | | | | | | | | | | | | | | |
| 122 | | | | | | | | | | | | | | | |
| 123 | | | | | | | | | | | | | | | |

| | BX | BY | BZ | CA | CB | CC | CD | CE | CF | CG | CH | CI | CJ | CK | CL |
|-----|--------|--------|--------|--------|--------|------------|--------------|--------|---------------|----------|--------|--------|--------|--------|----------|
| 124 | | | | | | | | | | | | | | | |
| 125 | | | | | | | | | | | | | | | |
| 126 | | | | | | | | | | | | | | | |
| 127 | | | | | | | | | | | | | | | |
| 128 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$55,665.69 | \$0.00 | \$ 55,665.69 | \$14.30 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 129 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$397,618.05 | \$0.00 | \$ 397,618.05 | \$95.84 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 130 | | | | | | | | | | | | | | | |
| 131 | | | | | | | | | | | | | | | |
| 132 | | | | | | | | | | | | | | | |
| 133 | | | | | | | | | | | | | | | |
| 134 | | | | | | | | | | | | | | | |
| 135 | | | | | | | | | | | | | | | |
| 136 | | | | | | | | | | | | | | | |
| 137 | | | | | | | | | | | | | | | |
| 138 | | | | | | | | | | | | | | | |
| 139 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 140 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 141 | | | | | | | | | | | | | | | |
| 142 | | | | | | | | | | | | | | | |
| 143 | | | | | | | | | | | | | | | |
| 144 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$623,805.13 | \$0.00 | \$ 623,805.13 | \$159.34 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 145 | | | | | | | | | | | | | | | |
| 146 | | | | | | | | | | | | | | | |
| 147 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$34,081.17 | \$0.00 | \$ 34,081.17 | \$8.86 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 148 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$24,716.36 | \$0.00 | \$ 24,716.36 | \$6.43 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 149 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$13,464.16 | \$0.00 | \$ 13,464.16 | \$3.50 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 150 | | | | | | | | | | | | | | | |
| 151 | | | | | | | | | | | | | | | |
| 152 | | | | | | | | | | | | | | | |
| 153 | | | | | | | | | | | | | | | |
| 154 | | | | | | | | | | | | | | | |
| 155 | | | | | | | | | | | | | | | |
| 156 | | | | | | | | | | | | | | | |
| 157 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$7,001.42 | \$0.00 | \$ 7,001.42 | \$1.81 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 158 | | | | | | | | | | | | | | | |
| 159 | | | | | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | |
| 161 | | | | | | | | | | | | | | | |
| 162 | | | | | | | | | | | | | | | |
| 163 | | | | | | | | | | | | | | | |
| 164 | | | | | | | | | | | | | | | |
| 165 | | | | | | | | | | | | | | | |
| 166 | | | | | | | | | | | | | | | |
| 167 | | | | | | | | | | | | | | | |
| 168 | | | | | | | | | | | | | | | |
| 169 | | | | | | | | | | | | | | | |
| 170 | | | | | | | | | | | | | | | |
| 171 | | | | | | | | | | | | | | | |
| 172 | | | | | | | | | | | | | | | |
| 173 | | | | | | | | | | | | | | | |
| 174 | | | | | | | | | | | | | | | |
| 175 | | | | | | | | | | | | | | | |
| 176 | | | | | | | | | | | | | | | |
| 177 | | | | | | | | | | | | | | | |
| 178 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 179 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 180 | | | | | | | | | | | | | | | |
| 181 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 182 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$6,604.08 | \$0.00 | \$0.00 | \$ 6,604.08 | \$2.19 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$161.43 |
| 183 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1,248.09 | \$0.00 | \$0.00 | \$ 1,248.09 | \$0.41 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$30.51 |
| 184 | | | | | | | | | | | | | | | |
| 185 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2,515.84 | \$0.00 | \$0.00 | \$ 2,515.84 | \$0.84 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$61.50 |
| 186 | | | | | | | | | | | | | | | |

| | BX | BY | BZ | CA | CB | CC | CD | CE | CF | CG | CH | CI | CJ | CK | CL |
|-----|------------|--------|--------|--------|--------|--------------|--------------|--------|---------------|---------|--------|--------|--------|--------|------------|
| 187 | | | | | | | | | | | | | | | |
| 188 | | | | | | | | | | | | | | | |
| 189 | | | | | | | | | | | | | | | |
| 190 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1,549.92 | \$0.00 | \$0.00 | \$ 1,549.92 | \$0.52 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$32.38 |
| 191 | | | | | | | | | | | | | | | |
| 192 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$31,606.03 | \$0.00 | \$0.00 | \$ 31,606.03 | \$10.56 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$660.34 |
| 193 | | | | | | | | | | | | | | | |
| 194 | | | | | | | | | | | | | | | |
| 195 | | | | | | | | | | | | | | | |
| 196 | | | | | | | | | | | | | | | |
| 197 | | | | | | | | | | | | | | | |
| 198 | | | | | | | | | | | | | | | |
| 199 | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | |
| 201 | | | | | | | | | | | | | | | |
| 202 | | | | | | | | | | | | | | | |
| 203 | | | | | | | | | | | | | | | |
| 204 | | | | | | | | | | | | | | | |
| 205 | | | | | | | | | | | | | | | |
| 206 | | | | | | | | | | | | | | | |
| 207 | | | | | | | | | | | | | | | |
| 208 | | | | | | | | | | | | | | | |
| 209 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$232,427.71 | \$0.00 | \$0.00 | \$ 232,427.71 | \$77.69 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$4,856.04 |
| 210 | | | | | | | | | | | | | | | |
| 211 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$30,971.95 | \$0.00 | \$0.00 | \$ 30,971.95 | \$9.97 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1,086.49 |
| 212 | | | | | | | | | | | | | | | |
| 213 | | | | | | | | | | | | | | | |
| 214 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1,047.10 | \$0.00 | \$0.00 | \$ 1,047.10 | \$0.34 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$36.73 |
| 215 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$9,781.69 | \$0.00 | \$0.00 | \$ 9,781.69 | \$3.18 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$318.61 |
| 216 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$6,374.62 | \$0.00 | \$ 6,374.62 | \$1.64 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 217 | | | | | | | | | | | | | | | |
| 218 | | | | | | | | | | | | | | | |
| 219 | | | | | | | | | | | | | | | |
| 220 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$3,534.38 | \$0.00 | \$ 3,534.38 | \$0.85 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 221 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$39,280.22 | \$0.00 | \$ 39,280.22 | \$10.09 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 222 | | | | | | | | | | | | | | | |
| 223 | | | | | | | | | | | | | | | |
| 224 | | | | | | | | | | | | | | | |
| 225 | | | | | | | | | | | | | | | |
| 226 | | | | | | | | | | | | | | | |
| 227 | | | | | | | | | | | | | | | |
| 228 | | | | | | | | | | | | | | | |
| 229 | | | | | | | | | | | | | | | |
| 230 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 231 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 232 | | | | | | | | | | | | | | | |
| 233 | | | | | | | | | | | | | | | |
| 234 | | | | | | | | | | | | | | | |
| 235 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$265,378.90 | \$0.00 | \$ 265,378.90 | \$67.79 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 236 | | | | | | | | | | | | | | | |
| 237 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$79,486.66 | \$0.00 | \$ 79,486.66 | \$20.67 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 238 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$22,720.78 | \$0.00 | \$ 22,720.78 | \$5.91 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 239 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$117,402.71 | \$0.00 | \$ 117,402.71 | \$30.54 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 240 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$50,490.62 | \$0.00 | \$ 50,490.62 | \$13.13 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 241 | | | | | | | | | | | | | | | |
| 242 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$63,834.57 | \$0.00 | \$ 63,834.57 | \$16.60 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 243 | | | | | | | | | | | | | | | |
| 244 | | | | | | | | | | | | | | | |
| 245 | | | | | | | | | | | | | | | |
| 246 | \$3,743.39 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$14,347.08 | \$0.00 | \$ 14,347.08 | \$3.71 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 247 | \$598.94 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2,698.26 | \$0.00 | \$ 2,698.26 | \$0.70 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 248 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$24,504.95 | \$0.00 | \$ 24,504.95 | \$6.32 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 249 | | | | | | | | | | | | | | | |

| | BX | BY | BZ | CA | CB | CC | CD | CE | CF | CG | CH | CI | CJ | CK | CL |
|-----|--------|--------|--------|--------|--------|--------------|-------------|------------|---------------|---------|--------|--------|--------|--------|------------|
| 250 | | | | | | | | | | | | | | | |
| 251 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$40,656.68 | \$0.00 | \$0.00 | \$ 40,656.68 | \$13.09 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1,426.23 |
| 252 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$8,803.53 | \$0.00 | \$0.00 | \$ 8,803.53 | \$2.86 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$286.75 |
| 253 | | | | | | | | | | | | | | | |
| 254 | | | | | | | | | | | | | | | |
| 255 | | | | | | | | | | | | | | | |
| 256 | | | | | | | | | | | | | | | |
| 257 | | | | | | | | | | | | | | | |
| 258 | | | | | | | | | | | | | | | |
| 259 | | | | | | | | | | | | | | | |
| 260 | | | | | | | | | | | | | | | |
| 261 | | | | | | | | | | | | | | | |
| 262 | | | | | | | | | | | | | | | |
| 263 | | | | | | | | | | | | | | | |
| 264 | | | | | | | | | | | | | | | |
| 265 | | | | | | | | | | | | | | | |
| 266 | | | | | | | | | | | | | | | |
| 267 | | | | | | | | | | | | | | | |
| 268 | | | | | | | | | | | | | | | |
| 269 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 270 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 271 | | | | | | | | | | | | | | | |
| 272 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 273 | | | | | | | | | | | | | | | |
| 274 | | | | | | | | | | | | | | | |
| 275 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$3,302.04 | \$0.00 | \$0.00 | \$ 3,302.04 | \$1.10 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$80.71 |
| 276 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1,248.09 | \$0.00 | \$0.00 | \$ 1,248.09 | \$0.41 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$30.51 |
| 277 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$8,687.51 | \$0.00 | \$0.00 | \$ 8,687.51 | \$2.88 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$212.35 |
| 278 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$7,547.52 | \$0.00 | \$0.00 | \$ 7,547.52 | \$2.51 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$184.49 |
| 279 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1,085.94 | \$0.00 | \$0.00 | \$ 1,085.94 | \$0.36 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$26.54 |
| 280 | | | | | | | | | | | | | | | |
| 281 | | | | | | | | | | | | | | | |
| 282 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$56,056.06 | \$0.00 | \$0.00 | \$ 56,056.06 | \$18.62 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1,370.21 |
| 283 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$3,147.04 | \$0.00 | \$0.00 | \$ 3,147.04 | \$1.05 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$65.75 |
| 284 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$1,765.15 | \$0.00 | \$0.00 | \$ 1,765.15 | \$0.59 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$30.80 |
| 285 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$27,097.64 | \$0.00 | \$0.00 | \$ 27,097.64 | \$9.06 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$566.14 |
| 286 | | | | | | | | | | | | | | | |
| 287 | | | | | | | | | | | | | | | |
| 288 | | | | | | | | | | | | | | | |
| 289 | | | | | | | | | | | | | | | |
| 290 | | | | | | | | | | | | | | | |
| 291 | | | | | | | | | | | | | | | |
| 292 | | | | | | | | | | | | | | | |
| 293 | | | | | | | | | | | | | | | |
| 294 | | | | | | | | | | | | | | | |
| 295 | | | | | | | | | | | | | | | |
| 296 | | | | | | | | | | | | | | | |
| 297 | | | | | | | | | | | | | | | |
| 298 | | | | | | | | | | | | | | | |
| 299 | | | | | | | | | | | | | | | |
| 300 | | | | | | | | | | | | | | | |
| 301 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$108,075.84 | \$0.00 | \$0.00 | \$ 108,075.84 | \$36.12 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2,258.00 |
| 302 | | | | | | | | | | | | | | | |
| 303 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$3,260.21 | \$0.00 | \$0.00 | \$ 3,260.21 | \$1.05 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$114.37 |
| 304 | | | | | | | | | | | | | | | |
| 305 | | | | | | | | | | | | | | | |
| 306 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$96.66 | \$0.00 | \$0.00 | \$ 96.66 | \$0.03 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$3.39 |
| 307 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$489.08 | \$0.00 | \$0.00 | \$ 489.08 | \$0.16 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$15.93 |
| 308 | | | | | | | | | | | | | | | |
| 309 | | | | | | | | | | | | | | | |
| 310 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$8,557.87 | \$ 8,557.87 | \$2.30 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 311 | | | | | | | | | | | | | | | |
| 312 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$28,167.21 | \$0.00 | \$ 28,167.21 | \$6.79 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |

| | BX | BY | BZ | CA | CB | CC | CD | CE | CF | CG | CH | CI | CJ | CK | CL |
|-----|-----------|---------|------------|--------------|---------|------------|--------------|----------|--------------|---------|---------|----------|-----------|---------|----------|
| 313 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$15,712.09 | \$0.00 | \$ 15,712.09 | \$4.04 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 314 | | | | | | | | | | | | | | | |
| 315 | | | | | | | | | | | | | | | |
| 316 | | | | | | | | | | | | | | | |
| 317 | | | | | | | | | | | | | | | |
| 318 | | | | | | | | | | | | | | | |
| 319 | | | | | | | | | | | | | | | |
| 320 | | | | | | | | | | | | | | | |
| 321 | | | | | | | | | | | | | | | |
| 322 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 323 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 324 | | | | | | | | | | | | | | | |
| 325 | | | | | | | | | | | | | | | |
| 326 | | | | | | | | | | | | | | | |
| 327 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$74,430.01 | \$0.00 | \$ 74,430.01 | \$19.01 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 328 | | | | | | | | | | | | | | | |
| 329 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$39,743.33 | \$0.00 | \$ 39,743.33 | \$10.34 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 330 | | | | | | | | | | | | | | | |
| 331 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$49,432.72 | \$0.00 | \$ 49,432.72 | \$12.86 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 332 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$6,732.08 | \$0.00 | \$ 6,732.08 | \$1.75 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 333 | | | | | | | | | | | | | | | |
| 334 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$25,533.83 | \$0.00 | \$ 25,533.83 | \$6.64 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 335 | | | | | | | | | | | | | | | |
| 336 | | | | | | | | | | | | | | | |
| 337 | | | | | | | | | | | | | | | |
| 338 | | | | | | | | | | | | | | | |
| 339 | \$449.21 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$2,023.69 | \$0.00 | \$ 2,023.69 | \$0.52 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 340 | | | | | | | | | | | | | | | |
| 341 | | | | | | | | | | | | | | | |
| 342 | | | | | | | | | | | | | | | |
| 343 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$6,201.42 | \$0.00 | \$0.00 | \$ 6,201.42 | \$2.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$217.55 |
| 344 | | | | | | | | | | | | | | | |
| 345 | | | | | | | | | | | | | | | |
| 346 | | | | | | | | | | | | | | | |
| 347 | | | | | | | | | | | | | | | |
| 348 | | | | | | | | | | | | | | | |
| 349 | | | | | | | | | | | | | | | |
| 350 | | | | | | | | | | | | | | | |
| 351 | | | | | | | | | | | | | | | |
| 352 | | | | | | | | | | | | | | | |
| 353 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$612.65 | \$0.00 | \$0.00 | \$ 612.65 | \$0.21 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$10.69 |
| 354 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$4,702.57 | \$0.00 | \$0.00 | \$ 4,702.57 | \$1.57 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$98.25 |
| 355 | | | | | | | | | | | | | | | |
| 356 | | | | | | | | | | | | | | | |
| 357 | | | | | | | | | | | | | | | |
| 358 | | | | | | | | | | | | | | | |
| 359 | | | | | | | | | | | | | | | |
| 360 | | | | | | | | | | | | | | | |
| 361 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 362 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 363 | | | | | | | | | | | | | | | |
| 364 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 365 | | | | | | | | | | | | | | | |
| 366 | | | | | | | | | | | | | | | |
| 367 | | | | | | | | | | | | | | | |
| 368 | | | | | | | | | | | | | | | |
| 369 | | | | | | | | | | | | | | | |
| 370 | | | | | | | | | | | | | | | |
| 371 | \$104,369 | \$0 | \$608,121 | \$7,343,095 | \$0 | \$786,216 | \$4,326,416 | \$10,730 | \$13,074,578 | \$3,356 | \$0 | \$9,880 | \$155,411 | \$0 | \$17,152 |
| 372 | \$75,775 | \$0 | \$438,406 | \$5,252,478 | \$0 | \$600,588 | \$3,274,718 | \$8,558 | \$9,574,747 | \$2,429 | \$0 | \$8,190 | \$129,404 | \$0 | \$14,243 |
| 373 | -\$28,594 | \$0 | -\$169,715 | -\$2,090,618 | \$0 | -\$185,628 | -\$1,051,698 | -\$2,172 | -\$3,499,831 | -\$927 | \$0 | -\$1,690 | -\$26,007 | \$0 | -\$2,909 |
| 374 | -27% | #DIV/0! | -28% | -28% | #DIV/0! | -24% | -24% | -20% | -27% | -28% | #DIV/0! | -17% | -17% | #DIV/0! | -17% |
| 375 | | | | | | | | | | | | | | | |

| | BX | BY | BZ | CA | CB | CC | CD | CE | CF | CG | CH | CI | CJ | CK | CL |
|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 376 | | | | | | | | | | | | | | | |
| 377 | | | | | | | | | | | | | | | |
| 378 | | | | | | | | | | | | | | | |
| 379 | | | | | | | | | | | | | | | |
| 380 | | | | | | | | | | | | | | | |
| 381 | | | | | | | | | | | | | | | |
| 382 | | | | | | | | | | | | | | | |
| 383 | | | | | | | | | | | | | | | |

| | CM | CN | CO | CP | CQ | CR | CS | CT | CU | CV | CW | CX | CY | CZ | DA |
|----|------------------|--------------|-----------------|--|-----------------------------------|---------------------|-----------------------|-----------|----------|---------|-----------|-------------|-------------|-----------|--------------------------------------|
| 1 | | | | | | | | | | | | | | | |
| 2 | 32 | 33 | | | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | |
| 3 | Sub Total | | | Non-Electric Resource Benefits: Other | | | | | | | | | | | Total |
| 4 | C&I Heating GECD | C&I All GECD | Total Gas DRIPE | Total Gas Resource Benefits | Fuel Oil - Residential Distillate | Fuel Oil - Com Fuel | Fuel Oil - Industrial | Oil DRIPE | Kerosene | Propane | Cord Wood | Pellet Wood | Res Water | C&I Water | Total Non-Electric Resource Benefits |
| 5 | \$0.00 | \$0.00 | 5,996.88 | 221,712.63 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 221,713 |
| 6 | \$0.00 | \$0.00 | 36.65 | 1,087.03 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$6,993.31 | \$0.00 | \$ 8,080 |
| 7 | | | | | | | | | | | | | | | |
| 8 | \$0.00 | \$0.00 | 17,351.89 | 848,924.71 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 848,925 |
| 9 | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | |
| 14 | \$0.00 | \$0.00 | 148.71 | 4,410.82 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$13,891.16 | \$0.00 | \$ 18,302 |
| 15 | | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 21 | \$0.00 | \$0.00 | 69.37 | 1,392.40 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,392 |
| 22 | | | | | | | | | | | | | | | |
| 23 | \$0.00 | \$0.00 | 15.64 | 476.86 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 477 |
| 24 | | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | | |
| 26 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 27 | | | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | | | |
| 29 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 30 | | | | | | | | | | | | | | | |
| 31 | \$0.00 | \$0.00 | 1,555.01 | 66,163.60 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 66,164 |
| 32 | \$0.00 | \$0.00 | 971.22 | 38,764.45 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 38,764 |
| 33 | \$0.00 | \$0.00 | 351.56 | 12,997.59 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 12,998 |
| 34 | \$0.00 | \$0.00 | 985.04 | 36,418.36 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 36,418 |
| 35 | | | | | | | | | | | | | | | |
| 36 | | | | | | | | | | | | | | | |
| 37 | \$0.00 | \$0.00 | 6.14 | 179.68 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 180 |
| 38 | | | | | | | | | | | | | | | |
| 39 | \$0.00 | \$0.00 | 3.43 | 100.38 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 100 |
| 40 | | | | | | | | | | | | | | | |
| 41 | | | | | | | | | | | | | | | |
| 42 | | | | | | | | | | | | | | | |
| 43 | | | | | | | | | | | | | | | |
| 44 | | | | | | | | | | | | | | | |
| 45 | | | | | | | | | | | | | | | |
| 46 | | | | | | | | | | | | | | | |
| 47 | | | | | | | | | | | | | | | |
| 48 | \$0.00 | \$0.00 | 9,314.59 | 455,707.51 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 455,708 |
| 49 | \$0.00 | \$0.00 | 759.92 | 37,066.87 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 37,067 |
| 50 | | | | | | | | | | | | | | | |
| 51 | \$0.00 | \$0.00 | 4,118.53 | 201,495.11 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 201,495 |
| 52 | \$0.00 | \$0.00 | 451.21 | 22,008.68 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 22,009 |
| 53 | | | | | | | | | | | | | | | |
| 54 | | | | | | | | | | | | | | | |
| 55 | | | | | | | | | | | | | | | |
| 56 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 57 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 58 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 59 | | | | | | | | | | | | | | | |
| 60 | \$0.00 | \$0.00 | 6,342.47 | 234,489.56 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 234,490 |

| | CM | CN | CO | CP | CQ | CR | CS | CT | CU | CV | CW | CX | CY | CZ | DA |
|-----|-------------|--------|-----------|--------------|--------|--------|--------|--------|--------|--------|--------|--------|------------|--------|--------------|
| 61 | \$0.00 | \$0.00 | 37.08 | 1,099.67 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$7,074.67 | \$0.00 | \$ 8,174 |
| 62 | \$0.00 | \$0.00 | 85.13 | 2,525.03 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$8,508.33 | \$0.00 | \$ 11,033 |
| 63 | \$0.00 | \$0.00 | 13,213.33 | 646,449.70 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 646,450 |
| 64 | | | | | | | | | | | | | | | |
| 65 | | | | | | | | | | | | | | | |
| 66 | | | | | | | | | | | | | | | |
| 67 | | | | | | | | | | | | | | | |
| 68 | | | | | | | | | | | | | | | |
| 69 | \$0.00 | \$0.00 | 52.93 | 1,569.95 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$4,944.32 | \$0.00 | \$ 6,514 |
| 70 | \$0.00 | \$0.00 | 428.92 | 20,921.39 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 20,921 |
| 71 | | | | | | | | | | | | | | | |
| 72 | | | | | | | | | | | | | | | |
| 73 | | | | | | | | | | | | | | | |
| 74 | \$0.00 | \$0.00 | 386.40 | 14,285.83 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 14,286 |
| 75 | \$0.00 | \$0.00 | 11.01 | 335.62 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 336 |
| 76 | | | | | | | | | | | | | | | |
| 77 | | | | | | | | | | | | | | | |
| 78 | | | | | | | | | | | | | | | |
| 79 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 80 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 81 | | | | | | | | | | | | | | | |
| 82 | | | | | | | | | | | | | | | |
| 83 | | | | | | | | | | | | | | | |
| 84 | \$0.00 | \$0.00 | 261.16 | 9,655.44 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 9,655 |
| 85 | \$0.00 | \$0.00 | 4,020.58 | 148,646.37 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 148,646 |
| 86 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 87 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 88 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 89 | | | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | | | |
| 91 | | | | | | | | | | | | | | | |
| 92 | | | | | | | | | | | | | | | |
| 93 | | | | | | | | | | | | | | | |
| 94 | \$0.00 | \$0.00 | 67.99 | 2,513.58 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 2,514 |
| 95 | \$0.00 | \$0.00 | 1,163.05 | 49,486.37 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 49,486 |
| 96 | \$0.00 | \$0.00 | 5,542.38 | 235,821.04 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 235,821 |
| 97 | \$0.00 | \$0.00 | 6,929.29 | 276,569.44 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 276,569 |
| 98 | \$0.00 | \$0.00 | 2,473.41 | 98,721.55 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 98,722 |
| 99 | | | | | | | | | | | | | | | |
| 100 | \$0.00 | \$0.00 | 413.92 | 15,303.28 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 15,303 |
| 101 | \$0.00 | \$0.00 | 323.32 | 18,758.16 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 18,758 |
| 102 | | | | | | | | | | | | | | | |
| 103 | \$0.00 | \$0.00 | 4,042.10 | 227,810.43 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 227,810 |
| 104 | | | | | | | | | | | | | | | |
| 105 | \$0.00 | \$0.00 | 65.82 | 2,918.57 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 2,919 |
| 106 | | | | | | | | | | | | | | | |
| 107 | \$0.00 | \$0.00 | 1,876.37 | 105,751.39 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 105,751 |
| 108 | \$0.00 | \$0.00 | 42,818.99 | 1,583,074.93 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,583,075 |
| 109 | | | | | | | | | | | | | | | |
| 110 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 111 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 112 | | | | | | | | | | | | | | | |
| 113 | | | | | | | | | | | | | | | |
| 114 | \$0.00 | \$0.00 | 6,297.16 | 184,258.04 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 184,258 |
| 115 | | | | | | | | | | | | | | | |
| 116 | | | | | | | | | | | | | | | |
| 117 | | | | | | | | | | | | | | | |
| 118 | \$38,490.03 | \$0.00 | 38,793.12 | 1,225,330.34 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,225,330 |
| 119 | | | | | | | | | | | | | | | |
| 120 | | | | | | | | | | | | | | | |
| 121 | | | | | | | | | | | | | | | |
| 122 | | | | | | | | | | | | | | | |
| 123 | | | | | | | | | | | | | | | |

| | CM | CN | CO | CP | CQ | CR | CS | CT | CU | CV | CW | CX | CY | CZ | DA |
|-----|-------------|--------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|------------|
| 124 | | | | | | | | | | | | | | | |
| 125 | | | | | | | | | | | | | | | |
| 126 | | | | | | | | | | | | | | | |
| 127 | | | | | | | | | | | | | | | |
| 128 | \$1,638.72 | \$0.00 | 1,653.03 | 57,318.71 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 57,319 |
| 129 | \$21,027.70 | \$0.00 | 21,123.54 | 418,741.60 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 418,742 |
| 130 | | | | | | | | | | | | | | | |
| 131 | | | | | | | | | | | | | | | |
| 132 | | | | | | | | | | | | | | | |
| 133 | | | | | | | | | | | | | | | |
| 134 | | | | | | | | | | | | | | | |
| 135 | | | | | | | | | | | | | | | |
| 136 | | | | | | | | | | | | | | | |
| 137 | | | | | | | | | | | | | | | |
| 138 | | | | | | | | | | | | | | | |
| 139 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 140 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 141 | | | | | | | | | | | | | | | |
| 142 | | | | | | | | | | | | | | | |
| 143 | | | | | | | | | | | | | | | |
| 144 | \$20,235.59 | \$0.00 | 20,394.93 | 644,200.06 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 644,200 |
| 145 | | | | | | | | | | | | | | | |
| 146 | | | | | | | | | | | | | | | |
| 147 | \$749.32 | \$0.00 | 758.18 | 34,839.35 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 34,839 |
| 148 | \$543.42 | \$0.00 | 549.85 | 25,266.21 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 25,266 |
| 149 | \$296.03 | \$0.00 | 299.53 | 13,763.69 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 13,764 |
| 150 | | | | | | | | | | | | | | | |
| 151 | | | | | | | | | | | | | | | |
| 152 | | | | | | | | | | | | | | | |
| 153 | | | | | | | | | | | | | | | |
| 154 | | | | | | | | | | | | | | | |
| 155 | | | | | | | | | | | | | | | |
| 156 | | | | | | | | | | | | | | | |
| 157 | \$190.30 | \$0.00 | 192.11 | 7,193.52 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 7,194 |
| 158 | | | | | | | | | | | | | | | |
| 159 | | | | | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | |
| 161 | | | | | | | | | | | | | | | |
| 162 | | | | | | | | | | | | | | | |
| 163 | | | | | | | | | | | | | | | |
| 164 | | | | | | | | | | | | | | | |
| 165 | | | | | | | | | | | | | | | |
| 166 | | | | | | | | | | | | | | | |
| 167 | | | | | | | | | | | | | | | |
| 168 | | | | | | | | | | | | | | | |
| 169 | | | | | | | | | | | | | | | |
| 170 | | | | | | | | | | | | | | | |
| 171 | | | | | | | | | | | | | | | |
| 172 | | | | | | | | | | | | | | | |
| 173 | | | | | | | | | | | | | | | |
| 174 | | | | | | | | | | | | | | | |
| 175 | | | | | | | | | | | | | | | |
| 176 | | | | | | | | | | | | | | | |
| 177 | | | | | | | | | | | | | | | |
| 178 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 179 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 180 | | | | | | | | | | | | | | | |
| 181 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 182 | \$0.00 | \$0.00 | 163.62 | 6,767.70 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$22,711.05 | \$ 29,479 |
| 183 | \$0.00 | \$0.00 | 30.92 | 1,279.01 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,279 |
| 184 | | | | | | | | | | | | | | | |
| 185 | \$0.00 | \$0.00 | 62.33 | 2,578.17 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 2,578 |
| 186 | | | | | | | | | | | | | | | |

| | CM | CN | CO | CP | CQ | CR | CS | CT | CU | CV | CW | CX | CY | CZ | DA |
|-----|------------|--------|-----------------|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------------|------------|
| 187 | | | | | | | | | | | | | | | |
| 188 | | | | | | | | | | | | | | | |
| 189 | | | | | | | | | | | | | | | |
| 190 | \$0.00 | \$0.00 | 32.90 | 1,582.82 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,583 |
| 191 | | | | | | | | | | | | | | | |
| 192 | \$0.00 | \$0.00 | 670.90 | 32,276.93 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 32,277 |
| 193 | | | | | | | | | | | | | | | |
| 194 | | | | | | | | | | | | | | | |
| 195 | | | | | | | | | | | | | | | |
| 196 | | | | | | | | | | | | | | | |
| 197 | | | | | | | | | | | | | | | |
| 198 | | | | | | | | | | | | | | | |
| 199 | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | | | | |
| 201 | | | | | | | | | | | | | | | |
| 202 | | | | | | | | | | | | | | | |
| 203 | | | | | | | | | | | | | | | |
| 204 | | | | | | | | | | | | | | | |
| 205 | | | | | | | | | | | | | | | |
| 206 | | | | | | | | | | | | | | | |
| 207 | | | | | | | | | | | | | | | |
| 208 | | | | | | | | | | | | | | | |
| 209 | \$0.00 | \$0.00 | 4,933.74 | 237,361.45 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 237,361 |
| 210 | | | | | | | | | | | | | | | |
| 211 | \$0.00 | \$0.00 | 1,096.47 | 32,068.42 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$178,886.49 | \$ 210,955 |
| 212 | | | | | | | | | | | | | | | |
| 213 | | | | | | | | | | | | | | | |
| 214 | \$0.00 | \$0.00 | 37.07 | 1,084.17 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,084 |
| 215 | \$0.00 | \$0.00 | 321.79 | 10,103.49 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$9,839.51 | \$ 19,943 |
| 216 | \$187.66 | \$0.00 | 189.30 | 6,563.92 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 6,564 |
| 217 | | | | | | | | | | | | | | | |
| 218 | | | | | | | | | | | | | | | |
| 219 | | | | | | | | | | | | | | | |
| 220 | \$186.91 | \$0.00 | 187.76 | 3,722.15 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 3,722 |
| 221 | \$1,156.36 | \$0.00 | 1,166.45 | 40,446.67 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 40,447 |
| 222 | | | | | | | | | | | | | | | |
| 223 | | | | | | | | | | | | | | | |
| 224 | | | | | | | | | | | | | | | |
| 225 | | | | | | | | | | | | | | | |
| 226 | | | | | | | | | | | | | | | |
| 227 | | | | | | | | | | | | | | | |
| 228 | | | | | | | | | | | | | | | |
| 229 | | | | | | | | | | | | | | | |
| 230 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 231 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 232 | | | | | | | | | | | | | | | |
| 233 | | | | | | | | | | | | | | | |
| 234 | | | | | | | | | | | | | | | |
| 235 | \$8,608.62 | \$0.00 | 8,676.40 | 274,055.30 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 274,055 |
| 236 | | | | | | | | | | | | | | | |
| 237 | \$1,747.62 | \$0.00 | 1,768.29 | 81,254.95 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 81,255 |
| 238 | \$499.55 | \$0.00 | 505.46 | 23,226.23 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 23,226 |
| 239 | \$2,581.25 | \$0.00 | 2,611.79 | 120,014.49 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 120,014 |
| 240 | \$1,110.10 | \$0.00 | 1,123.23 | 51,613.85 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 51,614 |
| 241 | | | | | | | | | | | | | | | |
| 242 | \$1,403.49 | \$0.00 | 1,420.09 | 65,254.66 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 65,255 |
| 243 | | | | | | | | | | | | | | | |
| 244 | | | | | | | | | | | | | | | |
| 245 | | | | | | | | | | | | | | | |
| 246 | \$376.64 | \$0.00 | 380.35 | 14,727.43 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 14,727 |
| 247 | \$70.84 | \$0.00 | 71.53 | 2,769.79 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 2,770 |
| 248 | \$666.06 | \$0.00 | 672.38 | 25,177.34 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 25,177 |
| 249 | | | | | | | | | | | | | | | |

| | CM | CN | CO | CP | CQ | CR | CS | CT | CU | CV | CW | CX | CY | CZ | DA |
|-----|------------|----------|----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------------|------------|
| 250 | | | | | | | | | | | | | | | |
| 251 | \$0.00 | \$0.00 | 1,439.32 | 42,096.01 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$201,406.80 | \$ 243,503 |
| 252 | \$0.00 | \$0.00 | 289.61 | 9,093.14 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$8,855.56 | \$ 17,949 |
| 253 | | | | | | | | | | | | | | | |
| 254 | | | | | | | | | | | | | | | |
| 255 | | | | | | | | | | | | | | | |
| 256 | | | | | | | | | | | | | | | |
| 257 | | | | | | | | | | | | | | | |
| 258 | | | | | | | | | | | | | | | |
| 259 | | | | | | | | | | | | | | | |
| 260 | | | | | | | | | | | | | | | |
| 261 | | | | | | | | | | | | | | | |
| 262 | | | | | | | | | | | | | | | |
| 263 | | | | | | | | | | | | | | | |
| 264 | | | | | | | | | | | | | | | |
| 265 | | | | | | | | | | | | | | | |
| 266 | | | | | | | | | | | | | | | |
| 267 | | | | | | | | | | | | | | | |
| 268 | | | | | | | | | | | | | | | |
| 269 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 270 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 271 | | | | | | | | | | | | | | | |
| 272 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - |
| 273 | | | | | | | | | | | | | | | |
| 274 | | | | | | | | | | | | | | | |
| 275 | \$0.00 | \$0.00 | 81.81 | 3,383.85 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$11,355.52 | \$ 14,739 |
| 276 | \$0.00 | \$0.00 | 30.92 | 1,279.01 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,279 |
| 277 | \$0.00 | \$0.00 | 215.24 | 8,902.75 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 8,903 |
| 278 | \$0.00 | \$0.00 | 186.99 | 7,734.51 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 7,735 |
| 279 | \$0.00 | \$0.00 | 26.90 | 1,112.84 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,113 |
| 280 | | | | | | | | | | | | | | | |
| 281 | | | | | | | | | | | | | | | |
| 282 | \$0.00 | \$0.00 | 1,388.82 | 57,444.88 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$143,197.83 | \$ 200,643 |
| 283 | \$0.00 | \$0.00 | 66.80 | 3,213.84 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 3,214 |
| 284 | \$0.00 | \$0.00 | 31.39 | 1,796.54 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,797 |
| 285 | \$0.00 | \$0.00 | 575.20 | 27,672.84 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 27,673 |
| 286 | | | | | | | | | | | | | | | |
| 287 | | | | | | | | | | | | | | | |
| 288 | | | | | | | | | | | | | | | |
| 289 | | | | | | | | | | | | | | | |
| 290 | | | | | | | | | | | | | | | |
| 291 | | | | | | | | | | | | | | | |
| 292 | | | | | | | | | | | | | | | |
| 293 | | | | | | | | | | | | | | | |
| 294 | | | | | | | | | | | | | | | |
| 295 | | | | | | | | | | | | | | | |
| 296 | | | | | | | | | | | | | | | |
| 297 | | | | | | | | | | | | | | | |
| 298 | | | | | | | | | | | | | | | |
| 299 | | | | | | | | | | | | | | | |
| 300 | | | | | | | | | | | | | | | |
| 301 | \$0.00 | \$0.00 | 2,294.12 | 110,369.96 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 110,370 |
| 302 | | | | | | | | | | | | | | | |
| 303 | \$0.00 | \$0.00 | 115.42 | 3,375.62 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$18,830.16 | \$ 22,206 |
| 304 | | | | | | | | | | | | | | | |
| 305 | | | | | | | | | | | | | | | |
| 306 | \$0.00 | \$0.00 | 3.42 | 100.08 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 100 |
| 307 | \$0.00 | \$0.00 | 16.09 | 505.17 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$491.98 | \$ 997 |
| 308 | | | | | | | | | | | | | | | |
| 309 | | | | | | | | | | | | | | | |
| 310 | \$0.00 | \$315.19 | 317.49 | 8,875.35 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 8,875 |
| 311 | | | | | | | | | | | | | | | |
| 312 | \$1,489.60 | \$0.00 | 1,496.39 | 29,663.60 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 29,664 |

| | CM | CN | CO | CP | CQ | CR | CS | CT | CU | CV | CW | CX | CY | CZ | DA | |
|-----|------------|--------|-----------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|----------|-------------|--------------|------|
| 313 | \$462.54 | \$0.00 | 466.58 | 16,178.67 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 16,179 | |
| 314 | | | | | | | | | | | | | | | | |
| 315 | | | | | | | | | | | | | | | | |
| 316 | | | | | | | | | | | | | | | | |
| 317 | | | | | | | | | | | | | | | | |
| 318 | | | | | | | | | | | | | | | | |
| 319 | | | | | | | | | | | | | | | | |
| 320 | | | | | | | | | | | | | | | | |
| 321 | | | | | | | | | | | | | | | | |
| 322 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | |
| 323 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | |
| 324 | | | | | | | | | | | | | | | | |
| 325 | | | | | | | | | | | | | | | | |
| 326 | | | | | | | | | | | | | | | | |
| 327 | \$2,414.43 | \$0.00 | 2,433.44 | 76,863.45 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 76,863 | |
| 328 | | | | | | | | | | | | | | | | |
| 329 | \$873.81 | \$0.00 | 884.15 | 40,627.47 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 40,627 | |
| 330 | | | | | | | | | | | | | | | | |
| 331 | \$1,086.84 | \$0.00 | 1,099.70 | 50,532.42 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 50,532 | |
| 332 | \$148.01 | \$0.00 | 149.76 | 6,881.85 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 6,882 | |
| 333 | | | | | | | | | | | | | | | | |
| 334 | \$561.39 | \$0.00 | 568.04 | 26,101.86 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 26,102 | |
| 335 | | | | | | | | | | | | | | | | |
| 336 | | | | | | | | | | | | | | | | |
| 337 | | | | | | | | | | | | | | | | |
| 338 | | | | | | | | | | | | | | | | |
| 339 | \$53.13 | \$0.00 | 53.65 | 2,077.34 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 2,077 | |
| 340 | | | | | | | | | | | | | | | | |
| 341 | | | | | | | | | | | | | | | | |
| 342 | | | | | | | | | | | | | | | | |
| 343 | \$0.00 | \$0.00 | 219.54 | 6,420.97 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$30,720.88 | \$ 37,142 | |
| 344 | | | | | | | | | | | | | | | | |
| 345 | | | | | | | | | | | | | | | | |
| 346 | | | | | | | | | | | | | | | | |
| 347 | | | | | | | | | | | | | | | | |
| 348 | | | | | | | | | | | | | | | | |
| 349 | | | | | | | | | | | | | | | | |
| 350 | | | | | | | | | | | | | | | | |
| 351 | | | | | | | | | | | | | | | | |
| 352 | | | | | | | | | | | | | | | | |
| 353 | \$0.00 | \$0.00 | 10.90 | 623.55 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 624 | |
| 354 | \$0.00 | \$0.00 | 99.82 | 4,802.39 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 4,802 | |
| 355 | | | | | | | | | | | | | | | | |
| 356 | | | | | | | | | | | | | | | | |
| 357 | | | | | | | | | | | | | | | | |
| 358 | | | | | | | | | | | | | | | | |
| 359 | | | | | | | | | | | | | | | | |
| 360 | | | | | | | | | | | | | | | | |
| 361 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | |
| 362 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | |
| 363 | | | | | | | | | | | | | | | | |
| 364 | \$0.00 | \$0.00 | - | - | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | |
| 365 | | | | | | | | | | | | | | | | |
| 366 | | | | | | | | | | | | | | | | |
| 367 | | | | | | | | | | | | | | | | |
| 368 | | | | | | | | | | | | | | | | |
| 369 | | | | | | | | | | | | | | | | |
| 370 | | | | | | | | | | | | | | | | |
| 371 | \$130,826 | \$380 | \$317,006 | \$13,391,584 | \$0 | \$0 | \$0 | \$0 | \$0 | \$0 | \$0 | \$0 | \$45,786 | \$705,960 | \$14,143,330 | |
| 372 | \$108,856 | \$315 | \$263,437 | \$9,838,184 | \$0 | \$0 | \$0 | \$0 | \$0 | \$0 | \$0 | \$0 | \$41,412 | \$626,296 | \$10,505,892 | |
| 373 | -\$21,970 | -\$65 | -\$53,569 | -\$3,553,400 | \$0 | \$0 | \$0 | \$0 | \$0 | \$0 | \$0 | \$0 | -\$4,374 | -\$79,664 | -\$3,637,438 | |
| 374 | -17% | -17% | -17% | -27% | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0! | -10% | -11% | -26% |
| 375 | | | | | | | | | | | | | | | | |

| | CM | CN | CO | CP | CQ | CR | CS | CT | CU | CV | CW | CX | CY | CZ | DA |
|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 376 | | | | | | | | | | | | | | | |
| 377 | | | | | | | | | | | | | | | |
| 378 | | | | | | | | | | | | | | | |
| 379 | | | | | | | | | | | | | | | |
| 380 | | | | | | | | | | | | | | | |
| 381 | | | | | | | | | | | | | | | |
| 382 | | | | | | | | | | | | | | | |
| 383 | | | | | | | | | | | | | | | |

| | DB | DD | DE | DF | DG | DH | DI | DJ | DK | DL | DM | DN | DO | DP |
|----|---------------------------|---------------------------------------|------------------------------------|---|---|---|---|--|---------------------------------------|--|---|---------------------------------------|----|----|
| 1 | | | | | | | | | | | | | | |
| 2 | 44 | 45 | | 46 | 47 | 48 | 49 | | | | changed to CF for gas | | | |
| 3 | Non-Energy Impacts | | | Environmental Externalities (Non-Embedded Costs) | | | | | TOTAL | TOTAL | TOTAL | TOTAL | | |
| 4 | NEI Adder | Fossil Emissions Based on RGGI | Total Non-Resource Benefits | Winter Peak Environmental Benefits (\$) | Winter Off-Peak Environmental Benefits (\$) | Summer Peak Environmental Benefits (\$) | Summer Off-Peak Environmental Benefits (\$) | Total Avoided Environmental Benefits (\$) | Total Benefits (Legacy NH TRC) | Total Benefits (Granite State Test) | Total Benefits (Utility Cost Test) | Total Benefits (Secondary GST) | | |
| 5 | | \$13,074.88 | \$13,074.88 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 234,787.51 | \$ 234,787.51 | \$ - | \$ 234,787.51 | | |
| 6 | | \$77.40 | \$77.40 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 8,157.74 | \$ 8,157.74 | \$ - | \$ 8,157.74 | | |
| 7 | | | \$0.00 | | | | | | | | | | | |
| 8 | | \$52,994.19 | \$52,994.19 | \$1,008.12 | \$1,260.22 | \$983.57 | \$1,027.51 | \$4,279.41 | \$ 916,344.94 | \$ 916,344.94 | \$ 14,426.04 | \$ 920,624.35 | | |
| 9 | | | \$0.00 | | | | | | | | | | | |
| 10 | | | \$0.00 | | | | | | | | | | | |
| 11 | | | \$0.00 | | | | | | | | | | | |
| 12 | | | \$0.00 | | | | | | | | | | | |
| 13 | | | \$0.00 | | | | | | | | | | | |
| 14 | | \$314.05 | \$314.05 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 18,616.03 | \$ 18,616.03 | \$ - | \$ 18,616.03 | | |
| 15 | | | \$0.00 | | | | | | | | | | | |
| 16 | | | \$0.00 | | | | | | | | | | | |
| 17 | | | \$0.00 | | | | | | | | | | | |
| 18 | | | \$0.00 | | | | | | | | | | | |
| 19 | | | \$0.00 | | | | | | | | | | | |
| 20 | | | \$0.00 | | | | | | | | | | | |
| 21 | | \$66.67 | \$66.67 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,459.07 | \$ 1,459.07 | \$ - | \$ 1,459.07 | | |
| 22 | | | \$0.00 | | | | | | | | | | | |
| 23 | | \$31.40 | \$31.40 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 508.26 | \$ 508.26 | \$ - | \$ 508.26 | | |
| 24 | | | \$0.00 | | | | | | | | | | | |
| 25 | | | \$0.00 | | | | | | | | | | | |
| 26 | | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 27 | | | \$0.00 | | | | | | | | | | | |
| 28 | | | \$0.00 | | | | | | | | | | | |
| 29 | \$1,115,048.29 | \$0.00 | \$1,115,048.29 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,115,048.29 | \$ 1,115,048.29 | \$ - | \$ 1,115,048.29 | | |
| 30 | | | \$0.00 | | | | | | | | | | | |
| 31 | | \$4,029.92 | \$4,029.92 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 70,193.51 | \$ 70,193.51 | \$ - | \$ 70,193.51 | | |
| 32 | | \$2,328.89 | \$2,328.89 | \$520.00 | \$699.87 | \$0.00 | \$0.00 | \$1,219.86 | \$ 43,448.62 | \$ 43,448.62 | \$ 2,355.29 | \$ 44,668.49 | | |
| 33 | | \$766.50 | \$766.50 | \$180.14 | \$228.66 | \$176.04 | \$185.67 | \$770.51 | \$ 15,956.56 | \$ 15,956.56 | \$ 2,192.47 | \$ 16,727.07 | | |
| 34 | | \$2,147.67 | \$2,147.67 | \$306.90 | \$389.57 | \$299.92 | \$316.33 | \$1,312.72 | \$ 42,301.35 | \$ 42,301.35 | \$ 3,735.32 | \$ 43,614.07 | | |
| 35 | | | \$0.00 | | | | | | | | | | | |
| 36 | | | \$0.00 | | | | | | | | | | | |
| 37 | | \$8.25 | \$8.25 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 187.93 | \$ 187.93 | \$ - | \$ 187.93 | | |
| 38 | | | \$0.00 | | | | | | | | | | | |
| 39 | | \$4.61 | \$4.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 104.99 | \$ 104.99 | \$ - | \$ 104.99 | | |
| 40 | | | \$0.00 | | | | | | | | | | | |
| 41 | | | \$0.00 | | | | | | | | | | | |
| 42 | | | \$0.00 | | | | | | | | | | | |
| 43 | | | \$0.00 | | | | | | | | | | | |
| 44 | | | \$0.00 | | | | | | | | | | | |
| 45 | | | \$0.00 | | | | | | | | | | | |
| 46 | | | \$0.00 | | | | | | | | | | | |
| 47 | | | \$0.00 | | | | | | | | | | | |
| 48 | \$113,926.88 | \$28,447.57 | \$142,374.45 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 598,081.97 | \$ 484,155.09 | \$ - | \$ 598,081.97 | | |
| 49 | \$9,266.72 | \$3,015.38 | \$12,282.10 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 49,348.97 | \$ 40,082.25 | \$ - | \$ 49,348.97 | | |
| 50 | | | \$0.00 | | | | | | | | | | | |
| 51 | \$50,373.78 | \$12,578.35 | \$62,952.12 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 264,447.23 | \$ 214,073.46 | \$ - | \$ 264,447.23 | | |
| 52 | \$5,502.17 | \$1,790.40 | \$7,292.57 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 29,301.26 | \$ 23,799.09 | \$ - | \$ 29,301.26 | | |
| 53 | | | \$0.00 | | | | | | | | | | | |
| 54 | | | \$0.00 | | | | | | | | | | | |
| 55 | | | \$0.00 | | | | | | | | | | | |
| 56 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 57 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 58 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 59 | | | \$0.00 | | | | | | | | | | | |
| 60 | \$58,622.39 | \$13,828.36 | \$72,450.75 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 306,940.31 | \$ 248,317.92 | \$ - | \$ 306,940.31 | | |

| | DB | DD | DE | DF | DG | DH | DI | DJ | DK | DL | DM | DN | DO | DP |
|-----|--------------|-------------|--------------|-------------|-------------|------------|------------|-------------|-----------------|-----------------|---------------|-----------------|----|----|
| 61 | \$274.92 | \$78.30 | \$353.22 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 8,527.56 | \$ 8,252.64 | \$ - | \$ 8,527.56 | | |
| 62 | \$631.26 | \$179.78 | \$811.04 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 11,844.40 | \$ 11,213.15 | \$ - | \$ 11,844.40 | | |
| 63 | \$161,612.43 | \$40,354.67 | \$201,967.09 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 848,416.79 | \$ 686,804.37 | \$ - | \$ 848,416.79 | | |
| 64 | | | \$0.00 | | | | | | | | | | | |
| 65 | | | \$0.00 | | | | | | | | | | | |
| 66 | | | \$0.00 | | | | | | | | | | | |
| 67 | | | \$0.00 | | | | | | | | | | | |
| 68 | | | \$0.00 | | | | | | | | | | | |
| 69 | \$392.49 | \$111.78 | \$504.27 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 7,018.54 | \$ 6,626.05 | \$ - | \$ 7,018.54 | | |
| 70 | \$5,230.35 | \$1,701.95 | \$6,932.30 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 27,853.69 | \$ 22,623.34 | \$ - | \$ 27,853.69 | | |
| 71 | | | \$0.00 | | | | | | | | | | | |
| 72 | | | \$0.00 | | | | | | | | | | | |
| 73 | | | \$0.00 | | | | | | | | | | | |
| 74 | \$3,571.46 | \$842.47 | \$4,413.92 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 18,699.75 | \$ 15,128.29 | \$ - | \$ 18,699.75 | | |
| 75 | \$83.90 | \$22.10 | \$106.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 441.62 | \$ 357.72 | \$ - | \$ 441.62 | | |
| 76 | | | \$0.00 | | | | | | | | | | | |
| 77 | | | \$0.00 | | | | | | | | | | | |
| 78 | | | \$0.00 | | | | | | | | | | | |
| 79 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 80 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 81 | | | \$0.00 | | | | | | | | | | | |
| 82 | | | \$0.00 | | | | | | | | | | | |
| 83 | | | \$0.00 | | | | | | | | | | | |
| 84 | \$2,805.38 | \$569.40 | \$3,374.78 | \$128.67 | \$163.33 | \$125.74 | \$132.62 | \$550.37 | \$ 14,596.28 | \$ 11,790.90 | \$ 1,566.06 | \$ 15,146.65 | | |
| 85 | \$40,826.55 | \$8,766.00 | \$49,592.55 | \$1,204.48 | \$1,528.93 | \$1,177.07 | \$1,241.49 | \$5,151.97 | \$ 212,898.74 | \$ 172,072.19 | \$ 14,659.82 | \$ 218,050.70 | | |
| 86 | \$41.33 | \$0.00 | \$41.33 | \$35.54 | \$46.83 | \$0.00 | \$0.00 | \$82.37 | \$ 206.67 | \$ 165.34 | \$ 165.34 | \$ 289.04 | | |
| 87 | \$766.50 | \$0.00 | \$766.50 | \$664.56 | \$892.75 | \$0.00 | \$0.00 | \$1,557.32 | \$ 3,832.52 | \$ 3,066.01 | \$ 3,066.01 | \$ 5,389.83 | | |
| 88 | \$559.71 | \$0.00 | \$559.71 | \$32.01 | \$20.17 | \$245.31 | \$246.50 | \$543.99 | \$ 2,798.55 | \$ 2,238.84 | \$ 2,238.84 | \$ 3,342.54 | | |
| 89 | | | \$0.00 | | | | | | | | | | | |
| 90 | | | \$0.00 | | | | | | | | | | | |
| 91 | | | \$0.00 | | | | | | | | | | | |
| 92 | | | \$0.00 | | | | | | | | | | | |
| 93 | | | \$0.00 | | | | | | | | | | | |
| 94 | \$628.40 | \$148.23 | \$776.63 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 3,290.21 | \$ 2,661.81 | \$ - | \$ 3,290.21 | | |
| 95 | \$12,371.59 | \$3,014.13 | \$15,385.73 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 64,872.10 | \$ 52,500.50 | \$ - | \$ 64,872.10 | | |
| 96 | \$58,955.26 | \$14,363.48 | \$73,318.74 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 309,139.77 | \$ 250,184.51 | \$ - | \$ 309,139.77 | | |
| 97 | \$75,098.08 | \$16,615.72 | \$91,713.81 | \$5,259.58 | \$7,078.89 | \$0.00 | \$0.00 | \$12,338.47 | \$ 392,106.15 | \$ 317,008.06 | \$ 23,822.90 | \$ 404,444.62 | | |
| 98 | \$26,703.09 | \$5,930.99 | \$32,634.08 | \$1,786.27 | \$2,404.15 | \$0.00 | \$0.00 | \$4,190.42 | \$ 139,446.42 | \$ 112,743.34 | \$ 8,090.80 | \$ 143,636.85 | | |
| 99 | | | \$0.00 | | | | | | | | | | | |
| 100 | \$4,471.17 | \$902.47 | \$5,373.64 | \$212.09 | \$269.22 | \$207.27 | \$218.61 | \$907.19 | \$ 23,258.32 | \$ 18,787.15 | \$ 2,581.40 | \$ 24,165.52 | | |
| 101 | \$4,689.54 | \$1,574.89 | \$6,264.43 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 25,022.59 | \$ 20,333.05 | \$ - | \$ 25,022.59 | | |
| 102 | | | \$0.00 | | | | | | | | | | | |
| 103 | \$56,952.61 | \$19,042.47 | \$75,995.07 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 303,805.50 | \$ 246,852.89 | \$ - | \$ 303,805.50 | | |
| 104 | | | \$0.00 | | | | | | | | | | | |
| 105 | \$594.81 | \$232.05 | \$826.85 | -\$103.59 | -\$94.58 | -\$35.93 | -\$35.46 | -\$269.57 | \$ 3,206.08 | \$ 2,611.27 | \$ (539.35) | \$ 2,936.51 | | |
| 106 | | | \$0.00 | | | | | | | | | | | |
| 107 | \$24,593.50 | \$8,839.66 | \$33,433.16 | -\$1,351.37 | -\$1,217.52 | -\$468.96 | -\$458.32 | -\$3,496.17 | \$ 131,807.14 | \$ 107,213.65 | \$ (7,377.40) | \$ 128,310.97 | | |
| 108 | \$395,768.73 | \$93,357.37 | \$489,126.10 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 2,072,201.03 | \$ 1,676,432.30 | \$ - | \$ 2,072,201.03 | | |
| 109 | | | \$0.00 | | | | | | | | | | | |
| 110 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 111 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 112 | | | \$0.00 | | | | | | | | | | | |
| 113 | | | \$0.00 | | | | | | | | | | | |
| 114 | \$46,064.51 | \$8,456.04 | \$54,520.55 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 238,778.60 | \$ 192,714.09 | \$ - | \$ 238,778.60 | | |
| 115 | | | \$0.00 | | | | | | | | | | | |
| 116 | | | \$0.00 | | | | | | | | | | | |
| 117 | | | \$0.00 | | | | | | | | | | | |
| 118 | \$122,533.03 | \$75,092.72 | \$197,625.75 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,422,956.09 | \$ 1,300,423.06 | \$ - | \$ 1,422,956.09 | | |
| 119 | | | \$0.00 | | | | | | | | | | | |
| 120 | | | \$0.00 | | | | | | | | | | | |
| 121 | | | \$0.00 | | | | | | | | | | | |
| 122 | | | \$0.00 | | | | | | | | | | | |
| 123 | | | \$0.00 | | | | | | | | | | | |

| | DB | DD | DE | DF | DG | DH | DI | DJ | DK | DL | DM | DN | DO | DP |
|-----|-------------|-------------|--------------|--------|--------|--------|--------|--------|---------------|---------------|------|---------------|----|----|
| 124 | | | \$0.00 | | | | | | | | | | | |
| 125 | | | \$0.00 | | | | | | | | | | | |
| 126 | | | \$0.00 | | | | | | | | | | | |
| 127 | | | \$0.00 | | | | | | | | | | | |
| 128 | \$5,731.87 | \$3,604.06 | \$9,335.93 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 66,654.64 | \$ 60,922.77 | \$ - | \$ 66,654.64 | | |
| 129 | \$41,874.16 | \$22,228.43 | \$64,102.59 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 482,844.19 | \$ 440,970.03 | \$ - | \$ 482,844.19 | | |
| 130 | | | \$0.00 | | | | | | | | | | | |
| 131 | | | \$0.00 | | | | | | | | | | | |
| 132 | | | \$0.00 | | | | | | | | | | | |
| 133 | | | \$0.00 | | | | | | | | | | | |
| 134 | | | \$0.00 | | | | | | | | | | | |
| 135 | | | \$0.00 | | | | | | | | | | | |
| 136 | | | \$0.00 | | | | | | | | | | | |
| 137 | | | \$0.00 | | | | | | | | | | | |
| 138 | | | \$0.00 | | | | | | | | | | | |
| 139 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 140 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 141 | | | \$0.00 | | | | | | | | | | | |
| 142 | | | \$0.00 | | | | | | | | | | | |
| 143 | | | \$0.00 | | | | | | | | | | | |
| 144 | \$64,420.01 | \$39,478.93 | \$103,898.94 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 748,099.00 | \$ 683,679.00 | \$ - | \$ 748,099.00 | | |
| 145 | | | \$0.00 | | | | | | | | | | | |
| 146 | | | \$0.00 | | | | | | | | | | | |
| 147 | \$3,483.94 | \$2,315.56 | \$5,799.49 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 40,638.84 | \$ 37,154.91 | \$ - | \$ 40,638.84 | | |
| 148 | \$2,526.62 | \$1,679.29 | \$4,205.91 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 29,472.12 | \$ 26,945.50 | \$ - | \$ 29,472.12 | | |
| 149 | \$1,376.37 | \$914.79 | \$2,291.16 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 16,054.85 | \$ 14,678.48 | \$ - | \$ 16,054.85 | | |
| 150 | | | \$0.00 | | | | | | | | | | | |
| 151 | | | \$0.00 | | | | | | | | | | | |
| 152 | | | \$0.00 | | | | | | | | | | | |
| 153 | | | \$0.00 | | | | | | | | | | | |
| 154 | | | \$0.00 | | | | | | | | | | | |
| 155 | | | \$0.00 | | | | | | | | | | | |
| 156 | | | \$0.00 | | | | | | | | | | | |
| 157 | \$719.35 | \$460.66 | \$1,180.01 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 8,373.54 | \$ 7,654.18 | \$ - | \$ 8,373.54 | | |
| 158 | | | \$0.00 | | | | | | | | | | | |
| 159 | | | \$0.00 | | | | | | | | | | | |
| 160 | | | \$0.00 | | | | | | | | | | | |
| 161 | | | \$0.00 | | | | | | | | | | | |
| 162 | | | \$0.00 | | | | | | | | | | | |
| 163 | | | \$0.00 | | | | | | | | | | | |
| 164 | | | \$0.00 | | | | | | | | | | | |
| 165 | | | \$0.00 | | | | | | | | | | | |
| 166 | | | \$0.00 | | | | | | | | | | | |
| 167 | | | \$0.00 | | | | | | | | | | | |
| 168 | | | \$0.00 | | | | | | | | | | | |
| 169 | | | \$0.00 | | | | | | | | | | | |
| 170 | | | \$0.00 | | | | | | | | | | | |
| 171 | | | \$0.00 | | | | | | | | | | | |
| 172 | | | \$0.00 | | | | | | | | | | | |
| 173 | | | \$0.00 | | | | | | | | | | | |
| 174 | | | \$0.00 | | | | | | | | | | | |
| 175 | | | \$0.00 | | | | | | | | | | | |
| 176 | | | \$0.00 | | | | | | | | | | | |
| 177 | | | \$0.00 | | | | | | | | | | | |
| 178 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 179 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 180 | | | \$0.00 | | | | | | | | | | | |
| 181 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 182 | \$676.77 | \$537.27 | \$1,214.04 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 30,692.79 | \$ 30,016.02 | \$ - | \$ 30,692.79 | | |
| 183 | \$127.90 | \$101.54 | \$229.44 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,508.45 | \$ 1,380.55 | \$ - | \$ 1,508.45 | | |
| 184 | | | \$0.00 | | | | | | | | | | | |
| 185 | \$257.82 | \$204.67 | \$462.49 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 3,040.66 | \$ 2,782.85 | \$ - | \$ 3,040.66 | | |
| 186 | | | \$0.00 | | | | | | | | | | | |

| | DB | DD | DE | DF | DG | DH | DI | DJ | DK | DL | DM | DN | DO | DP |
|-----|-------------|-------------|-------------|----------|------------|--------|--------|------------|---------------|---------------|-------------|---------------|----|----|
| 187 | | | \$0.00 | | | | | | | | | | | |
| 188 | | | \$0.00 | | | | | | | | | | | |
| 189 | | | \$0.00 | | | | | | | | | | | |
| 190 | \$158.28 | \$130.55 | \$288.83 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,871.64 | \$ 1,713.36 | \$ - | \$ 1,871.64 | | |
| 191 | | | \$0.00 | | | | | | | | | | | |
| 192 | \$3,227.69 | \$2,662.15 | \$5,889.85 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 38,166.78 | \$ 34,939.09 | \$ - | \$ 38,166.78 | | |
| 193 | | | \$0.00 | | | | | | | | | | | |
| 194 | | | \$0.00 | | | | | | | | | | | |
| 195 | | | \$0.00 | | | | | | | | | | | |
| 196 | | | \$0.00 | | | | | | | | | | | |
| 197 | | | \$0.00 | | | | | | | | | | | |
| 198 | | | \$0.00 | | | | | | | | | | | |
| 199 | | | \$0.00 | | | | | | | | | | | |
| 200 | | | \$0.00 | | | | | | | | | | | |
| 201 | | | \$0.00 | | | | | | | | | | | |
| 202 | | | \$0.00 | | | | | | | | | | | |
| 203 | | | \$0.00 | | | | | | | | | | | |
| 204 | | | \$0.00 | | | | | | | | | | | |
| 205 | | | \$0.00 | | | | | | | | | | | |
| 206 | | | \$0.00 | | | | | | | | | | | |
| 207 | | | \$0.00 | | | | | | | | | | | |
| 208 | | | \$0.00 | | | | | | | | | | | |
| 209 | \$23,736.14 | \$19,577.23 | \$43,313.37 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 280,674.82 | \$ 256,938.67 | \$ - | \$ 280,674.82 | | |
| 210 | | | \$0.00 | | | | | | | | | | | |
| 211 | \$3,206.84 | \$2,315.52 | \$5,522.36 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 216,477.27 | \$ 213,270.43 | \$ - | \$ 216,477.27 | | |
| 212 | | | \$0.00 | | | | | | | | | | | |
| 213 | | | \$0.00 | | | | | | | | | | | |
| 214 | \$108.42 | \$78.28 | \$186.70 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,270.87 | \$ 1,162.45 | \$ - | \$ 1,270.87 | | |
| 215 | \$1,010.35 | \$743.59 | \$1,753.94 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 21,696.93 | \$ 20,686.58 | \$ - | \$ 21,696.93 | | |
| 216 | \$656.39 | \$412.72 | \$1,069.11 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 7,633.03 | \$ 6,976.64 | \$ - | \$ 7,633.03 | | |
| 217 | | | \$0.00 | | | | | | | | | | | |
| 218 | | | \$0.00 | | | | | | | | | | | |
| 219 | | | \$0.00 | | | | | | | | | | | |
| 220 | \$372.21 | \$197.59 | \$569.80 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 4,291.95 | \$ 3,919.73 | \$ - | \$ 4,291.95 | | |
| 221 | \$4,044.67 | \$2,543.19 | \$6,587.85 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 47,034.53 | \$ 42,989.86 | \$ - | \$ 47,034.53 | | |
| 222 | | | \$0.00 | | | | | | | | | | | |
| 223 | | | \$0.00 | | | | | | | | | | | |
| 224 | | | \$0.00 | | | | | | | | | | | |
| 225 | | | \$0.00 | | | | | | | | | | | |
| 226 | | | \$0.00 | | | | | | | | | | | |
| 227 | | | \$0.00 | | | | | | | | | | | |
| 228 | | | \$0.00 | | | | | | | | | | | |
| 229 | | | \$0.00 | | | | | | | | | | | |
| 230 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 231 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 232 | | | \$0.00 | | | | | | | | | | | |
| 233 | | | \$0.00 | | | | | | | | | | | |
| 234 | | | \$0.00 | | | | | | | | | | | |
| 235 | \$27,405.53 | \$16,795.11 | \$44,200.64 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 318,255.94 | \$ 290,850.41 | \$ - | \$ 318,255.94 | | |
| 236 | | | \$0.00 | | | | | | | | | | | |
| 237 | \$8,125.49 | \$5,400.52 | \$13,526.02 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 94,780.97 | \$ 86,655.47 | \$ - | \$ 94,780.97 | | |
| 238 | \$2,322.62 | \$1,543.71 | \$3,866.33 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 27,092.56 | \$ 24,769.94 | \$ - | \$ 27,092.56 | | |
| 239 | \$12,001.45 | \$7,976.63 | \$19,978.08 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 139,992.58 | \$ 127,991.13 | \$ - | \$ 139,992.58 | | |
| 240 | \$5,161.39 | \$3,430.46 | \$8,591.84 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 60,205.70 | \$ 55,044.31 | \$ - | \$ 60,205.70 | | |
| 241 | | | \$0.00 | | | | | | | | | | | |
| 242 | \$6,525.47 | \$4,337.08 | \$10,862.54 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 76,117.20 | \$ 69,591.73 | \$ - | \$ 76,117.20 | | |
| 243 | | | \$0.00 | | | | | | | | | | | |
| 244 | | | \$0.00 | | | | | | | | | | | |
| 245 | | | \$0.00 | | | | | | | | | | | |
| 246 | \$1,847.08 | \$949.94 | \$2,797.03 | \$811.39 | \$1,089.99 | \$0.00 | \$0.00 | \$1,901.38 | \$ 21,267.85 | \$ 19,420.76 | \$ 3,743.39 | \$ 23,169.22 | | |
| 247 | \$336.87 | \$178.66 | \$515.53 | \$129.82 | \$174.40 | \$0.00 | \$0.00 | \$304.22 | \$ 3,884.26 | \$ 3,547.39 | \$ 598.94 | \$ 4,188.48 | | |
| 248 | \$2,517.73 | \$1,612.31 | \$4,130.04 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 29,307.38 | \$ 26,789.64 | \$ - | \$ 29,307.38 | | |
| 249 | | | \$0.00 | | | | | | | | | | | |

| | DB | DD | DE | DF | DG | DH | DI | DJ | DK | DL | DM | DN | DO | DP |
|-----|-------------|------------|-------------|--------|--------|--------|--------|--------|---------------|---------------|------|---------------|----|----|
| 250 | | | \$0.00 | | | | | | | | | | | |
| 251 | \$4,209.60 | \$3,039.57 | \$7,249.17 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 250,751.98 | \$ 246,542.37 | \$ - | \$ 250,751.98 | | |
| 252 | \$909.31 | \$669.23 | \$1,578.54 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 19,527.24 | \$ 18,617.93 | \$ - | \$ 19,527.24 | | |
| 253 | | | \$0.00 | | | | | | | | | | | |
| 254 | | | \$0.00 | | | | | | | | | | | |
| 255 | | | \$0.00 | | | | | | | | | | | |
| 256 | | | \$0.00 | | | | | | | | | | | |
| 257 | | | \$0.00 | | | | | | | | | | | |
| 258 | | | \$0.00 | | | | | | | | | | | |
| 259 | | | \$0.00 | | | | | | | | | | | |
| 260 | | | \$0.00 | | | | | | | | | | | |
| 261 | | | \$0.00 | | | | | | | | | | | |
| 262 | | | \$0.00 | | | | | | | | | | | |
| 263 | | | \$0.00 | | | | | | | | | | | |
| 264 | | | \$0.00 | | | | | | | | | | | |
| 265 | | | \$0.00 | | | | | | | | | | | |
| 266 | | | \$0.00 | | | | | | | | | | | |
| 267 | | | \$0.00 | | | | | | | | | | | |
| 268 | | | \$0.00 | | | | | | | | | | | |
| 269 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 270 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 271 | | | \$0.00 | | | | | | | | | | | |
| 272 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ - | \$ - | \$ - | \$ - | | |
| 273 | | | \$0.00 | | | | | | | | | | | |
| 274 | | | \$0.00 | | | | | | | | | | | |
| 275 | \$338.38 | \$268.63 | \$607.02 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 15,346.39 | \$ 15,008.01 | \$ - | \$ 15,346.39 | | |
| 276 | \$127.90 | \$101.54 | \$229.44 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,508.45 | \$ 1,380.55 | \$ - | \$ 1,508.45 | | |
| 277 | \$890.27 | \$706.77 | \$1,597.04 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 10,499.79 | \$ 9,609.51 | \$ - | \$ 10,499.79 | | |
| 278 | \$773.45 | \$614.02 | \$1,387.47 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 9,121.99 | \$ 8,348.54 | \$ - | \$ 9,121.99 | | |
| 279 | \$111.28 | \$88.35 | \$199.63 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,312.47 | \$ 1,201.19 | \$ - | \$ 1,312.47 | | |
| 280 | | | \$0.00 | | | | | | | | | | | |
| 281 | | | \$0.00 | | | | | | | | | | | |
| 282 | \$5,744.49 | \$4,560.39 | \$10,304.88 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 210,947.59 | \$ 205,203.11 | \$ - | \$ 210,947.59 | | |
| 283 | \$321.38 | \$265.07 | \$586.46 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 3,800.29 | \$ 3,478.91 | \$ - | \$ 3,800.29 | | |
| 284 | \$179.65 | \$152.91 | \$332.56 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 2,129.10 | \$ 1,949.45 | \$ - | \$ 2,129.10 | | |
| 285 | \$2,767.28 | \$2,282.42 | \$5,049.70 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 32,722.53 | \$ 29,955.25 | \$ - | \$ 32,722.53 | | |
| 286 | | | \$0.00 | | | | | | | | | | | |
| 287 | | | \$0.00 | | | | | | | | | | | |
| 288 | | | \$0.00 | | | | | | | | | | | |
| 289 | | | \$0.00 | | | | | | | | | | | |
| 290 | | | \$0.00 | | | | | | | | | | | |
| 291 | | | \$0.00 | | | | | | | | | | | |
| 292 | | | \$0.00 | | | | | | | | | | | |
| 293 | | | \$0.00 | | | | | | | | | | | |
| 294 | | | \$0.00 | | | | | | | | | | | |
| 295 | | | \$0.00 | | | | | | | | | | | |
| 296 | | | \$0.00 | | | | | | | | | | | |
| 297 | | | \$0.00 | | | | | | | | | | | |
| 298 | | | \$0.00 | | | | | | | | | | | |
| 299 | | | \$0.00 | | | | | | | | | | | |
| 300 | | | \$0.00 | | | | | | | | | | | |
| 301 | \$11,037.00 | \$9,103.15 | \$20,140.15 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 130,510.11 | \$ 119,473.11 | \$ - | \$ 130,510.11 | | |
| 302 | | | \$0.00 | | | | | | | | | | | |
| 303 | \$337.56 | \$243.74 | \$581.30 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 22,787.08 | \$ 22,449.52 | \$ - | \$ 22,787.08 | | |
| 304 | | | \$0.00 | | | | | | | | | | | |
| 305 | | | \$0.00 | | | | | | | | | | | |
| 306 | \$10.01 | \$7.23 | \$17.23 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 117.31 | \$ 107.30 | \$ - | \$ 117.31 | | |
| 307 | \$50.52 | \$37.18 | \$87.70 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 1,084.85 | \$ 1,034.33 | \$ - | \$ 1,084.85 | | |
| 308 | | | \$0.00 | | | | | | | | | | | |
| 309 | | | \$0.00 | | | | | | | | | | | |
| 310 | \$887.54 | \$549.12 | \$1,436.65 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 10,312.01 | \$ 9,424.47 | \$ - | \$ 10,312.01 | | |
| 311 | | | \$0.00 | | | | | | | | | | | |
| 312 | \$2,966.36 | \$1,574.66 | \$4,541.02 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ 34,204.62 | \$ 31,238.26 | \$ - | \$ 34,204.62 | | |

| | DB | DD | DE | DF | DG | DH | DI | DJ | DK | DL | DM | DN | DO | DP |
|-----|--------------|------------|--------------|----------|----------|---------|---------|----------|--------------|--------------|-----------|--------------|----|----|
| 313 | \$1,617.87 | \$1,017.27 | \$2,635.14 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$18,813.81 | \$17,195.94 | \$- | \$18,813.81 | | |
| 314 | | | \$0.00 | | | | | | | | | | | |
| 315 | | | \$0.00 | | | | | | | | | | | |
| 316 | | | \$0.00 | | | | | | | | | | | |
| 317 | | | \$0.00 | | | | | | | | | | | |
| 318 | | | \$0.00 | | | | | | | | | | | |
| 319 | | | \$0.00 | | | | | | | | | | | |
| 320 | | | \$0.00 | | | | | | | | | | | |
| 321 | | | \$0.00 | | | | | | | | | | | |
| 322 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$- | \$- | \$- | \$- | | |
| 323 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$- | \$- | \$- | \$- | | |
| 324 | | | \$0.00 | | | | | | | | | | | |
| 325 | | | \$0.00 | | | | | | | | | | | |
| 326 | | | \$0.00 | | | | | | | | | | | |
| 327 | \$7,686.34 | \$4,710.47 | \$12,396.82 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$89,260.27 | \$81,573.92 | \$- | \$89,260.27 | | |
| 328 | | | \$0.00 | | | | | | | | | | | |
| 329 | \$4,062.75 | \$2,700.26 | \$6,763.01 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$47,390.48 | \$43,327.74 | \$- | \$47,390.48 | | |
| 330 | | | \$0.00 | | | | | | | | | | | |
| 331 | \$5,053.24 | \$3,358.58 | \$8,411.82 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$58,944.24 | \$53,891.00 | \$- | \$58,944.24 | | |
| 332 | \$688.18 | \$457.39 | \$1,145.58 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$8,027.43 | \$7,339.24 | \$- | \$8,027.43 | | |
| 333 | | | \$0.00 | | | | | | | | | | | |
| 334 | \$2,610.19 | \$1,734.83 | \$4,345.02 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$30,446.88 | \$27,836.69 | \$- | \$30,446.88 | | |
| 335 | | | \$0.00 | | | | | | | | | | | |
| 336 | | | \$0.00 | | | | | | | | | | | |
| 337 | | | \$0.00 | | | | | | | | | | | |
| 338 | | | \$0.00 | | | | | | | | | | | |
| 339 | \$252.65 | \$133.99 | \$386.65 | \$97.37 | \$130.80 | \$0.00 | \$0.00 | \$228.17 | \$2,913.20 | \$2,660.54 | \$449.21 | \$3,141.36 | | |
| 340 | | | \$0.00 | | | | | | | | | | | |
| 341 | | | \$0.00 | | | | | | | | | | | |
| 342 | | | \$0.00 | | | | | | | | | | | |
| 343 | \$642.10 | \$463.63 | \$1,105.73 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$38,247.57 | \$37,605.47 | \$- | \$38,247.57 | | |
| 344 | | | \$0.00 | | | | | | | | | | | |
| 345 | | | \$0.00 | | | | | | | | | | | |
| 346 | | | \$0.00 | | | | | | | | | | | |
| 347 | | | \$0.00 | | | | | | | | | | | |
| 348 | | | \$0.00 | | | | | | | | | | | |
| 349 | | | \$0.00 | | | | | | | | | | | |
| 350 | | | \$0.00 | | | | | | | | | | | |
| 351 | | | \$0.00 | | | | | | | | | | | |
| 352 | | | \$0.00 | | | | | | | | | | | |
| 353 | \$62.35 | \$53.07 | \$115.43 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$738.98 | \$676.62 | \$- | \$738.98 | | |
| 354 | \$480.24 | \$396.09 | \$876.33 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$5,678.72 | \$5,198.48 | \$- | \$5,678.72 | | |
| 355 | | | \$0.00 | | | | | | | | | | | |
| 356 | | | \$0.00 | | | | | | | | | | | |
| 357 | | | \$0.00 | | | | | | | | | | | |
| 358 | | | \$0.00 | | | | | | | | | | | |
| 359 | | | \$0.00 | | | | | | | | | | | |
| 360 | | | \$0.00 | | | | | | | | | | | |
| 361 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$- | \$- | \$- | \$- | | |
| 362 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$- | \$- | \$- | \$- | | |
| 363 | | | \$0.00 | | | | | | | | | | | |
| 364 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$- | \$- | \$- | \$- | | |
| 365 | | | \$0.00 | | | | | | | | | | | |
| 366 | | | \$0.00 | | | | | | | | | | | |
| 367 | | | \$0.00 | | | | | | | | | | | |
| 368 | | | \$0.00 | | | | | | | | | | | |
| 369 | | | | | | | | | | | | | | |
| 370 | | | | | | | | | | | | | | |
| 371 | \$3,906,558 | \$862,195 | \$4,768,754 | \$14,218 | \$19,492 | \$3,547 | \$3,732 | \$40,989 | \$19,016,452 | \$16,887,356 | \$104,369 | \$19,057,441 | | |
| 372 | \$2,677,738 | \$617,401 | \$3,295,139 | \$10,922 | \$15,066 | \$2,710 | \$2,875 | \$31,573 | \$13,876,806 | \$12,314,116 | \$75,775 | \$13,908,379 | | |
| 373 | -\$1,228,820 | -\$244,794 | -\$1,473,614 | -\$3,296 | -\$4,427 | -\$837 | -\$857 | -\$9,416 | -\$5,139,646 | -\$4,573,240 | -\$28,594 | -\$5,149,062 | | |
| 374 | -31% | -28% | -31% | -23% | -23% | -24% | -23% | -23% | -27% | -27% | -27% | -27% | | |
| 375 | | | | | | | | | | | | | | |

| | DB | DD | DE | DF | DG | DH | DI | DJ | DK | DL | DM | DN | DO | DP |
|-----|----|----|----|----|----|----|----|----|--------------------------|------------------|----|----|----|----|
| 376 | | | | | | | | | Pre -2025 | \$ 17,662,381.08 | | | | |
| 377 | | | | | | | | | Post 2025 | \$ 12,494,429.07 | | | | |
| 378 | | | | | | | | | Pre -2026 | \$ 18,512,979.38 | | | | |
| 379 | | | | | | | | | Post -2026 | \$ 11,855,451.81 | | | | |
| 380 | | | | | | | | | | | | | | |
| 381 | | | | | | | | | Total - Term: Org | \$53,062,716.56 | | | | |
| 382 | | | | | | | | | Total - Term: Adj | \$36,663,997.35 | | | | |
| 383 | | | | | | | | | % Chg | 30.9% | | | | |

| General Information | | | Financials | | Operational Metrics | | Compliance | |
|---------------------|---------------|----------|------------|--------|---------------------|-----------|-------------|---------------|
| ID | Name | Status | Revenue | Profit | Units Sold | Inventory | Audit Score | Regulatory |
| 001 | John Doe | Active | 12000 | 3000 | 500 | 100 | 95 | Compliant |
| 002 | Jane Smith | Inactive | 8000 | 2000 | 300 | 50 | 80 | Non-Compliant |
| 003 | Bob Johnson | Active | 15000 | 4000 | 600 | 150 | 98 | Compliant |
| 004 | Alice Brown | Active | 9000 | 2500 | 400 | 80 | 90 | Compliant |
| 005 | Charlie White | Active | 11000 | 3500 | 450 | 90 | 92 | Compliant |
| 006 | Diana Green | Active | 13000 | 3800 | 550 | 120 | 96 | Compliant |
| 007 | Frank Black | Active | 10000 | 3200 | 480 | 110 | 94 | Compliant |
| 008 | Grace King | Active | 14000 | 4200 | 580 | 140 | 97 | Compliant |
| 009 | Henry Lee | Active | 12500 | 3600 | 520 | 130 | 95 | Compliant |
| 010 | Ivy Clark | Active | 11500 | 3400 | 490 | 105 | 93 | Compliant |
| 011 | Jack Hall | Active | 13500 | 4000 | 560 | 135 | 96 | Compliant |
| 012 | Karen Young | Active | 10500 | 3300 | 470 | 100 | 94 | Compliant |
| 013 | Liam Hill | Active | 14500 | 4300 | 590 | 145 | 97 | Compliant |
| 014 | Mia Scott | Active | 11800 | 3700 | 510 | 115 | 95 | Compliant |
| 015 | Noah Adams | Active | 12800 | 3900 | 540 | 125 | 96 | Compliant |
| 016 | Olivia Baker | Active | 10800 | 3400 | 480 | 105 | 94 | Compliant |
| 017 | Peter Carter | Active | 13800 | 4100 | 570 | 140 | 97 | Compliant |
| 018 | Quinn Evans | Active | 11200 | 3500 | 500 | 110 | 95 | Compliant |
| 019 | Rachel Fisher | Active | 12200 | 3700 | 530 | 120 | 96 | Compliant |
| 020 | Samuel Gray | Active | 10200 | 3200 | 460 | 95 | 93 | Compliant |
| 021 | Tina Harris | Active | 14200 | 4400 | 600 | 150 | 98 | Compliant |
| 022 | Uma Ivers | Active | 11700 | 3600 | 510 | 115 | 95 | Compliant |
| 023 | Victor Kelly | Active | 12700 | 3800 | 540 | 125 | 96 | Compliant |
| 024 | Wendy Lane | Active | 10700 | 3300 | 470 | 100 | 94 | Compliant |
| 025 | Xavier Long | Active | 13700 | 4000 | 560 | 135 | 97 | Compliant |
| 026 | Yara Moore | Active | 11400 | 3500 | 500 | 110 | 95 | Compliant |
| 027 | Zoe Parker | Active | 12400 | 3700 | 530 | 120 | 96 | Compliant |
| 028 | Adam Reed | Active | 10400 | 3200 | 460 | 95 | 93 | Compliant |
| 029 | Bella Ross | Active | 14400 | 4300 | 590 | 145 | 97 | Compliant |
| 030 | Caleb Scott | Active | 11900 | 3700 | 510 | 115 | 95 | Compliant |
| 031 | Dora Taylor | Active | 12900 | 3900 | 540 | 125 | 96 | Compliant |
| 032 | Ethan White | Active | 10900 | 3400 | 480 | 105 | 94 | Compliant |
| 033 | Fiona Young | Active | 13900 | 4100 | 570 | 140 | 97 | Compliant |
| 034 | Garrett King | Active | 11600 | 3600 | 510 | 115 | 95 | Compliant |
| 035 | Hannah Lee | Active | 12600 | 3800 | 540 | 125 | 96 | Compliant |
| 036 | Ian Clark | Active | 10600 | 3300 | 470 | 100 | 94 | Compliant |
| 037 | Jessica Hall | Active | 13600 | 4000 | 560 | 135 | 97 | Compliant |
| 038 | Kyle Young | Active | 11300 | 3500 | 500 | 110 | 95 | Compliant |
| 039 | Laura Fisher | Active | 12300 | 3700 | 530 | 120 | 96 | Compliant |
| 040 | Mason Gray | Active | 10300 | 3200 | 460 | 95 | 93 | Compliant |
| 041 | Nora Harris | Active | 14300 | 4400 | 600 | 150 | 98 | Compliant |
| 042 | Oliver Ivers | Active | 11800 | 3600 | 510 | 115 | 95 | Compliant |
| 043 | Priya Kelly | Active | 12800 | 3800 | 540 | 125 | 96 | Compliant |
| 044 | Quinn Lane | Active | 10800 | 3400 | 480 | 105 | 94 | Compliant |
| 045 | Ravi Long | Active | 13800 | 4100 | 570 | 140 | 97 | Compliant |
| 046 | Sarah Moore | Active | 11500 | 3500 | 500 | 110 | 95 | Compliant |
| 047 | Tyler Parker | Active | 12500 | 3700 | 530 | 120 | 96 | Compliant |
| 048 | Uma Reed | Active | 10500 | 3200 | 460 | 95 | 93 | Compliant |
| 049 | Victor Scott | Active | 14500 | 4300 | 590 | 145 | 97 | Compliant |
| 050 | Wendy Taylor | Active | 12000 | 3700 | 510 | 115 | 95 | Compliant |

| Distri butio n Admi Comp nistr any tor | Progr am | Year | Reporting Period | Sector | Program (Dropdown) | Subprogram (Dropdown) | Total Program Costs (nominal) | | | | | |
|---|-------------|------|---------------------|----------------------|---------------------------------------|--|---|------------------------|----------------------------|----------------------------|------------|--------------|
| | | | | | | | Program Planning & Administration | Customer Incentives | Implementation Services | Education and Marketing | EM&V | |
| Gas | Liberty | 2024 | Planned | B - Income Eligible | B1 - Home Energy Assistance | B1a - HEA (Weatherization) | \$ 77,547 | \$ 1,178,063 | \$ 73,854 | \$ 73,854 | \$ - | \$ 1,403,317 |
| Gas | Liberty | 2024 | Planned | B - Income Eligible | B1 - Home Energy Assistance | B1b - HEA (HVAC Systems) | \$ - | \$ 443,028 | \$ - | \$ - | \$ - | \$ 443,028 |
| Gas | Liberty | 2024 | Planned | B - Income Eligible | B2a - IE Education | B2a - IE Education | \$ 1,668 | \$ 20,131 | \$ 5,162 | \$ 12,746 | \$ - | \$ 39,706 |
| Gas | Liberty | 2024 | Planned | B - Income Eligible | B2b - IE Evaluation, Measurement and | B2b - IE Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ 99,266 | \$ 99,266 |
| Gas | Liberty | 2024 | Planned | B - Income Eligible | B3 - IE TBD Pilots/Demonstrations | B3a - IE TBD Pilots/Demonstrations 1 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | A - Residential | A1 - Energy Star Homes | A1a - ES Homes | \$ 33,146 | \$ 677,911 | \$ 46,562 | \$ 31,567 | \$ - | \$ 789,186 |
| Gas | Liberty | 2024 | Planned | A - Residential | A2 - Home Performance | A2a - Home Performance (Weatherization) | \$ 60,900 | \$ 1,099,565 | \$ 129,050 | \$ 87,000 | \$ - | \$ 1,376,515 |
| Gas | Liberty | 2024 | Planned | A - Residential | A2 - Home Performance | A2b - Home Performance (HVAC Systems) | \$ - | \$ 73,485 | \$ - | \$ - | \$ - | \$ 73,485 |
| Gas | Liberty | 2024 | Planned | A - Residential | A2 - Home Performance | A2c - Home Performance 3rd Party Financing (Loan buy-down) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | A - Residential | A3 - Energy Star Products | A3b - ES Appliances and Products | \$ 56,316 | \$ 1,054,578 | \$ 149,505 | \$ 80,451 | \$ - | \$ 1,340,849 |
| Gas | Liberty | 2024 | Planned | A - Residential | A3 - Energy Star Products | A3c - ES HVAC Systems | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | A - Residential | A4 - Residential Behavior | A4a - Residential Behavior | \$ 7,770 | \$ 153,735 | \$ 16,095 | \$ 7,400 | \$ - | \$ 185,000 |
| Gas | Liberty | 2024 | Planned | A - Residential | A5 - Residential Active Demand Respor | A5a - Residential Active Demand Response | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | A - Residential | A6a - Res Education | A6a - Res Education | \$ 3,066 | \$ 42,413 | \$ 2,920 | \$ 24,601 | \$ - | \$ 73,000 |
| Gas | Liberty | 2024 | Planned | A - Residential | A6b - Res Evaluation, Measurement and | A6b - Res Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ 202,002 | \$ 202,002 |
| Gas | Liberty | 2024 | Planned | A - Residential | A7 - Res TBD Pilots/Demonstrations | A7a - TBD Res Pilot/Demonstration 1 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | A - Residential | A7 - Res TBD Pilots/Demonstrations | A7b - TBD Res Pilot/Demonstration 2 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | C - Commercial & C1 | C1 - Large Business Energy Solutions | C1a - LCI Retrofit | \$ 72,842 | \$ 775,496 | \$ 321,860 | \$ 84,700 | \$ - | \$ 1,254,898 |
| Gas | Liberty | 2024 | Planned | C - Commercial & C1 | C1 - Large Business Energy Solutions | C1b - LCI New Equipment and Construction | \$ - | \$ 424,802 | \$ - | \$ - | \$ - | \$ 424,802 |
| Gas | Liberty | 2024 | Planned | C - Commercial & C1 | C1 - Large Business Energy Solutions | C1c - LCI Midstream | \$ - | \$ 14,300 | \$ - | \$ - | \$ - | \$ 14,300 |
| Gas | Liberty | 2024 | Planned | C - Commercial & C1 | C1 - Large Business Energy Solutions | C1d - LCI Direct Install | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | C - Commercial & C2 | C2 - Small Business Energy Solutions | C2a - SCI Retrofit | \$ 68,420 | \$ 405,704 | \$ 295,162 | \$ 79,559 | \$ - | \$ 848,845 |
| Gas | Liberty | 2024 | Planned | C - Commercial & C2 | C2 - Small Business Energy Solutions | C2b - SCI New Equipment and Construction | \$ - | \$ 697,491 | \$ - | \$ - | \$ - | \$ 697,491 |
| Gas | Liberty | 2024 | Planned | C - Commercial & C2 | C2 - Small Business Energy Solutions | C2c - SCI Midstream | \$ - | \$ 44,836 | \$ - | \$ - | \$ - | \$ 44,836 |
| Gas | Liberty | 2024 | Planned | C - Commercial & C2 | C2 - Small Business Energy Solutions | C2d - SCI Direct Install | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | C - Commercial & C3 | C3 - Municipal Energy Solutions | C3a - Muni Retrofit | \$ 15,540 | \$ 128,663 | \$ 68,450 | \$ 14,800 | \$ - | \$ 227,453 |
| Gas | Liberty | 2024 | Planned | C - Commercial & C3 | C3 - Municipal Energy Solutions | C3b - Muni New Equipment and Construction | \$ - | \$ 142,547 | \$ - | \$ - | \$ - | \$ 142,547 |
| Gas | Liberty | 2024 | Planned | C - Commercial & C3 | C3 - Municipal Energy Solutions | C3d - Muni Direct Install | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | C - Commercial & C5 | C&I Active Demand Response | C5a - C&I Active Demand Response | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | C - Commercial & C6a | C&I Education | C6a - C&I Education | \$ 2,142 | \$ 22,287 | \$ 2,805 | \$ 23,766 | \$ - | \$ 51,000 |
| Gas | Liberty | 2024 | Planned | C - Commercial & C6c | C&I Customer Partnerships | C6c - C&I Customer Partnerships | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | C - Commercial & C6d | Smart Start | C6d - Smart Start | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | C - Commercial & C6b | C&I Evaluation, Measurement and | C6b - C&I Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ 195,062 | \$ 195,062 |
| Gas | Liberty | 2024 | Planned | C - Commercial & C7 | C&I TBD Pilots/Demonstrations | C7a - TBD C&I Pilot/Demonstration 1 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2024 | Planned | C - Commercial & C7 | C&I TBD Pilots/Demonstrations | C7b - TBD C&I Pilot/Demonstration 2 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | B - Income Eligible | B1 - Home Energy Assistance | B1a - HEA (Weatherization) | \$ 82,989 | \$ 1,219,211 | \$ 75,445 | \$ 75,445 | \$ - | \$ 1,453,090 |
| Gas | Liberty | 2025 | Planned | B - Income Eligible | B1 - Home Energy Assistance | B1b - HEA (HVAC Systems) | \$ - | \$ 433,028 | \$ - | \$ - | \$ - | \$ 433,028 |
| Gas | Liberty | 2025 | Planned | B - Income Eligible | B2a - IE Education | B2a - IE Education | \$ 1,704 | \$ 20,646 | \$ 5,192 | \$ 13,020 | \$ - | \$ 40,562 |
| Gas | Liberty | 2025 | Planned | B - Income Eligible | B2b - IE Evaluation, Measurement and | B2b - IE Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ 101,404 | \$ 101,404 |
| Gas | Liberty | 2025 | Planned | B - Income Eligible | B3 - IE TBD Pilots/Demonstrations | B3a - IE TBD Pilots/Demonstrations 1 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | A - Residential | A1 - Energy Star Homes | A1a - ES Homes | \$ 32,035 | \$ 636,603 | \$ 46,563 | \$ 29,800 | \$ - | \$ 745,000 |
| Gas | Liberty | 2025 | Planned | A - Residential | A2 - Home Performance | A2a - Home Performance (Weatherization) | \$ 58,154 | \$ 1,040,057 | \$ 128,480 | \$ 60,859 | \$ - | \$ 1,287,551 |
| Gas | Liberty | 2025 | Planned | A - Residential | A2 - Home Performance | A2b - Home Performance (HVAC Systems) | \$ - | \$ 64,875 | \$ - | \$ - | \$ - | \$ 64,875 |
| Gas | Liberty | 2025 | Planned | A - Residential | A2 - Home Performance | A2c - Home Performance 3rd Party Financing (Loan buy-down) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | A - Residential | A3 - Energy Star Products | A3b - ES Appliances and Products | \$ 54,182 | \$ 978,419 | \$ 150,574 | \$ 76,862 | \$ - | \$ 1,260,037 |
| Gas | Liberty | 2025 | Planned | A - Residential | A3 - Energy Star Products | A3c - ES HVAC Systems | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | A - Residential | A4 - Residential Behavior | A4a - Residential Behavior | \$ 8,360 | \$ 157,510 | \$ 16,530 | \$ 7,600 | \$ - | \$ 190,000 |
| Gas | Liberty | 2025 | Planned | A - Residential | A5 - Residential Active Demand Respor | A5a - Residential Active Demand Response | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | A - Residential | A6a - Res Education | A6a - Res Education | \$ 3,080 | \$ 40,390 | \$ 3,990 | \$ 22,540 | \$ - | \$ 70,000 |
| Gas | Liberty | 2025 | Planned | A - Residential | A6b - Res Evaluation, Measurement and | A6b - Res Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ 190,393 | \$ 190,393 |
| Gas | Liberty | 2025 | Planned | A - Residential | A7 - Res TBD Pilots/Demonstrations | A7a - TBD Res Pilot/Demonstration 1 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | A - Residential | A7 - Res TBD Pilots/Demonstrations | A7b - TBD Res Pilot/Demonstration 2 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | C - Commercial & C1 | C1 - Large Business Energy Solutions | C1a - LCI Retrofit | \$ 83,520 | \$ 842,559 | \$ 355,911 | \$ 94,910 | \$ - | \$ 1,376,900 |
| Gas | Liberty | 2025 | Planned | C - Commercial & C1 | C1 - Large Business Energy Solutions | C1b - LCI New Equipment and Construction | \$ - | \$ 503,892 | \$ - | \$ - | \$ - | \$ 503,892 |
| Gas | Liberty | 2025 | Planned | C - Commercial & C1 | C1 - Large Business Energy Solutions | C1c - LCI Midstream | \$ - | \$ 17,400 | \$ - | \$ - | \$ - | \$ 17,400 |
| Gas | Liberty | 2025 | Planned | C - Commercial & C1 | C1 - Large Business Energy Solutions | C1d - LCI Direct Install | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | C - Commercial & C2 | C2 - Small Business Energy Solutions | C2a - SCI Retrofit | \$ 77,223 | \$ 489,528 | \$ 314,156 | \$ 87,753 | \$ - | \$ 968,660 |
| Gas | Liberty | 2025 | Planned | C - Commercial & C2 | C2 - Small Business Energy Solutions | C2b - SCI New Equipment and Construction | \$ - | \$ 739,465 | \$ - | \$ - | \$ - | \$ 739,465 |
| Gas | Liberty | 2025 | Planned | C - Commercial & C2 | C2 - Small Business Energy Solutions | C2c - SCI Midstream | \$ - | \$ 46,936 | \$ - | \$ - | \$ - | \$ 46,936 |
| Gas | Liberty | 2025 | Planned | C - Commercial & C2 | C2 - Small Business Energy Solutions | C2d - SCI Direct Install | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | C - Commercial & C3 | C3 - Municipal Energy Solutions | C3a - Muni Retrofit | \$ 16,720 | \$ 129,980 | \$ 73,340 | \$ 15,200 | \$ - | \$ 235,240 |
| Gas | Liberty | 2025 | Planned | C - Commercial & C3 | C3 - Municipal Energy Solutions | C3b - Muni New Equipment and Construction | \$ - | \$ 144,760 | \$ - | \$ - | \$ - | \$ 144,760 |
| Gas | Liberty | 2025 | Planned | C - Commercial & C3 | C3 - Municipal Energy Solutions | C3d - Muni Direct Install | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | C - Commercial & C5 | C&I Active Demand Response | C5a - C&I Active Demand Response | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | C - Commercial & C6a | C&I Education | C6a - C&I Education | \$ 2,408 | \$ 24,360 | \$ 3,640 | \$ 25,592 | \$ - | \$ 56,000 |
| Gas | Liberty | 2025 | Planned | C - Commercial & C6c | C&I Customer Partnerships | C6c - C&I Customer Partnerships | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | C - Commercial & C6d | Smart Start | C6d - Smart Start | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Gas | Liberty | 2025 | Planned | C - Commercial & C6b | C&I Evaluation, Measurement and | C6b - C&I Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ 215,224 | \$ 215,224 |
| Gas | Liberty | 2025 | Planned | C - Commercial & C7 | C&I TBD Pilots/Demonstrations | C7a - TBD C&I Pilot/Demonstration 1 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |

| Total Program Costs (2024\$) | Performance Incentive (nominal) | Performance Incentive (2024\$) | Participant Costs (nominal) | Participant Costs (2024\$) | Total Resource Costs (nominal) | Total Resource Costs (2024\$) | Participants | Winter Capacity (kW) | Summer Capacity (kW) | Net Annual Energy (MWh) | Adj Gross Annual Energy (MWh) | Net Lifetime Energy (MWh) | Adj Gross Lifetime Energy (MWh) | Net Annual Natural Gas (MMBTU) |
|------------------------------|---------------------------------|--------------------------------|-----------------------------|----------------------------|--------------------------------|-------------------------------|--------------|----------------------|----------------------|-------------------------|-------------------------------|---------------------------|---------------------------------|--------------------------------|
| \$ 1,403,317 | \$ - | \$ - | \$ - | \$ - | \$ 1,403,317 | \$ 1,403,317 | | 1.36 | 2.28 | 8.65 | 8.65 | 216.27 | 216.27 | 8,951.48 |
| \$ 443,028 | \$ - | \$ - | \$ - | \$ - | \$ 443,028 | \$ 443,028 | | 1.53 | 1.22 | 7.38 | 7.38 | 116.16 | 116.16 | 1,478.19 |
| \$ 39,706 | \$ - | \$ - | \$ - | \$ - | \$ 39,706 | \$ 39,706 | | - | - | - | - | - | - | - |
| \$ 99,266 | \$ - | \$ - | \$ - | \$ - | \$ 99,266 | \$ 99,266 | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 789,186 | \$ - | \$ - | \$ 260,080 | \$ 260,080 | \$ 1,049,266 | \$ 1,049,266 | | - | - | - | - | - | - | 5,849.64 |
| \$ 1,376,515 | \$ - | \$ - | \$ 327,982 | \$ 327,982 | \$ 1,704,497 | \$ 1,704,497 | | - | - | - | - | - | - | 7,912.62 |
| \$ 73,485 | \$ - | \$ - | \$ - | \$ - | \$ 73,485 | \$ 73,485 | | 3.06 | 3.97 | 17.47 | 17.47 | 276.43 | 276.43 | 1,605.95 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 1,340,849 | \$ - | \$ - | \$ 1,589,099 | \$ 1,589,099 | \$ 2,929,948 | \$ 2,929,948 | | 10.31 | 0.11 | 30.85 | 30.85 | 507.86 | 507.86 | 26,570.76 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 185,000 | \$ - | \$ - | \$ - | \$ - | \$ 185,000 | \$ 185,000 | | - | - | - | - | - | - | 20,044.35 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 73,000 | \$ - | \$ - | \$ - | \$ - | \$ 73,000 | \$ 73,000 | | - | - | - | - | - | - | - |
| \$ 202,002 | \$ - | \$ - | \$ - | \$ - | \$ 202,002 | \$ 202,002 | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 1,254,898 | \$ - | \$ - | \$ 616,938 | \$ 616,938 | \$ 1,871,836 | \$ 1,871,836 | | - | - | - | - | - | - | 24,182.45 |
| \$ 424,802 | \$ - | \$ - | \$ 255,138 | \$ 255,138 | \$ 679,940 | \$ 679,940 | | - | - | - | - | - | - | 8,329.10 |
| \$ 14,300 | \$ - | \$ - | \$ 5,140 | \$ 5,140 | \$ 19,440 | \$ 19,440 | | - | - | - | - | - | - | 656.19 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 848,845 | \$ - | \$ - | \$ 258,820 | \$ 258,820 | \$ 1,107,665 | \$ 1,107,665 | | - | - | - | - | - | - | 5,019.14 |
| \$ 697,491 | \$ - | \$ - | \$ 313,208 | \$ 313,208 | \$ 1,010,699 | \$ 1,010,699 | | 1.42 | - | 4.87 | 4.87 | 87.70 | 87.70 | 7,721.31 |
| \$ 44,836 | \$ - | \$ - | \$ 24,999 | \$ 24,999 | \$ 69,835 | \$ 69,835 | | - | - | - | - | - | - | 1,780.65 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 227,453 | \$ - | \$ - | \$ 82,877 | \$ 82,877 | \$ 310,330 | \$ 310,330 | | - | - | - | - | - | - | 2,613.48 |
| \$ 142,547 | \$ - | \$ - | \$ 55,378 | \$ 55,378 | \$ 197,925 | \$ 197,925 | | 0.15 | - | 0.50 | 0.50 | 9.07 | 9.07 | 2,181.02 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 51,000 | \$ - | \$ - | \$ - | \$ - | \$ 51,000 | \$ 51,000 | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 195,062 | \$ - | \$ - | \$ - | \$ - | \$ 195,062 | \$ 195,062 | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 1,339,253 | \$ - | \$ - | \$ - | \$ - | \$ 1,453,090 | \$ 1,339,253 | | 1.41 | 2.36 | 8.95 | 8.95 | 223.83 | 223.83 | 9,261.51 |
| \$ 399,104 | \$ - | \$ - | \$ - | \$ - | \$ 433,028 | \$ 399,104 | | 1.49 | 1.22 | 7.24 | 7.24 | 113.84 | 113.84 | 1,459.99 |
| \$ 37,384 | \$ - | \$ - | \$ - | \$ - | \$ 40,562 | \$ 37,384 | | - | - | - | - | - | - | - |
| \$ 93,460 | \$ - | \$ - | \$ - | \$ - | \$ 101,404 | \$ 93,460 | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 686,636 | \$ - | \$ - | \$ 241,955 | \$ 223,000 | \$ 986,955 | \$ 909,636 | | - | - | - | - | - | - | 5,456.84 |
| \$ 1,186,683 | \$ - | \$ - | \$ 308,027 | \$ 283,896 | \$ 1,595,578 | \$ 1,470,579 | | - | - | - | - | - | - | 7,195.81 |
| \$ 59,793 | \$ - | \$ - | \$ - | \$ - | \$ 64,875 | \$ 59,793 | | 2.09 | 2.47 | 11.50 | 11.50 | 185.45 | 185.45 | 895.31 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 1,161,325 | \$ - | \$ - | \$ 1,461,542 | \$ 1,347,043 | \$ 2,721,579 | \$ 2,508,368 | | 9.38 | 0.05 | 27.71 | 27.71 | 455.31 | 455.31 | 24,979.97 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 175,115 | \$ - | \$ - | \$ - | \$ - | \$ 190,000 | \$ 175,115 | | - | - | - | - | - | - | 20,044.35 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 64,516 | \$ - | \$ - | \$ - | \$ - | \$ 70,000 | \$ 64,516 | | - | - | - | - | - | - | - |
| \$ 175,477 | \$ - | \$ - | \$ - | \$ - | \$ 190,393 | \$ 175,477 | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 1,269,033 | \$ - | \$ - | \$ 672,552 | \$ 619,864 | \$ 2,049,453 | \$ 1,888,897 | | - | - | - | - | - | - | 26,195.60 |
| \$ 464,417 | \$ - | \$ - | \$ 316,021 | \$ 291,264 | \$ 819,913 | \$ 755,680 | | - | - | - | - | - | - | 10,401.00 |
| \$ 16,037 | \$ - | \$ - | \$ 6,060 | \$ 5,585 | \$ 23,460 | \$ 21,622 | | - | - | - | - | - | - | 842.45 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 892,774 | \$ - | \$ - | \$ 333,029 | \$ 306,939 | \$ 1,301,689 | \$ 1,199,713 | | - | - | - | - | - | - | 6,076.60 |
| \$ 681,535 | \$ - | \$ - | \$ 326,085 | \$ 300,540 | \$ 1,065,551 | \$ 982,074 | | 1.47 | - | 5.04 | 5.04 | 90.72 | 90.72 | 7,903.27 |
| \$ 43,259 | \$ - | \$ - | \$ 25,766 | \$ 23,748 | \$ 72,702 | \$ 67,007 | | - | - | - | - | - | - | 1,815.34 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 216,811 | \$ - | \$ - | \$ 80,711 | \$ 74,388 | \$ 315,951 | \$ 291,199 | | - | - | - | - | - | - | 2,565.38 |
| \$ 133,419 | \$ - | \$ - | \$ 55,378 | \$ 51,040 | \$ 200,138 | \$ 184,459 | | 0.15 | - | 0.50 | 0.50 | 9.07 | 9.07 | 2,181.02 |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 51,613 | \$ - | \$ - | \$ - | \$ - | \$ 56,000 | \$ 51,613 | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |
| \$ 198,363 | \$ - | \$ - | \$ - | \$ - | \$ 215,224 | \$ 198,363 | | - | - | - | - | - | - | - |
| \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | - | - | - | - | - | - | - |

| | | | | | | | | | | | | | | | | | | | | |
|-----|---------|------|---------|--|--|--|----|--------|----|-----------|----|---------|----|--------|----|----|----|---------|----|-----------|
| Gas | Liberty | 2025 | Planned | C - Commercial & C7 - C&I TBD Pilots/Demonstrations | C7b - TBD C&I Pilot/Demonstration 2 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | |
| Gas | Liberty | 2026 | Planned | B - Income Eligibl | B1 - Home Energy Assistance | B1a - HEA (Weatherization) | \$ | 89,459 | \$ | 1,232,654 | \$ | 81,680 | \$ | 77,790 | \$ | - | \$ | - | \$ | 1,481,584 |
| Gas | Liberty | 2026 | Planned | B - Income Eligibl | B1 - Home Energy Assistance | B1b - HEA (HVAC Systems) | \$ | - | \$ | 463,178 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 463,178 |
| Gas | Liberty | 2026 | Planned | B - Income Eligibl | B2a - IE Education | B2a - IE Education | \$ | 1,846 | \$ | 23,168 | \$ | 5,979 | \$ | 12,969 | \$ | - | \$ | - | \$ | 43,961 |
| Gas | Liberty | 2026 | Planned | B - Income Eligibl | B2b - IE Evaluation, Measurement and | B2b - IE Evaluation, Measurement and Verification | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 104,670 | \$ | 104,670 |
| Gas | Liberty | 2026 | Planned | B - Income Eligibl | B3 - IE TBD Pilots/Demonstrations | B3a - IE TBD Pilots/Demonstrations 1 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | A - Residential | A1 - Energy Star Homes | A1a - ES Homes | \$ | 34,695 | \$ | 655,350 | \$ | 50,115 | \$ | 30,840 | \$ | - | \$ | - | \$ | 771,000 |
| Gas | Liberty | 2026 | Planned | A - Residential | A2 - Home Performance | A2a - Home Performance (Weatherization) | \$ | 62,868 | \$ | 1,075,824 | \$ | 134,816 | \$ | 58,676 | \$ | - | \$ | - | \$ | 1,332,185 |
| Gas | Liberty | 2026 | Planned | A - Residential | A2 - Home Performance | A2b - Home Performance (HVAC Systems) | \$ | - | \$ | 64,875 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 64,875 |
| Gas | Liberty | 2026 | Planned | A - Residential | A2 - Home Performance | A2c - Home Performance 3rd Party Financing (Loan buy-down) | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | A - Residential | A3 - Energy Star Products | A3b - ES Appliances and Products | \$ | 58,640 | \$ | 1,024,241 | \$ | 155,070 | \$ | 65,155 | \$ | - | \$ | - | \$ | 1,303,105 |
| Gas | Liberty | 2026 | Planned | A - Residential | A3 - Energy Star Products | A3c - ES HVAC Systems | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | A - Residential | A4 - Residential Behavior | A4a - Residential Behavior | \$ | 8,775 | \$ | 161,070 | \$ | 17,355 | \$ | 7,800 | \$ | - | \$ | - | \$ | 195,000 |
| Gas | Liberty | 2026 | Planned | A - Residential | A5 - Residential Active Demand Respor | A5a - Residential Active Demand Response | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | A - Residential | A6a - Res Education | A6a - Res Education | \$ | 3,330 | \$ | 42,402 | \$ | 3,922 | \$ | 24,346 | \$ | - | \$ | - | \$ | 74,000 |
| Gas | Liberty | 2026 | Planned | A - Residential | A6b - Res Evaluation, Measurement an | A6b - Res Evaluation, Measurement and Verification | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 196,851 | \$ | 196,851 |
| Gas | Liberty | 2026 | Planned | A - Residential | A7 - Res TBD Pilots/Demonstrations | A7a - TBD Res Pilot/Demonstration 1 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | A - Residential | A7 - Res TBD Pilots/Demonstrations | A7b - TBD Res Pilot/Demonstration 2 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | C - Commercial & C1 - Large Business Energy Solutions | C1a - LCI Retrofit | C1a - LCI Retrofit | \$ | 89,240 | \$ | 849,473 | \$ | 383,150 | \$ | 97,000 | \$ | - | \$ | - | \$ | 1,418,863 |
| Gas | Liberty | 2026 | Planned | C - Commercial & C1 - Large Business Energy Solutions | C1b - LCI New Equipment and Construction | C1b - LCI New Equipment and Construction | \$ | - | \$ | 508,037 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 508,037 |
| Gas | Liberty | 2026 | Planned | C - Commercial & C1 - Large Business Energy Solutions | C1c - LCI Midstream | C1c - LCI Midstream | \$ | - | \$ | 13,100 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 13,100 |
| Gas | Liberty | 2026 | Planned | C - Commercial & C1 - Large Business Energy Solutions | C1d - LCI Direct Install | C1d - LCI Direct Install | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | C - Commercial & C2 - Small Business Energy Solutions | C2a - SCI Retrofit | C2a - SCI Retrofit | \$ | 83,983 | \$ | 481,651 | \$ | 338,673 | \$ | 91,286 | \$ | - | \$ | - | \$ | 995,593 |
| Gas | Liberty | 2026 | Planned | C - Commercial & C2 - Small Business Energy Solutions | C2b - SCI New Equipment and Construction | C2b - SCI New Equipment and Construction | \$ | - | \$ | 784,499 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 784,499 |
| Gas | Liberty | 2026 | Planned | C - Commercial & C2 - Small Business Energy Solutions | C2c - SCI Midstream | C2c - SCI Midstream | \$ | - | \$ | 45,636 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 45,636 |
| Gas | Liberty | 2026 | Planned | C - Commercial & C2 - Small Business Energy Solutions | C2d - SCI Direct Install | C2d - SCI Direct Install | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | C - Commercial & C3 - Municipal Energy Solutions | C3a - Muni Retrofit | C3a - Muni Retrofit | \$ | 17,550 | \$ | 127,747 | \$ | 79,560 | \$ | 15,600 | \$ | - | \$ | - | \$ | 240,457 |
| Gas | Liberty | 2026 | Planned | C - Commercial & C3 - Municipal Energy Solutions | C3b - Muni New Equipment and Construction | C3b - Muni New Equipment and Construction | \$ | - | \$ | 149,543 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 149,543 |
| Gas | Liberty | 2026 | Planned | C - Commercial & C3 - Municipal Energy Solutions | C3d - Muni Direct Install | C3d - Muni Direct Install | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | C - Commercial & C5 - C&I Active Demand Response | C5a - C&I Active Demand Response | C5a - C&I Active Demand Response | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | C - Commercial & C6a - C&I Education | C6a - C&I Education | C6a - C&I Education | \$ | 2,655 | \$ | 25,783 | \$ | 3,127 | \$ | 27,435 | \$ | - | \$ | - | \$ | 59,000 |
| Gas | Liberty | 2026 | Planned | C - Commercial & C6c - C&I Customer Partnerships | C6c - C&I Customer Partnerships | C6c - C&I Customer Partnerships | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | C - Commercial & C6d - Smart Start | C6d - Smart Start | C6d - Smart Start | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | C - Commercial & C6b - C&I Evaluation, Measurement and | C6b - C&I Evaluation, Measurement and Verification | C6b - C&I Evaluation, Measurement and Verification | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 221,828 | \$ | 221,828 |
| Gas | Liberty | 2026 | Planned | C - Commercial & C7 - C&I TBD Pilots/Demonstrations | C7a - TBD C&I Pilot/Demonstration 1 | C7a - TBD C&I Pilot/Demonstration 1 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |
| Gas | Liberty | 2026 | Planned | C - Commercial & C7 - C&I TBD Pilots/Demonstrations | C7b - TBD C&I Pilot/Demonstration 2 | C7b - TBD C&I Pilot/Demonstration 2 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - |

| | | | | | |
|--|--|--|--|---------------------------|--|
| | | | | First Reference (column) | |
| | | | | First Reference (name) | |
| | | | | | |
| | | | | Second Reference (column) | |
| | | | | Second Reference (name) | |
| | | | | | |
| | | | | Third Reference (column) | |
| | | | | Third Reference (name) | |
| | | | | Notes | |

| | | | | | | | | | | | | | | | | | | | |
|----|-----------|----|---|----|---|----|-----------|----|-----------|----|-----------|---|------|------|-------|-------|--------|--------|-----------|
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - | - | - |
| \$ | 1,258,539 | \$ | - | \$ | - | \$ | - | \$ | 1,481,584 | \$ | 1,258,539 | | 1.42 | 2.38 | 9.04 | 9.04 | 225.90 | 225.90 | 9,346.28 |
| \$ | 393,449 | \$ | - | \$ | - | \$ | - | \$ | 463,178 | \$ | 393,449 | | 1.57 | 1.23 | 7.54 | 7.54 | 118.85 | 118.85 | 1,527.39 |
| \$ | 37,343 | \$ | - | \$ | - | \$ | - | \$ | 43,961 | \$ | 37,343 | | - | - | - | - | - | - | - |
| \$ | 88,912 | \$ | - | \$ | - | \$ | - | \$ | 104,670 | \$ | 88,912 | | - | - | - | - | - | - | - |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | 654,930 | \$ | - | \$ | - | \$ | 248,405 | \$ | 211,009 | \$ | 1,019,405 | | - | - | - | - | - | - | 5,607.93 |
| \$ | 1,131,631 | \$ | - | \$ | - | \$ | 317,279 | \$ | 269,515 | \$ | 1,649,464 | | - | - | - | - | - | - | 7,411.96 |
| \$ | 55,108 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 64,875 | | 2.09 | 2.47 | 11.50 | 11.50 | 185.45 | 185.45 | 895.31 |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | 1,106,929 | \$ | - | \$ | - | \$ | 1,535,223 | \$ | 1,304,103 | \$ | 2,838,328 | | 9.85 | 0.07 | 29.16 | 29.16 | 479.38 | 479.38 | 26,031.33 |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | 165,644 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 195,000 | | - | - | - | - | - | - | 20,044.35 |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | 62,860 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 74,000 | | - | - | - | - | - | - | - |
| \$ | 167,216 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 196,851 | | - | - | - | - | - | - | - |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | 1,205,261 | \$ | - | \$ | - | \$ | 667,705 | \$ | 567,186 | \$ | 2,086,568 | | - | - | - | - | - | - | 25,953.88 |
| \$ | 431,555 | \$ | - | \$ | - | \$ | 310,833 | \$ | 264,039 | \$ | 818,870 | | - | - | - | - | - | - | 10,309.60 |
| \$ | 11,128 | \$ | - | \$ | - | \$ | 4,769 | \$ | 4,051 | \$ | 17,869 | | - | - | - | - | - | - | 645.61 |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | 845,712 | \$ | - | \$ | - | \$ | 320,687 | \$ | 272,409 | \$ | 1,316,280 | | - | - | - | - | - | - | 5,925.96 |
| \$ | 666,396 | \$ | - | \$ | - | \$ | 335,187 | \$ | 284,726 | \$ | 1,119,685 | | 1.42 | - | 4.87 | 4.87 | 87.70 | 87.70 | 8,588.24 |
| \$ | 38,766 | \$ | - | \$ | - | \$ | 24,199 | \$ | 20,556 | \$ | 69,835 | | - | - | - | - | - | - | 1,839.63 |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | 204,257 | \$ | - | \$ | - | \$ | 75,891 | \$ | 64,466 | \$ | 316,348 | | - | - | - | - | - | - | 2,455.03 |
| \$ | 127,030 | \$ | - | \$ | - | \$ | 58,527 | \$ | 49,716 | \$ | 208,070 | | 0.20 | - | 0.67 | 0.67 | 12.10 | 12.10 | 2,212.82 |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | 50,118 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 59,000 | | - | - | - | - | - | - | - |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | 188,433 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | 221,828 | | - | - | - | - | - | - | - |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | | - | - | - | - | - | - | - |

| K:K Customer Cost (Total) | X:X Annual Net Winter kW | Z:Z Annual Net Summer kW | P:P Net Annual MWh Savings | M:M Adjusted Gross Annual MWh Savings | Q:Q Net Lifetime MWh Savings | O:O Adjusted Gross Lifetime MWh Savings | AC:AC Net Annual Gas Savings (MMBTU) |
|---------------------------------|--------------------------------|--------------------------------|----------------------------------|--|------------------------------------|--|--|
|---------------------------------|--------------------------------|--------------------------------|----------------------------------|--|------------------------------------|--|--|

Watch the 'First Reference' if adding columns in Calculations sheets

| | | | | | | | | | | | | | | |
|-----------|----------|----------|-----------|----------|-----------|----------|---|--------|---|----------|---|----------|----------|--------------|
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| 2,533.45 | 1,504.50 | 1,332.22 | 7,732.91 | 542.49 | \$ 8,275 | 2,181.39 | - | 281.38 | - | 2,369.18 | - | 2,816.12 | \$ 7,648 | 932,063.77 |
| 2,264.00 | 552.46 | 497.35 | 5,312.29 | 489.84 | \$ 5,802 | 822.44 | - | 145.57 | - | 929.07 | - | 1,104.33 | \$ 3,001 | 132,864.07 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| 3,060.07 | 1,135.45 | 1,009.55 | 7,952.90 | 719.38 | \$ 8,672 | 1,711.37 | - | 291.83 | - | 1,911.87 | - | 2,272.53 | \$ 6,188 | 73,099.88 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| 13,579.59 | (422.50) | (336.16) | 23,528.36 | 2,157.74 | \$ 25,686 | (2.55) | - | 8.46 | - | 14.62 | - | 17.37 | \$ 38 | 2,104,773.38 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | 158,795.64 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | 1,562,698.60 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | 761,290.37 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | 36,604.66 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| 2,188.12 | - | - | 4,074.76 | 355.55 | \$ 4,430 | - | - | - | - | - | - | - | \$ - | 331,153.31 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | 678,998.29 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | 96,663.55 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| 301.81 | - | - | 562.04 | 49.04 | \$ 611 | - | - | - | - | - | - | - | \$ - | 132,069.65 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | 185,843.60 |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |
| - | - | - | - | - | \$ - | - | - | - | - | - | - | - | \$ - | - |

| BE:BE Winter Off-Peak Energy Benefits (\$) | BF:BF Summer Peak Energy Benefits (\$) | BG:BG Summer Off-Peak Energy Benefits (\$) | BH:BH Total Avoided Energy Benefits (\$) | BN:BN Total Energy DRIPE Benefits (\$) | BP:BP Summer Generation Benefits (\$) | BQ:BQ Winter Generation (\$) | BR:BR Electric Capacity DRIPE (\$) | BS:BS Reliability (\$) | BT:BT PTF Benefits (\$) | BU:BU Transmission Benefits (\$) | BV:BV Distribution Benefits (\$) | CF:CF Total Avoided Gas Benefits (\$) |
|---|---|---|---|---|--|------------------------------------|--|---------------------------|----------------------------|--|--|---|
|---|---|---|---|---|--|------------------------------------|--|---------------------------|----------------------------|--|--|---|

| | | | | | | | | | | | | | | | | | | |
|------------|----|-----------|---|---|---|---|---|---|---|------------|----|---------|----|-----------|------------|-----------|--------|---|
| - | \$ | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - | - |
| 50,615.26 | \$ | 982,679 | - | - | - | - | - | - | - | 32,174.28 | \$ | 32,174 | \$ | 1,030,777 | 77,705.24 | 1,177,251 | 9,731 | - |
| 8,235.92 | \$ | 141,100 | - | - | - | - | - | - | - | - | \$ | - | \$ | 149,904 | 10,032.24 | 10,032 | 6,813 | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| 28,403.79 | \$ | 593,692 | - | - | - | - | - | - | - | - | \$ | - | \$ | 593,692 | 49,651.97 | 198,075 | - | - |
| 39,678.66 | \$ | 761,480 | - | - | - | - | - | - | - | 18,295.70 | \$ | 18,296 | \$ | 779,775 | 59,969.18 | 250,339 | - | - |
| 4,913.33 | \$ | 78,013 | - | - | - | - | - | - | - | - | \$ | - | \$ | 92,873 | 5,314.38 | 28,533 | 10,469 | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| 130,397.76 | \$ | 2,235,171 | - | - | - | - | - | - | - | - | \$ | - | \$ | 2,260,895 | 166,103.42 | 731,327 | 27,041 | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| 12,353.91 | \$ | 171,150 | - | - | - | - | - | - | - | - | \$ | - | \$ | 171,150 | 8,626.16 | 51,414 | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| 136,315.97 | \$ | 1,699,015 | - | - | - | - | - | - | - | - | \$ | - | \$ | 1,699,015 | 110,904.76 | 280,806 | - | - |
| 56,566.31 | \$ | 817,857 | - | - | - | - | - | - | - | - | \$ | - | \$ | 817,857 | 56,525.96 | 138,312 | - | - |
| 1,581.89 | \$ | 38,187 | - | - | - | - | - | - | - | 33,497.74 | \$ | 33,498 | \$ | 71,684 | 3,650.15 | 7,469 | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| 16,360.51 | \$ | 347,514 | - | - | - | - | - | - | - | 281,865.06 | \$ | 281,865 | \$ | 629,379 | 31,659.26 | 66,411 | - | - |
| 43,106.70 | \$ | 722,105 | - | - | - | - | - | - | - | 310,127.19 | \$ | 310,127 | \$ | 1,036,662 | 55,762.21 | 128,416 | 4,697 | - |
| 4,505.34 | \$ | 101,169 | - | - | - | - | - | - | - | 236,333.45 | \$ | 236,333 | \$ | 337,502 | 9,436.09 | 19,553 | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| 8,343.50 | \$ | 140,413 | - | - | - | - | - | - | - | 28,499.25 | \$ | 28,499 | \$ | 168,912 | 11,828.77 | 25,870 | - | - |
| 11,378.07 | \$ | 197,222 | - | - | - | - | - | - | - | 45,302.51 | \$ | 45,303 | \$ | 243,135 | 15,523.80 | 35,307 | 648 | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |
| - | \$ | - | - | - | - | - | - | - | - | - | \$ | - | \$ | - | - | - | - | - |

| CO:CO | CQ:CQ | CT:CT | CU:CU | CV:CV | CW:CW | CX:CX | CY:CY | DC:DC | DE:DE | DJ:DJ |
|-----------------|-----------------------------------|-----------|----------|---------|-----------|-------------|--------------------|--|--------------------------------|---|
| Total Gas DRIPE | Fuel Oil - Residential Distillate | Oil DRIPE | Kerosene | Propane | Cord Wood | Pellet Wood | Res Water | Fossil Emissions (oil, gas, propane, kerosene) | Total Non-Resource Benefits | Total Avoided Environmental Benefits (\$) |
| | CR:CR Fuel Oil - Com Fuel | | | | | | CZ:CZ C&I Water | DD:DD Fossil Emissions Based on RGGI | | |
| | CS:CS Fuel Oil - Industrial | | | | | | | | | |
| | Res + C&I | | | | | | Res + C&I | Gas not included | Not Included in total benefits | |

| | | | | | | | | | | | | | | | | | | | | | | |
|----|-----------|----|-----------|----|--------|----|-----------|----|-------|----|---------|----|---|----|---|----|---|----|---|----|---|---------------------|
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 2! |
| \$ | 2,208,028 | \$ | 2,208,028 | \$ | 15,923 | \$ | 2,217,759 | \$ | 824 | \$ | 50,615 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 1! |
| \$ | 159,936 | \$ | 159,936 | \$ | 8,804 | \$ | 166,748 | \$ | 635 | \$ | 8,236 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 791,766 | \$ | 643,344 | \$ | - | \$ | 791,766 | \$ | - | \$ | 28,404 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 1,030,115 | \$ | 839,745 | \$ | - | \$ | 1,030,115 | \$ | - | \$ | 39,679 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 121,406 | \$ | 98,187 | \$ | 14,860 | \$ | 131,875 | \$ | 1,011 | \$ | 4,913 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 2,992,222 | \$ | 2,426,999 | \$ | 25,724 | \$ | 3,019,263 | \$ | 2,166 | \$ | 130,398 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 222,563 | \$ | 179,776 | \$ | - | \$ | 222,563 | \$ | - | \$ | 12,354 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 1,979,821 | \$ | 1,809,919 | \$ | - | \$ | 1,979,821 | \$ | - | \$ | 136,316 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 956,168 | \$ | 874,383 | \$ | - | \$ | 956,168 | \$ | - | \$ | 56,566 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 79,153 | \$ | 75,334 | \$ | - | \$ | 79,153 | \$ | - | \$ | 1,582 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 695,790 | \$ | 661,038 | \$ | - | \$ | 695,790 | \$ | - | \$ | 16,361 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 1,165,078 | \$ | 1,092,425 | \$ | 4,430 | \$ | 1,169,775 | \$ | 356 | \$ | 43,107 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 357,055 | \$ | 346,938 | \$ | - | \$ | 357,055 | \$ | - | \$ | 4,505 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 194,782 | \$ | 180,741 | \$ | - | \$ | 194,782 | \$ | - | \$ | 8,344 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | 278,442 | \$ | 258,659 | \$ | 611 | \$ | 279,090 | \$ | 49 | \$ | 11,378 | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |
| \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | \$ | - | 'Calculations Yr 3! |

Water not included

| Distribution Company | Program Administrator | Year | Reporting Period | Sector | Program (Dropdown) | Subprogram (Dropdown) | Implementation | | | | | Total Program Costs |
|----------------------|-----------------------|------|------------------|---------|---------------------------|---|----------------|----------------|-------------------|----------|-----------|---------------------|
| | | | | | | | Internal Admin | External Admin | Rebate / Services | Services | Marketing | |
| Electric | Eversource | Enen | 2024 | Planned | A - Residential | A5 - Residential Active Demand Response | | | | | | |
| Electric | Eversource | Enen | 2024 | Planned | B - Low-Income | Home Energy Assistance | | | | | | |
| Electric | Eversource | Enen | 2024 | Planned | C - Commercial & Industri | C5 - C&I Active Demand Response | | | | | | |
| Electric | Eversource | Enen | 2025 | Planned | A - Residential | A5 - Residential Active Demand Response | | | | | | |
| Electric | Eversource | Enen | 2025 | Planned | B - Low-Income | Home Energy Assistance | | | | | | |
| Electric | Eversource | Enen | 2025 | Planned | C - Commercial & Industri | C5 - C&I Active Demand Response | | | | | | |
| Electric | Eversource | Enen | 2026 | Planned | A - Residential | A5 - Residential Active Demand Response | | | | | | |
| Electric | Eversource | Enen | 2026 | Planned | B - Low-Income | Home Energy Assistance | | | | | | |
| Electric | Eversource | Enen | 2026 | Planned | C - Commercial & Industri | C5 - C&I Active Demand Response | | | | | | |

| |
|---------------------------|
| First Reference (column) |
| First Reference (name) |
| Second Reference (column) |
| Second Reference (name) |
| Third Reference (column) |
| Third Reference (name) |
| Notes |

| Adj Gross Annual Natural Gas (MMBTU) | Net Annual Natural Gas (Therms) | Adj Gross Annual Natural Gas (Therms) | Net Lifetime Natural Gas (Therms) | Adj Gross Lifetime Natural Gas (Therms) | Net Annual Oil (MMBTU) | Adj Gross Annual Oil (MMBTU) | Net Lifetime Oil (MMBTU) | Adj Gross Lifetime Oil (MMBTU) | Net Annual Propane (MMBTU) | Adj Gross Annual Propane (MMBTU) | Lifetime Propane (MMBTU) | Adj Gross Lifetime Propane (MMBTU) | Net Annual Kerosene (MMBTU) | Adj Gross Annual Kerosene (MMBTU) |
|--------------------------------------|---------------------------------|---------------------------------------|-----------------------------------|---|------------------------|------------------------------|--------------------------|--------------------------------|----------------------------|----------------------------------|--------------------------|------------------------------------|-----------------------------|-----------------------------------|
|--------------------------------------|---------------------------------|---------------------------------------|-----------------------------------|---|------------------------|------------------------------|--------------------------|--------------------------------|----------------------------|----------------------------------|--------------------------|------------------------------------|-----------------------------|-----------------------------------|

| | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

| | | | | | | | | | | | | |
|--|---|--|---|---|---|---|---|---|---|---|--|--|
| AA:AA Adj. Gross Annual Gas Savings (MMBTU) | AD:AD Net Lifetime Gas Savings (MMBTU) | AB:AB Adj. Gross Lifetime Gas Savings (MMBTU) | AG:AG Net Annual Oil Savings (MMBTU) | AE:AE Adj Gross Annual Oil Savings (MMBTU) | AH:AH Net Lifetime Oil Savings (MMBTU) | AF:AF Adj Gross Lifetime Oil Savings (MMBTU) | AK:AK Net Annual Propane Savings (MMBTU) | AI:AI Adj Gross Annual Propane Savings (MMBTU) | AL:AL Lifetime Propane Savings (MMBTU) | AJ:AJ Adj Gross Lifetime Propane Savings (MMBTU) | AO:AO Net Annual Kerosene Savings (MMBTU) | AM:AM Adj Gross Annual Kerosene Savings (MMBTU) |
|--|---|--|---|---|---|---|---|---|---|---|--|--|

Multiplied by 10 Multiplied by 10

| Net Lifetime Kerosene (MMBTU) | Adj Gross Lifetime Kerosene (MMBTU) | Net Annual Cord Wood (MMBTU) | Adj Gross Annual Cord Wood (MMBTU) | Net Lifetime Cord Wood (MMBTU) | Adj Gross Lifetime Cord Wood (MMBTU) | Net Annual Wood Pellet (MMBTU) | Adj Gross Annual Wood Pellet (MMBTU) | Net Lifetime Wood Pellet (MMBTU) | Adj Gross Lifetime Wood Pellet (MMBTU) | Total Net Annual MMBTU | Total Net Lifetime MMBTU | Annual Water (Gallons) | Lifetime Water (Gallons) | Winter Peak Energy Benefits (\$) |
|-------------------------------------|--|---------------------------------|--|-----------------------------------|--|-----------------------------------|--|--|--|---------------------------|-----------------------------|---------------------------|-----------------------------|--|
|-------------------------------------|--|---------------------------------|--|-----------------------------------|--|-----------------------------------|--|--|--|---------------------------|-----------------------------|---------------------------|-----------------------------|--|



| AP:AP Net Lifetime Kerosene Savings (MMBTU) | AN:AN Adj Gross Lifetime Kerosene Savings (MMBTU) | AS:AS Net Annual Cord Wood Savings (MMBTU) | AQ:AQ Adj Gross Annual Cord Wood Savings (MMBTU) | AT:AT Net Lifetime Cord Wood Savings (MMBTU) | AR:AR Adj Gross Lifetime Cord Wood Savings (MMBTU) | AW:AW Net Annual Wood Pellet Savings (MMBTU) | AU:AU Adj Gross Annual Wood Pellet Savings (MMBTU) | AX:AX Net Lifetime Wood Pellet Savings (MMBTU) | AV:AV Adj Gross Lifetime Wood Pellet Savings (MMBTU) | AY:AY Total Net Annual MMBTU | AZ:AZ Total Net Lifetime MMBTU | BA:BA Net Annual Res Water Savings Gallons | BC:BC Net Lifetime Water Savings Gallons | BD:BD Winter Peak Energy Benefits (\$) |
|--|--|---|---|---|---|---|---|---|---|------------------------------------|--------------------------------------|---|--|---|
|--|--|---|---|---|---|---|---|---|---|------------------------------------|--------------------------------------|---|--|---|

BB:BB
Net Annual C&I
Water Savings
Gallons

Res + C&I

| Winter Off-Peak Energy Benefits (\$) | Summer Peak Energy Benefits (\$) | Summer Off-Peak Energy Benefits (\$) | Energy Benefits | DRIPE Energy Benefits | Total Energy Benefits | Summer Capacity Benefits | Winter Capacity Benefits | DRIPE Capacity Benefits | Reliability Benefits | Pooled Transmission Facilities (PTF) Benefits | Transmission Capacity Benefits | Distribution Capacity Benefits | Total Capacity Benefits | Natural Gas Benefits |
|---|---|---|---|---|-----------------------|--|---------------------------------|---------------------------------------|---------------------------|---|-------------------------------------|-------------------------------------|-------------------------|--|
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| BE:BE Winter Off-Peak Energy Benefits (\$) | BF:BF Summer Peak Energy Benefits (\$) | BG:BG Summer Off-Peak Energy Benefits (\$) | BH:BH Total Avoided Energy Benefits (\$) | BN:BN Total Energy DRIPE Benefits (\$) | | BP:BP Summer Generation Benefits (\$) | BQ:BQ Winter Generation (\$) | BR:BR Electric Capacity DRIPE (\$) | BS:BS Reliability (\$) | BT:BT PTF Benefits (\$) | BU:BU Transmission Benefits (\$) | BV:BV Distribution Benefits (\$) | | CF:CF Total Avoided Gas Benefits (\$) |

| Natural Gas DRIPE Benefits | Total Gas Benefits | Oil Benefits | Oil DRIPE Benefits | Kerosene Benefits | Propane Benefits | Cord Wood Benefits | Wood Pellet Benefits | Water Benefits | Total Other Resource Benefits | Total Resource Benefits | Fossil Emissions | Total Non Energy Impacts | Total Avoided Environmental Benefits |
|-------------------------------|-----------------------|--------------|-----------------------|----------------------|------------------|-----------------------|-------------------------|----------------|-------------------------------------|----------------------------|------------------|-----------------------------|--|
|-------------------------------|-----------------------|--------------|-----------------------|----------------------|------------------|-----------------------|-------------------------|----------------|-------------------------------------|----------------------------|------------------|-----------------------------|--|



| | | | | | | | | | | | | | |
|--------------------------|--|--------------------|-------------------|------------------|--------------------|----------------------|--------------------|------------------|--|--|---|---|---|
| CO:CO Total Gas DRIPE | CQ:CQ Fuel Oil - Residential Distillate | CT:CT Oil DRIPE | CU:CU Kerosene | CV:CV Propane | CW:CW Cord Wood | CX:CX Pellet Wood | CY:CY Res Water | | | | DC:DC Fossil Emissions (oil, gas, propane, kerosene) | DE:DE Total Non- Resource Benefits | DJ:DJ Total Avoided Environmental Benefits |
| | CR:CR Fuel Oil - Com Fuel | | | | | | CZ:CZ C&I Water | | | | DD:DD Fossil Emissions Based on RGGI | | |
| | CS:CS Fuel Oil - Industrial | | | | | | | | | | | | |
| | Res + C&I | | | | | | Res + C&I | Gas not included | | | Not Included in total benefits | | |

| Total Benefits (Legacy NH TRC) | Total Benefits (Granite State Test) | Total Benefits (Utility Cost Test) | Total Benefits (Secondary GST) | Total Electric DRIPE | Total Gas DRIPE | Other fuels benefit (all except gas) | Key |
|-----------------------------------|---|---------------------------------------|-----------------------------------|-------------------------|-----------------|--|-----|
|-----------------------------------|---|---------------------------------------|-----------------------------------|-------------------------|-----------------|--|-----|

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | 'CalcsYr1! 'CalcsYr1! 'CalcsYr1! |
| | | | | | | | 'CalcsYr2! 'CalcsYr2! 'CalcsYr2! |
| | | | | | | | 'CalcsYr3! 'CalcsYr3! 'CalcsYr3! |

Water not included

| | | | | | |
|--------------|--------------------------------------|--------------------|------------------|-----------|-----------------|
| 2026 | Adjusted Gross Annual MMBtu | | | | |
| | | Oil | NG | LP | Kerosene |
| | B - Low-Income | - | - | - | - |
| | A - Residential | - | 59,990.9 | - | - |
| | C1 - Large Business Energy Solutions | - | 36,909.1 | - | - |
| | C2 - Small Business Energy Solutions | - | 16,353.8 | - | - |
| | C3 - Municipal Energy Solutions | - | 4,667.8 | - | - |
| | Total | - | 117,921.6 | - | - |
| | Adjusted Gross Lifetime MMBtu | | | | |
| | | Oil | NG | LP | Kerosene |
| | B - Low-Income | - | - | - | - |
| | A - Residential | - | 747,356.3 | - | - |
| | C1 - Large Business Energy Solutions | - | 426,266.9 | - | - |
| | C2 - Small Business Energy Solutions | - | 247,713.5 | - | - |
| | C3 - Municipal Energy Solutions | - | 70,111.1 | - | - |
| Total | - | 1,491,447.7 | - | - | |

| Wood |
|------|
| - |
| - |
| - |
| - |
| - |
| - |
| - |
| Wood |
| - |
| - |
| - |
| - |
| - |
| - |

Program Cost-Effectiveness - 2024 PLAN

| | Benefit/Cost Ratios | | Benefits (\$000) ⁴ | | Utility Costs (\$000 - 2024\$) ² | Customer Costs (\$000 - 2024\$) ² | Annual Net MWh Savings | Lifetime Net MWh Savings | Winter kW Savings | Summer kW Savings | Number of Customers Served | Annual Net MMBtu Savings | Lifetime Net MMBtu Savings |
|--|-----------------------|--------------------------------|-------------------------------|--------------------------------|--|---|---------------------------|-----------------------------|----------------------|----------------------|----------------------------------|--------------------------------|----------------------------------|
| | Granite State Test | Total Resource Cost Test | Granite State Test | Total Resource Cost Test | | | | | | | | | |
| Income Eligible Programs | | | | | | | | | | | | | |
| B1 - Home Energy Assistance | 1.34 | 1.34 | 2,467.1 | 2,467.1 | 1,846.3 | - | 16.0 | 332.4 | 2.9 | 3.5 | 190 | 10,429.7 | 221,938.8 |
| B2a - IE Education | - | - | - | - | 39.7 | - | - | - | - | - | - | - | - |
| B2b - IE Evaluation, Measurement and Verification | - | - | - | - | 99.3 | - | - | - | - | - | - | - | - |
| Sub-Total Income Eligible | 1.24 | 1.24 | 2,467.1 | 2,467.1 | 1,985.3 | - | 16.0 | 332.4 | 2.9 | 3.5 | 190 | 10,429.7 | 221,938.8 |
| Residential Programs | | | | | | | | | | | | | |
| A1 - Energy Star Homes | 0.97 | 0.90 | 762.1 | 941.2 | 789.2 | 260.1 | - | - | - | - | 236 | 5,849.6 | 137,973.8 |
| A2 - Home Performance | 0.82 | 0.82 | 1,188.7 | 1,464.1 | 1,450.0 | 328.0 | 17.5 | 276.4 | 3.1 | 4.0 | 178 | 9,518.6 | 190,811.7 |
| A3 - Energy Star Products | 2.09 | 1.18 | 2,807.3 | 3,468.2 | 1,340.8 | 1,589.1 | 30.8 | 507.9 | 10.3 | 0.1 | 3,840 | 26,570.8 | 432,782.9 |
| A4 - Residential Behavior | 1.04 | 1.29 | 192.7 | 238.8 | 185.0 | - | - | - | - | - | 22,043 | 20,044.4 | 20,044.4 |
| A6a - Res Education | - | - | - | - | 73.0 | - | - | - | - | - | - | - | - |
| A6b - Res Evaluation, Measurement and Verification | - | - | - | - | 202.0 | - | - | - | - | - | - | - | - |
| Sub-Total Residential | 1.23 | 0.98 | 4,950.8 | 6,112.2 | 4,040.0 | 2,177.2 | 48.3 | 784.3 | 13.4 | 4.1 | 26,297 | 61,983.3 | 781,612.8 |
| Commercial, Industrial & Municipal | | | | | | | | | | | | | |
| C1 - Large Business Energy Solutions | 1.56 | 1.12 | 2,643.3 | 2,890.4 | 1,694.0 | 877.2 | - | - | - | - | 310 | 33,167.7 | 377,706.8 |
| C2 - Small Business Energy Solutions | 1.13 | 0.87 | 1,791.9 | 1,907.7 | 1,591.2 | 597.0 | 4.9 | 87.7 | 1.4 | - | 1,410 | 14,521.1 | 217,325.3 |
| C3 - Municipal Energy Solutions | 1.25 | 0.98 | 461.0 | 499.5 | 370.0 | 138.3 | 0.5 | 9.1 | 0.1 | - | 256 | 4,794.5 | 71,798.4 |
| C6a - C&I Education | - | - | - | - | 51.0 | - | - | - | - | - | - | - | - |
| C6b - C&I Evaluation, Measurement and Verification | - | - | - | - | 195.1 | - | - | - | - | - | - | - | - |
| Sub-Total Commercial & Industrial | 1.26 | 0.96 | 4,896.2 | 5,297.5 | 3,901.2 | 1,612.5 | 5.4 | 96.8 | 1.6 | - | 1,975 | 52,483.3 | 666,830.5 |
| Total | 1.24 | 1.01 | 12,314.1 | 13,876.8 | 9,926.6 | 3,789.7 | 69.7 | 1,213.5 | 17.8 | 7.6 | 28,463 | 124,896.3 | 1,670,382.1 |

Notes:

(1) The Granite State Test is used as the primary cost test, as approved in Order No. 36,322, and includes an annual NEI adder of \$405.71 per weatherization project in the Home Energy Assistance program. For the illustrative Total Resource Cost Test, NEI adders of 25% for Residential and 10% for C&I are applied to total benefits excluding water.

(2) Utility and Customer Costs and Benefits are expressed in 2024 Dollars.

(3) Per past precedent, discount and inflation rates have been updated for the year in which measures will be installed, and were updated as of June 1, 2023 for program year 2024.

(4) AESC 2021 was used to model benefits for Year 1 (2024) and AESC 2024 was used to model benefits for Years 2 and 3 (2025 and 2026).

| | |
|--|-------|
| Annual Net Savings as a % of 2022 Sales | 0.79% |
|--|-------|

| | | |
|------------------------------|-------------|-----------|
| Spending per Customer | Low-Income | \$ 369.29 |
| | Residential | \$ 45.40 |
| | C&I | \$ 266.88 |

Program Cost-Effectiveness - 2025 Plan

| | Benefit/Cost Ratios | | Benefits (\$000) ⁴ | | Utility Costs (\$000 - 2024\$) ² | Customer Costs (\$000 - 2024\$) ² | Annual Net MWh Savings | Lifetime Net MWh Savings | Winter kW Savings | Summer kW Savings | Number of Customers Served | Annual Net MMBtu Savings | Lifetime Net MMBtu Savings |
|--|-----------------------|--------------------------------|-------------------------------|--------------------------------|--|---|---------------------------|-----------------------------|----------------------|----------------------|----------------------------------|--------------------------------|----------------------------------|
| | Granite State Test | Total Resource Cost Test | Granite State Test | Total Resource Cost Test | | | | | | | | | |
| Income Eligible Programs | | | | | | | | | | | | | |
| B1 - Home Energy Assistance | 1.43 | 1.43 | 2,488.3 | 2,488.3 | 1,738.4 | - | 16.2 | 337.7 | 2.9 | 3.6 | 197 | 10,721.5 | 228,509.6 |
| B2a - IE Education | - | - | - | - | 37.4 | - | - | - | - | - | - | - | - |
| B2b - IE Evaluation, Measurement and Verification | - | - | - | - | 93.5 | - | - | - | - | - | - | - | - |
| Sub-Total Income Eligible | 1.33 | 1.33 | 2,488.3 | 2,488.3 | 1,869.2 | - | 16.2 | 337.7 | 2.9 | 3.6 | 197 | 10,721.5 | 228,509.6 |
| Residential Programs | | | | | | | | | | | | | |
| A1 - Energy Star Homes | 0.97 | 0.90 | 667.4 | 822.0 | 686.6 | 223.0 | - | - | - | - | 220 | 5,456.8 | 128,725.2 |
| A2 - Home Performance | 0.78 | 0.78 | 974.3 | 1,197.1 | 1,246.5 | 283.9 | 11.5 | 185.5 | 2.1 | 2.5 | 167 | 8,091.1 | 167,096.5 |
| A3 - Energy Star Products | 2.14 | 1.22 | 2,487.9 | 3,069.6 | 1,161.3 | 1,347.0 | 27.7 | 455.3 | 9.4 | 0.1 | 3,627 | 24,980.0 | 406,002.6 |
| A4 - Residential Behavior | 1.23 | 1.53 | 215.6 | 267.3 | 175.1 | - | - | - | - | - | 22,043 | 20,044.4 | 20,044.4 |
| A6a - Res Education | - | - | - | - | 64.5 | - | - | - | - | - | - | - | - |
| A6b - Res Evaluation, Measurement and Verification | - | - | - | - | 175.5 | - | - | - | - | - | - | - | - |
| Sub-Total Residential | 1.24 | 1.00 | 4,345.2 | 5,356.0 | 3,509.5 | 1,853.9 | 39.2 | 640.8 | 11.5 | 2.5 | 26,057 | 58,572.3 | 721,868.6 |
| Commercial, Industrial & Municipal | | | | | | | | | | | | | |
| C1 - Large Business Energy Solutions | 1.72 | 1.23 | 3,007.1 | 3,285.8 | 1,749.5 | 916.7 | - | - | - | - | 330 | 37,439.0 | 433,111.2 |
| C2 - Small Business Energy Solutions | 1.35 | 1.02 | 2,180.3 | 2,301.5 | 1,617.6 | 631.2 | 5.0 | 90.7 | 1.5 | - | 1,448 | 15,795.2 | 238,596.7 |
| C3 - Municipal Energy Solutions | 1.35 | 1.07 | 473.6 | 510.3 | 350.2 | 125.4 | 0.5 | 9.1 | 0.1 | - | 256 | 4,746.4 | 71,055.0 |
| C6a - C&I Education | - | - | - | - | 51.6 | - | - | - | - | - | - | - | - |
| C6b - C&I Evaluation, Measurement and Verification | - | - | - | - | 198.4 | - | - | - | - | - | - | - | - |
| Sub-Total Commercial & Industrial | 1.43 | 1.08 | 5,660.9 | 6,097.5 | 3,967.3 | 1,673.4 | 5.5 | 99.8 | 1.6 | - | 2,034 | 57,980.7 | 742,762.9 |
| Total | 1.34 | 1.08 | 12,494.4 | 13,941.8 | 9,346.0 | 3,527.3 | 60.9 | 1,078.2 | 16.0 | 6.1 | 28,287 | 127,274.4 | 1,693,141.1 |

Notes:

- (1) The Granite State Test is used as the primary cost test, as approved in Order No. 36,322, and includes an annual NEI adder of \$405.71 per weatherization project in the Home Energy Assistance program. For the illustrative Total Resource Cost Test, NEI adders of 25% for Residential and 10% for C&I are applied to total benefits excluding water.
- (2) Utility and Customer Costs and Benefits are expressed in 2024 Dollars.
- (3) Per past precedent, discount and inflation rates have been updated for the year in which measures will be installed, and were updated as of June 1, 2023 for program year 2025.
- (4) AESC 2021 was used to model benefits for Year 1 (2024) and AESC 2024 was used to model benefits for Years 2 and 3 (2025 and 2026).

| | |
|--|-------|
| Annual Net Savings as a % of 2022 Sales | 0.81% |
|--|-------|

| | | |
|------------------------------|-------------|-----------|
| Spending per Customer | Low-Income | \$ 347.69 |
| | Residential | \$ 39.43 |
| | C&I | \$ 271.40 |

Program Cost-Effectiveness - 2026 Plan

| | Benefit/Cost Ratios | | Benefits (\$000) ⁴ | | Utility Costs (\$000 - 2024\$) ² | Customer Costs (\$000 - 2024\$) ² | Annual Net MWh Savings | Lifetime Net MWh Savings | Winter kW Savings | Summer kW Savings | Number of Customers Served | Annual Net MMBtu Savings | Lifetime Net MMBtu Savings |
|--|-----------------------|--------------------------------|-------------------------------|--------------------------------|--|---|---------------------------|-----------------------------|----------------------|----------------------|----------------------------------|--------------------------------|----------------------------------|
| | Granite State Test | Total Resource Cost Test | Granite State Test | Total Resource Cost Test | | | | | | | | | |
| Income Eligible Programs | | | | | | | | | | | | | |
| B1 - Home Energy Assistance | 1.43 | 1.43 | 2,368.0 | 2,368.0 | 1,652.0 | - | 16.6 | 344.7 | 3.0 | 3.6 | 199 | 10,873.7 | 231,590.9 |
| B2a - IE Education | - | - | - | - | 37.3 | - | - | - | - | - | - | - | - |
| B2b - IE Evaluation, Measurement and Verification | - | - | - | - | 88.9 | - | - | - | - | - | - | - | - |
| Sub-Total Income Eligible | 1.33 | 1.33 | 2,368.0 | 2,368.0 | 1,778.2 | - | 16.6 | 344.7 | 3.0 | 3.6 | 199 | 10,873.7 | 231,590.9 |
| Residential Programs | | | | | | | | | | | | | |
| A1 - Energy Star Homes | 0.98 | 0.91 | 643.3 | 791.8 | 654.9 | 211.0 | - | - | - | - | 226 | 5,607.9 | 132,295.3 |
| A2 - Home Performance | 0.79 | 0.79 | 937.9 | 1,151.5 | 1,186.7 | 269.5 | 11.5 | 185.5 | 2.1 | 2.5 | 172 | 8,307.3 | 171,712.3 |
| A3 - Energy Star Products | 2.19 | 1.24 | 2,427.0 | 2,992.2 | 1,106.9 | 1,304.1 | 29.2 | 479.4 | 9.8 | 0.1 | 3,782 | 26,031.3 | 423,304.4 |
| A4 - Residential Behavior | 1.09 | 1.34 | 179.8 | 222.6 | 165.6 | - | - | - | - | - | 22,043 | 20,044.4 | 20,044.4 |
| A6a - Res Education | - | - | - | - | 62.9 | - | - | - | - | - | - | - | - |
| A6b - Res Evaluation, Measurement and Verification | - | - | - | - | 167.2 | - | - | - | - | - | - | - | - |
| Sub-Total Residential | 1.25 | 1.01 | 4,188.0 | 5,158.1 | 3,344.3 | 1,784.6 | 40.7 | 664.8 | 11.9 | 2.5 | 26,222 | 59,990.9 | 747,356.3 |
| Commercial, Industrial & Municipal | | | | | | | | | | | | | |
| C1 - Large Business Energy Solutions | 1.67 | 1.21 | 2,759.6 | 3,015.1 | 1,647.9 | 835.3 | - | - | - | - | 318 | 36,909.1 | 426,266.9 |
| C2 - Small Business Energy Solutions | 1.35 | 1.04 | 2,100.4 | 2,217.9 | 1,550.9 | 577.7 | 4.9 | 87.7 | 1.4 | - | 1,440 | 16,353.8 | 247,713.5 |
| C3 - Municipal Energy Solutions | 1.33 | 1.06 | 439.4 | 473.2 | 331.3 | 114.2 | 0.7 | 12.1 | 0.2 | - | 258 | 4,667.8 | 70,111.1 |
| C6a - C&I Education | - | - | - | - | 50.1 | - | - | - | - | - | - | - | - |
| C6b - C&I Evaluation, Measurement and Verification | - | - | - | - | 188.4 | - | - | - | - | - | - | - | - |
| Sub-Total Commercial & Industrial | 1.41 | 1.08 | 5,299.4 | 5,706.3 | 3,768.7 | 1,527.1 | 5.5 | 99.8 | 1.6 | - | 2,016 | 57,930.8 | 744,091.4 |
| Total | 1.33 | 1.08 | 11,855.5 | 13,232.3 | 8,891.2 | 3,311.8 | 62.8 | 1,109.4 | 16.5 | 6.1 | 28,436 | 128,795.3 | 1,723,038.6 |

Notes:

- (1) The Granite State Test is used as the primary cost test, as approved in Order No. 36,322, and includes an annual NEI adder of \$405.71 per weatherization project in the Home Energy Assistance program. For the illustrative Total Resource Cost Test, NEI adders of 25% for Residential and 10% for C&I are applied to total benefits excluding water.
- (2) Utility and Customer Costs and Benefits are expressed in 2024 Dollars.
- (3) Per past precedent, discount and inflation rates have been updated for the year in which measures will be installed, and were updated as of June 1, 2023 for program year 2026.
- (4) AESC 2021 was used to model benefits for Year 1 (2024) and AESC 2024 was used to model benefits for Years 2 and 3 (2025 and 2026).

| | |
|--|-------|
| Annual Net Savings as a % of 2022 Sales | 0.82% |
|--|-------|

| | | |
|------------------------------|-------------|-----------|
| Spending per Customer | Low-Income | \$ 330.77 |
| | Residential | \$ 37.58 |
| | C&I | \$ 257.81 |

Program Cost-Effectiveness - 2024-2026 PLAN

| | Benefit/Cost Ratios | | Benefits (\$000) ⁴ | | Utility Costs (\$000 - 2024\$) ² | Customer Costs (\$000 - 2024\$) ² | Annual Net MWh Savings | Lifetime Net MWh Savings | Winter kW Savings | Summer kW Savings | Number of Customers Served | Annual Net MMBtu Savings | Lifetime Net MMBtu Savings |
|--|-----------------------|--------------------------------|-------------------------------|--------------------------------|--|---|---------------------------|-----------------------------|----------------------|----------------------|----------------------------------|--------------------------------|----------------------------------|
| | Granite State Test | Total Resource Cost Test | Granite State Test | Total Resource Cost Test | | | | | | | | | |
| Income Eligible Programs | | | | | | | | | | | | | |
| B1 - Home Energy Assistance | 1.40 | 1.40 | 7,323.4 | 7,323.4 | 5,236.7 | - | 48.8 | 1,014.9 | 8.8 | 10.7 | 585 | 32,024.8 | 682,039.3 |
| B2a - IE Education | - | - | - | - | 114.4 | - | - | - | - | - | - | - | - |
| B2b - IE Evaluation, Measurement and Verification | - | - | - | - | 281.6 | - | - | - | - | - | - | - | - |
| Sub-Total Income Eligible | 1.30 | 1.30 | 7,323.4 | 7,323.4 | 5,632.8 | - | 48.8 | 1,014.9 | 8.8 | 10.7 | 585 | 32,024.8 | 682,039.3 |
| Residential Programs | | | | | | | | | | | | | |
| A1 - Energy Star Homes | 0.97 | 0.90 | 2,072.9 | 2,555.0 | 2,130.8 | 694.1 | - | - | - | - | 682 | 16,914.4 | 398,994.2 |
| A2 - Home Performance | 0.80 | 0.80 | 3,100.9 | 3,812.7 | 3,883.2 | 881.4 | 40.5 | 647.3 | 7.2 | 8.9 | 516 | 25,917.0 | 529,620.5 |
| A3 - Energy Star Products | 2.14 | 1.21 | 7,722.2 | 9,530.0 | 3,609.1 | 4,240.2 | 87.7 | 1,442.6 | 29.5 | 0.2 | 11,249 | 77,582.1 | 1,262,089.9 |
| A4 - Residential Behavior | 1.12 | 1.39 | 588.0 | 728.6 | 525.8 | - | - | - | - | - | 66,129 | 60,133.1 | 60,133.1 |
| A6a - Res Education | - | - | - | - | 200.4 | - | - | - | - | - | - | - | - |
| A6b - Res Evaluation, Measurement and Verification | - | - | - | - | 544.7 | - | - | - | - | - | - | - | - |
| Sub-Total Residential | 1.24 | 1.00 | 13,484.1 | 16,626.3 | 10,893.9 | 5,815.7 | 128.2 | 2,089.9 | 36.8 | 9.1 | 78,576 | 180,546.5 | 2,250,837.6 |
| Commercial, Industrial & Municipal | | | | | | | | | | | | | |
| C1 - Large Business Energy Solutions | 1.65 | 1.19 | 8,410.0 | 9,191.3 | 5,091.4 | 2,629.2 | - | - | - | - | 958 | 107,515.9 | 1,237,084.9 |
| C2 - Small Business Energy Solutions | 1.28 | 0.98 | 6,072.6 | 6,427.0 | 4,759.6 | 1,805.9 | 14.8 | 266.1 | 4.3 | - | 4,297 | 46,670.1 | 703,635.5 |
| C3 - Municipal Energy Solutions | 1.31 | 1.04 | 1,374.0 | 1,483.0 | 1,051.5 | 377.9 | 1.7 | 30.2 | 0.5 | - | 770 | 14,208.7 | 212,964.5 |
| C6a - C&I Education | - | - | - | - | 152.7 | - | - | - | - | - | - | - | - |
| C6b - C&I Evaluation, Measurement and Verification | - | - | - | - | 581.9 | - | - | - | - | - | - | - | - |
| Sub-Total Commercial & Industrial | 1.36 | 1.04 | 15,856.5 | 17,101.3 | 11,637.1 | 4,813.0 | 16.5 | 296.4 | 4.8 | - | 6,025 | 168,394.8 | 2,153,684.8 |
| Total | 1.30 | 1.06 | 36,664.0 | 41,051.0 | 28,163.8 | 10,628.7 | 193.4 | 3,401.1 | 50.4 | 19.8 | 85,186 | 380,966.1 | 5,086,561.8 |

Notes:

(1) The Granite State Test is used as the primary cost test, as approved in Order No. 36,322, and includes an annual NEI adder of \$405.71 per weatherization project in the Home Energy Assistance program. For the illustrative Total Resource Cost Test, NEI adders of 25% for Residential and 10% for C&I are applied to total benefits excluding water.

(2) Utility and Customer Costs and Benefits are expressed in 2024 Dollars.

(3) Per past precedent, discount and inflation rates have been updated for the year in which measures will be installed, and were updated as of June 1, 2023.

(4) AESC 2021 was used to model benefits for Year 1 (2024) and AESC 2024 was used to model benefits for Years 2 and 3 (2025 and 2026).

| | |
|--|-------|
| Annual Net Savings as a % of 2022 Sales | 2.41% |
|--|-------|

| | | |
|------------------------------|-------------|-------------|
| Spending per Customer | Low-Income | \$ 1,047.76 |
| | Residential | \$ 122.41 |
| | C&I | \$ 796.08 |

Present Value Benefits - 2024 PLAN

| | Total Benefits (\$000) ^{1,4} | | Resource Benefits (\$000) | | | | | | | | | | | | | | Non-Resource Benefits (\$000) | | | Environmental Benefits (\$000) ³ | | | | | | |
|--|---------------------------------------|------------------|---------------------------|--------------------------|-------------------|-------------------|--------------|--------------|--------------|-------------|-----------------|-------------|-----------------|-----------------|------------------------|------------------|-------------------------------|------------------|--|---|-----------------------------|---------------|--|--|--|--|
| | | | CAPACITY | | | | | | | Electric | | | | Non-Electric | | | Total Resource Benefits | Fossil Emissions | Other Non-Resource Benefits ² | | Total Non-Resource Benefits | | | | | |
| | | | Granite State Test | Total Resource Cost Test | Summer Generation | Winter Generation | Transmission | Distribution | Reliability | Winter Peak | Winter Off Peak | Summer Peak | Summer Off Peak | Electric DRIPE | Total Electric Benefit | Other Fuels | | | | | | Water Benefit | | | | |
| Income Eligible Programs | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B1 - Home Energy Assistance | \$ 2,467 | \$ 2,467 | \$ 1 | \$ - | \$ 4 | \$ 4 | \$ - | \$ 4 | \$ 5 | \$ 2 | \$ 2 | \$ 1 | \$ 23 | \$ 1,233 | \$ 21 | \$ 1,276 | \$ 76 | \$ 1,115 | \$ 1,191 | \$ 8 | | | | | | |
| B2a - IE Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | | | | |
| B2b - IE Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | | | | |
| Sub-Total Income Eligible | \$ 2,467 | \$ 2,467 | \$ 1 | \$ - | \$ 4 | \$ 4 | \$ - | \$ 4 | \$ 5 | \$ 2 | \$ 2 | \$ 1 | \$ 23 | \$ 1,233 | \$ 21 | \$ 1,276 | \$ 76 | \$ 1,115 | \$ 1,191 | \$ 8 | | | | | | |
| Residential Programs | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A1 - Energy Star Homes | \$ 762 | \$ 941 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 716 | \$ - | \$ 716 | \$ 46 | \$ 179 | \$ 225 | \$ - | | | | | | |
| A2 - Home Performance | \$ 1,189 | \$ 1,464 | \$ 1 | \$ - | \$ 4 | \$ 4 | \$ - | \$ 4 | \$ 4 | \$ 2 | \$ 2 | \$ 1 | \$ 22 | \$ 1,080 | \$ 21 | \$ 1,122 | \$ 66 | \$ 275 | \$ 342 | \$ 8 | | | | | | |
| A3 - Energy Star Products | \$ 2,807 | \$ 3,468 | \$ 0 | \$ - | \$ 0 | \$ 0 | \$ - | \$ 11 | \$ 14 | \$ (0) | \$ (0) | \$ 2 | \$ 27 | \$ 2,617 | \$ - | \$ 2,643 | \$ 164 | \$ 661 | \$ 825 | \$ 14 | | | | | | |
| A4 - Residential Behavior | \$ 193 | \$ 239 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 184 | \$ - | \$ 184 | \$ 8 | \$ 46 | \$ 55 | \$ - | | | | | | |
| A6a - Res Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | | | | | |
| A6b - Res Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | | | | | |
| Sub-Total Residential | \$ 4,951 | \$ 6,112 | \$ 1 | \$ - | \$ 4 | \$ 4 | \$ - | \$ 15 | \$ 19 | \$ 2 | \$ 1 | \$ 3 | \$ 48 | \$ 4,597 | \$ 21 | \$ 4,666 | \$ 285 | \$ 1,161 | \$ 1,446 | \$ 22 | | | | | | |
| Commercial/Industrial Programs | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C1 - Large Business Energy Solutions | \$ 2,643 | \$ 2,890 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 2,471 | \$ 23 | \$ 2,494 | \$ 149 | \$ 247 | \$ 397 | \$ - | | | | | | |
| C2 - Small Business Energy Solutions | \$ 1,792 | \$ 1,908 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 2 | \$ 2 | \$ - | \$ - | \$ 0 | \$ 4 | \$ 1,153 | \$ 554 | \$ 1,711 | \$ 81 | \$ 116 | \$ 197 | \$ 2 | | | | | | |
| C3 - Municipal Energy Solutions | \$ 461 | \$ 499 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 0 | \$ 0 | \$ - | \$ - | \$ 0 | \$ 0 | \$ 384 | \$ 50 | \$ 434 | \$ 27 | \$ 38 | \$ 65 | \$ 0 | | | | | | |
| C6a - C&I Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | | | | | |
| C6b - C&I Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | | | | | |
| Sub-Total Commercial & Industrial | \$ 4,896 | \$ 5,298 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 2 | \$ 2 | \$ - | \$ - | \$ 0 | \$ 5 | \$ 4,008 | \$ 626 | \$ 4,639 | \$ 257 | \$ 401 | \$ 658 | \$ 2 | | | | | | |
| Total | \$ 12,314 | \$ 13,877 | \$ 2 | \$ - | \$ 8 | \$ 8 | \$ - | \$ 21 | \$ 26 | \$ 4 | \$ 3 | \$ 4 | \$ 76 | \$ 9,838 | \$ 668 | \$ 10,582 | \$ 617 | \$ 2,678 | \$ 3,295 | \$ 32 | | | | | | |

(1) The Granite State Test is used as the primary cost test, as approved in Order No. 36,322. Benefits are calculated based on net savings.
 (2) Non-resource benefits include NEIs, which are only applied to the Home Energy Assistance program in the GST primary cost test.
 (3) Non-embedded environmental benefits are not included in the GST primary cost test.
 (4) AESC 2021 was used to model benefits for Year 1 (2024) and AESC 2024 was used to model benefits for Years 2 and 3 (2025 and 2026).

Present Value Benefits - 2025 PLAN

| | Total Benefits (\$000) ^{1,4} | | Resource Benefits (\$000) | | | | | | | | | | | Non-Resource Benefits (\$000) | | | Environmental Benefits (\$000) ³ | | | | | | |
|--|---------------------------------------|------------------|---------------------------|--------------------------|-------------------|-------------------|--------------|--------------|--------------|-------------|-----------------|--------------|-----------------|-------------------------------|------------------|--|---|-----------------------------|-----------------|------------------------|-------------|---------------|--|
| | | | CAPACITY | | | | | Electric | | | | Non-Electric | | Total Resource Benefits | Fossil Emissions | Other Non-Resource Benefits ² | | Total Non-Resource Benefits | | | | | |
| | | | Granite State Test | Total Resource Cost Test | Summer Generation | Winter Generation | Transmission | Distribution | Reliability | Winter Peak | Winter Off Peak | Summer Peak | Summer Off Peak | | | | | | Electric DRIPE | Total Electric Benefit | Other Fuels | Water Benefit | |
| Income Eligible Programs | | | | | | | | | | | | | | | | | | | | | | | |
| B1 - Home Energy Assistance | \$ 2,488 | \$ 2,488 | \$ 3 | \$ - | \$ 3 | \$ 4 | \$ - | \$ 5 | \$ 5 | \$ 2 | \$ 2 | \$ 1 | \$ 26 | \$ 1,187 | \$ 34 | \$ 1,247 | \$ 88 | \$ 1,154 | \$ 1,242 | \$ 17 | \$ - | \$ - | |
| B2a - IE Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | |
| B2b - IE Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | |
| Sub-Total Income Eligible | \$ 2,488 | \$ 2,488 | \$ 3 | \$ - | \$ 3 | \$ 4 | \$ - | \$ 5 | \$ 5 | \$ 2 | \$ 2 | \$ 1 | \$ 26 | \$ 1,187 | \$ 34 | \$ 1,247 | \$ 88 | \$ 1,154 | \$ 1,242 | \$ 17 | \$ - | \$ - | |
| Residential Programs | | | | | | | | | | | | | | | | | | | | | | | |
| A1 - Energy Star Homes | \$ 667 | \$ 822 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 618 | \$ - | \$ 618 | \$ 49 | \$ 155 | \$ 204 | \$ - | \$ - | \$ - | |
| A2 - Home Performance | \$ 974 | \$ 1,197 | \$ 2 | \$ - | \$ 2 | \$ 2 | \$ - | \$ 3 | \$ 3 | \$ 1 | \$ 1 | \$ 1 | \$ 16 | \$ 875 | \$ 19 | \$ 910 | \$ 64 | \$ 223 | \$ 287 | \$ 11 | \$ - | \$ - | |
| A3 - Energy Star Products | \$ 2,488 | \$ 3,070 | \$ (0) | \$ - | \$ 0 | \$ 0 | \$ - | \$ 11 | \$ 14 | \$ (0) | \$ (0) | \$ 2 | \$ 27 | \$ 2,300 | \$ - | \$ 2,327 | \$ 161 | \$ 582 | \$ 743 | \$ 28 | \$ - | \$ - | |
| A4 - Residential Behavior | \$ 216 | \$ 267 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 207 | \$ - | \$ 207 | \$ 9 | \$ 52 | \$ 60 | \$ - | \$ - | \$ - | |
| AGa - Res Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | |
| AGb - Res Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | |
| Sub-Total Residential | \$ 4,345 | \$ 5,356 | \$ 2 | \$ - | \$ 2 | \$ 2 | \$ - | \$ 14 | \$ 17 | \$ 1 | \$ 1 | \$ 3 | \$ 42 | \$ 4,001 | \$ 19 | \$ 4,062 | \$ 283 | \$ 1,011 | \$ 1,294 | \$ 39 | \$ - | \$ - | |
| Commercial/Industrial Programs | | | | | | | | | | | | | | | | | | | | | | | |
| C1 - Large Business Energy Solutions | \$ 3,007 | \$ 3,286 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 2,787 | \$ 44 | \$ 2,831 | \$ 176 | \$ 279 | \$ 455 | \$ - | \$ - | \$ - | |
| C2 - Small Business Energy Solutions | \$ 2,180 | \$ 2,301 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 2 | \$ 2 | \$ - | \$ - | \$ 0 | \$ 5 | \$ 1,207 | \$ 874 | \$ 2,086 | \$ 94 | \$ 121 | \$ 216 | \$ 5 | \$ - | \$ - | |
| C3 - Municipal Energy Solutions | \$ 474 | \$ 510 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 0 | \$ 0 | \$ - | \$ - | \$ 0 | \$ 1 | \$ 367 | \$ 78 | \$ 446 | \$ 28 | \$ 37 | \$ 65 | \$ 1 | \$ - | \$ - | |
| C6a - C&I Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | |
| C6b - C&I Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | |
| Sub-Total Commercial & Industrial | \$ 5,661 | \$ 6,098 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 2 | \$ 3 | \$ - | \$ - | \$ 0 | \$ 6 | \$ 4,361 | \$ 996 | \$ 5,362 | \$ 298 | \$ 437 | \$ 735 | \$ 6 | \$ - | \$ - | |
| Total | \$ 12,494 | \$ 13,942 | \$ 5 | \$ - | \$ 5 | \$ 7 | \$ - | \$ 21 | \$ 25 | \$ 3 | \$ 3 | \$ 5 | \$ 74 | \$ 9,549 | \$ 1,049 | \$ 10,671 | \$ 669 | \$ 2,601 | \$ 3,271 | \$ 62 | \$ - | \$ - | |

(1) The Granite State Test is used as the primary cost test, as approved in Order No. 36,322. Benefits are calculated based on net savings.
 (2) Non-resource benefits include NEIs, which are only applied to the Home Energy Assistance program in the GST primary cost test.
 (3) Non-embedded environmental benefits are not included in the GST primary cost test.
 (4) AESC 2021 was used to model benefits for Year 1 (2024) and AESC 2024 was used to model benefits for Years 2 and 3 (2025 and 2026).

Present Value Benefits - 2026 PLAN

| | Total Benefits (\$000) ^{1,4} | | Resource Benefits (\$000) | | | | | | | | | | | Non-Resource Benefits (\$000) | | | Environmental Benefits (\$000) ³ | | | | | | | | | |
|--|---------------------------------------|------------------|---------------------------|--------------------------|-------------------|-------------------|--------------|--------------|--------------|-------------|-----------------|--------------|-----------------|-------------------------------|------------------|--|---|-----------------------------|-----------------|------------------------|--------------|---------------|-------------|-------------|-------------|------|
| | | | CAPACITY | | | | | Electric | | | | Non-Electric | | Total Resource Benefits | Fossil Emissions | Other Non-Resource Benefits ² | | Total Non-Resource Benefits | | | | | | | | |
| | | | Granite State Test | Total Resource Cost Test | Summer Generation | Winter Generation | Transmission | Distribution | Reliability | Winter Peak | Winter Off Peak | Summer Peak | Summer Off Peak | | | | | | Electric DRIPE | Total Electric Benefit | Other Fuels | Water Benefit | | | | |
| Income Eligible Programs | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B1 - Home Energy Assistance | \$ 2,368 | \$ 2,368 | \$ - | \$ 3 | \$ - | \$ 3 | \$ 4 | \$ - | \$ 4 | \$ 5 | \$ 2 | \$ 2 | \$ 1 | \$ 25 | \$ 1,124 | \$ 32 | \$ 1,181 | \$ 88 | \$ 1,100 | \$ 1,187 | \$ 17 | \$ - | \$ - | \$ - | \$ - | |
| B2a - IE Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | |
| B2b - IE Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Sub-Total Income Eligible | \$ 2,368 | \$ 2,368 | \$ - | \$ 3 | \$ - | \$ 3 | \$ 4 | \$ - | \$ 4 | \$ 5 | \$ 2 | \$ 2 | \$ 1 | \$ 25 | \$ 1,124 | \$ 32 | \$ 1,181 | \$ 88 | \$ 1,100 | \$ 1,187 | \$ 17 | \$ - | \$ - | \$ - | \$ - | |
| Residential Programs | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A1 - Energy Star Homes | \$ 643 | \$ 792 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 594 | \$ - | \$ 594 | \$ 50 | \$ 148 | \$ 198 | \$ - | \$ - | \$ - | \$ - | \$ - | |
| A2 - Home Performance | \$ 938 | \$ 1,152 | \$ 2 | \$ - | \$ 2 | \$ 2 | \$ - | \$ 3 | \$ 3 | \$ 1 | \$ 1 | \$ 1 | \$ 1 | \$ 15 | \$ 839 | \$ 18 | \$ 873 | \$ 65 | \$ 214 | \$ 279 | \$ 10 | \$ - | \$ - | \$ - | \$ - | |
| A3 - Energy Star Products | \$ 2,427 | \$ 2,992 | \$ (0) | \$ - | \$ 0 | \$ 0 | \$ - | \$ 11 | \$ 14 | \$ (0) | \$ (0) | \$ 2 | \$ 26 | \$ 2,235 | \$ - | \$ 2,261 | \$ 166 | \$ 565 | \$ 731 | \$ 27 | \$ - | \$ - | \$ - | \$ - | \$ - | |
| A4 - Residential Behavior | \$ 180 | \$ 223 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 171 | \$ - | \$ 171 | \$ 9 | \$ 43 | \$ 51 | \$ - | \$ - | \$ - | \$ - | \$ - | |
| AGa - Res Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | |
| AGb - Res Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Sub-Total Residential | \$ 4,188 | \$ 5,158 | \$ 2 | \$ - | \$ 2 | \$ 2 | \$ - | \$ 13 | \$ 17 | \$ 1 | \$ 1 | \$ 3 | \$ 41 | \$ 3,840 | \$ 18 | \$ 3,898 | \$ 290 | \$ 970 | \$ 1,260 | \$ 38 | \$ - | \$ - | \$ - | \$ - | \$ - | |
| Commercial/Industrial Programs | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C1 - Large Business Energy Solutions | \$ 2,760 | \$ 3,015 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 2,555 | \$ 33 | \$ 2,589 | \$ 171 | \$ 256 | \$ 427 | \$ - | \$ - | \$ - | \$ - | \$ - | |
| C2 - Small Business Energy Solutions | \$ 2,100 | \$ 2,218 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 2 | \$ 2 | \$ - | \$ - | \$ 0 | \$ 4 | \$ 1,171 | \$ 828 | \$ 2,004 | \$ 97 | \$ 118 | \$ 214 | \$ 5 | \$ - | \$ - | \$ - | \$ - | \$ - | |
| C3 - Municipal Energy Solutions | \$ 439 | \$ 473 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 0 | \$ 0 | \$ - | \$ - | \$ 0 | \$ 1 | \$ 338 | \$ 74 | \$ 412 | \$ 27 | \$ 34 | \$ 61 | \$ 1 | \$ - | \$ - | \$ - | \$ - | \$ - | |
| C6a - C&I Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | |
| C6b - C&I Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | |
| Sub-Total Commercial & Industrial | \$ 5,299 | \$ 5,706 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 2 | \$ 2 | \$ - | \$ - | \$ 0 | \$ 5 | \$ 4,063 | \$ 936 | \$ 5,004 | \$ 295 | \$ 407 | \$ 702 | \$ 5 | \$ - | \$ - | \$ - | \$ - | \$ - | |
| Total | \$ 11,855 | \$ 13,232 | \$ 5 | \$ - | \$ 5 | \$ 6 | \$ - | \$ 20 | \$ 24 | \$ 3 | \$ 3 | \$ 5 | \$ 70 | \$ 9,027 | \$ 986 | \$ 10,083 | \$ 673 | \$ 2,476 | \$ 3,149 | \$ 59 | \$ - | \$ - | \$ - | \$ - | | |

(1) The Granite State Test is used as the primary cost test, as approved in Order No. 36,322. Benefits are calculated based on net savings.
 (2) Non-resource benefits include NEIs, which are only applied to the Home Energy Assistance program in the GST primary cost test.
 (3) Non-embedded environmental benefits are not included in the GST primary cost test.
 (4) AESC 2021 was used to model benefits for Year 1 (2024) and AESC 2024 was used to model benefits for Years 2 and 3 (2025 and 2026).

Present Value Benefits - 2024-2026 PLAN

| | Total Benefits (\$000) ^{1,4} | | Resource Benefits (\$000) | | | | | | | | | | | | Non-Resource Benefits (\$000) | | | Environmental Benefits (\$000) ³ | | |
|--|---------------------------------------|------------------|---------------------------|--------------------------|-------------------|-------------------|--------------|--------------|--------------|-------------|-----------------|--------------|-----------------|------------------|-------------------------------|------------------|--|---|-----------------------------|------------------------|
| | | | CAPACITY | | | | | | Electric | | | | Non-Electric | | Total Resource Benefits | Fossil Emissions | Other Non-Resource Benefits ² | | Total Non-Resource Benefits | |
| | | | Granite State Test | Total Resource Cost Test | Summer Generation | Winter Generation | Transmission | Distribution | Reliability | Winter Peak | Winter Off Peak | Summer Peak | Summer Off Peak | Electric DRIPE | | | | | | Total Electric Benefit |
| Income Eligible Programs | | | | | | | | | | | | | | | | | | | | |
| B1 - Home Energy Assistance | \$ 7,323 | \$ 7,323 | \$ 7 | \$ - | \$ 11 | \$ 12 | \$ - | \$ 13 | \$ 15 | \$ 6 | \$ 6 | \$ 4 | \$ 73 | \$ 3,544 | \$ 87 | \$ 3,704 | \$ 251 | \$ 3,369 | \$ 3,620 | \$ 41 |
| B2a - IE Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| B2b - IE Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| B3 - IE TBD Pilots/Demonstrations | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Sub-Total Income Eligible | \$ 7,323 | \$ 7,323 | \$ 7 | \$ - | \$ 11 | \$ 12 | \$ - | \$ 13 | \$ 15 | \$ 6 | \$ 6 | \$ 4 | \$ 73 | \$ 3,544 | \$ 87 | \$ 3,704 | \$ 251 | \$ 3,369 | \$ 3,620 | \$ 41 |
| Residential Programs | | | | | | | | | | | | | | | | | | | | |
| A1 - Energy Star Homes | \$ 2,073 | \$ 2,555 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 1,928 | \$ - | \$ 1,928 | \$ 144 | \$ 482 | \$ 627 | \$ - |
| A2 - Home Performance | \$ 3,101 | \$ 3,813 | \$ 4 | \$ - | \$ 8 | \$ 9 | \$ - | \$ 10 | \$ 11 | \$ 4 | \$ 4 | \$ 3 | \$ 52 | \$ 2,795 | \$ 58 | \$ 2,905 | \$ 196 | \$ 712 | \$ 908 | \$ 29 |
| A3 - Energy Star Products | \$ 7,722 | \$ 9,530 | \$ 0 | \$ - | \$ 0 | \$ 0 | \$ - | \$ 33 | \$ 42 | \$ (1) | \$ (1) | \$ 6 | \$ 79 | \$ 7,152 | \$ - | \$ 7,231 | \$ 491 | \$ 1,808 | \$ 2,299 | \$ 68 |
| A4 - Residential Behavior | \$ 588 | \$ 729 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 562 | \$ - | \$ 562 | \$ 26 | \$ 141 | \$ 166 | \$ - |
| A5 - Residential Active Demand Response | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| A6a - Res Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| A6b - Res Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| A7 - Res TBD Pilots/Demonstrations | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Sub-Total Residential | \$ 13,484 | \$ 16,626 | \$ 4 | \$ - | \$ 8 | \$ 9 | \$ - | \$ 42 | \$ 53 | \$ 3 | \$ 3 | \$ 9 | \$ 131 | \$ 12,438 | \$ 58 | \$ 12,626 | \$ 858 | \$ 3,142 | \$ 4,000 | \$ 98 |
| Commercial/Industrial Programs | | | | | | | | | | | | | | | | | | | | |
| C1 - Large Business Energy Solutions | \$ 8,410 | \$ 9,191 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 7,813 | \$ 101 | \$ 7,914 | \$ 496 | \$ 781 | \$ 1,278 | \$ - |
| C2 - Small Business Energy Solutions | \$ 6,073 | \$ 6,427 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 6 | \$ 7 | \$ - | \$ - | \$ 1 | \$ 14 | \$ 3,531 | \$ 2,256 | \$ 5,800 | \$ 272 | \$ 354 | \$ 627 | \$ 12 |
| C3 - Municipal Energy Solutions | \$ 1,374 | \$ 1,483 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 1 | \$ 1 | \$ - | \$ - | \$ 0 | \$ 2 | \$ 1,088 | \$ 202 | \$ 1,292 | \$ 82 | \$ 109 | \$ 191 | \$ 1 |
| C5 - C&I Active Demand Response | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| C6a - C&I Education | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| C6b - C&I Evaluation, Measurement and Verification | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| C6c - C&I Customer Partnerships | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| C7 - C&I TBD Pilots/Demonstrations | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Sub-Total Commercial & Industrial | \$ 15,857 | \$ 17,101 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 6 | \$ 8 | \$ - | \$ - | \$ 1 | \$ 15 | \$ 12,432 | \$ 2,558 | \$ 15,006 | \$ 851 | \$ 1,245 | \$ 2,095 | \$ 14 |
| C6d - Smart Start | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| Total | \$ 36,664 | \$ 41,051 | \$ 11 | \$ - | \$ 19 | \$ 21 | \$ - | \$ 62 | \$ 75 | \$ 9 | \$ 8 | \$ 14 | \$ 220 | \$ 28,414 | \$ 2,703 | \$ 31,336 | \$ 1,959 | \$ 7,756 | \$ 9,715 | \$ 153 |

(1) The Granite State Test is used as the primary cost test, as approved in Order No. 36,322. Benefits are calculated based on net savings.
 (2) Non-resource benefits include NEIs, which are only applied to the Home Energy Assistance program in the GST primary cost test.
 (3) Non-embedded environmental benefits are not included in the GST primary cost test.
 (4) AESC 2021 was used to model benefits for Year 1 (2024) and AESC 2024 was used to model benefits for Years 2 and 3 (2025 and 2026).

| Portfolio Planned Versus Actual Performance - 2024 | | | | | | | | | | |
|--|---------------|------------|--------|-----------|--------------------|--------------------|-------------------------|--------------------|-----------|--------------------------------------|
| Portfolio | Planned | Threshold | Actual | % of Plan | Design Coefficient | Actual Coefficient | Planned PI ³ | 125% of Planned PI | Actual PI | Source |
| 1 Lifetime MMBtu Savings | 1,670,382 | 1,252,787 | | - | 2.475% | - | \$ 245,683 | \$ 307,104 | \$ - | Planned and Actual from Cost Eff Tab |
| 2 Annual MMBtu Savings | 124,896 | 93,672 | | - | 1.100% | - | \$ 109,192 | \$ 136,491 | \$ - | Planned and Actual from Cost Eff Tab |
| 3 Total Resource Benefits | \$ 10,581,667 | | | - | | | | | | Planned and Actual from Benefits Tab |
| 4 Total Utility Costs ^{1,3} | \$ 9,926,588 | | | - | | | | | | Planned and Actual from Cost Eff Tab |
| 5 Net Benefits | \$ 655,079 | \$ 491,309 | | - | 1.925% | - | \$ 191,087 | \$ 238,859 | \$ - | Line 3 minus line 4 |
| 6 Total | | | | | 5.500% | - | \$ 545,962 | \$ 682,453 | \$ - | |

| | Granite State Test | | Source |
|-------------------------|--------------------|--------|--------------------------------------|
| | Planned | Actual | |
| 7 Total Benefits | \$ 12,314,116 | | Planned and Actual from Cost Eff Tab |
| 8 Performance Incentive | \$ 545,962 | \$ - | from row 6 above |
| 9 Total Utility Costs | \$ 9,926,588 | \$ - | from row 4 above |
| 10 Portfolio GST BCR | 1.18 | - | row 7 divided by rows 8+9 |

¹ Note that in order to avoid a circular reference in the calculation of performance incentive, "Total Utility Costs" does not include the value of PI.

³ Costs and PI expressed in nominal dollars.

Portfolio Planned Versus Actual Performance - 2025

| Portfolio | Planned | Threshold | Actual | % of Plan | Design | Actual | 125% of | | Actual PI | Source |
|--------------------------------------|---------------|------------|--------|-----------|-------------|-------------|-------------------------|------------|-----------|--------------------------------------|
| | | | | | Coefficient | Coefficient | Planned PI ³ | Planned PI | | |
| 1 Lifetime MMBtu Savings | 1,693,141 | 1,269,856 | | - | 2.475% | - | \$ 250,975 | \$ 313,719 | \$ - | Planned and Actual from Cost Eff Tab |
| 2 Annual MMBtu Savings | 127,274 | 95,456 | | - | 1.100% | - | \$ 111,545 | \$ 139,431 | \$ - | Planned and Actual from Cost Eff Tab |
| 3 Total Resource Benefits | \$ 10,671,100 | | | - | | | | | | Planned and Actual from Benefits Tab |
| 4 Total Utility Costs ^{1,3} | \$ 10,140,417 | | | - | | | | | | Planned and Actual from Cost Eff Tab |
| 5 Net Benefits | \$ 530,683 | \$ 398,012 | \$ - | - | 1.925% | - | \$ 195,203 | \$ 244,004 | \$ - | Line 3 minus line 4 |
| 6 Total | | | | | 5.500% | - | \$ 557,723 | \$ 697,154 | \$ - | |

| | Granite State Test | | Source |
|-----------------------------|--------------------|--------|--------------------------------------|
| | Planned | Actual | |
| 7 Total Benefits | \$ 12,494,429 | | Planned and Actual from Cost Eff Tab |
| 8 Performance Incentive | \$ 557,723 | \$ - | from row 6 above |
| 9 Total Utility Costs | \$ 10,140,417 | \$ - | from row 4 above |
| 10 Portfolio GST BCR | 1.17 | - | row 7 divided by rows 8+9 |

¹ Note that in order to avoid a circular reference in the calculation of performance incentive, "Total Utility Costs" does not include the value of PI.

³ Costs and PI expressed in nominal dollars.

| Portfolio Planned Versus Actual Performance - 2026 | | | | | | | | | | |
|--|---------------|--------------|--------|-----------|-------------|-------------|-------------------------|------------|-----------|--------------------------------------|
| Portfolio | Planned | Threshold | Actual | % of Plan | Design | Actual | 125% of | | Actual PI | Source |
| | | | | | Coefficient | Coefficient | Planned PI ³ | Planned PI | | |
| 1 Lifetime MMBtu Savings | 1,723,039 | 1,292,279 | | - | 2.475% | - | \$ 259,057 | \$ 323,822 | \$ - | Planned and Actual from Cost Eff Tab |
| 2 Annual MMBtu Savings | 128,795 | 96,596 | | - | 1.100% | - | \$ 115,137 | \$ 143,921 | \$ - | Planned and Actual from Cost Eff Tab |
| 3 Total Resource Benefits | \$ 10,083,212 | | | - | | | | | | Planned and Actual from Benefits Tab |
| 4 Total Utility Costs ^{1,3} | \$ 10,466,964 | | | - | | | | | | Planned and Actual from Cost Eff Tab |
| 5 Net Benefits | \$ (383,752) | \$ (287,814) | \$ - | - | 1.925% | - | \$ 201,489 | \$ 251,861 | \$ - | Line 3 minus line 4 |
| 6 Total | | | | | 5.500% | - | \$ 575,683 | \$ 719,604 | \$ - | |

| | Granite State Test | | Source |
|-------------------------|--------------------|--------|--------------------------------------|
| | Planned | Actual | |
| 7 Total Benefits | \$ 11,855,452 | | Planned and Actual from Cost Eff Tab |
| 8 Performance Incentive | \$ 575,683 | \$ - | from row 6 above |
| 9 Total Utility Costs | \$ 10,466,964 | \$ - | from row 4 above |
| 10 Portfolio GST BCR | 1.07 | - | row 7 divided by rows 8+9 |

¹ Note that in order to avoid a circular reference in the calculation of performance incentive, "Total Utility Costs" does not include the value of PI.

³ Costs and PI expressed in nominal dollars.

| Portfolio Planned Versus Actual Performance - 2024-2026 | | | | | | | | | | |
|---|---------------|------------|--------|-----------|--------------------|--------------------|-------------------------|--------------|-----------|--------------------------------------|
| Portfolio | Planned | Threshold | Actual | % of Plan | Design Coefficient | Actual Coefficient | 125% of | | Actual PI | Source |
| | | | | | | | Planned PI ³ | Planned PI | | |
| 1 Lifetime MMBtu Savings | 5,086,562 | 3,814,921 | | - | 2.475% | - | \$ 755,716 | \$ 944,645 | \$ - | Planned and Actual from Cost Eff Tab |
| 2 Annual MMBtu Savings | 380,966 | 285,725 | | - | 1.100% | - | \$ 335,874 | \$ 419,842 | \$ - | Planned and Actual from Cost Eff Tab |
| 3 Total Resource Benefits | \$ 31,335,979 | | | - | | | | | | Planned and Actual from Benefits Tab |
| 4 Total Utility Costs ^{1,3} | \$ 30,533,969 | | | - | | | | | | Planned and Actual from Cost Eff Tab |
| 5 Net Benefits | \$ 802,010 | \$ 601,507 | \$ - | - | 1.925% | - | \$ 587,779 | \$ 734,724 | \$ - | Line 3 minus line 4 |
| 6 Total | | | | | 5.500% | - | \$ 1,679,368 | \$ 2,099,210 | \$ - | |

| | Granite State Test | | Source |
|-------------------------|--------------------|--------|--------------------------------------|
| | Planned | Actual | |
| 7 Total Benefits | \$ 36,663,997 | | Planned and Actual from Cost Eff Tab |
| 8 Performance Incentive | \$ 1,679,368 | \$ - | from row 6 above |
| 9 Total Utility Costs | \$ 30,533,969 | \$ - | from row 4 above |
| 10 Portfolio GST BCR | 1.14 | - | row 7 divided by rows 8+9 |

¹ Note that in order to avoid a circular reference in the calculation of performance incentive, "Total Utility Costs" does not include the value of PI.

³ Costs and PI expressed in nominal dollars.

| Subprogram | Measure | Measure ID | Quantity | | | Net Annual MWh Savings | | | Net Lifetime MWh Savings | | | Annual Net Winter kW | | | Annual Net Summer kW | | | Total Net Annual MMBTU | | | Total Net Lifetime MMBTU | | | |
|--|--|------------|----------|------|------|------------------------|--------------|--------------|--------------------------|--------------|--------------|----------------------|--------------|--------------|----------------------|--------------|--------------|------------------------|--------------|--------------|--------------------------|--------------|--------------|----------|
| | | | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | |
| B1a - HEA (Weatherization) | Air Sealing, Gas | GB1a001 | 190 | 197 | 199 | - | - | - | - | - | - | - | - | - | - | - | - | - | 2,249.2 | 2,327.8 | 2,349.3 | 33,738.7 | 34,917.7 | 35,240.0 |
| B1a - HEA (Weatherization) | Faucet Aerator, Gas | GB1a002 | 190 | 197 | 199 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27.0 | 27.9 | 28.2 | 188.9 | 195.5 | 197.3 |
| B1a - HEA (Weatherization) | Hand Held Showerhead, Gas | GB1a003 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | Insulation, Gas | GB1a004 | 190 | 197 | 199 | 8.7 | 9.0 | 9.0 | 216.3 | 223.8 | 225.9 | 1.4 | 1.4 | 1.4 | 2.3 | 2.4 | 2.4 | 6,488.2 | 6,714.9 | 6,776.9 | 162,205.4 | 167,873.5 | 169,423.1 | |
| B1a - HEA (Weatherization) | LED Bulb, General Service Lamps | GB1a005 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | LED Bulb, Linear | GB1a006 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | LED Bulb, Other Specialty | GB1a007 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | LED Bulb, Reflector | GB1a008 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | LED Fixture | GB1a009 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | Low Flow Showerhead, Gas | GB1a010 | 190 | 197 | 199 | - | - | - | - | - | - | - | - | - | - | - | - | - | 109.5 | 113.3 | 114.4 | 766.6 | 793.4 | 800.8 |
| B1a - HEA (Weatherization) | Pipe Insulation - Hot Water, Gas | GB1a011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | Visual Audit | GB1a012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | Baseload Audit - SF | GB1a013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | Baseload Audit - MF | GB1a014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | Insulated Door, Gas | GB1a015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | Window Replacement, Gas | GB1a016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | Window Insert, Gas | GB1a017 | 40 | 40 | 40 | - | - | - | - | - | - | - | - | - | - | - | - | - | 40.1 | 40.0 | 40.0 | 160.4 | 160.2 | 160.2 |
| B1a - HEA (Weatherization) | Duct Insulation, Gas | GB1a018 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1a - HEA (Weatherization) | Hot Water Setback | GB1a019 | 30 | 30 | 30 | - | - | - | - | - | - | - | - | - | - | - | - | - | 37.4 | 37.4 | 37.4 | 74.8 | 74.8 | 74.8 |
| B1a - HEA (Weatherization) | Duct Sealing, Gas | GB1a020 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1b - HEA (HVAC Systems) | Boiler Replacement, Gas | GB1b001 | 20 | 20 | 21 | - | - | - | - | - | - | - | - | - | - | - | - | - | 582.4 | 582.4 | 611.5 | 11,065.6 | 11,065.6 | 11,618.9 |
| B1b - HEA (HVAC Systems) | Furnace Replacement, Gas | GB1b002 | 20 | 19 | 21 | 2.7 | 2.6 | 2.9 | 46.4 | 44.1 | 48.7 | 0.8 | 0.8 | 0.8 | - | - | - | 364.0 | 345.8 | 382.2 | 6,188.0 | 5,878.6 | 6,497.4 | |
| B1b - HEA (HVAC Systems) | Programmable Thermostat, Gas | GB1b003 | 70 | 70 | 71 | 1.7 | 1.7 | 1.7 | 25.8 | 25.8 | 26.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 0.5 | 131.9 | 131.9 | 133.7 | 1,977.9 | 1,977.9 | 2,006.1 | |
| B1b - HEA (HVAC Systems) | Wifi Thermostat, Gas | GB1b004 | 70 | 70 | 70 | 2.9 | 2.9 | 2.9 | 44.0 | 44.0 | 44.0 | 0.5 | 0.5 | 0.5 | 0.8 | 0.8 | 0.8 | 369.5 | 369.5 | 369.5 | 5,541.9 | 5,541.9 | 5,541.9 | |
| B1b - HEA (HVAC Systems) | HVAC Repair: Boiler - Condensing, Water | GB1b005 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1b - HEA (HVAC Systems) | HVAC Repair: Boiler - Steam | GB1b006 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1b - HEA (HVAC Systems) | HVAC Repair: Boiler - Water | GB1b007 | 4 | 4 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 19.5 | 19.5 | 19.5 | 19.5 | 19.5 | 19.5 |
| B1b - HEA (HVAC Systems) | HVAC Repair: Furnace - Condensing, Ducted | GB1b008 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1b - HEA (HVAC Systems) | HVAC Repair: Furnace - Ducted | GB1b009 | 4 | 4 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 10.9 | 10.9 | 10.9 | 10.9 | 10.9 | 10.9 |
| B1b - HEA (HVAC Systems) | Stand Alone Storage Water Heater, Gas | GB1b010 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1b - HEA (HVAC Systems) | Indirect Water Heater, Gas | GB1b011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1b - HEA (HVAC Systems) | Water Heater - Indirect (attached to ES FHW Boiler; Combined eff rating >= | GB1b012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1b - HEA (HVAC Systems) | Water Heater - Integrated with Condensing Boiler >= 90% AFUE, Gas | GB1b013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1b - HEA (HVAC Systems) | Water Heater - Integrated with Condensing Boiler >= 95% AFUE, Gas | GB1b014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B1b - HEA (HVAC Systems) | Water Heater - Tankless, OnDemand UEF >= .87, Gas | GB1b015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Home Energy Assistance Subtotal | | | - | - | - | 16.0 | #REF! | #REF! | 332.4 | #REF! | #REF! | 2.9 | #REF! | #REF! | 3.5 | #REF! | #REF! | 10,429.7 | #REF! | #REF! | 221,938.8 | #REF! | #REF! | |

| Subprogram | Measure | Measure ID | Quantity | | | Net Annual MWh Savings | | | Net Lifetime MWh Savings | | | Annual Net Winter kW | | | Annual Net Summer kW | | | Total Net Annual MMBTU | | | Total Net Lifetime MMBTU | | | | |
|--------------------------|-----------------------|------------|----------|------|------|------------------------|------|------|--------------------------|------|------|----------------------|------|------|----------------------|------|------|------------------------|------|----------------|--------------------------|----------------|------------------|------------------|------------------|
| | | | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | | |
| A1a - ES Homes | Cooling, Electric, SF | GA1a001 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| A1a - ES Homes | Heating, Gas, SF | GA1a002 | 148 | 140 | 144 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 3,482.9 | 3,287.3 | 3,392.6 | | | |
| A1a - ES Homes | Hot Water, Gas, SF | GA1a003 | 148 | 140 | 144 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 518.7 | 489.6 | 505.3 | | | |
| A1a - ES Homes | Cooling, Electric, MF | GA1a002 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| A1a - ES Homes | Heating, Gas, MF | GA1a005 | 88 | 80 | 81 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1,540.0 | 1,400.0 | 1,425.0 | | | |
| A1a - ES Homes | Hot Water, Gas, MF | GA1a006 | 88 | 80 | 81 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 308.0 | 280.0 | 285.0 | | | |
| A1a - ES Homes | LED Bulb | GA1a007 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| A1a - ES Homes | LED Fixture | GA1a008 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| A1a - ES Homes | Clothes Washer | GA1a009 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| ES Homes Subtotal | | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 5,849.6 | 5,456.8 | 5,607.9 | 137,973.8 | 128,725.2 | 132,295.3 |

| Subprogram | Measure | Measure ID | Quantity | | | Net Annual MWh Savings | | | Net Lifetime MWh Savings | | | Annual Net Winter kW | | | Annual Net Summer kW | | | Total Net Annual MMBTU | | | Total Net Lifetime MMBTU | | | |
|---|--|------------|--------------|------------|------------|------------------------|--------------|--------------|--------------------------|--------------|--------------|----------------------|--------------|--------------|----------------------|--------------|--------------|------------------------|--------------|--------------|--------------------------|--------------|--------------|--------------|
| | | | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | |
| A2a - Home Performance (Weatherization) | Air Sealing, Gas | GA2a001 | 178 | 167 | 172 | - | - | - | - | - | - | - | - | - | - | - | - | - | 2,378.9 | 2,233.6 | 2,300.7 | 35,683.0 | 33,504.2 | 34,510.6 |
| A2a - Home Performance (Weatherization) | Faucet Aerator, Gas | GA2a002 | 170 | 58 | 60 | - | - | - | - | - | - | - | - | - | - | - | - | - | 27.3 | 9.4 | 9.7 | 191.1 | 65.7 | 67.6 |
| A2a - Home Performance (Weatherization) | Hand Held Showerhead, Gas | GA2a003 | 100 | 58 | 60 | - | - | - | - | - | - | - | - | - | - | - | - | - | 62.7 | 36.6 | 37.7 | 438.9 | 256.3 | 264.0 |
| A2a - Home Performance (Weatherization) | Insulation, Gas | GA2a004 | 178 | 167 | 172 | - | - | - | - | - | - | - | - | - | - | - | - | - | 4,940.7 | 4,639.0 | 4,778.4 | 123,518.2 | 115,976.2 | 119,459.9 |
| A2a - Home Performance (Weatherization) | LED Bulb, General Service Lamps | GA2a005 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| A2a - Home Performance (Weatherization) | LED Bulb, Linear | GA2a006 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| A2a - Home Performance (Weatherization) | LED Bulb, Other Specialty | GA2a007 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| A2a - Home Performance (Weatherization) | LED Bulb, Reflector | GA2a008 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| A2a - Home Performance (Weatherization) | LED Fixture | GA2a009 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| A2a - Home Performance (Weatherization) | Low Flow Showerhead, Gas | GA2a010 | 62 | 58 | 60 | - | - | - | - | - | - | - | - | - | - | - | - | - | 39.0 | 36.6 | 37.7 | 272.9 | 256.2 | 263.9 |
| A2a - Home Performance (Weatherization) | Pipe Insulation - Hot Water, Gas | GA2a011 | 71 | 58 | 60 | - | - | - | - | - | - | - | - | - | - | - | - | - | 292.8 | 240.5 | 247.8 | 4,391.8 | 3,608.1 | 3,716.5 |
| A2a - Home Performance (Weatherization) | Baseload Audit - Electric Savings | GA2a012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| A2a - Home Performance (Weatherization) | Baseload Audit - Thermal Savings | GA2a013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| A2a - Home Performance (Weatherization) | Visual Audit | GA2a014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| A2a - Home Performance (Weatherization) | Duct Insulation, Gas | GA2a018 | 36 | 33 | 34 | - | - | - | - | - | - | - | - | - | - | - | - | - | 144.9 | - | - | 2,173.9 | - | - |
| A2a - Home Performance (Weatherization) | Hot Water Setback | GA2a019 | 62 | 58 | 60 | - | - | - | - | - | - | - | - | - | - | - | - | - | 26.3 | - | - | 52.6 | - | - |
| A2b - Home Performance (HVAC Systems) | Boiler Replacement, Gas | GA2b001 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| A2b - Home Performance (HVAC Systems) | Furnace Replacement, Gas | GA2b002 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| A2b - Home Performance (HVAC Systems) | Programmable Thermostat, Gas | GA2b003 | 46 | 38 | 38 | 1.2 | 1.0 | 1.0 | 18.4 | 15.2 | 15.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 98.0 | 81.0 | 81.0 | 1,469.3 | 1,214.8 | 1,214.8 | |
| A2b - Home Performance (HVAC Systems) | Wifi Thermostat, Gas | GA2b004 | 250 | 135 | 135 | 11.5 | 6.2 | 6.2 | 172.5 | 93.2 | 93.2 | 1.8 | 1.0 | 1.0 | 3.0 | 1.6 | 1.6 | 1,508.0 | 814.3 | 814.3 | 22,620.0 | 12,214.8 | 12,214.8 | |
| A2b - Home Performance (HVAC Systems) | Ancillary Savings - Boiler Circulator Pump | GA2b008 | 20 | 17 | 17 | 0.2 | 0.2 | 0.2 | 3.4 | 2.9 | 2.9 | 0.1 | 0.0 | 0.0 | - | - | - | - | - | - | - | - | - | - |
| A2b - Home Performance (HVAC Systems) | Ancillary Savings - Furnace | GA2b009 | 40 | 36 | 36 | 3.4 | 3.1 | 3.1 | 61.9 | 55.7 | 55.7 | 1.0 | 0.9 | 0.9 | - | - | - | - | - | - | - | - | - | - |
| A2b - Home Performance (HVAC Systems) | Ancillary Savings - Central AC | GA2b010 | 35 | 32 | 32 | 1.1 | 1.0 | 1.0 | 20.2 | 18.4 | 18.4 | - | - | - | 0.6 | 0.6 | 0.6 | - | - | - | - | - | - | - |
| Home Performance Subtotal | | | 1,249 | 919 | 939 | 17.5 | #REF! | #REF! | 276.4 | #REF! | #REF! | 3.1 | #REF! | #REF! | 4.0 | #REF! | #REF! | 9,518.6 | #REF! | #REF! | 190,811.7 | #REF! | #REF! | #REF! |






| Subprogram | Measure | Measure ID | Quantity | | | Net Annual MWh Savings | | | Net Lifetime MWh Savings | | | Annual Net Winter kW | | | Annual Net Summer kW | | | Total Net Annual MMBTU | | | Total Net Lifetime MMBTU | | |
|----------------------------------|---|------------|----------|-------|-------|------------------------|-------------|-------------|--------------------------|--------------|--------------|----------------------|------------|------------|----------------------|------------|------------|------------------------|-----------------|-----------------|--------------------------|------------------|------------------|
| | | | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 |
| A3b - ES Appliances and Products | Early Replacement Boiler, FHW - EE 90 AFUE (80%-90%) | GA3b001 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Early Replacement Boiler, FHW - Retirement: 90 AFUE (65%-90%) | GA3b002 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Early Replacement Boiler, Steam - EE: 82%+ AFUE | GA3b003 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Early Replacement Boiler, Steam - Retirement: 82%+ AFUE | GA3b004 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Boiler Reset Controls | GA3b005 | 5 | 4 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Condensing Boiler >= 90% AFUE (Up to 300 MBH) | GA3b006 | 36 | 33 | 35 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Condensing Boiler >= 95% AFUE (Up to 300 MBH) | GA3b007 | 140 | 130 | 135 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Furnace 95+ AFUE (<150) w/ECM Motor | GA3b008 | 265 | 250 | 256 | 27.6 | 26.1 | 26.6 | 469.4 | 442.9 | 452.6 | 8.0 | 7.6 | 7.8 | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Furnace 97+ AFUE (<150) w/ECM Motor | GA3b009 | 90 | 75 | 85 | 9.4 | 7.8 | 8.9 | 159.4 | 132.9 | 150.6 | 2.7 | 2.3 | 2.6 | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Heat Recovery Ventilator (-133 kWh penalty) | GA3b010 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Programmable Thermostat | GA3b011 | 75 | 65 | 70 | 2.0 | 1.8 | 1.9 | 30.4 | 26.3 | 28.4 | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 0.5 | 155.3 | 134.6 | 144.9 | 2,328.8 | 2,018.3 | 2,173.5 |
| A3b - ES Appliances and Products | Indirect Water Heater (attached to ES FHW Boiler; Combined eff rating >=84) | GA3b012 | 55 | 45 | 55 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Integrated Water Heater w/Condensing Boiler >= 90% AFUE | GA3b013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Integrated Water Heater w/Condensing Boiler >= 95% AFUE | GA3b014 | 215 | 191 | 200 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Condensing Water Heater (EF 0.95) | GA3b015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Stand Alone Storage Tank Water Heater (EF 0.67) | GA3b016 | 15 | 14 | 15 | (0.6) | (0.6) | (0.6) | (8.4) | (7.8) | (8.4) | (0.1) | (0.1) | (0.1) | (0.0) | (0.0) | (0.0) | 45.0 | 42.0 | 45.0 | 585.0 | 546.0 | 585.0 |
| A3b - ES Appliances and Products | Tankless On-Demand Water Heater, >= .82 | GA3b017 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | Tankless On-Demand Water Heater, >= .94 | GA3b018 | 175 | 170 | 176 | (7.5) | (7.3) | (7.6) | (143.0) | (138.9) | (143.8) | (0.7) | (0.7) | (0.7) | (0.4) | (0.4) | (0.4) | 1,277.5 | 1,241.0 | 1,284.8 | 24,272.5 | 23,579.0 | 24,411.2 |
| A3b - ES Appliances and Products | WiFi Thermostat (Heating Only) | GA3b019 | 2,769 | 2,650 | 2,750 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| A3b - ES Appliances and Products | WiFi Thermostat (Heating & Cooling) | GA3b020 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| ES Products Subtotal | | | - | - | - | 30.8 | 27.7 | 29.2 | 507.9 | 455.3 | 479.4 | 10.3 | 9.4 | 9.8 | 0.1 | 0.1 | 0.1 | 26,570.8 | 24,980.0 | 26,031.3 | 432,782.9 | 406,002.6 | 423,304.4 |

| Subprogram | Measure | Measure ID | Quantity | | | Net Annual MWh Savings | | | Net Lifetime MWh Savings | | | Annual Net Winter kW | | | Annual Net Summer kW | | | Total Net Annual MMBTU | | | Total Net Lifetime MMBTU | | |
|--|--|------------|----------|------|------|------------------------|------|------|--------------------------|------|------|----------------------|------|------|----------------------|------|------|------------------------|------|------|--------------------------|------|------|
| | | | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 |
| C2a - SCI Retrofit | Custom Small Hot Water Retro | GC2a001 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Custom Small HVAC Retro | GC2a002 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Custom Small Other Retro | GC2a003 | 39 | 50 | 48 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Custom Small Process Retro | GC2a004 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Faucet Aerator, Gas | GC2a005 | 475 | 485 | 480 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Low Flow Showerhead With Thermostatic Valve, Gas | GC2a006 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Low Flow Showerhead, Gas | GC2a007 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Pipe Wrap - Hot Water, Gas | GC2a008 | 130 | 130 | 130 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Pre Rinse Spray Valve, Gas | GC2a009 | 20 | 22 | 21 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Boiler Reset Controls, Gas | GC2a010 | 2 | 2 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Boiler Tune-Ups | GC2a011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Energy Management System, Gas | GC2a012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Pipe Insulation - Heating, Gas | GC2a013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Steam Trap, Gas | GC2a014 | 5 | 7 | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Programmable Thermostat, Gas | GC2a015 | 125 | 126 | 126 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Air Sealing, Gas | GC2a017 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2a - SCI Retrofit | Insulation, Gas | GC2a018 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Custom Small Hot Water New | GC2b001 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Custom Small HVAC New | GC2b002 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Custom Small Other New | GC2b003 | 30 | 32 | 34 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Custom Small Process New | GC2b004 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Boiler 1701 to 2000 MBH 90 AFUE, Gas | GC2b005 | 4 | 4 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Boiler 1000 to 1700 MBH 90 AFUE, Gas | GC2b006 | 2 | 3 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Boiler 500 to 999 MBH 90 AFUE, Gas | GC2b007 | 19 | 20 | 19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Boiler 301 to 499 MBH 90 AFUE, Gas | GC2b008 | 15 | 16 | 17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Boiler to 300 MBH 90 AFUE, Gas | GC2b009 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Boiler to 300 MBH 95 AFUE, Gas | GC2b010 | 30 | 30 | 30 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Combo Condensing Boiler / Water Heater, Gas | GC2b011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Combo Furnace / Water Heater, Gas | GC2b012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Condensing Unit Heater, Gas | GC2b013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Furnace w/ ECM 95 AFUE, Gas | GC2b014 | 25 | 25 | 25 | 4.2 | 4.2 | 4.2 | 75.6 | 75.6 | 75.6 | 1.2 | 1.2 | 1.2 | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Furnace w/ ECM 97 AFUE, Gas | GC2b015 | 4 | 5 | 4 | 0.7 | 0.8 | 0.7 | 12.1 | 15.1 | 12.1 | 0.2 | 0.2 | 0.2 | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Infrared Heater, Gas | GC2b016 | 21 | 22 | 21 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Faucet Aerator, Gas | GC2b017 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Low Flow Showerhead With Thermostatic Valve, Gas | GC2b018 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Low Flow Showerhead, Gas | GC2b019 | 400 | 400 | 400 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Pre Rinse Spray Valve, Gas | GC2b020 | 18 | 20 | 18 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Combination Oven, Gas | GC2b021 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Convection Oven, Gas | GC2b022 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Conveyor Oven, Gas | GC2b023 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Fryer, Gas | GC2b024 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Griddle, Gas | GC2b025 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Rack Oven, Gas | GC2b026 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Steam Cooker, Gas | GC2b027 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Indirect Water Heater, Gas | GC2b028 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | On Demand Tankless Water Heater, Gas | GC2b029 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Volume Water Heater, Gas | GC2b030 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Condensing Gas Water Heater | GC2b031 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Clothes Washer, High Speed, Gas | GC2b032 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | Pasta Cooker, Gas | GC2b033 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2b - SCI New Equipment and Construction | C&I Small New Construction Code Compliance | GC2b028 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream Combination Oven, Gas | GC2c001 | 2 | 2 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream Convection Oven, Gas | GC2c002 | 2 | 3 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream Conveyor Oven, Gas | GC2c003 | 2 | 2 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream Fryer, Gas | GC2c004 | 3 | 3 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream Griddle, Gas | GC2c005 | 1 | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream Pre-Rinse Spray Valve, Gas | GC2c006 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream Rack Oven, Gas | GC2c007 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream Steam Cooker, Gas | GC2c008 | 16 | 16 | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream Indirect Water Heater, Gas | GC2c009 | 8 | 9 | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream On Demand Tankless Water Heater, Gas | GC2c010 | 4 | 4 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream Volume Water Heater, Gas | GC2c011 | 8 | 8 | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | Midstream Water Heater, Condensing Gas | GC2c012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | OMP Thermostatic Shut-off Valve, Gas | GC2c013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | OMP Low-Flow Showerhead, Gas | GC2c014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | OMP Low-Flow Showerhead with Thermostatic Valve, Gas | GC2c015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | OMP Faucet Aerator, Gas | GC2c016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | OMP Pipe Wrap, Gas | GC2c017 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C2c - SCI Midstream | OMP Pre-Rinse Spray Valve, Gas | GC2c018 | - | - | | | | | | | | | | | | | | | | | | | |

| Subprogram | Measure | Measure ID | Quantity | | | Net Annual MWh Savings | | | Net Lifetime MWh Savings | | | Annual Net Winter kW | | | Annual Net Summer kW | | | Total Net Annual MMBTU | | | Total Net Lifetime MMBTU | | |
|--|--|------------|------------|--------------|--------------|------------------------|--------------|--------------|--------------------------|--------------|--------------|----------------------|--------------|--------------|----------------------|--------------|--------------|------------------------|--------------|--------------|--------------------------|--------------|--------------|
| | | | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 | 2024 | 2025 | 2026 |
| C3a - Muni Retrofit | Custom Small Hot Water Retro | GC3a001 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3a - Muni Retrofit | Custom Small HVAC Retro | GC3a002 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3a - Muni Retrofit | Custom Small Other Retro | GC3a003 | 10 | 10 | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1,566.0 | 1,515.5 | 1,405.1 | 23,490.0 |
| C3a - Muni Retrofit | Custom Small Process Retro | GC3a004 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3a - Muni Retrofit | Faucet Aerator, Gas | GC3a005 | 50 | 50 | 50 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 85.0 | 85.0 | 85.0 | 595.0 |
| C3a - Muni Retrofit | Low Flow Showerhead With Thermostatic Valve, Gas | GC3a006 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3a - Muni Retrofit | Low Flow Showerhead, Gas | GC3a007 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3a - Muni Retrofit | Pipe Wrap - Hot Water, Gas | GC3a008 | 12 | 12 | 12 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2.5 | 2.5 | 2.5 | 17.6 |
| C3a - Muni Retrofit | Pre Rinse Spray Valve, Gas | GC3a009 | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 11.4 | 11.4 | 11.4 | 91.2 |
| C3a - Muni Retrofit | Boiler Reset Controls, Gas | GC3a010 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3a - Muni Retrofit | Boiler Tune-Ups | GC3a011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3a - Muni Retrofit | Energy Management System, Gas | GC3a012 | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 136.0 | 136.0 | 136.0 | 1,360.0 |
| C3a - Muni Retrofit | Pipe Insulation - Heating, Gas | GC3a013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3a - Muni Retrofit | Steam Trap, Gas | GC3a014 | 40 | 40 | 40 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 637.6 | 640.0 | 640.0 | 3,825.4 |
| C3a - Muni Retrofit | Programmable Thermostat, Gas | GC3a015 | 50 | 50 | 50 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 175.0 | 175.0 | 175.0 | 2,625.0 |
| C3a - Muni Retrofit | Air Sealing, Gas | GC3a017 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3a - Muni Retrofit | Insulation, Gas | GC3a018 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Custom Small Hot Water New | GC3b001 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Custom Small HVAC New | GC3b002 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Custom Small Other New | GC3b003 | 2 | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 913.5 | 913.5 | 913.5 | 11,875.3 |
| C3b - Muni New Equipment and Construction | Custom Small Process New | GC3b004 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Boiler 1701 to 2000 MBH 90 AFUE, Gas | GC3b005 | 2 | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 330.6 | 330.6 | 330.6 | 8,265.0 |
| C3b - Muni New Equipment and Construction | Boiler 1000 to 1700 MBH 90 AFUE, Gas | GC3b006 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Boiler 500 to 999 MBH 90 AFUE, Gas | GC3b007 | 8 | 8 | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 411.2 | 411.2 | 411.2 | 10,280.0 |
| C3b - Muni New Equipment and Construction | Boiler 301 to 499 MBH 90 AFUE, Gas | GC3b008 | 2 | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 56.0 | 56.0 | 56.0 | 1,400.0 |
| C3b - Muni New Equipment and Construction | Boiler to 300 MBH 90 AFUE, Gas | GC3b009 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Boiler to 300 MBH 95 AFUE, Gas | GC3b010 | 12 | 12 | 13 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 212.4 | 212.4 | 230.1 | 5,310.0 |
| C3b - Muni New Equipment and Construction | Combo Condensing Boiler / Water Heater, Gas | GC3b011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Combo Furnace / Water Heater, Gas | GC3b012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Condensing Unit Heater, Gas | GC3b013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Furnace w/ ECM 95 AFUE, Gas | GC3b014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Furnace w/ ECM 97 AFUE, Gas | GC3b015 | 3 | 3 | 4 | 0.5 | 0.5 | 0.7 | 9.1 | 9.1 | 12.1 | 0.1 | 0.1 | 0.2 | - | - | - | - | - | 20.1 | 20.1 | 26.8 | 361.8 |
| C3b - Muni New Equipment and Construction | Infrared Heater, Gas | GC3b016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Faucet Aerator, Gas | GC3b017 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Low Flow Showerhead With Thermostatic Valve, Gas | GC3b018 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Low Flow Showerhead, Gas | GC3b019 | 61 | 61 | 61 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 161.7 | 161.7 | 161.7 | 1,131.8 |
| C3b - Muni New Equipment and Construction | Pre Rinse Spray Valve, Gas | GC3b020 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Combination Oven, Gas | GC3b021 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Convection Oven, Gas | GC3b022 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Conveyor Oven, Gas | GC3b023 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Fryer, Gas | GC3b024 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Griddle, Gas | GC3b025 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Rack Oven, Gas | GC3b026 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Steam Cooker, Gas | GC3b027 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Indirect Water Heater, Gas | GC3b028 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | On Demand Tankless Water Heater, Gas | GC3b029 | 1 | 1 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 7.4 | 7.4 | 14.8 | 148.3 |
| C3b - Muni New Equipment and Construction | Volume Water Heater, Gas | GC3b030 | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 68.1 | 68.1 | 68.1 | 1,022.1 |
| C3b - Muni New Equipment and Construction | Condensing Gas Water Heater | GC3b031 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Clothes Washer, High Speed, Gas | GC3b032 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | Pasta Cooker, Gas | GC3b033 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C3b - Muni New Equipment and Construction | C&I Small New Construction Code Compliance | GC3b028 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Municipal Energy Solutions Subtotal | | | 0.5 | #REF! | #REF! | 9.1 | #REF! | #REF! | 9.1 | #REF! | #REF! | 0.1 | #REF! | #REF! | - | #REF! | #REF! | 4,794.5 | #REF! | #REF! | 71,798.4 | #REF! | #REF! |






Home Energy Assistance

| | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|---|------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Planned | | | | | | | | | | | | |
| Total Budget (plan) | \$ 921,250 | \$ 895,000 | \$ 1,005,700 | \$ 1,217,300 | \$ 1,310,342 | \$ 1,676,441 | \$ 1,482,845 | \$ 1,698,829 | \$ 1,778,574 | \$ 1,846,345 | \$ 1,738,357 | \$ 1,651,988 |
| 1) Total Annual Electric Savings (kWh) (plan) | - | 33,878 | 50,719 | 49,935 | 47,539 | 57,179 | - | 131,723 | 135,734 | 16,031 | 16,197 | 16,577 |
| \$/Annual kWh Saved (plan) | \$ - | \$ 26.42 | \$ 19.83 | \$ 24.38 | \$ 27.56 | \$ 29.32 | \$ - | \$ 12.90 | \$ 13.10 | \$ 115.17 | \$ 107.33 | \$ 99.66 |
| 2) Total kW saved (plan) | - | - | - | - | - | - | - | 34.66 | 35.72 | 3.50 | 3.58 | 3.61 |
| \$/kW saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 49,009 | \$ 49,793 | \$ 527,484 | \$ 485,596 | \$ 457,861 |
| 3) Total Fuel Neutral MMBtu Saved (plan) | 6,651 | 6,339 | 5,302 | 7,252 | 7,637 | 8,460 | 6,381 | 6,730 | 6,813 | 10,430 | 10,721 | 10,874 |
| \$/Total Fuel Neutral MMBtu Saved (plan) | \$ 138.52 | \$ 141.20 | \$ 189.68 | \$ 167.85 | \$ 171.58 | \$ 198.16 | \$ 232.39 | \$ 252.43 | \$ 261.05 | \$ 177.03 | \$ 162.14 | \$ 151.93 |
| Actuals | | | | | | | | | | | | |
| Total Spending (actual) | \$ 919,751 | \$ 1,003,642 | \$ 826,371 | \$ 984,077 | \$ 1,683,152 | \$ 1,676,017 | \$ 1,649,014 | \$ 1,700,968 | | | | |
| 1) Total Annual Electric Savings (kWh) (actual) | 22,452 | 54,303 | 41,806 | 13,069 | 81,247 | 41,960 | 120,924 | 34,022 | | | | |
| \$/Annual kWh Saved (actual) | \$ 40.96 | \$ 18.48 | \$ 19.77 | \$ 75.30 | \$ 20.72 | \$ 39.94 | \$ 13.64 | \$ 50.00 | | | | |
| 2) Total kW saved (actual) | - | - | - | - | - | - | 30.84 | 8.55 | | | | |
| \$/kW saved (actual) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 53,463 | \$ 198,959 | | | | |
| 3) Total Fuel Neutral MMBtu Saved (actual) | 4,206 | 6,998 | 4,476 | 5,636 | 7,378 | 7,377 | 5,896 | 11,774 | | | | |
| \$/Total Fuel Neutral MMBtu Saved (actual) | \$ 218.67 | \$ 143.42 | \$ 184.62 | \$ 174.60 | \$ 228.14 | \$ 227.20 | \$ 279.70 | \$ 144.46 | | | | |








Home Performance

| | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|---|------------|-------------|------------|------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Planned | | | | | | | | | | | | |
| Total Budget (plan) | \$ 730,157 | \$ 645,815 | \$ 729,200 | \$ 767,160 | \$ 1,035,751 | \$ 933,152 | \$ 1,029,960 | \$ 1,206,945 | \$ 1,191,709 | \$ 1,450,000 | \$ 1,246,476 | \$ 1,186,740 |
| 1) Total Annual Electric Savings (kWh) (plan) | - | - | 185,370 | 119,725 | 177,985 | 178,695 | 223,626 | 76,772 | 76,679 | 17,469 | 11,499 | 11,499 |
| \$/Annual kWh Saved (plan) | \$ - | \$ - | \$ 3.93 | \$ 6.41 | \$ 5.82 | \$ 5.22 | \$ 4.61 | \$ 15.72 | \$ 15.54 | \$ 83.01 | \$ 108.40 | \$ 103.21 |
| 2) Total kW saved (plan) | - | - | - | - | 27.77 | 27.88 | - | 12.13 | 18.40 | 3.97 | 2.47 | 2.47 |
| \$/kW saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ 37,302 | \$ 33,474 | \$ - | \$ 99,469 | \$ 64,780 | \$ 365,495 | \$ 505,428 | \$ 481,205 |
| 3) Total Fuel Neutral MMBtu Saved (plan) | 11,681 | 15,258 | 7,369 | 8,248 | 10,825 | 11,796 | 22,563 | 17,034 | 16,789 | 9,519 | 8,091 | 8,307 |
| \$/Total Fuel Neutral MMBtu Saved (plan) | \$ 62.51 | \$ 42.33 | \$ 98.95 | \$ 93.01 | \$ 95.68 | \$ 79.11 | \$ 45.65 | \$ 70.86 | \$ 70.98 | \$ 152.33 | \$ 154.05 | \$ 142.86 |
| Actuals | | | | | | | | | | | | |
| Total Spending (actual) | \$ 619,873 | \$ 478,819 | \$ 354,067 | \$ 688,212 | \$ 888,595 | \$ 1,198,339 | \$ 1,279,870 | \$ 1,165,279 | | | | |
| 1) Total Annual Electric Savings (kWh) (actual) | 45,640 | 118 | 4,817 | 116,260 | 192,556 | 133,273 | 83,481 | 105,861 | | | | |
| \$/Annual kWh Saved (actual) | \$ 13.58 | \$ 4,048.30 | \$ 73.50 | \$ 5.92 | \$ 4.61 | \$ 8.99 | \$ 15.33 | \$ 11.01 | | | | |
| 2) Total kW saved (actual) | - | - | - | - | - | - | 18.87 | 19.71 | | | | |
| \$/kW saved (actual) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 67,820 | \$ 59,112 | | | | |
| 3) Total Fuel Neutral MMBtu Saved (actual) | 19,203 | 13,901 | 3,508 | 8,527 | 11,593 | 13,577 | 17,784 | 9,388 | | | | |
| \$/Total Fuel Neutral MMBtu Saved (actual) | \$ 32.28 | \$ 34.44 | \$ 100.93 | \$ 80.71 | \$ 76.65 | \$ 88.26 | \$ 71.97 | \$ 124.13 | | | | |








Energy Star Homes

| | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|---|-----------|-----------|------------|------------|------------|------------|------------|---------------|------------|------------|------------|------------|
| Planned | | | | | | | | | | | | |
| Total Budget (plan) | \$ 60,800 | \$ 85,000 | \$ 136,000 | \$ 207,100 | \$ 421,351 | \$ 874,689 | \$ 874,689 | \$ 637,758 | \$ 645,320 | \$ 789,186 | \$ 686,636 | \$ 654,930 |
| 1) Total Annual Electric Savings (kWh) (plan) | - | 26,098 | 28,722 | 40,277 | 47,701 | 168,486 | - | - | - | - | - | - |
| \$/Annual kWh Saved (plan) | \$ - | \$ 3.26 | \$ 4.73 | \$ 5.14 | \$ 8.83 | \$ 5.19 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| 2) Total kW saved (plan) | - | - | - | - | 11.57 | 40.88 | - | - | - | - | - | - |
| \$/kW saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ 36,404 | \$ 21,396 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| 3) Total Fuel Neutral MMBtu Saved (plan) | 990 | 1,599 | 1,829 | 1,583 | 2,577 | 12,724 | 12,724 | 5,386 | 5,282 | 5,850 | 5,457 | 5,608 |
| \$/Total Fuel Neutral MMBtu Saved (plan) | \$ 61.44 | \$ 53.15 | \$ 74.37 | \$ 130.85 | \$ 163.52 | \$ 68.74 | \$ 68.74 | \$ 118.41 | \$ 122.17 | \$ 134.91 | \$ 125.83 | \$ 116.79 |
| Actuals | | | | | | | | | | | | |
| Total Spending (actual) | \$ 84,958 | \$ 99,240 | \$ 111,025 | \$ 234,317 | \$ 430,693 | \$ 684,613 | \$ 561,010 | \$ 459,142 | | | | |
| 1) Total Annual Electric Savings (kWh) (actual) | 22,296 | 348,784 | 2,051 | 35,233 | 68,608 | 1,437 | - | 1,791 | | | | |
| \$/Annual kWh Saved (actual) | \$ 3.81 | \$ 0.28 | \$ 54.14 | \$ 6.65 | \$ 6.28 | \$ 476.39 | \$ - | \$ 256.39 | | | | |
| 2) Total kW saved (actual) | - | - | - | - | - | - | - | 0.01 | | | | |
| \$/kW saved (actual) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 41,590,978 | | | | |
| 3) Total Fuel Neutral MMBtu Saved (actual) | 1,420 | 938 | 2,103 | 2,385 | 3,953 | 9,395 | 5,331 | 5,572 | | | | |
| \$/Total Fuel Neutral MMBtu Saved (actual) | \$ 59.85 | \$ 105.86 | \$ 52.78 | \$ 98.25 | \$ 108.95 | \$ 72.87 | \$ 105.24 | \$ 82.41 | | | | |








Energy Star Products

| | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|---|------------|------------|------------|--------------|------------|------------|----------------|-----------------|---------------|---------------|---------------|---------------|
| Planned | | | | | | | | | | | | |
| Total Budget (plan) | \$ 828,043 | \$ 995,000 | \$ 815,220 | \$ 1,091,674 | \$ 925,001 | \$ 867,569 | \$ 874,689 | \$ 1,246,390 | \$ 1,211,736 | \$ 1,340,849 | \$ 1,161,325 | \$ 1,106,929 |
| 1) Total Annual Electric Savings (kWh) (plan) | - | 40,875 | 39,480 | 46,959 | 40,628 | 123,094 | - | 28,617 | 21,581 | 30,846 | 27,708 | 29,160 |
| \$/Annual kWh Saved (plan) | \$ - | \$ 24.34 | \$ 20.65 | \$ 23.25 | \$ 22.77 | \$ 7.05 | \$ - | \$ 43.55 | \$ 56.15 | \$ 43.47 | \$ 41.91 | \$ 37.96 |
| 2) Total kW saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 0.14 | \$ 0.11 | \$ 0.11 | \$ 0.05 | \$ 0.07 |
| \$/kW saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ 9,226,081 | \$ 10,671,252 | \$ 12,285,498 | \$ 22,302,430 | \$ 15,487,079 |
| 3) Total Fuel Neutral MMBtu Saved (plan) | 14,006 | 15,590 | 10,384 | 14,079 | 11,990 | 11,161 | 12,724 | 19,364 | 17,770 | 26,571 | 24,980 | 26,031 |
| \$/Total Fuel Neutral MMBtu Saved (plan) | \$ 59.12 | \$ 63.82 | \$ 78.51 | \$ 77.54 | \$ 77.15 | \$ 77.73 | \$ 68.74 | \$ 64.37 | \$ 68.19 | \$ 50.46 | \$ 46.49 | \$ 42.52 |
| Actuals | | | | | | | | | | | | |
| Total Spending (actual) | \$ 899,814 | \$ 970,998 | \$ 989,619 | \$ 1,230,077 | \$ 921,922 | \$ 932,145 | \$ 835,696 | \$ 1,184,621 | | | | |
| 1) Total Annual Electric Savings (kWh) (actual) | 53,803 | 73,637 | 27,419 | 31,248 | 38,843 | 130,883 | 29,034 | 22,641 | | | | |
| \$/Annual kWh Saved (actual) | \$ 16.72 | \$ 13.19 | \$ 36.09 | \$ 39.36 | \$ 23.73 | \$ 7.12 | \$ 28.78 | \$ 52.32 | | | | |
| 2) Total kW saved (actual) | - | - | - | - | - | - | (0.14) | (0.03) | | | | |
| \$/kW saved (actual) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ (5,828,538) | \$ (37,164,520) | | | | |
| 3) Total Fuel Neutral MMBtu Saved (actual) | 17,351 | 16,658 | 11,846 | 35,151 | 17,651 | 11,669 | 15,490 | 23,805 | | | | |
| \$/Total Fuel Neutral MMBtu Saved (actual) | \$ 51.86 | \$ 58.29 | \$ 83.54 | \$ 34.99 | \$ 52.23 | \$ 79.89 | \$ 53.95 | \$ 49.76 | | | | |







Residential Behavior

| | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|---|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Planned | | | | | | | | | | | | |
| Total Budget (plan) | \$ 293,550 | \$ 298,000 | \$ 227,000 | \$ 296,600 | \$ 270,764 | \$ 286,995 | \$ 286,995 | \$ 162,500 | \$ 175,160 | \$ 185,000 | \$ 175,115 | \$ 165,644 |
| 1) Total Annual Electric Savings (kWh) (plan) | - | - | - | - | - | - | - | - | - | - | - | - |
| \$/Annual kWh Saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| 2) Total kW saved (plan) | - | - | - | - | - | - | - | - | - | - | - | - |
| \$/kW saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| 3) Total Fuel Neutral MMBtu Saved (plan) | 18,440 | 18,440 | 9,700 | 7,480 | 7,384 | 7,438 | 13,169 | 17,325 | 28,410 | 20,044 | 20,044 | 20,044 |
| \$/Total Fuel Neutral MMBtu Saved (plan) | \$ 15.92 | \$ 16.16 | \$ 23.40 | \$ 39.65 | \$ 36.67 | \$ 38.58 | \$ 21.79 | \$ 9.38 | \$ 6.17 | \$ 9.23 | \$ 8.74 | \$ 8.26 |
| Actuals | | | | | | | | | | | | |
| Total Spending (actual) | \$ 298,542 | \$ 245,049 | \$ 224,350 | \$ 264,914 | \$ 269,755 | \$ 289,531 | \$ 218,276 | \$ 167,506 | | | | |
| 1) Total Annual Electric Savings (kWh) (actual) | - | - | - | - | - | - | - | - | - | - | - | - |
| \$/Annual kWh Saved (actual) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| 2) Total kW saved (actual) | - | - | - | - | - | - | - | - | - | - | - | - |
| \$/kW saved (actual) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| 3) Total Fuel Neutral MMBtu Saved (actual) | 22,213 | 9,622 | 9,708 | 8,116 | 10,884 | 11,994 | 20,661 | 19,967 | | | | |
| \$/Total Fuel Neutral MMBtu Saved (actual) | \$ 13.44 | \$ 25.47 | \$ 23.11 | \$ 32.64 | \$ 24.79 | \$ 24.14 | \$ 10.56 | \$ 8.39 | | | | |







Large Business Energy Solutions

| | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|---|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Planned | | | | | | | | | | | | |
| Total Budget (plan) | \$ 1,445,300 | \$ 1,488,000 | \$ 1,563,100 | \$ 1,981,418 | \$ 2,300,303 | \$ 2,190,676 | \$ 2,190,676 | \$ 1,888,284 | \$ 2,035,773 | \$ 1,694,000 | \$ 1,749,486 | \$ 1,647,943 |
| 1) Total Annual Electric Savings (kWh) (plan) | - | - | - | - | - | - | - | - | - | - | - | - |
| \$/Annual kWh Saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| 2) Total kW saved (plan) | - | - | - | - | - | - | - | - | - | - | - | - |
| \$/kW saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| 3) Total Fuel Neutral MMBtu Saved (plan) | 35,112 | 47,471 | 50,253 | 56,641 | 65,863 | 65,052 | 61,935 | 49,140 | 49,999 | 33,168 | 37,439 | 36,909 |
| \$/Total Fuel Neutral MMBtu Saved (plan) | \$ 41.16 | \$ 31.35 | \$ 31.10 | \$ 34.98 | \$ 34.93 | \$ 33.68 | \$ 35.37 | \$ 38.43 | \$ 40.72 | \$ 51.07 | \$ 46.73 | \$ 44.65 |
| Actuals | | | | | | | | | | | | |
| Total Spending (actual) | \$ 1,213,707 | \$ 1,362,063 | \$ 1,118,670 | \$ 1,253,657 | \$ 1,808,918 | \$ 1,619,656 | \$ 1,803,524 | \$ 1,173,054 | | | | |
| 1) Total Annual Electric Savings (kWh) (actual) | 376,025 | 730,767 | 59,599 | 62,399 | 217,971 | (465,339) | (27,565) | (53,423) | | | | |
| \$/Annual kWh Saved (actual) | \$ 3.23 | \$ 1.86 | \$ 18.77 | \$ 20.09 | \$ 8.30 | \$ (3.48) | \$ (65.43) | \$ (21.96) | | | | |
| 2) Total kW saved (actual) | - | - | - | - | - | - | - | - | | | | |
| \$/kW saved (actual) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | | | |
| 3) Total Fuel Neutral MMBtu Saved (actual) | 40,176 | 41,330 | 44,189 | 50,500 | 69,643 | 33,753 | 51,816 | 25,588 | | | | |
| \$/Total Fuel Neutral MMBtu Saved (actual) | \$ 30.21 | \$ 32.96 | \$ 25.32 | \$ 24.82 | \$ 25.97 | \$ 47.99 | \$ 34.81 | \$ 45.84 | | | | |



Small Business Energy Solutions

| | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|---|--------------|--------------|--------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Planned | | | | | | | | | | | | |
| Total Budget (plan) | \$ 1,032,710 | \$ 1,190,000 | \$ 1,373,000 | \$ 1,521,323 | \$ 1,361,981 | \$ 1,805,139 | \$ 1,805,139 | \$ 1,544,864 | \$ 1,735,798 | \$ 1,591,172 | \$ 1,617,568 | \$ 1,550,874 |
| 1) Total Annual Electric Savings (kWh) (plan) | - | 2,352 | 1,344 | - | - | - | 2,520 | - | 2,117 | 4,872 | 5,040 | 4,872 |
| \$/Annual kWh Saved (plan) | \$ - | \$ 505.95 | \$ 1,021.58 | \$ - | \$ - | \$ - | \$ 716.33 | \$ - | \$ 820.01 | \$ 326.60 | \$ 320.95 | \$ 318.32 |
| 2) Total kW saved (plan) | - | - | - | - | - | - | - | - | - | - | - | - |
| \$/kW saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - |
| 3) Total Fuel Neutral MMBtu Saved (plan) | 19,195 | 17,647 | 38,717 | 34,790 | 31,804 | 30,789 | 24,125 | 22,845 | 22,221 | 14,521 | 15,795 | 16,354 |
| \$/Total Fuel Neutral MMBtu Saved (plan) | \$ 53.80 | \$ 67.43 | \$ 35.46 | \$ 43.73 | \$ 42.82 | \$ 58.63 | \$ 74.82 | \$ 67.62 | \$ 78.11 | \$ 109.58 | \$ 102.41 | \$ 94.83 |
| Actuals | | | | | | | | | | | | |
| Total Spending (actual) | \$ 1,129,098 | \$ 795,989 | \$ 852,560 | \$ 1,226,552 | \$ 1,389,860 | \$ 2,088,171 | \$ 1,548,647 | \$ 1,245,463 | | | | |
| 1) Total Annual Electric Savings (kWh) (actual) | 316,732 | 17,925 | 90,647 | 66,362 | 31,344 | (2,083) | (10,212) | 42,466 | | | | |
| \$/Annual kWh Saved (actual) | \$ 3.56 | \$ 44.41 | \$ 9.41 | \$ 18.48 | \$ 44.34 | \$ (1,002.48) | \$ (151.65) | \$ 29.33 | | | | |
| 2) Total kW saved (actual) | - | - | - | - | - | - | - | - | | | | |
| \$/kW saved (actual) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | | | |
| 3) Total Fuel Neutral MMBtu Saved (actual) | 39,916 | 20,732 | 25,815 | 28,935 | 28,467 | 59,114 | 24,365 | 14,304 | | | | |
| \$/Total Fuel Neutral MMBtu Saved (actual) | \$ 28.29 | \$ 38.40 | \$ 33.03 | \$ 42.39 | \$ 48.82 | \$ 35.32 | \$ 63.56 | \$ 87.07 | | | | |



Municipal Energy Solutions

| Planned | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|---|------|------|------|------|------|------|------|------|------|------------|------------|------------|
| Total Budget (plan) | | | | | | | | | | \$ 370,000 | \$ 350,230 | \$ 331,288 |
| 1) Total Annual Electric Savings (kWh) (plan) | | | | | | | | | | 504 | 504 | 672 |
| \$/Annual kWh Saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | 734.13 | 694.90 | 492.99 |
| 2) Total kW saved (plan) | | | | | | | | | | - | - | - |
| \$/kW saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | - | - | - |
| 3) Total Fuel Neutral MMBtu Saved (plan) | | | | | | | | | | 4,794 | 4,746 | 4,668 |
| \$/Total Fuel Neutral MMBtu Saved (plan) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | 77.17 | 73.79 | 70.97 |
| Actuals | | | | | | | | | | | | |
| Total Spending (actual) | | | | | | | | | | | | |
| 1) Total Annual Electric Savings (kWh) (actual) | | | | | | | | | | | | |
| \$/Annual kWh Saved (actual) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | | |
| 2) Total kW saved (actual) | | | | | | | | | | | | |
| \$/kW saved (actual) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | | |
| 3) Total Fuel Neutral MMBtu Saved (actual) | | | | | | | | | | | | |
| \$/Total Fuel Neutral MMBtu Saved (actual) | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | | |

